

Brendon Stubbs

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1142921/publications.pdf>

Version: 2024-02-01

762
papers

45,599
citations

2203

99
h-index

4750

169
g-index

774
all docs

774
docs citations

774
times ranked

42194
citing authors

#	ARTICLE	IF	CITATIONS
1	Dietary intake, physical activity and sedentary behaviour patterns in a sample with established psychosis and associations with mental health symptomatology. <i>Psychological Medicine</i> , 2023, 53, 1565-1575.	2.7	15
2	Impact of data extraction errors in meta-analyses on the association between depression and peripheral inflammatory biomarkers: an umbrella review. <i>Psychological Medicine</i> , 2023, 53, 2017-2030.	2.7	4
3	Multimorbidity clusters among people with serious mental illness: a representative primary and secondary data linkage cohort study. <i>Psychological Medicine</i> , 2023, 53, 4333-4344.	2.7	3
4	Exergaming for people with major neurocognitive disorder: a qualitative study. <i>Disability and Rehabilitation</i> , 2022, 44, 2044-2052.	0.9	12
5	Device-measured sedentary behaviour and anxiety symptoms during adolescence: a 6-year prospective cohort study. <i>Psychological Medicine</i> , 2022, 52, 2962-2971.	2.7	9
6	Psychometric Evaluation of the Fear of COVID-19 Scale Among Chinese Population. <i>International Journal of Mental Health and Addiction</i> , 2022, 20, 1273-1288.	4.4	82
7	Physical activity correlates in children and adolescents, adults, and older adults with an intellectual disability: a systematic review. <i>Disability and Rehabilitation</i> , 2022, 44, 4189-4200.	0.9	8
8	Associations between loneliness and acute hospitalisation outcomes among patients receiving mental healthcare in South London: a retrospective cohort study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 397-410.	1.6	7
9	Resistance training reduces depressive and anxiety symptoms in older women: a pilot study. <i>Aging and Mental Health</i> , 2022, 26, 1136-1142.	1.5	4
10	Efficacy of non-invasive brain stimulation interventions in reducing smoking frequency in patients with nicotine dependence: a systematic review and network meta-analysis of randomized controlled trials. <i>Addiction</i> , 2022, 117, 1830-1842.	1.7	21
11	Can high-intensity interval training improve mental health outcomes in the general population and those with physical illnesses? A systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2022, 56, 279-291.	3.1	23
12	Physical and mental health impact of COVID-19 on children, adolescents, and their families: The Collaborative Outcomes study on Health and Functioning during Infection Times - Children and Adolescents (COH-FIT-C&A). <i>Journal of Affective Disorders</i> , 2022, 299, 367-376.	2.0	33
13	Prevalence of diabetes in people with intellectual disabilities and age- and gender-matched controls: A meta-analysis. <i>Journal of Applied Research in Intellectual Disabilities</i> , 2022, 35, 301-311.	1.3	4
14	Prospective Associations of Leisure-Time Physical Activity With Psychological Distress and Well-Being: A 12-Year Cohort Study. <i>Psychosomatic Medicine</i> , 2022, 84, 116-122.	1.3	4
15	A response to Staller & Koerner "We do need to talk about restraint. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2022, 29, 616-617.	1.2	0
16	Osteoporosis referral and treatment among people with severe mental illness: A ten-year data linkage study. <i>Journal of Psychiatric Research</i> , 2022, 147, 94-102.	1.5	0
17	Prospective associations between multiple lifestyle behaviors and depressive symptoms. <i>Journal of Affective Disorders</i> , 2022, 301, 233-239.	2.0	11
18	Associations between daily steps and cognitive function among inpatients with schizophrenia. <i>BMC Psychiatry</i> , 2022, 22, 87.	1.1	2

#	ARTICLE	IF	CITATIONS
19	Does stressful workplace characteristics moderate or confound the association between occupational physical activity and elevated depressive symptoms? A large study including 36,442 adults. <i>Journal of Affective Disorders</i> , 2022, 303, 196-196.	2.0	0
20	Differences in the prophylactic effect of serum lithium levels on depression and mania in bipolar disorder: A dose-response meta-analysis. <i>European Neuropsychopharmacology</i> , 2022, 58, 20-29.	0.3	13
21	Disparities in COVID-19 infection, hospitalisation and death in people with schizophrenia, bipolar disorder, and major depressive disorder: a cohort study of the UK Biobank. <i>Molecular Psychiatry</i> , 2022, 27, 1248-1255.	4.1	43
22	Trajectory of Antidepressant Effects after Single- or Two-Dose Administration of Psilocybin: A Systematic Review and Multivariate Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2022, 11, 938.	1.0	17
23	Effectiveness and acceptability of noninvasive brain and nerve stimulation techniques for migraine prophylaxis: a network meta-analysis of randomized controlled trials. <i>Journal of Headache and Pain</i> , 2022, 23, 28.	2.5	14
24	A systematic review and meta-analysis of structural and functional brain alterations in individuals with genetic and clinical high-risk for psychosis and bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 117, 110540.	2.5	20
25	Predictors of falls and fractures leading to hospitalisation in 36%101 people with affective disorders: a large representative cohort study. <i>BMJ Open</i> , 2022, 12, e055070.	0.8	2
26	Pain management in people with severe mental illness: an agenda for progress. <i>Pain</i> , 2022, 163, 1653-1660.	2.0	4
27	Pharmacologic interventions for Kawasaki disease in children: A network meta-analysis of 56 randomized controlled trials. <i>EBioMedicine</i> , 2022, 78, 103946.	2.7	14
28	Recommendations of the Schizophrenia Expert Center network for adequate physical activity in real-world schizophrenia (FACE-SZ). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, , 1.	1.8	2
29	The Dose and Duration-dependent Association between Melatonin Treatment and Overall Cognition in Alzheimer's Dementia: A Network Meta-Analysis of Randomized Placebo-Controlled Trials. <i>Current Neuropharmacology</i> , 2022, 20, 1816-1833.	1.4	5
30	Assessment of Noninvasive Brain Stimulation Interventions for Negative Symptoms of Schizophrenia. <i>JAMA Psychiatry</i> , 2022, 79, 770.	6.0	31
31	Vitamin D and cardiometabolic outcomes in first episode psychosis (FEP): A prospective cohort study. <i>Schizophrenia Research</i> , 2022, 246, 26-29.	1.1	0
32	Effects of modern technology (exergame and virtual reality) assisted rehabilitation vs conventional rehabilitation in patients with Parkinson's disease: a network meta-analysis of randomised controlled trials. <i>Physiotherapy</i> , 2022, 117, 35-42.	0.2	7
33	Environmental risk factors, protective factors, and biomarkers for postpartum depressive symptoms: an umbrella review. <i>Neuroscience and Biobehavioral Reviews</i> , 2022, 140, 104761.	2.9	5
34	Nutritional labelling for healthier food or non-alcoholic drink purchasing and consumption. <i>The Cochrane Library</i> , 2021, 2021, CD009315.	1.5	124
35	The kynurenine pathway in major depressive disorder, bipolar disorder, and schizophrenia: a meta-analysis of 101 studies. <i>Molecular Psychiatry</i> , 2021, 26, 4158-4178.	4.1	135
36	Effects of yoga on depressive symptoms in people with mental disorders: a systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2021, 55, 992-1000.	3.1	67

#	ARTICLE	IF	CITATIONS
37	Effectiveness of Adjunctive Analgesics in Head and Neck Cancer Patients Receiving Curative (Chemo-) Radiotherapy: A Systematic Review. <i>Pain Medicine</i> , 2021, 22, 152-164.	0.9	4
38	Redefining mental healthcare: going multidisciplinary to manage multimorbidity. <i>British Journal of Sports Medicine</i> , 2021, 55, 7-8.	3.1	11
39	Functional objective parameters which may discriminate patients with mild cognitive impairment from cognitively healthy individuals: a systematic review and meta-analysis using an instrumented kinematic assessment. <i>Age and Ageing</i> , 2021, 50, 380-393.	0.7	12
40	A dose response relationship between accelerometer assessed daily steps and depressive symptoms in older adults: a two-year cohort study. <i>Age and Ageing</i> , 2021, 50, 519-526.	0.7	12
41	The prevalence, odds and predictors of lifespan comorbid eating disorder among people with a primary diagnosis of bipolar disorders, and vice-versa: Systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2021, 280, 409-431.	2.0	28
42	Associations between sedentary behavior and happiness: An analysis of influential factors among middle-aged and older adults from six low- and middle-income countries. <i>Maturitas</i> , 2021, 143, 157-164.	1.0	9
43	Active school travel is associated with fewer suicide attempts among adolescents from low-and middle-income countries. <i>International Journal of Clinical and Health Psychology</i> , 2021, 21, 100202.	2.7	17
44	The efficacy of meditation-based mind-body interventions for mental disorders: A meta-review of 17 meta-analyses of randomized controlled trials. <i>Journal of Psychiatric Research</i> , 2021, 134, 181-191.	1.5	35
45	Cognitive effects and acceptability of non-invasive brain stimulation on Alzheimer's disease and mild cognitive impairment: a component network meta-analysis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2021, 92, 195-203.	0.9	72
46	Moving more, ageing happy: findings from six low- and middle-income countries. <i>Age and Ageing</i> , 2021, 50, 488-497.	0.7	13
47	A comparative meta-analysis of the prevalence of exercise addiction in adults with and without indicated eating disorders. <i>Eating and Weight Disorders</i> , 2021, 26, 37-46.	1.2	49
48	Reliability and Convergent Validity of Self-Reported Physical Activity Questionnaires for People With Mental Disorders: A Systematic Review and Meta-Analysis. <i>Journal of Physical Activity and Health</i> , 2021, 18, 109-115.	1.0	0
49	Defining polypharmacy: in search of a more comprehensive determination method applied in a tertiary psychiatric hospital. <i>Therapeutic Advances in Psychopharmacology</i> , 2021, 11, 204512532110006.	1.2	4
50	Interventions for preventing type 2 diabetes in adults with mental disorders in low- and middle-income countries. <i>The Cochrane Library</i> , 2021, 2021, CD013281.	1.5	2
51	Therapeutic benefits of pharmacologic and nonpharmacologic treatments for depressive symptoms after traumatic brain injury: a systematic review and network meta-analysis. <i>Journal of Psychiatry and Neuroscience</i> , 2021, 46, E196-E207.	1.4	8
52	TB multimorbidity: a global health challenge demanding urgent attention. <i>International Journal of Tuberculosis and Lung Disease</i> , 2021, 25, 87-90.	0.6	13
53	The efficacy of exergaming in people with major neurocognitive disorder residing in long-term care facilities: a pilot randomized controlled trial. <i>Alzheimer's Research and Therapy</i> , 2021, 13, 70.	3.0	28
54	Perspectives on implementing HIIT interventions for service users in inpatient mental health settings: A qualitative study investigating patient, carer and staff attitudes. <i>Journal of Affective Disorders</i> , 2021, 283, 198-206.	2.0	10

#	ARTICLE	IF	CITATIONS
55	Tuberculosis and Non-Communicable Disease Multimorbidity: An Analysis of the World Health Survey in 48 Low- and Middle-Income Countries. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 2439.	1.2	18
56	Different social contexts of leisure-time physical activity: Does the association with depressive symptoms differ?. <i>Mental Health and Physical Activity</i> , 2021, 20, 100390.	0.9	4
57	Association between cardiorespiratory fitness and depressive symptoms in children and adolescents: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2021, 282, 1234-1240.	2.0	11
58	Dropout from exercise randomized controlled trials among people with anxiety and stress-related disorders: A meta-analysis and meta-regression. <i>Journal of Affective Disorders</i> , 2021, 282, 996-1004.	2.0	33
59	Physical Multimorbidity and Social Participation in Adult Aged 65 Years and Older From Six Low- and Middle-Income Countries. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2021, 76, 1452-1462.	2.4	19
60	Metformin and health outcomes: An umbrella review of systematic reviews with meta-analyses. <i>European Journal of Clinical Investigation</i> , 2021, 51, e13536.	1.7	14
61	Reducing sedentary behaviour and cognitive function in community-dwelling older people: Study protocol for a randomized feasibility study. <i>Aging and Health Research</i> , 2021, 1, 100005.	0.5	0
62	Neighborhood environment, social participation, and physical activity in older adults with lower limb osteoarthritis: A mediation analysis. <i>Health and Place</i> , 2021, 68, 102513.	1.5	7
63	Efficacy and acceptability of different interventions for acrophobia: A network meta-analysis of randomised controlled trials. <i>Journal of Affective Disorders</i> , 2021, 282, 786-794.	2.0	9
64	Poor self-rated health is associated with sedentary behavior regardless of physical activity in adolescents - PeNSE study.. <i>Mental Health and Physical Activity</i> , 2021, 20, 100384.	0.9	3
65	Efficacy and acceptability of different anti-fungal interventions in oropharyngeal or esophageal candidiasis in HIV co-infected adults: a pilot network meta-analysis. <i>Expert Review of Anti-Infective Therapy</i> , 2021, 19, 1469-1479.	2.0	5
66	Associations between mentally-passive and mentally-active sedentary behaviours during adolescence and psychological distress during adulthood. <i>Preventive Medicine</i> , 2021, 145, 106436.	1.6	17
67	A systematic review of the latent structure of the Center for Epidemiologic Studies Depression Scale (CES-D) amongst adolescents. <i>BMC Psychiatry</i> , 2021, 21, 197.	1.1	25
68	What are the most common restraint techniques taught by expert practitioners?. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2021, , .	1.2	1
69	Exercise addiction in athletes: Comparing two assessment instruments and willingness to stop exercise after medical advice.. <i>Psychological Assessment</i> , 2021, 33, 326-337.	1.2	8
70	Device-measured physical activity and sedentary behaviour in relation to mental wellbeing: An analysis of the 1970 British cohort study. <i>Preventive Medicine</i> , 2021, 145, 106434.	1.6	7
71	Employment and relationship outcomes in first-episode psychosis: A systematic review and meta-analysis of longitudinal studies. <i>Schizophrenia Research</i> , 2021, 231, 122-133.	1.1	25
72	Eight-week high-intensity interval training is associated with improved sleep quality and cardiorespiratory fitness in patients with depressive disorders. <i>Sleep and Breathing</i> , 2021, , 1.	0.9	4

#	ARTICLE	IF	CITATIONS
73	Efficacy and acceptability of noninvasive brain stimulation interventions for weight reduction in obesity: a pilot network meta-analysis. <i>International Journal of Obesity</i> , 2021, 45, 1705-1716.	1.6	11
74	Perspectives on implementing HIIT interventions for service users in inpatient mental health settings: a qualitative study investigating patient, carer and staff attitudes. <i>BJPsych Open</i> , 2021, 7, S269-S269.	0.3	0
75	Risk factors for eating disorders: an umbrella review of published meta-analyses. <i>Revista Brasileira De Psiquiatria</i> , 2021, 43, 314-323.	0.9	57
76	Impact of replacing sedentary behaviour with other movement behaviours on depression and anxiety symptoms: a prospective cohort study in the UK Biobank. <i>BMC Medicine</i> , 2021, 19, 133.	2.3	33
77	Pharmacologic and hormonal treatments for menopausal sleep disturbances: A network meta-analysis of 43 randomized controlled trials and 32,271 menopausal women. <i>Sleep Medicine Reviews</i> , 2021, 57, 101469.	3.8	14
78	Reply to Yi M et al. <i>Advances in Nutrition</i> , 2021, 12, 1595-1596.	2.9	0
79	Mortality rates in Alzheimer's disease and non-Alzheimer's dementias: a systematic review and meta-analysis. <i>The Lancet Healthy Longevity</i> , 2021, 2, e479-e488.	2.0	54
80	Prospective associations of different contexts of physical activity with psychological distress and well-being among middle-aged adults: An analysis of the 1970 British Cohort Study. <i>Journal of Psychiatric Research</i> , 2021, 140, 15-21.	1.5	9
81	The anxiolytic effects of exercise for people with anxiety and related disorders: An update of the available meta-analytic evidence. <i>Psychiatry Research</i> , 2021, 302, 114046.	1.7	42
82	Efficacy of serotonergic antidepressant treatment for the neuropsychiatric symptoms and agitation in dementia: A systematic review and meta-analysis. <i>Ageing Research Reviews</i> , 2021, 69, 101362.	5.0	17
83	Cross-sectional associations of leisure and transport related physical activity with depression and anxiety. <i>Journal of Psychiatric Research</i> , 2021, 140, 228-234.	1.5	17
84	Multimorbidity and obesity in older adults from six low- and middle-income countries. <i>Preventive Medicine</i> , 2021, 153, 106816.	1.6	19
85	Light-intensity physical activity and mental ill health: a systematic review of observational studies in the general population. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021, 18, 123.	2.0	16
86	Risk of hospitalised falls and hip fractures in working age adults receiving mental health care. <i>General Hospital Psychiatry</i> , 2021, 72, 81-87.	1.2	5
87	Mental health problems among Chinese adolescents during the COVID-19: The importance of nutrition and physical activity. <i>International Journal of Clinical and Health Psychology</i> , 2021, 21, 100218.	2.7	120
88	Relative effectiveness of non-surgical interventions for pain management in knee osteoarthritis: a protocol for a component network meta-analysis of randomised controlled trials. <i>BMJ Open</i> , 2021, 11, e048298.	0.8	0
89	Efficacy of pharmacologic treatment in tinnitus patients without specific or treatable origin: A network meta-analysis of randomised controlled trials. <i>EClinicalMedicine</i> , 2021, 39, 101080.	3.2	22
90	Treatment Efficacy and Acceptability of Pharmacotherapies for Dementia with Lewy Bodies: A Systematic Review and Network Meta-Analysis. <i>Archives of Gerontology and Geriatrics</i> , 2021, 96, 104474.	1.4	6

#	ARTICLE	IF	CITATIONS
91	Disparities in Screening and Treatment of Cardiovascular Diseases in Patients With Mental Disorders Across the World: Systematic Review and Meta-Analysis of 47 Observational Studies. <i>American Journal of Psychiatry</i> , 2021, 178, 793-803.	4.0	50
92	Effects of aerobic exercise on gut microbiota in adolescents with subthreshold mood syndromes and healthy adolescents: A 12-week, randomized controlled trial. <i>Journal of Affective Disorders</i> , 2021, 293, 363-372.	2.0	10
93	Association between physical activity and leisure-time sedentary behavior among 140,808 adolescents aged 12 to 15 from 47 low- and middle-income countries. <i>Public Health</i> , 2021, 199, 1-9.	1.4	4
94	THE CONNUNDRUM OF DEPRESSIVE SYMPTOM-FRAILTY commorbidty AND OVERLAP. <i>International Psychogeriatrics</i> , 2021, , 1-8.	0.6	0
95	Increased rates of respiratory disease in schizophrenia: A systematic review and meta-analysis including 619,214 individuals with schizophrenia and 52,159,551 controls. <i>Schizophrenia Research</i> , 2021, 237, 131-140.	1.1	23
96	Association of mentally-active and mentally-passive sedentary behaviour with depressive symptoms among adolescents. <i>Journal of Affective Disorders</i> , 2021, 294, 143-150.	2.0	8
97	Association of pharmacological prophylaxis with the risk of pediatric emergence delirium after sevoflurane anesthesia: An updated network meta-analysis. <i>Journal of Clinical Anesthesia</i> , 2021, 75, 110488.	0.7	20
98	Do beta-adrenergic blocking agents increase asthma exacerbation? A network meta-analysis of randomized controlled trials. <i>Scientific Reports</i> , 2021, 11, 452.	1.6	16
99	Association between Active School Travel and Depressive Symptoms among 51,702 Adolescents in 26 Low- and Middle-Income Countries. <i>International Journal of Mental Health Promotion</i> , 2021, 23, 141-153.	0.4	7
100	The Impact of Pharmacological and Non-Pharmacological Interventions to Improve Physical Health Outcomes in People With Schizophrenia: A Meta-Review of Meta-Analyses of Randomized Controlled Trials. <i>Focus (American Psychiatric Publishing)</i> , 2021, 19, 116-128.	0.4	7
101	Internet use, social isolation and loneliness in older adults. <i>Ageing and Society</i> , 2021, 41, 2723-2746.	1.2	31
102	Longitudinal Course of Depressive, Anxiety, and Posttraumatic Stress Disorder Symptoms After Heart Surgery: A Meta-Analysis of 94 Studies. <i>Psychosomatic Medicine</i> , 2021, 83, 85-93.	1.3	15
103	Independent and combined associations of sugar-sweetened beverage consumption, TV viewing, and physical activity with severe depressive symptoms among 59,402 adults. <i>Revista Brasileira De Psiquiatria</i> , 2021, 43, 574-583.	0.9	9
104	Epicardial adipose tissue and adrenal gland volume in patients with borderline personality disorder. <i>Journal of Psychiatric Research</i> , 2021, 144, 323-330.	1.5	4
105	Psilocybin for End-of-Life Anxiety Symptoms: A Systematic Review and Meta-Analysis. <i>Psychiatry Investigation</i> , 2021, 18, 958-967.	0.7	13
106	Poor physical activity as a risk factor for mental health disorders. <i>European Journal of Public Health</i> , 2021, 31, .	0.1	0
107	Association between psychosocial factors and mental health symptoms to cervical spine pain with or without radiculopathy on health outcomes: systematic review protocol. <i>Pain Reports</i> , 2021, 6, e870.	1.4	3
108	Study protocol for a pilot high-intensity interval training intervention in inpatient mental health settings: a two-part study using a randomised controlled trial and naturalistic study design. <i>Pilot and Feasibility Studies</i> , 2021, 7, 198.	0.5	2

#	ARTICLE	IF	CITATIONS
109	The effectiveness of interventions and intervention components for increasing physical activity and reducing sedentary behaviour in people with persistent musculoskeletal pain: a systematic review and meta-analysis. <i>Journal of Pain</i> , 2021, , .	0.7	2
110	PHYSICAL ACTIVITY AND SYMPTOMS OF ANXIETY AND DEPRESSION AMONG MEDICAL STUDENTS DURING A PANDEMIC. <i>Revista Brasileira De Medicina Do Esporte</i> , 2021, 27, 582-587.	0.1	6
111	24-hour movement behaviours and the risk of common mental health symptoms: A compositional analysis in the UK biobank. <i>European Psychiatry</i> , 2021, 64, S120-S121.	0.1	0
112	Effect of Vitamin D Supplementation on Outcomes in People With Early Psychosis. <i>JAMA Network Open</i> , 2021, 4, e2140858.	2.8	14
113	Empirical assessment of biases in cerebrospinal fluid biomarkers of Alzheimer's disease: an umbrella review and re-analysis of data from meta-analyses. <i>European Review for Medical and Pharmacological Sciences</i> , 2021, 25, 1536-1547.	0.5	0
114	Psychotic experiences and subjective cognitive complaints among 224 842 people in 48 low- and middle-income countries. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e11.	1.8	22
115	Hospitalisation and length of hospital stay following first-episode psychosis: systematic review and meta-analysis of longitudinal studies. <i>Psychological Medicine</i> , 2020, 50, 991-1001.	2.7	22
116	Latent structure of the Centre for Epidemiologic Studies Depression Scale (CES-D) in older adult populations: a systematic review. <i>Aging and Mental Health</i> , 2020, 24, 700-704.	1.5	29
117	Magnesium and health outcomes: an umbrella review of systematic reviews and meta-analyses of observational and intervention studies. <i>European Journal of Nutrition</i> , 2020, 59, 263-272.	1.8	51
118	From impact factors to real impact: translating evidence on lifestyle interventions into routine mental health care. <i>Translational Behavioral Medicine</i> , 2020, 10, 1070-1073.	1.2	41
119	Consumption of carbonated soft drinks and suicide attempts among 105,061 adolescents aged 12â€“15 years from 6 high-income, 22 middle-income, and 4 low-income countries. <i>Clinical Nutrition</i> , 2020, 39, 886-892.	2.3	28
120	Cross-sectional and prospective relationships of passive and mentally active sedentary behaviours and physical activity with depression. <i>British Journal of Psychiatry</i> , 2020, 217, 413-419.	1.7	71
121	Prevalence and correlates of major depressive disorder, bipolar disorder and schizophrenia among nursing home residents without dementia: systematic review and meta-analysis. <i>British Journal of Psychiatry</i> , 2020, 216, 6-15.	1.7	17
122	Exercise as Medicine for Mental and Substance Use Disorders: A Meta-review of the Benefits for Neuropsychiatric and Cognitive Outcomes. <i>Sports Medicine</i> , 2020, 50, 151-170.	3.1	222
123	Lithium Exposure During Pregnancy and the Postpartum Period: A Systematic Review and Meta-Analysis of Safety and Efficacy Outcomes. <i>American Journal of Psychiatry</i> , 2020, 177, 76-92.	4.0	83
124	Association of bullying victimization with overweight and obesity among adolescents from 41 lowâ€“ and middleâ€“income countries. <i>Pediatric Obesity</i> , 2020, 15, e12571.	1.4	29
125	Human Immunodeficiency Virus Infection and Diverse Physical Health Outcomes: An Umbrella Review of Meta-analyses of Observational Studies. <i>Clinical Infectious Diseases</i> , 2020, 70, 1809-1815.	2.9	15
126	Declines in Sexual Activity and Function Predict Incident Health Problems in Older Adults: Prospective Findings from the English Longitudinal Study of Ageing. <i>Archives of Sexual Behavior</i> , 2020, 49, 929-940.	1.2	32

#	ARTICLE	IF	CITATIONS
127	Prospective associations of cardiovascular disease with physical performance and disability. Wiener Klinische Wochenschrift, 2020, 132, 73-78.	1.0	1
128	Sedentary behavior and depression among community-dwelling adults aged ≥50 years: Results from the Irish Longitudinal Study on Ageing. Journal of Affective Disorders, 2020, 262, 389-396.	2.0	31
129	Does physical activity reduce the risk of psychosis? A systematic review and meta-analysis of prospective studies. Psychiatry Research, 2020, 284, 112675.	1.7	26
130	Association Between Osteoarthritis and Social Isolation: Data From the EPOSA Study. Journal of the American Geriatrics Society, 2020, 68, 87-95.	1.3	36
131	Handgrip strength is associated with suicidal thoughts in men: Cross-sectional analyses from NHANES. Scandinavian Journal of Medicine and Science in Sports, 2020, 30, 92-99.	1.3	25
132	Can high-intensity interval training improve physical and mental health outcomes? A meta-review of 33 systematic reviews across the lifespan. Journal of Sports Sciences, 2020, 38, 430-469.	1.0	116
133	Can high intensity interval training improve health outcomes among people with mental illness? A systematic review and preliminary meta-analysis of intervention studies across a range of mental illnesses. Journal of Affective Disorders, 2020, 263, 629-660.	2.0	28
134	Association of physical health multimorbidity with mortality in people with schizophrenia spectrum disorders: Using a novel semantic search system that captures physical diseases in electronic patient records. Schizophrenia Research, 2020, 216, 408-415.	1.1	21
135	Handgrip Strength Is Associated With Hippocampal Volume and White Matter Hyperintensities in Major Depression and Healthy Controls: A UK Biobank Study. Psychosomatic Medicine, 2020, 82, 39-46.	1.3	44
136	Physical Activity as a Predictor of Clinical Trial Outcomes in Bipolar Depression: A Subanalysis of a Mitochondrial-Enhancing Nutraceutical Randomized Controlled Trial. Canadian Journal of Psychiatry, 2020, 65, 306-318.	0.9	9
137	Disparities in cancer screening in people with mental illness across the world versus the general population: prevalence and comparative meta-analysis including 4 717 839 people. Lancet Psychiatry, the, 2020, 7, 52-63.	3.7	109
138	Body Mass Index May Explain Some (But Not All) of the Association Between Declines in Sexual Activity and Incident Health Problems in Older Adults: Reply to Mullie (2019). Archives of Sexual Behavior, 2020, 49, 33-35.	1.2	0
139	M189. A PILOT RANDOMISED CONTROLLED TRIAL TO ASSESS THE FEASIBILITY AND ACCEPTABILITY OF HIGH INTENSITY INTERVAL TRAINING (HIIT) AMONG INPATIENTS WITH SEVERE MENTAL ILLNESS (SMI). Schizophrenia Bulletin, 2020, 46, S207-S208.	2.3	0
140	Environmental risk factors, protective factors, and peripheral biomarkers for ADHD: an umbrella review. Lancet Psychiatry, the, 2020, 7, 955-970.	3.7	103
141	Authors'™ Response. Psychosomatic Medicine, 2020, 82, 534-535.	1.3	1
142	T183. LOW LEVELS OF VITAMIN D ARE ASSOCIATED WITH REDUCED CORTICAL THICKNESS AND SURFACE AREA IN FRONTAL, TEMPORAL AND OCCIPITAL REGIONS IN FIRST-EPISEDE PSYCHOSIS PATIENTS. Schizophrenia Bulletin, 2020, 46, S301-S302.	2.3	0
143	Metabolic syndrome and its components in people with intellectual disability: a meta-analysis. Journal of Intellectual Disability Research, 2020, 64, 804-815.	1.2	9
144	Tea Consumption and Risk of Cancer: An Umbrella Review and Meta-Analysis of Observational Studies. Advances in Nutrition, 2020, 11, 1437-1452.	2.9	60

#	ARTICLE	IF	CITATIONS
145	Safety of psychotropic medications in people with COVID-19: evidence review and practical recommendations. BMC Medicine, 2020, 18, 215.	2.3	52
146	Individual and combined associations between cardiorespiratory fitness and grip strength with common mental disorders: a prospective cohort study in the UK Biobank. BMC Medicine, 2020, 18, 303.	2.3	32
147	Multiple lifestyle factors and depressed mood: a cross-sectional and longitudinal analysis of the UK Biobank (N=84,860). BMC Medicine, 2020, 18, 354.	2.3	60
148	Prevalence and Correlates of Exercise Addiction in the Presence vs. Absence of Indicated Eating Disorders. Frontiers in Sports and Active Living, 2020, 2, 84.	0.9	14
149	Association of Central Noninvasive Brain Stimulation Interventions With Efficacy and Safety in Tinnitus Management. JAMA Otolaryngology - Head and Neck Surgery, 2020, 146, 801.	1.2	39
150	Associations of moderate to vigorous physical activity and sedentary behavior with depressive and anxiety symptoms in self-isolating people during the COVID-19 pandemic: A cross-sectional survey in Brazil. Psychiatry Research, 2020, 292, 113339.	1.7	176
151	Associations of exercise frequency and cardiorespiratory fitness with symptoms of depression and anxiety - a cross-sectional study of 36,595 adults. Mental Health and Physical Activity, 2020, 19, 100351.	0.9	18
152	Functional parameters indicative of mild cognitive impairment: a systematic review using instrumented kinematic assessment. BMC Geriatrics, 2020, 20, 282.	1.1	8
153	T147. CAN HIGH INTENSITY INTERVAL TRAINING (HIIT) IMPROVE PHYSICAL AND MENTAL HEALTH OUTCOMES? A META-REVIEW OF THE GLOBAL BENEFITS OF HIIT AND FOCUSED SYSTEMATIC REVIEW OF THE EFFECTS OF HIIT IN MENTAL DISORDERS. Schizophrenia Bulletin, 2020, 46, S286-S287.	2.3	0
154	Genetic Variation and Autism: A Field Synopsis and Systematic Meta-Analysis. Brain Sciences, 2020, 10, 692.	1.1	7
155	Association of Child and Adolescent Mental Health With Adolescent Health Behaviors in the UK Millennium Cohort. JAMA Network Open, 2020, 3, e2011381.	2.8	16
156	A meta-review of "lifestyle psychiatry": the role of exercise, smoking, diet and sleep in the prevention and treatment of mental disorders. World Psychiatry, 2020, 19, 360-380.	4.8	424
157	Increased care at discharge from COVID-19: The association between pre-admission frailty and increased care needs after hospital discharge; a multicentre European observational cohort study. BMC Medicine, 2020, 18, 408.	2.3	22
158	Exercise Addiction Prevalence and Correlates in the Absence of Eating Disorder Symptomology: A Systematic Review and Meta-analysis. Journal of Addiction Medicine, 2020, 14, e321-e329.	1.4	20
159	Physical functional performance and prognosis in patients with heart failure: a systematic review and meta-analysis. BMC Cardiovascular Disorders, 2020, 20, 512.	0.7	52
160	Antidepressants during and after Menopausal Transition: A Systematic Review and Meta-Analysis. Scientific Reports, 2020, 10, 8026.	1.6	8
161	Evidence-based umbrella review of 162 peripheral biomarkers for major mental disorders. Translational Psychiatry, 2020, 10, 152.	2.4	102
162	Aerobic exercise impacts the anterior cingulate cortex in adolescents with subthreshold mood syndromes: a randomized controlled trial study. Translational Psychiatry, 2020, 10, 155.	2.4	15

#	ARTICLE	IF	CITATIONS
163	Effect of low-dose aspirin on health outcomes: An umbrella review of systematic reviews and meta-analyses. <i>British Journal of Clinical Pharmacology</i> , 2020, 86, 1465-1475.	1.1	12
164	Consumption of Fish and ω -3 Fatty Acids and Cancer Risk: An Umbrella Review of Meta-Analyses of Observational Studies. <i>Advances in Nutrition</i> , 2020, 11, 1134-1149.	2.9	44
165	Does physical activity influence the association between depressive symptoms and low-grade inflammation in adults? A study of 8,048 adults. <i>Physiology and Behavior</i> , 2020, 223, 112967.	1.0	10
166	Efficacy and acceptability of pharmacological and non-pharmacological interventions for non-specific chronic low back pain: a protocol for a systematic review and network meta-analysis. <i>Systematic Reviews</i> , 2020, 9, 130.	2.5	14
167	Assessing physical activity in people with mental illness: 23-country reliability and validity of the simple physical activity questionnaire (SIMPAQ). <i>BMC Psychiatry</i> , 2020, 20, 108.	1.1	73
168	Factors that influence participation in physical activity for anxiety or depression: a synthesis of qualitative evidence. <i>The Cochrane Library</i> , 2020, , .	1.5	3
169	Sedentary behaviours, cognitive function, and possible mechanisms in older adults: a systematic review. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 969-984.	1.4	42
170	The Impact of Pharmacologic and Nonpharmacologic Interventions to Improve Physical Health Outcomes in People With Dementia: A Meta-Review of Meta-Analyses of Randomized Controlled Trials. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 1410-1414.e2.	1.2	18
171	Independent relationships between different domains of physical activity and depressive symptoms among 60,202 Brazilian adults. <i>General Hospital Psychiatry</i> , 2020, 64, 26-32.	1.2	26
172	Vitamin D supplementation compared to placebo in people with First Episode psychosis - Neuroprotection Design (DFEND): a protocol for a randomised, double-blind, placebo-controlled, parallel-group trial. <i>Trials</i> , 2020, 21, 14.	0.7	10
173	Informal Caregiving, Chronic Physical Conditions, and Physical Multimorbidity in 48 Low- and Middle-Income Countries. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 75, 1572-1578.	1.7	20
174	Fast food consumption and suicide attempts among adolescents aged 12-15 years from 32 countries. <i>Journal of Affective Disorders</i> , 2020, 266, 63-70.	2.0	30
175	Genetic variations in MicroRNA genes and cancer risk: A field synopsis and meta-analysis. <i>European Journal of Clinical Investigation</i> , 2020, 50, e13203.	1.7	12
176	Joint association of ultra-processed food and sedentary behavior with anxiety-induced sleep disturbance among Brazilian adolescents. <i>Journal of Affective Disorders</i> , 2020, 266, 135-142.	2.0	25
177	Physical multimorbidity and sedentary behavior in older adults: Findings from the Irish longitudinal study on ageing (TILDA). <i>Maturitas</i> , 2020, 134, 1-7.	1.0	18
178	Informal caregiving and physical activity among 204,315 adults in 38 low- and middle-income countries: A cross-sectional study. <i>Preventive Medicine</i> , 2020, 132, 106007.	1.6	12
179	The association between melatonin and episodic migraine: A pilot network meta-analysis of randomized controlled trials to compare the prophylactic effects with exogenous melatonin supplementation and pharmacotherapy. <i>Journal of Pineal Research</i> , 2020, 69, e12663.	3.4	29
180	Risk of Hospitalized Falls and Hip Fractures in 22,103 Older Adults Receiving Mental Health Care vs 161,603 Controls: A Large Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 1893-1899.	1.2	17

#	ARTICLE	IF	CITATIONS
181	Predictors of physical activity recording in routine mental healthcare. <i>Mental Health and Physical Activity</i> , 2020, 18, 100329.	0.9	2
182	The role of physical activity in the association between multimorbidity and depressive symptoms: Data from 60,202 adults from the Brazilian National Health Survey. <i>Journal of Psychosomatic Research</i> , 2020, 134, 110122.	1.2	8
183	Exercise and Anxiety. <i>Advances in Experimental Medicine and Biology</i> , 2020, 1228, 345-352.	0.8	59
184	Depressive symptoms and objectively measured physical activity and sedentary behaviour throughout adolescence: a prospective cohort study. <i>Lancet Psychiatry</i> , 2020, 7, 262-271.	3.7	158
185	Safety of Psychotropic Medications in People With COVID-19: Evidence Review and Practical Recommendations. <i>Focus (American Psychiatric Publishing)</i> , 2020, 18, 466-481.	0.4	6
186	School-related physical activity interventions and mental health among children: a systematic review and meta-analysis. <i>Sports Medicine - Open</i> , 2020, 6, 25.	1.3	108
187	Lifestyle behaviors among 4,343 Brazilian adults with severe mental illness and 55,859 general population controls: data from the Brazilian National Health Survey. <i>Revista Brasileira De Psiquiatria</i> , 2020, 42, 245-249.	0.9	6
188	A health promotion intervention to improve lifestyle choices and health outcomes in people with psychosis: a research programme including the IMPaCT RCT. <i>Programme Grants for Applied Research</i> , 2020, 8, 1-124.	0.4	3
189	A Review of Pre-Exposure Prophylaxis Adherence among Female Sex Workers. <i>Yonsei Medical Journal</i> , 2020, 61, 349.	0.9	17
190	Complex mental health needs in older people living with frailty. <i>British Journal of Hospital Medicine (London, England: 2005)</i> , 2020, 81, 1-11.	0.2	5
191	Understanding the experience of initiating community-based group physical activity by people with serious mental illness: A systematic review using a meta-ethnographic approach. <i>European Psychiatry</i> , 2020, 63, e95.	0.1	16
192	Is chocolate consumption associated with health outcomes? An umbrella review of systematic reviews and meta-analyses. <i>Clinical Nutrition</i> , 2019, 38, 1101-1108.	2.3	43
193	Maternal breastfeeding and attention-deficit/hyperactivity disorder in children: a meta-analysis. <i>European Child and Adolescent Psychiatry</i> , 2019, 28, 19-30.	2.8	34
194	Periodic limb movements during sleep are associated with cardiovascular diseases: A systematic review and meta-analysis. <i>Journal of Sleep Research</i> , 2019, 28, e12720.	1.7	24
195	Statin Use and Knee Osteoarthritis Outcomes: A Longitudinal Cohort Study. <i>Arthritis Care and Research</i> , 2019, 71, 1052-1058.	1.5	35
196	Cannabis use and leisure-time sedentary behavior among 94,035 adolescents aged 12–15 years from 24 low- and middle-income countries. <i>Addictive Behaviors</i> , 2019, 99, 106104.	1.7	2
197	The Lancet Psychiatry Commission: a blueprint for protecting physical health in people with mental illness. <i>Lancet Psychiatry</i> , 2019, 6, 675-712.	3.7	815
198	The association between cardiorespiratory fitness and the incidence of common mental health disorders: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2019, 257, 748-757.	2.0	83

#	ARTICLE	IF	CITATIONS
199	Physical activity and loneliness among adults aged 50 years or older in six low- and middle-income countries. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 1855-1864.	1.3	19
200	Potential influence of physical, psychological and lifestyle factors on the association between television viewing and depressive symptoms: A cross-sectional study. <i>General Hospital Psychiatry</i> , 2019, 60, 37-43.	1.2	7
201	Sedentary behaviour and chronic stress in old age: A cross-sectional analysis of TV viewing and hair cortisol concentrations. <i>Psychoneuroendocrinology</i> , 2019, 109, 104375.	1.3	6
202	Adherence to antidepressant medications is associated with reduced premature mortality in patients with cancer: A nationwide cohort study. <i>Depression and Anxiety</i> , 2019, 36, 921-929.	2.0	25
203	Do Older People with Diabetes Meet the Recommended Weekly Physical Activity Targets? An Analysis of Objective Physical Activity Data. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2489.	1.2	3
204	Effect of lifestyle, medication and ethnicity on cardiometabolic risk in the year following the first episode of psychosis: prospective cohort study. <i>British Journal of Psychiatry</i> , 2019, 215, 712-719.	1.7	25
205	Is there a relationship between chocolate consumption and symptoms of depression? A cross-sectional survey of 13,626 US adults. <i>Depression and Anxiety</i> , 2019, 36, 987-995.	2.0	34
206	Increased mortality from somatic multimorbidity in patients with schizophrenia: a Danish nationwide cohort study. <i>Acta Psychiatrica Scandinavica</i> , 2019, 140, 340-348.	2.2	41
207	Protecting physical health in people with mental illness – Authors' reply. <i>Lancet Psychiatry</i> , 2019, 6, 890-891.	3.7	48
208	Test-retest reliability, concurrent validity and correlates of the two-minute walk test in outpatients with psychosis. <i>Psychiatry Research</i> , 2019, 282, 112619.	1.7	5
209	Cannabis use and physical activity among 89,777 adolescents aged 12-15 years from 21 low- and middle-income countries. <i>Drug and Alcohol Dependence</i> , 2019, 205, 107584.	1.6	7
210	Therapeutic effects of methylphenidate for attention-deficit/hyperactivity disorder in children with borderline intellectual functioning or intellectual disability: A systematic review and meta-analysis. <i>Scientific Reports</i> , 2019, 9, 15908.	1.6	15
211	Interventions for preventing type 2 diabetes in adults with mental disorders in low and middle income countries. <i>The Cochrane Library</i> , 2019, , .	1.5	0
212	The efficacy and safety of nutrient supplements in the treatment of mental disorders: a meta-review of meta-analyses of randomized-controlled trials. <i>World Psychiatry</i> , 2019, 18, 308-324.	4.8	139
213	“Walk this way™”: results from a pilot randomised controlled trial of a health coaching intervention to reduce sedentary behaviour and increase physical activity in people with serious mental illness. <i>BMC Psychiatry</i> , 2019, 19, 287.	1.1	22
214	The association between sedentary behaviour and indicators of stress: a systematic review. <i>BMC Public Health</i> , 2019, 19, 1357.	1.2	38
215	Physical activity of people with mental disorders compared to the general population: a systematic review of longitudinal cohort studies. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 1443-1457.	1.6	11
216	Physical fitness levels and moderators in people with epilepsy: A systematic review and meta-analysis. <i>Epilepsy and Behavior</i> , 2019, 99, 106448.	0.9	6

#	ARTICLE	IF	CITATIONS
217	Physical activity and sedentary behavior patterns and sociodemographic correlates in 116,982 adults from six South American countries: the South American physical activity and sedentary behavior network (SAPASEN). <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019, 16, 68.	2.0	51
218	Prevention of Postdental Procedure Bacteremia: A Network Meta-analysis. <i>Journal of Dental Research</i> , 2019, 98, 1204-1210.	2.5	19
219	Editorial: Lifestyle Psychiatry. <i>Frontiers in Psychiatry</i> , 2019, 10, 597.	1.3	36
220	Correlates of physical activity among 142,118 adolescents aged 12-15 years from 48 low- and middle-income countries. <i>Preventive Medicine</i> , 2019, 127, 105819.	1.6	26
221	Association of Antidepressant Use With Adverse Health Outcomes. <i>JAMA Psychiatry</i> , 2019, 76, 1241.	6.0	143
222	Physical activity and depression: Towards understanding the antidepressant mechanisms of physical activity. <i>Neuroscience and Biobehavioral Reviews</i> , 2019, 107, 525-539.	2.9	539
223	Non-pharmacological interventions for preventing weight gain in patients with first episode schizophrenia or bipolar disorder: A systematic review.. <i>Psychiatry Research</i> , 2019, 281, 112556.	1.7	16
224	Physical activity and sedentary levels among people living with epilepsy: A systematic review and meta-analysis. <i>Epilepsy and Behavior</i> , 2019, 99, 106390.	0.9	9
225	Food insecurity (hunger) and suicide attempts among 179,771 adolescents attending school from 9 high-income, 31 middle-income, and 4 low-income countries: A cross-sectional study. <i>Journal of Affective Disorders</i> , 2019, 248, 91-98.	2.0	75
226	Physical injury and depression in six low- and middle-income countries: A nationally representative study. <i>Journal of Affective Disorders</i> , 2019, 248, 99-107.	2.0	7
227	Incidence of Capillary Leak Syndrome as an Adverse Effect of Drugs in Cancer Patients: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2019, 8, 143.	1.0	40
228	Changes in Physical Activity Behavior and Risk of Falls Over 8 Years' Follow-Up: English Longitudinal Study of Aging. <i>Mayo Clinic Proceedings</i> , 2019, 94, 365-367.	1.4	3
229	Associations between handgrip strength and mild cognitive impairment in middle-aged and older adults in six low- and middle-income countries. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 609-616.	1.3	36
230	Physical activity protects from incident anxiety: A meta-analysis of prospective cohort studies. <i>Depression and Anxiety</i> , 2019, 36, 846-858.	2.0	226
231	The association of grip strength with depressive symptoms and cortisol in hair: A cross-sectional study of older adults. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2019, 29, 1604-1609.	1.3	30
232	Environmental risk factors and biomarkers for autism spectrum disorder: an umbrella review of the evidence. <i>Lancet Psychiatry</i> , 2019, 6, 590-600.	3.7	169
233	Is Active Transport and Leisure-Time Physical Activity Associated With Inflammatory Markers in US Adults? A Cross-Sectional Analyses From NHANES. <i>Journal of Physical Activity and Health</i> , 2019, 16, 540-546.	1.0	3
234	What Is the Role of Dietary Inflammation in Severe Mental Illness? A Review of Observational and Experimental Findings. <i>Frontiers in Psychiatry</i> , 2019, 10, 350.	1.3	64

#	ARTICLE	IF	CITATIONS
235	The "online brain" how the Internet may be changing our cognition. <i>World Psychiatry</i> , 2019, 18, 119-129.	4.8	248
236	Depression and Incidence of Frailty in Older People From Six Latin American Countries. <i>American Journal of Geriatric Psychiatry</i> , 2019, 27, 1072-1079.	0.6	35
237	Dietary Protein Intake and Falls in Older People: Longitudinal Analyses From the Osteoarthritis Initiative. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 1623-1627.	1.2	6
238	The Effects of Dietary Improvement on Symptoms of Depression and Anxiety: A Meta-Analysis of Randomized Controlled Trials. <i>Psychosomatic Medicine</i> , 2019, 81, 265-280.	1.3	312
239	Associations of the Built Environment With Physical Activity and Sedentary Time in Ugandan Outpatients With Mental Health Problems. <i>Journal of Physical Activity and Health</i> , 2019, 16, 243-250.	1.0	11
240	Association of leisure-time sedentary behavior with fast food and carbonated soft drink consumption among 133,555 adolescents aged 12-15 years in 44 low- and middle-income countries. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019, 16, 35.	2.0	35
241	Visual impairment and objectively measured physical activity and sedentary behaviour in US adolescents and adults: a cross-sectional study. <i>BMJ Open</i> , 2019, 9, e027267.	0.8	31
242	Associations of sedentary behaviors and physical activity with social isolation in 100,839 school students: The Brazilian Scholar Health Survey. <i>General Hospital Psychiatry</i> , 2019, 59, 7-13.	1.2	50
243	Social anxiety increases visible anxiety signs during social encounters but does not impair performance. <i>BMC Psychology</i> , 2019, 7, 24.	0.9	6
244	Promoting physical activity in vulnerable adults "at risk" of homelessness: a randomised controlled trial protocol. <i>BMJ Open</i> , 2019, 9, e026466.	0.8	4
245	Sedentary behavior and anxiety-induced sleep disturbance among 181,093 adolescents from 67 countries: a global perspective. <i>Sleep Medicine</i> , 2019, 58, 19-26.	0.8	33
246	The relationship between polypharmacy and trajectories of cognitive decline in people with dementia: A large representative cohort study. <i>Experimental Gerontology</i> , 2019, 120, 62-67.	1.2	22
247	NMDA receptor antagonists and pain relief. <i>Neurology</i> , 2019, 92, e1652-e1662.	1.5	29
248	Leisure-time sedentary behavior and suicide attempt among 126,392 adolescents in 43 countries. <i>Journal of Affective Disorders</i> , 2019, 250, 346-353.	2.0	32
249	Effects of different pharmacologic smoking cessation treatments on body weight changes and success rates in patients with nicotine dependence: A network meta-analysis. <i>Obesity Reviews</i> , 2019, 20, 895-905.	3.1	26
250	Bullying Victimization and Suicide Attempt Among Adolescents Aged 12-15 Years From 48 Countries. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2019, 58, 907-918.e4.	0.3	140
251	Mitochondrial genetic haplogroups and cardiovascular diseases: Data from the Osteoarthritis Initiative. <i>PLoS ONE</i> , 2019, 14, e0213656.	1.1	11
252	Digital behavior change interventions to promote physical activity and/or reduce sedentary behavior in older adults: A systematic review and meta-analysis. <i>Experimental Gerontology</i> , 2019, 120, 68-87.	1.2	124

#	ARTICLE	IF	CITATIONS
253	Leisure-Time Sedentary Behavior and Obesity Among 116,762 Adolescents Aged 12-15 Years from 41 Low- and Middle-Income Countries. <i>Obesity</i> , 2019, 27, 830-836.	1.5	27
254	Associations of physical activity with anxiety symptoms and disorders: Findings from the Swedish National March Cohort. <i>General Hospital Psychiatry</i> , 2019, 58, 45-50.	1.2	12
255	Associations between Depression, Depressive Symptoms, and Incidence of Dementia in Latin America: A 10/66 Dementia Research Group Study. <i>Journal of Alzheimer's Disease</i> , 2019, 69, 433-441.	1.2	18
256	Cross-sectional and longitudinal association of non-exercise estimated cardiorespiratory fitness with depression and anxiety in the general population: The HUNT study. <i>Journal of Affective Disorders</i> , 2019, 252, 122-129.	2.0	23
257	The Relationship between Dietary Vitamin K and Depressive Symptoms in Late Adulthood: A Cross-Sectional Analysis from a Large Cohort Study. <i>Nutrients</i> , 2019, 11, 787.	1.7	19
258	Leisure-time sedentary behavior and loneliness among 148,045 adolescents aged 12-15 years from 52 low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2019, 251, 149-155.	2.0	44
259	Food Insecurity Is Associated with Mild Cognitive Impairment among Middle-Aged and Older Adults in South Africa: Findings from a Nationally Representative Survey. <i>Nutrients</i> , 2019, 11, 749.	1.7	38
260	Leisure time physical activity reduces the association between TV-viewing and depressive symptoms: A large study among 59,401 Brazilian adults. <i>Journal of Affective Disorders</i> , 2019, 252, 310-314.	2.0	12
261	The effectiveness of hypnosis for pain relief: A systematic review and meta-analysis of 85 controlled experimental trials. <i>Neuroscience and Biobehavioral Reviews</i> , 2019, 99, 298-310.	2.9	139
262	Psychotic experiences in the context of mood and anxiety disorders and their associations with health outcomes among people of color in the United States. <i>Journal of Psychosomatic Research</i> , 2019, 118, 27-33.	1.2	8
263	Health care professionals' perspectives on physical activity within the Ugandan mental health care system. <i>Mental Health and Physical Activity</i> , 2019, 16, 1-7.	0.9	12
264	Telomere length and health outcomes: An umbrella review of systematic reviews and meta-analyses of observational studies. <i>Ageing Research Reviews</i> , 2019, 51, 1-10.	5.0	59
265	Angiotensin-Converting Enzyme Inhibitor Use and Incident Frailty: A Longitudinal Cohort Study. <i>Drugs and Aging</i> , 2019, 36, 387-393.	1.3	4
266	Association of Delirium Response and Safety of Pharmacological Interventions for the Management and Prevention of Delirium. <i>JAMA Psychiatry</i> , 2019, 76, 526.	6.0	98
267	Effect of nutritional supplementations on physical performance and muscle strength parameters in older people: A systematic review and meta-analysis. <i>Ageing Research Reviews</i> , 2019, 51, 48-54.	5.0	53
268	Physical Activity and Exercise as a Treatment of Depression: Evidence and Neurobiological Mechanism. , 2019, , 293-299.		2
269	Dietary intake of people with severe mental illness: systematic review and meta-analysis. <i>British Journal of Psychiatry</i> , 2019, 214, 251-259.	1.7	160
270	Sleep Quality, Duration, and Associated Sexual Function at Older Age: Findings from the English Longitudinal Study of Ageing. <i>Journal of Sexual Medicine</i> , 2019, 16, 427-433.	0.3	17

#	ARTICLE	IF	CITATIONS
271	High-intensity interval training: an adjunctive treatment for schizophrenia spectrum disorders?. <i>Acta Psychiatrica Scandinavica</i> , 2019, 140, 495-497.	2.2	2
272	Correlates of leisure-time sedentary behavior among 181,793 adolescents aged 12-15 years from 66 low- and middle-income countries. <i>PLoS ONE</i> , 2019, 14, e0224339.	1.1	20
273	Response to the Letter to the Editor. <i>Current Sports Medicine Reports</i> , 2019, 18, 423.	0.5	0
274	Relationship Between Cannabis Use and Erectile Dysfunction: A Systematic Review and Meta-Analysis. <i>American Journal of Men's Health</i> , 2019, 13, 155798831989246.	0.7	42
275	The evidence for physical activity in the management of major mental illnesses. <i>Current Opinion in Psychiatry</i> , 2019, 32, 375-380.	3.1	41
276	The Role of Exercise in Preventing and Treating Depression. <i>Current Sports Medicine Reports</i> , 2019, 18, 299-304.	0.5	117
277	Vitamin D and clinical symptoms in First Episode Psychosis (FEP): A prospective cohort study. <i>Schizophrenia Research</i> , 2019, 204, 381-388.	1.1	16
278	Perceived Stress and Mild Cognitive Impairment among 32,715 Community-Dwelling Older Adults across Six Low- and Middle-Income Countries. <i>Gerontology</i> , 2019, 65, 155-163.	1.4	43
279	Factors associated with regular physical activity participation among people with severe mental ill health. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 887-895.	1.6	24
280	Mediterranean diet and knee osteoarthritis outcomes: A longitudinal cohort study. <i>Clinical Nutrition</i> , 2019, 38, 2735-2739.	2.3	38
281	The impact of pharmacological and non-pharmacological interventions to improve physical health outcomes in people with schizophrenia: a meta-review of meta-analyses of randomized controlled trials. <i>World Psychiatry</i> , 2019, 18, 53-66.	4.8	153
282	Cannabis use and suicide attempts among 86,254 adolescents aged 12-15 years from 21 low- and middle-income countries. <i>European Psychiatry</i> , 2019, 56, 8-13.	0.1	70
283	Behavioral addictions in bipolar disorders: A systematic review. <i>European Neuropsychopharmacology</i> , 2019, 29, 76-97.	0.3	19
284	Health benefits, safety and cost of physical activity interventions for mental health conditions: A meta-review to inform translation efforts. <i>Mental Health and Physical Activity</i> , 2019, 16, 140-151.	0.9	60
285	Decline in sexuality and wellbeing in older adults: A population-based study. <i>Journal of Affective Disorders</i> , 2019, 245, 912-917.	2.0	44
286	Systematic review and exploratory meta-analysis of the efficacy, safety, and biological effects of psychostimulants and atomoxetine in patients with schizophrenia or schizoaffective disorder. <i>CNS Spectrums</i> , 2019, 24, 479-495.	0.7	17
287	Survival time and differences between dementia with Lewy bodies and Alzheimer's disease following diagnosis: A meta-analysis of longitudinal studies. <i>Ageing Research Reviews</i> , 2019, 50, 72-80.	5.0	70
288	Perineural Invasion is a Strong Prognostic Moderator in Ampulla of Vater Carcinoma. <i>Pancreas</i> , 2019, 48, 70-76.	0.5	11

#	ARTICLE	IF	CITATIONS
289	Correlates of sedentary behavior among community-dwelling adults with anxiety in six low- and middle-income countries. <i>Psychiatry Research</i> , 2019, 273, 501-508.	1.7	7
290	Sexual Activity is Associated with Greater Enjoyment of Life in Older Adults. <i>Sexual Medicine</i> , 2019, 7, 11-18.	0.9	155
291	Test-retest reliability and clinical correlates of the Eurofit test battery in people with alcohol use disorders. <i>Psychiatry Research</i> , 2019, 271, 208-213.	1.7	12
292	Immune Aberrations in Obsessive-Compulsive Disorder: a Systematic Review and Meta-analysis. <i>Molecular Neurobiology</i> , 2019, 56, 4751-4759.	1.9	32
293	Does exercise improve sleep quality in individuals with mental illness? A systematic review and meta-analysis. <i>Journal of Psychiatric Research</i> , 2019, 109, 96-106.	1.5	83
294	The emergence of loss of efficacy during antidepressant drug treatment for major depressive disorder: An integrative review of evidence, mechanisms, and clinical implications. <i>Pharmacological Research</i> , 2019, 139, 494-502.	3.1	42
295	Prospective associations between physical activity and clinician diagnosed major depressive disorder in adults: A 13-year cohort study. <i>Preventive Medicine</i> , 2019, 118, 38-43.	1.6	16
296	Correlates of sedentary behavior in middle-aged and old age people with mild cognitive impairment: a multinational study. <i>International Psychogeriatrics</i> , 2019, 31, 579-589.	0.6	8
297	The association between diabetes and cataract among 42,469 community-dwelling adults in six low- and middle-income countries. <i>Diabetes Research and Clinical Practice</i> , 2019, 147, 102-110.	1.1	12
298	Handgrip strength, chronic physical conditions and physical multimorbidity in middle-aged and older adults in six low- and middle income countries. <i>European Journal of Internal Medicine</i> , 2019, 61, 96-102.	1.0	24
299	Handgrip strength and depression among 34,129 adults aged 50 years and older in six low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2019, 243, 448-454.	2.0	63
300	Maternal breastfeeding and autism spectrum disorder in children: A systematic review and meta-analysis. <i>Nutritional Neuroscience</i> , 2019, 22, 354-362.	1.5	62
301	Validity and correlates of the International Physical Activity Questionnaire in first-episode psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 562-567.	0.9	11
302	The relationship between the dietary inflammatory index and prevalence of radiographic symptomatic osteoarthritis: data from the Osteoarthritis Initiative. <i>European Journal of Nutrition</i> , 2019, 58, 253-260.	1.8	30
303	Bullying Victimization and Suicide Attempt Among Adolescents Aged 12-15 Years From 48 Countries. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2019, 58, 907-918.e4.	0.3	28
304	Serum Prolactin and Bone Mineral Density in Schizophrenia: A Systematic Review. <i>Clinical Psychopharmacology and Neuroscience</i> , 2019, 17, 333-342.	0.9	13
305	Peripheral Alterations in Cytokine and Chemokine Levels After Antidepressant Drug Treatment for Major Depressive Disorder: Systematic Review and Meta-Analysis. <i>Molecular Neurobiology</i> , 2018, 55, 4195-4206.	1.9	279
306	Correlates of sedentary behavior in 2,375 people with depression from 6 low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2018, 234, 97-104.	2.0	22

#	ARTICLE	IF	CITATIONS
307	Pharmacological management of diabetes in severe mental illness: a comprehensive clinical review of efficacy, safety and tolerability. <i>Expert Review of Clinical Pharmacology</i> , 2018, 11, 411-424.	1.3	12
308	Within-Person Pain Variability and Mental Health in Older Adults With Osteoarthritis: An Analysis Across 6 European Cohorts. <i>Journal of Pain</i> , 2018, 19, 690-698.	0.7	23
309	Leisure time physical activity and future psychological distress: A thirteen year longitudinal population-based study. <i>Journal of Psychiatric Research</i> , 2018, 101, 50-56.	1.5	29
310	Associations of smoking and alcohol consumption with healthy ageing: a systematic review and meta-analysis of longitudinal studies. <i>BMJ Open</i> , 2018, 8, e019540.	0.8	40
311	S204. NUTRITIONAL DEFICIENCIES AND CLINICAL CORRELATES IN FIRST-EPISODE PSYCHOSIS: A SYSTEMATIC REVIEW AND META-ANALYSIS. <i>Schizophrenia Bulletin</i> , 2018, 44, S405-S405.	2.3	1
312	Grip Strength Is Associated With Cognitive Performance in Schizophrenia and the General Population: A UK Biobank Study of 476559 Participants. <i>Schizophrenia Bulletin</i> , 2018, 44, 728-736.	2.3	62
313	Physical Activity and Incident Depression: A Meta-Analysis of Prospective Cohort Studies. <i>American Journal of Psychiatry</i> , 2018, 175, 631-648.	4.0	933
314	Association Between Muscular Strength and Cognition in People With Major Depression or Bipolar Disorder and Healthy Controls. <i>JAMA Psychiatry</i> , 2018, 75, 740.	6.0	54
315	The Endoplasmic Reticulum Stress Response in Neuroprogressive Diseases: Emerging Pathophysiological Role and Translational Implications. <i>Molecular Neurobiology</i> , 2018, 55, 8765-8787.	1.9	59
316	The putative role of oxidative stress and inflammation in the pathophysiology of sleep dysfunction across neuropsychiatric disorders: Focus on chronic fatigue syndrome, bipolar disorder and multiple sclerosis. <i>Sleep Medicine Reviews</i> , 2018, 41, 255-265.	3.8	85
317	The relationship between the dietary inflammatory index (DII®) and incident depressive symptoms: A longitudinal cohort study. <i>Journal of Affective Disorders</i> , 2018, 235, 39-44.	2.0	50
318	Interventions to enhance coping after traumatic brain injury: A systematic review. <i>International Journal of Therapy and Rehabilitation</i> , 2018, 25, 107-119.	0.1	5
319	Use of statins and the risk of dementia and mild cognitive impairment: A systematic review and meta-analysis. <i>Scientific Reports</i> , 2018, 8, 5804.	1.6	118
320	“You are what you eat”™ (not what you said you ate yesterday): Why a one-off 24-hour dietary recall fails capture usual dietary intake in schizophrenia. <i>Schizophrenia Research</i> , 2018, 199, 447-448.	1.1	3
321	Physical activity correlates in people with mild cognitive impairment: findings from six low- and middle-income countries. <i>Public Health</i> , 2018, 156, 15-25.	1.4	11
322	Polypharmacy in people with dementia: Associations with adverse health outcomes. <i>Experimental Gerontology</i> , 2018, 106, 240-245.	1.2	68
323	Mitochondrial genetic haplogroups and incident obesity: a longitudinal cohort study. <i>European Journal of Clinical Nutrition</i> , 2018, 72, 587-592.	1.3	11
324	Extranodal extension of nodal metastases is a poor prognostic moderator in non-small cell lung cancer: a meta-analysis. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 472, 939-947.	1.4	36

#	ARTICLE	IF	CITATIONS
325	Chronic Physical Conditions, Multimorbidity, and Mild Cognitive Impairment in Low- and Middle-Income Countries. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 721-727.	1.3	87
326	Longitudinal Relationship Between Knee Pain Status and Incident Frailty: Data from the Osteoarthritis Initiative. <i>Pain Medicine</i> , 2018, 19, 2146-2153.	0.9	23
327	Correlates of Physical Activity Among Middle-Aged and Older Adults With Hazardous Drinking Habits in Six Low- and Middle-Income Countries. <i>Journal of Aging and Physical Activity</i> , 2018, 26, 589-598.	0.5	5
328	Risk factors and peripheral biomarkers for schizophrenia spectrum disorders: an umbrella review of meta-analyses. <i>Acta Psychiatrica Scandinavica</i> , 2018, 137, 88-97.	2.2	106
329	Peripheral iron levels in children with autism spectrum disorders vs controls: a systematic review and meta-analysis. <i>Nutrition Research</i> , 2018, 50, 44-52.	1.3	33
330	Relationship between sedentary behavior and depression: A mediation analysis of influential factors across the lifespan among 42,469 people in low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2018, 229, 231-238.	2.0	107
331	Correlates of sedentary behaviour among adults with hazardous drinking habits in six low- and middle-income countries. <i>Psychiatry Research</i> , 2018, 261, 406-413.	1.7	8
332	Peripheral iron levels in children with attention-deficit hyperactivity disorder: a systematic review and meta-analysis. <i>Scientific Reports</i> , 2018, 8, 788.	1.6	79
333	Violence in mental health settings: A systematic review. <i>International Journal of Mental Health Nursing</i> , 2018, 27, 33-45.	2.1	12
334	Prevalence of Catatonia and Its Moderators in Clinical Samples: Results from a Meta-analysis and Meta-regression Analysis. <i>Schizophrenia Bulletin</i> , 2018, 44, 1133-1150.	2.3	99
335	Nutritional Deficiencies and Clinical Correlates in First-Episode Psychosis: A Systematic Review and Meta-analysis. <i>Schizophrenia Bulletin</i> , 2018, 44, 1275-1292.	2.3	61
336	Cross-sectional associations of active transport, employment status and objectively measured physical activity: analyses from the National Health and Nutrition Examination Survey. <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 764-769.	2.0	14
337	Reply to KA Beals and to C Parks. <i>American Journal of Clinical Nutrition</i> , 2018, 107, 849-850.	2.2	0
338	Mild cognitive impairment and sedentary behavior: A multinational study. <i>Experimental Gerontology</i> , 2018, 108, 174-180.	1.2	22
339	Low peripheral levels of insulin growth factor-1 are associated with high incidence of delirium among elderly patients: A systematic review and meta-analysis. <i>Archives of Gerontology and Geriatrics</i> , 2018, 77, 13-18.	1.4	6
340	Visceral adipose tissue in patients with severe mental illness. <i>Hormone Molecular Biology and Clinical Investigation</i> , 2018, 33, .	0.3	4
341	Dietary fiber and health outcomes: an umbrella review of systematic reviews and meta-analyses. <i>American Journal of Clinical Nutrition</i> , 2018, 107, 436-444.	2.2	339
342	Global physical activity levels among people living with HIV: a systematic review and meta-analysis. <i>Disability and Rehabilitation</i> , 2018, 40, 388-397.	0.9	100

#	ARTICLE	IF	CITATIONS
343	Monoclonal gammopathy of undetermined significance and bone health outcomes: a systematic review and exploratory meta-analysis. <i>Journal of Bone and Mineral Metabolism</i> , 2018, 36, 128-132.	1.3	28
344	Physical activity correlates in people living with HIV/AIDS: a systematic review of 45 studies. <i>Disability and Rehabilitation</i> , 2018, 40, 1618-1629.	0.9	65
345	Zika Virus as an Emerging Neuropathogen: Mechanisms of Neurovirulence and Neuro-Immune Interactions. <i>Molecular Neurobiology</i> , 2018, 55, 4160-4184.	1.9	26
346	Physical activity correlates among people with psychosis: Data from 47 low- and middle-income countries. <i>Schizophrenia Research</i> , 2018, 193, 412-417.	1.1	25
347	Knee Osteoarthritis and Risk of Hypertension: A Longitudinal Cohort Study. <i>Rejuvenation Research</i> , 2018, 21, 15-21.	0.9	37
348	Osteoarthritis Increases the Risk of Cardiovascular Disease: Data from the Osteoarthritis Initiative. <i>Journal of Nutrition, Health and Aging</i> , 2018, 22, 371-376.	1.5	38
349	Blockade of the angiotensin system improves mental health domain of quality of life: A meta-analysis of randomized clinical trials. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 24-38.	1.3	31
350	Physical activity levels in children with sensory problems: Cross-sectional analyses from the Millennium Cohort Study. <i>Disability and Health Journal</i> , 2018, 11, 58-61.	1.6	11
351	Multimorbidity and perceived stress: a population-based cross-sectional study among older adults across six low- and middle-income countries. <i>Maturitas</i> , 2018, 107, 84-91.	1.0	43
352	Depression, sleep problems, and perceived stress among informal caregivers in 58 low-, middle-, and high-income countries: A cross-sectional analysis of community-based surveys. <i>Journal of Psychiatric Research</i> , 2018, 96, 115-123.	1.5	64
353	Acetyl-L-Carnitine Supplementation and the Treatment of Depressive Symptoms: A Systematic Review and Meta-Analysis. <i>Psychosomatic Medicine</i> , 2018, 80, 154-159.	1.3	41
354	The Validity and Value of Self-reported Physical Activity and Accelerometry in People With Schizophrenia: A Population-Scale Study of the UK Biobank. <i>Schizophrenia Bulletin</i> , 2018, 44, 1293-1300.	2.3	77
355	The Relationship Between the Dietary Inflammatory Index and Incident Frailty: A Longitudinal Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2018, 19, 77-82.	1.2	69
356	Sedentary behavior and anxiety: Association and influential factors among 42,469 community-dwelling adults in six low- and middle-income countries. <i>General Hospital Psychiatry</i> , 2018, 50, 26-32.	1.2	38
357	Food addiction: Prevalence, psychopathological correlates and associations with quality of life in a large sample. <i>Journal of Psychiatric Research</i> , 2018, 96, 145-152.	1.5	115
358	Correlates of physical activity among depressed older people in six low-income and middle-income countries: A community-based cross-sectional study. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, e314-e322.	1.3	15
359	Pro-inflammatory dietary pattern is associated with fractures in women: an eight-year longitudinal cohort study. <i>Osteoporosis International</i> , 2018, 29, 143-151.	1.3	28
360	Adherence to a Mediterranean diet is associated with lower incidence of frailty: A longitudinal cohort study. <i>Clinical Nutrition</i> , 2018, 37, 1492-1497.	2.3	58

#	ARTICLE	IF	CITATIONS
361	Physical activity and suicidal ideation: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2018, 225, 438-448.	2.0	140
362	Correlates of low physical activity across 46 low- and middle-income countries: A cross-sectional analysis of community-based data. <i>Preventive Medicine</i> , 2018, 106, 107-113.	1.6	31
363	Increased pericardial adipose tissue and cardiometabolic risk in patients with schizophrenia versus healthy controls. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018, 268, 719-725.	1.8	13
364	Mortality, morbidity and medical resources utilization of patients with schizophrenia: A case-control community-based study. <i>Psychiatry Research</i> , 2018, 260, 177-181.	1.7	34
365	Effect of aerobic exercise on hippocampal volume in humans: A systematic review and meta-analysis. <i>NeuroImage</i> , 2018, 166, 230-238.	2.1	334
366	Correlates of physical activity among community-dwelling individuals aged 65 years or older with anxiety in six low- and middle-income countries. <i>International Psychogeriatrics</i> , 2018, 30, 705-714.	0.6	10
367	Low-dose vitamin D supplementation and incident frailty in older people: An eight year longitudinal study. <i>Experimental Gerontology</i> , 2018, 101, 1-6.	1.2	21
368	The effectiveness of adjunct mindfulness-based intervention in treatment of bipolar disorder: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2018, 225, 234-245.	2.0	61
369	Aspirin and incident depressive symptoms: A longitudinal cohort study over 8 years. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, e193-e198.	1.3	8
370	Primary thromboembolic prevention in multiple myeloma patients: An exploratory meta-analysis on aspirin use. <i>Seminars in Hematology</i> , 2018, 55, 182-184.	1.8	6
371	O5.2. PREDICTORS OF CARDIOMETABOLIC RISK IN THE YEAR AFTER ONSET OF PSYCHOSIS: A PROSPECTIVE COHORT STUDY. <i>Schizophrenia Bulletin</i> , 2018, 44, S87-S87.	2.3	0
372	Prospective associations of physical fitness and cognitive performance among inpatients with Schizophrenia. <i>Psychiatry Research</i> , 2018, 270, 738-743.	1.7	9
373	EPA guidance on physical activity as a treatment for severe mental illness: a meta-review of the evidence and Position Statement from the European Psychiatric Association (EPA), supported by the International Organization of Physical Therapists in Mental Health (IOPTMH). <i>European Psychiatry</i> , 2018, 54, 124-144.	0.1	377
374	Psychometric properties of the modified Yale Food Addiction Scale 2.0 in a large Brazilian sample. <i>Revista Brasileira De Psiquiatria</i> , 2018, 40, 444-448.	0.9	29
375	Physical activity and mental health. <i>Lancet Psychiatry</i> , 2018, 5, 873.	3.7	46
376	Physical activity and generalized anxiety disorder: results from The Irish Longitudinal Study on Ageing (TILDA). <i>International Journal of Epidemiology</i> , 2018, 47, 1443-1453.	0.9	50
377	Association between urinary incontinence and frailty: a systematic review and meta-analysis. <i>European Geriatric Medicine</i> , 2018, 9, 571-578.	1.2	29
378	Diet as a hot topic in psychiatry: a population-scale study of nutritional intake and inflammatory potential in severe mental illness. <i>World Psychiatry</i> , 2018, 17, 365-367.	4.8	102

#	ARTICLE	IF	CITATIONS
379	Physical activity and HIV in sub-Saharan Africa: a systematic review of correlates and levels. African Health Sciences, 2018, 18, 394-406.	0.3	15
380	Exercise Interventions in Secure and Forensic Services. , 2018, , 209-216.		1
381	Research and Evaluation in Exercise and Mental Health. , 2018, , 301-317.		0
382	Disordered eating behaviors as a potential obesogenic factor in schizophrenia. Psychiatry Research, 2018, 269, 450-454.	1.7	18
383	Cardiorespiratory fitness and response to exercise treatment in depression. BJPsych Open, 2018, 4, 346-351.	0.3	28
384	Associations between active travel and physical multi-morbidity in six low- and middle-income countries among community-dwelling older adults: A cross-sectional study. PLoS ONE, 2018, 13, e0203277.	1.1	21
385	Predictors of falls and fractures leading to hospitalization in people with schizophrenia spectrum disorder: A large representative cohort study. Schizophrenia Research, 2018, 201, 70-78.	1.1	27
386	S19. EVIDENCE OF THE LIPID PARADOX IN PSYCHOSIS: A META-ANALYSIS OF CHOLESTEROL AND TRIGLYCERIDE LEVELS IN FIRST EPISODE PSYCHOSIS. Schizophrenia Bulletin, 2018, 44, S330-S330.	2.3	2
387	Imaging genetics paradigms in depression research: Systematic review and meta-analysis. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2018, 86, 102-113.	2.5	19
388	Pain and severe sleep disturbance in the general population: Primary data and meta-analysis from 240,820 people across 45 low- and middle-income countries. General Hospital Psychiatry, 2018, 53, 52-58.	1.2	14
389	Association between depression and smoking: A global perspective from 48 low- and middle-income countries. Journal of Psychiatric Research, 2018, 103, 142-149.	1.5	53
390	Physical activity and sleep problems in 38 low- and middle-income countries. Sleep Medicine, 2018, 48, 140-147.	0.8	16
391	Mapping risk factors for depression across the lifespan: An umbrella review of evidence from meta-analyses and Mendelian randomization studies. Journal of Psychiatric Research, 2018, 103, 189-207.	1.5	162
392	Cardiovascular Outcomes of Cholinesterase Inhibitors in Individuals with Dementia: A Meta-Analysis and Systematic Review. Journal of the American Geriatrics Society, 2018, 66, 1805-1811.	1.3	46
393	Sedentary behaviour and sleep problems among 42,489 community-dwelling adults in six low- and middle-income countries. Journal of Sleep Research, 2018, 27, e12714.	1.7	33
394	Sibship size, birth order and psychotic experiences: Evidence from 43 low- and middle-income countries. Schizophrenia Research, 2018, 201, 406-412.	1.1	1
395	Female-specific association among I, J and K mitochondrial genetic haplogroups and cancer: A longitudinal cohort study. Cancer Genetics, 2018, 224-225, 29-36.	0.2	6
396	Is it possible for people with severe mental illness to sit less and move more? A systematic review of interventions to increase physical activity or reduce sedentary behaviour. Schizophrenia Research, 2018, 202, 3-16.	1.1	60

#	ARTICLE	IF	CITATIONS
397	Driving impairment and crash risk in Parkinson disease. <i>Neurology</i> , 2018, 91, e906-e916.	1.5	23
398	Impact of aerobic exercise on muscle mass in patients with major depressive disorder: a randomized controlled trial. <i>Neuropsychiatric Disease and Treatment</i> , 2018, Volume 14, 1969-1974.	1.0	10
399	Pain is not associated with cognitive decline in older adults: A four-year longitudinal study. <i>Maturitas</i> , 2018, 115, 92-96.	1.0	33
400	Association Between Gait Speed With Mortality, Cardiovascular Disease and Cancer: A Systematic Review and Meta-analysis of Prospective Cohort Studies. <i>Journal of the American Medical Directors Association</i> , 2018, 19, 981-988.e7.	1.2	123
401	Moving to Beat Anxiety: Epidemiology and Therapeutic Issues with Physical Activity for Anxiety. <i>Current Psychiatry Reports</i> , 2018, 20, 63.	2.1	127
402	Barriers and Facilitators of Physical Activity in Children of a South Asian Ethnicity. <i>Sustainability</i> , 2018, 10, 761.	1.6	10
403	Violent criminal behavior in the context of bipolar disorder: Systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2018, 239, 161-170.	2.0	8
404	Hand grip strength and cognitive function among elderly cancer survivors. <i>PLoS ONE</i> , 2018, 13, e0197909.	1.1	32
405	The association of depression and all-cause and cause-specific mortality: an umbrella review of systematic reviews and meta-analyses. <i>BMC Medicine</i> , 2018, 16, 112.	2.3	143
406	Physiotherapy for people with mental health problems in Sub-Saharan African countries: a systematic review. <i>Archives of Physiotherapy</i> , 2018, 8, 2.	0.7	8
407	Predictors of Falls and Fractures Leading to Hospitalization in People With Dementia: A Representative Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2018, 19, 607-612.	1.2	46
408	Skin picking disorder: prevalence, correlates, and associations with quality of life in a large sample. <i>CNS Spectrums</i> , 2018, 23, 311-320.	0.7	41
409	Correlates of sedentary behavior in the general population: A cross-sectional study using nationally representative data from six low- and middle-income countries. <i>PLoS ONE</i> , 2018, 13, e0202222.	1.1	53
410	Psychotic experiences as an independent risk factor for angina pectoris in 48 low- and middle-income countries. <i>World Psychiatry</i> , 2018, 17, 232-234.	4.8	6
411	The risk of glaucoma and serotonergic antidepressants: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2018, 241, 63-70.	2.0	13
412	Passive and mentally-active sedentary behaviors and incident major depressive disorder: A 13-year cohort study. <i>Journal of Affective Disorders</i> , 2018, 241, 579-585.	2.0	93
413	Associations between TV viewing, sitting time, physical activity and insomnia among 100,839 Brazilian adolescents. <i>Psychiatry Research</i> , 2018, 269, 700-706.	1.7	23
414	Sedentary behavior and depressive symptoms among 67,077 adolescents aged 12-15 years from 30 low- and middle-income countries. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018, 15, 73.	2.0	95

#	ARTICLE	IF	CITATIONS
415	Sedentary behavior and perceived stress among adults aged ≥50 years in six low- and middle-income countries. <i>Maturitas</i> , 2018, 116, 100-107.	1.0	21
416	Depressive symptoms, handgrip strength, and weight status in US older adults. <i>Journal of Affective Disorders</i> , 2018, 238, 305-310.	2.0	39
417	Environmental risk factors and nonpharmacological and nonsurgical interventions for obesity: An umbrella review of meta-analyses of cohort studies and randomized controlled trials. <i>European Journal of Clinical Investigation</i> , 2018, 48, e12982.	1.7	55
418	Different patterns of alcohol consumption and the incidence and persistence of depressive and anxiety symptoms among older adults in Ireland: A prospective community-based study. <i>Journal of Affective Disorders</i> , 2018, 238, 651-658.	2.0	15
419	Exercise and Posttraumatic Stress Disorder. , 2018, , 375-387.		1
420	Internet Addiction and Its Relationship With Suicidal Behaviors. <i>Journal of Clinical Psychiatry</i> , 2018, 79, .	1.1	68
421	Relationship Between Objectively Measured Sedentary Behavior and Cognitive Performance in Patients With Schizophrenia Vs Controls. <i>Schizophrenia Bulletin</i> , 2017, 43, sbw126.	2.3	30
422	Pain Increases the Risk of Developing Frailty in Older Adults with Osteoarthritis. <i>Pain Medicine</i> , 2017, 18, pnw163.	0.9	37
423	Physical Activity Levels and Psychosis: A Mediation Analysis of Factors Influencing Physical Activity Target Achievement Among 204 186 People Across 46 Low- and Middle-Income Countries. <i>Schizophrenia Bulletin</i> , 2017, 43, sbw111.	2.3	49
424	Aerobic Exercise Improves Cognitive Functioning in People With Schizophrenia: A Systematic Review and Meta-Analysis. <i>Schizophrenia Bulletin</i> , 2017, 43, sbw115.	2.3	270
425	A Comparison of Objective Physical Performance Tests and Future Mortality in the Elderly People. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017, 72, glw139.	1.7	41
426	Tackling mental health: the role of professional football clubs. <i>Sport in Society</i> , 2017, 20, 281-291.	0.8	19
427	Cardiorespiratory Fitness in Severe Mental Illness: A Systematic Review and Meta-analysis. <i>Sports Medicine</i> , 2017, 47, 343-352.	3.1	170
428	A critical review of exercise as a treatment for clinically depressed adults: time to get pragmatic. <i>Acta Neuropsychiatrica</i> , 2017, 29, 65-71.	1.0	42
429	Measuring affective temperaments: a systematic review of validation studies of the Temperament Evaluation in Memphis Pisa and San Diego (TEMPS) instruments. <i>Journal of Affective Disorders</i> , 2017, 212, 25-37.	2.0	26
430	Chronic physical conditions, multimorbidity and physical activity across 46 low- and middle-income countries. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 6.	2.0	115
431	Physical activity ameliorates the association between sedentary behavior and cardiometabolic risk among inpatients with schizophrenia: A comparison versus controls using accelerometry. <i>Comprehensive Psychiatry</i> , 2017, 74, 144-150.	1.5	40
432	An examination of the anxiolytic effects of exercise for people with anxiety and stress-related disorders: A meta-analysis. <i>Psychiatry Research</i> , 2017, 249, 102-108.	1.7	402

#	ARTICLE	IF	CITATIONS
433	Are people with schizophrenia adherent to diabetes medication? A comparative meta-analysis. <i>Psychiatry Research</i> , 2017, 250, 17-24.	1.7	19
434	Relationship Between Low Bone Mineral Density and Fractures With Incident Cardiovascular Disease: A Systematic Review and Meta-Analysis. <i>Journal of Bone and Mineral Research</i> , 2017, 32, 1126-1135.	3.1	109
435	Risk of cardiovascular disease morbidity and mortality in frail and pre-frail older adults: Results from a meta-analysis and exploratory meta-regression analysis. <i>Ageing Research Reviews</i> , 2017, 35, 63-73.	5.0	182
436	An exploratory study of the heterogeneity of the jealousy phenomenon and its associations with affective temperaments and psychopathological dimensions in a large Brazilian sample. <i>Journal of Affective Disorders</i> , 2017, 212, 10-16.	2.0	11
437	Effect of acetyl-L-carnitine in the treatment of diabetic peripheral neuropathy: A systematic review and meta-analysis. <i>European Geriatric Medicine</i> , 2017, 8, 117-122.	1.2	10
438	Cognitive Impairment in Euthymic Pediatric Bipolar Disorder: A Systematic Review and Meta-Analysis. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2017, 56, 286-296.	0.3	70
439	Social determinants of therapy failure and multi drug resistance among people with tuberculosis: A review. <i>Tuberculosis</i> , 2017, 103, 44-51.	0.8	56
440	Oxidative stress and frailty: A systematic review and synthesis of the best evidence. <i>Maturitas</i> , 2017, 99, 66-72.	1.0	160
441	Peripheral cytokine and chemokine alterations in depression: a meta-analysis of 82 studies. <i>Acta Psychiatrica Scandinavica</i> , 2017, 135, 373-387.	2.2	946
442	The effects of vitamin and mineral supplementation on symptoms of schizophrenia: a systematic review and meta-analysis. <i>Psychological Medicine</i> , 2017, 47, 1515-1527.	2.7	58
443	Homocysteine as a peripheral biomarker in bipolar disorder: A meta-analysis. <i>European Psychiatry</i> , 2017, 43, 81-91.	0.1	33
444	Exercise as treatment for alcohol use disorders: systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2017, 51, 1058-1064.	3.1	120
445	Pain perception in Parkinson's disease: A systematic review and meta-analysis of experimental studies. <i>Ageing Research Reviews</i> , 2017, 35, 74-86.	5.0	35
446	Systematic review and meta-analysis of the efficacy and safety of minocycline in schizophrenia. <i>CNS Spectrums</i> , 2017, 22, 415-426.	0.7	59
447	Accelerometer-assessed light physical activity is protective of future cognitive ability: A longitudinal study among community dwelling older adults. <i>Experimental Gerontology</i> , 2017, 91, 104-109.	1.2	69
448	Frailty and incident depression in community-dwelling older people: results from the ELSA study. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, e141-e149.	1.3	42
449	Depression and physical health multimorbidity: primary data and country-wide meta-analysis of population data from 190 593 people across 43 low- and middle-income countries. <i>Psychological Medicine</i> , 2017, 47, 2107-2117.	2.7	106
450	Poor Physical Performance Predicts Future Onset of Depression in Elderly People: Progetto Veneto Anziani Longitudinal Study. <i>Physical Therapy</i> , 2017, 97, 659-668.	1.1	80

#	ARTICLE	IF	CITATIONS
451	Low-Dose Aspirin Use and Cognitive Function in Older Age: A Systematic Review and Meta-Analysis. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 1763-1768.	1.3	41
452	The effect of active video games on cognitive functioning in clinical and non-clinical populations: A meta-analysis of randomized controlled trials. <i>Neuroscience and Biobehavioral Reviews</i> , 2017, 78, 34-43.	2.9	273
453	Prevalence, incidence and mortality from cardiovascular disease in patients with pooled and specific severe mental illness: a large-scale meta-analysis of 3,211,768 patients and 113,383,368 controls. <i>World Psychiatry</i> , 2017, 16, 163-180.	4.8	1,082
454	Systematic assessment of environmental risk factors for bipolar disorder: an umbrella review of systematic reviews and meta-analyses. <i>Bipolar Disorders</i> , 2017, 19, 84-96.	1.1	108
455	The relationship between genetic risk variants with brain structure and function in bipolar disorder: A systematic review of genetic-neuroimaging studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2017, 79, 87-109.	2.9	20
456	Physical activity and sedentary behavior in people with major depressive disorder: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2017, 210, 139-150.	2.0	411
457	Analgesic Effects of Alcohol: A Systematic Review and Meta-Analysis of Controlled Experimental Studies in Healthy Participants. <i>Journal of Pain</i> , 2017, 18, 499-510.	0.7	119
458	Weight loss is associated with improvements in cognitive function among overweight and obese people: A systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2017, 72, 87-94.	2.9	169
459	Thyroid autoimmunity in bipolar disorder: A systematic review. <i>Journal of Affective Disorders</i> , 2017, 221, 97-106.	2.0	54
460	Perceived Stress and Its Relationship With Chronic Medical Conditions and Multimorbidity Among 229,293 Community-Dwelling Adults in 44 Low- and Middle-Income Countries. <i>American Journal of Epidemiology</i> , 2017, 186, 979-989.	1.6	62
461	Higher cardio-respiratory fitness is associated with increased mental and physical quality of life in people with bipolar disorder: A controlled pilot study. <i>Psychiatry Research</i> , 2017, 256, 219-224.	1.7	16
462	Dietary magnesium intake and fracture risk: data from a large prospective study. <i>British Journal of Nutrition</i> , 2017, 117, 1570-1576.	1.2	50
463	Extranodal extension of lymph node metastasis influences recurrence in prostate cancer: a systematic review and meta-analysis. <i>Scientific Reports</i> , 2017, 7, 2374.	1.6	30
464	Physical activity and healthy ageing: A systematic review and meta-analysis of longitudinal cohort studies. <i>Ageing Research Reviews</i> , 2017, 38, 6-17.	5.0	302
465	Fried potato consumption is associated with elevated mortality: an 8-y longitudinal cohort study. <i>American Journal of Clinical Nutrition</i> , 2017, 106, 162-167.	2.2	49
466	Dance movement therapy and falls prevention. <i>Maturitas</i> , 2017, 102, 1-5.	1.0	31
467	Surgical Management of Obesity Among People with Schizophrenia and Bipolar Disorder: a Systematic Review of Outcomes and Recommendations for Future Research. <i>Obesity Surgery</i> , 2017, 27, 1889-1895.	1.1	25
468	Physical activity correlates among 24,230 people with depression across 46 low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2017, 221, 81-88.	2.0	21

#	ARTICLE	IF	CITATIONS
469	Mitochondrial genetic haplogroups and depressive symptoms: A large study among people in North America. <i>Journal of Affective Disorders</i> , 2017, 217, 55-59.	2.0	6
470	Low vitamin D levels increase the risk of type 2 diabetes in older adults: A systematic review and meta-analysis. <i>Maturitas</i> , 2017, 100, 8-15.	1.0	67
471	Prevalence and predictors of post-stroke mood disorders: A meta-analysis and meta-regression of depression, anxiety and adjustment disorder. <i>General Hospital Psychiatry</i> , 2017, 47, 48-60.	1.2	255
472	Polypharmacy Is Associated With Higher Frailty Risk in Older People: An 8-Year Longitudinal Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2017, 18, 624-628.	1.2	137
473	Factors that influence the neurobiological effects of exercise likely extend beyond age and intensity in people with major depression. <i>Neuroscience and Biobehavioral Reviews</i> , 2017, 77, 301-302.	2.9	5
474	Relationship between depression and frailty in older adults: A systematic review and meta-analysis. <i>Ageing Research Reviews</i> , 2017, 36, 78-87.	5.0	479
475	Exercise works for depression: bridging the implementation gap and making exercise a core component of treatment. <i>Acta Neuropsychiatrica</i> , 2017, 29, 124-126.	1.0	6
476	Exercise increases serum brain-derived neurotrophic factor in patients with major depressive disorder. <i>Journal of Affective Disorders</i> , 2017, 215, 152-155.	2.0	70
477	Sedentary Behavior in People Living With HIV: A Systematic Review and Meta-Analysis. <i>Journal of Physical Activity and Health</i> , 2017, 14, 571-577.	1.0	22
478	Solving a weighty problem: Systematic review and meta-analysis of nutrition interventions in severe mental illness. <i>British Journal of Psychiatry</i> , 2017, 210, 110-118.	1.7	153
479	Biomarkers associated with sedentary behaviour in older adults: A systematic review. <i>Ageing Research Reviews</i> , 2017, 35, 87-111.	5.0	76
480	Inflammation and sarcopenia: A systematic review and meta-analysis. <i>Maturitas</i> , 2017, 96, 10-15.	1.0	451
481	Bidirectional longitudinal relationship between leisure-time physical activity and psychotropic medication usage: A register linked follow-up study. <i>Psychiatry Research</i> , 2017, 247, 208-213.	1.7	12
482	Correlates of vitamin D in psychotic disorders: A comprehensive systematic review. <i>Psychiatry Research</i> , 2017, 249, 78-85.	1.7	34
483	Association between lower limb osteoarthritis and incidence of depressive symptoms: data from the osteoarthritis initiative. <i>Age and Ageing</i> , 2017, 46, 470-476.	0.7	95
484	Epidemiology of depression with psychotic experiences and its association with chronic physical conditions in 47 low- and middle-income countries. <i>Psychological Medicine</i> , 2017, 47, 531-542.	2.7	32
485	Higher levels of objectively measured sedentary behavior is associated with worse cognitive ability: Two-year follow-up study in community-dwelling older adults. <i>Experimental Gerontology</i> , 2017, 99, 110-114.	1.2	50
486	Cholesterol and triglyceride levels in first-episode psychosis: systematic review and meta-analysis. <i>British Journal of Psychiatry</i> , 2017, 211, 339-349.	1.7	118

#	ARTICLE	IF	CITATIONS
487	Remission and recovery from first-episode psychosis in adults: systematic review and meta-analysis of long-term outcome studies. <i>British Journal of Psychiatry</i> , 2017, 211, 350-358.	1.7	239
488	Sedentary behavior and physical activity levels in people with schizophrenia, bipolar disorder and major depressive disorder: a global systematic review and meta-analysis. <i>World Psychiatry</i> , 2017, 16, 308-315.	4.8	600
489	Perceived stress and smoking across 41 countries: A global perspective across Europe, Africa, Asia and the Americas. <i>Scientific Reports</i> , 2017, 7, 7597.	1.6	92
490	Catechol-O-methyltransferase (COMT) Val158Met Polymorphism and Eating Disorders: Data From a New Biobank and Meta-Analysis of Previously Published Studies. <i>European Eating Disorders Review</i> , 2017, 25, 524-532.	2.3	6
491	Physical activity is associated with the physical, psychological, social and environmental quality of life in people with mental health problems in a low resource setting. <i>Psychiatry Research</i> , 2017, 258, 250-254.	1.7	25
492	Associations of Neuropsychiatric Symptoms and Antidepressant Prescription with Survival in Alzheimer's Disease. <i>Journal of the American Medical Directors Association</i> , 2017, 18, 1076-1081.	1.2	26
493	Low adherence to antidepressants is associated with increased mortality following stroke: A large nationally representative cohort study. <i>European Neuropsychopharmacology</i> , 2017, 27, 970-976.	0.3	16
494	High prevalence of erectile dysfunction in diabetes: a systematic review and meta-analysis of 145 studies. <i>Diabetic Medicine</i> , 2017, 34, 1185-1192.	1.2	253
495	Remission and recovery from first-episode psychosis in adults: A systematic review and meta-analysis of long-term outcome studies. <i>European Psychiatry</i> , 2017, 41, s819-s819.	0.1	2
496	Prevalence, incidence and comparative meta-analysis of all-cause and specific-cause cardiovascular disease in patients with serious mental illness. <i>European Psychiatry</i> , 2017, 41, S319-S320.	0.1	0
497	Physical activity correlates in heavy episodic drinkers: Data from 46 low- and middle-income countries. <i>Mental Health and Physical Activity</i> , 2017, 13, 163-170.	0.9	7
498	Hyperprolactinaemia in first episode psychosis - A longitudinal assessment. <i>Schizophrenia Research</i> , 2017, 189, 117-125.	1.1	28
499	Low adherence to antidepressants is associated with increased mortality in Parkinson disease patients. <i>Parkinsonism and Related Disorders</i> , 2017, 43, 92-96.	1.1	15
500	Lifetime self-reported arthritis is associated with elevated levels of mental health burden: A multi-national cross sectional study across 46 low- and middle-income countries. <i>Scientific Reports</i> , 2017, 7, 7138.	1.6	11
501	Prospective associations between measures of gross and fine motor coordination in infants and objectively measured physical activity and sedentary behavior in childhood. <i>Medicine (United States)</i> , 2017, 96, e8424.	0.4	11
502	Mild cognitive impairment and physical activity in the general population: Findings from six low- and middle-income countries. <i>Experimental Gerontology</i> , 2017, 100, 100-105.	1.2	43
503	Physical activity correlates in people with anxiety: Data from 46 low- and middle-income countries. <i>General Hospital Psychiatry</i> , 2017, 49, 26-31.	1.2	14
504	Correlates of children's independent outdoor play: Cross-sectional analyses from the Millennium Cohort Study. <i>Preventive Medicine Reports</i> , 2017, 8, 10-14.	0.8	24

#	ARTICLE	IF	CITATIONS
505	Depression and pain: primary data and meta-analysis among 237,952 people across 47 low- and middle-income countries. <i>Psychological Medicine</i> , 2017, 47, 2906-2917.	2.7	70
506	Efficacy, safety and tolerability of aripiprazole in bipolar disorder: An updated systematic review and meta-analysis of randomized controlled trials. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017, 79, 289-301.	2.5	25
507	Physical health policies and metabolic screening in mental health care systems of sub-Saharan African countries: a systematic review. <i>International Journal of Mental Health Systems</i> , 2017, 11, 31.	1.1	13
508	Lifestyle interventions to reduce premature mortality in schizophrenia. <i>Lancet Psychiatry</i> , 2017, 4, e14.	3.7	10
509	Changes in Frailty Status and Risk of Depression: Results From the Progetto Veneto Anziani Longitudinal Study. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 190-197.	0.6	17
510	Treatment Guidelines for Depression: Greater Emphasis on Physical Activity is Needed. <i>European Psychiatry</i> , 2017, 40, 1-3.	0.1	54
511	The relationship between chronic physical conditions, multimorbidity and anxiety in the general population: A global perspective across 42 countries. <i>General Hospital Psychiatry</i> , 2017, 45, 1-6.	1.2	80
512	Depression in cancer: The many biobehavioral pathways driving tumor progression. <i>Cancer Treatment Reviews</i> , 2017, 52, 58-70.	3.4	204
513	Results of an Observational Cohort Study of Hyperuricemia as a Predictor of Poor Physical Performance in the Elderly. <i>Arthritis Care and Research</i> , 2017, 69, 1238-1244.	1.5	15
514	Adherence to a Mediterranean diet is associated with lower prevalence of osteoarthritis: Data from the osteoarthritis initiative. <i>Clinical Nutrition</i> , 2017, 36, 1609-1614.	2.3	61
515	Physical activity and anxiety: A perspective from the World Health Survey. <i>Journal of Affective Disorders</i> , 2017, 208, 545-552.	2.0	211
516	Dropout from physical activity interventions in people living with HIV: a systematic review and meta-analysis. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2017, 29, 636-643.	0.6	42
517	Pericardial adipose tissue and the metabolic syndrome is increased in patients with chronic major depressive disorder compared to acute depression and controls. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017, 72, 30-35.	2.5	18
518	Measurement of lean body mass using bioelectrical impedance analysis: a consideration of the pros and cons. <i>Aging Clinical and Experimental Research</i> , 2017, 29, 591-597.	1.4	178
519	Physical activity and metabolic disease among people with affective disorders: Prevention, management and implementation. <i>Journal of Affective Disorders</i> , 2017, 224, 87-94.	2.0	19
520	Serum Thyroid-Stimulating Hormone Levels and Frailty in the Elderly: The Progetto Veneto Anziani Study. <i>Rejuvenation Research</i> , 2017, 20, 165-172.	0.9	16
521	Physical fitness in people with posttraumatic stress disorder: a systematic review. <i>Disability and Rehabilitation</i> , 2017, 39, 2461-2467.	0.9	36
522	More Reasons to Move: Exercise in the Treatment of Alcohol Use Disorders. <i>Frontiers in Psychiatry</i> , 2017, 8, 160.	1.3	26

#	ARTICLE	IF	CITATIONS
523	Safety, tolerability, and risks associated with first- and second-generation antipsychotics: a state-of-the-art clinical review. <i>Therapeutics and Clinical Risk Management</i> , 2017, Volume 13, 757-777.	0.9	286
524	Dietary Magnesium and Incident Frailty in Older People at Risk for Knee Osteoarthritis: An Eight-Year Longitudinal Study. <i>Nutrients</i> , 2017, 9, 1253.	1.7	18
525	A systematic review of physical activity policy recommendations and interventions for people with mental health problems in Sub-Saharan African countries. <i>Pan African Medical Journal</i> , 2017, 26, 104.	0.3	20
526	The Effectiveness of Pharmacological and Non-Pharmacological Interventions for Improving Glycaemic Control in Adults with Severe Mental Illness: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2017, 12, e0168549.	1.1	35
527	Correlates of physical activity among community-dwelling adults aged 50 or over in six low- and middle-income countries. <i>PLoS ONE</i> , 2017, 12, e0186992.	1.1	28
528	The renin-angiotensin system: a possible new target for depression. <i>BMC Medicine</i> , 2017, 15, 144.	2.3	98
529	Depression comorbid with tuberculosis and its impact on health status: cross-sectional analysis of community-based data from 48 low- and middle-income countries. <i>BMC Medicine</i> , 2017, 15, 209.	2.3	79
530	Physical chronic conditions, multimorbidity and sedentary behavior amongst middle-aged and older adults in six low- and middle-income countries. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 147.	2.0	70
531	Randomised controlled trial to improve health and reduce substance use in established psychosis (IMPACT): cost-effectiveness of integrated psychosocial health promotion. <i>BMC Psychiatry</i> , 2017, 17, 407.	1.1	10
532	Randomised control trial of the effectiveness of an integrated psychosocial health promotion intervention aimed at improving health and reducing substance use in established psychosis (IMPACT). <i>BMC Psychiatry</i> , 2017, 17, 413.	1.1	39
533	Supplementation of omega 3 fatty acids may improve hyperactivity, lethargy, and stereotypy in children with autism spectrum disorders: a meta-analysis of randomized controlled trials. <i>Neuropsychiatric Disease and Treatment</i> , 2017, Volume 13, 2531-2543.	1.0	52
534	The efficacy and tolerability of paliperidone in mania of bipolar disorder: A preliminary meta-analysis.. <i>Experimental and Clinical Psychopharmacology</i> , 2017, 25, 422-433.	1.3	6
535	Autoantibodies against voltage-gated potassium channel and glutamic acid decarboxylase in psychosis: <scp>A</scp> systematic review, meta-analysis, and case series. <i>Psychiatry and Clinical Neurosciences</i> , 2017, 71, 678-689.	1.0	13
536	Assessing the quality of studies in meta-analyses: Advantages and limitations of the Newcastle Ottawa Scale. <i>World Journal of Meta-analysis</i> , 2017, 5, 80.	0.1	480
537	Reliability and Validity of the Center for Epidemiologic Studies Depression Scale in a Population-Based Cohort of Middle-Aged U.S. Adults. <i>Journal of Nursing Measurement</i> , 2017, 25, 476-485.	0.2	105
538	Exercise and Posttraumatic Stress Disorder. , 2017, , 1-13.		0
539	Lisdexamfetamine in the treatment of moderate-to-severe binge eating disorder in adults: systematic review and exploratory meta-analysis of publicly available placebo-controlled, randomized clinical trials. <i>Neuropsychiatric Disease and Treatment</i> , 2016, Volume 12, 1827-1836.	1.0	21
540	Prevalence and Predictors of Clozapine-Associated Constipation: A Systematic Review and Meta-Analysis. <i>International Journal of Molecular Sciences</i> , 2016, 17, 863.	1.8	85

#	ARTICLE	IF	CITATIONS
541	Prevalence and clinical features associated with bipolar disorder polypharmacy: a systematic review. <i>Neuropsychiatric Disease and Treatment</i> , 2016, 12, 719.	1.0	74
542	Does the "Silver Bullet" Lose its Shine Over the Time? Assessment of Loss of Lithium Response in a Preliminary Sample of Bipolar Disorder Outpatients. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2016, 12, 142-157.	0.6	12
543	Exercise is medicine for depression: even when the "pill" is small. <i>Neuropsychiatric Disease and Treatment</i> , 2016, Volume 12, 2715-2721.	1.0	13
544	Type 2 Diabetes Mellitus. , 2016, , 255-278.		3
545	Atypical Antipsychotics in the Treatment of Acute Bipolar Depression with Mixed Features: A Systematic Review and Exploratory Meta-Analysis of Placebo-Controlled Clinical Trials. <i>International Journal of Molecular Sciences</i> , 2016, 17, 241.	1.8	43
546	Exercise for depression in older adults: a meta-analysis of randomized controlled trials adjusting for publication bias. <i>Revista Brasileira De Psiquiatria</i> , 2016, 38, 247-254.	0.9	160
547	Depression and Reduced Bone Mineral Density at the Hip and Lumbar Spine. <i>Psychosomatic Medicine</i> , 2016, 78, 492-500.	1.3	18
548	Type 2 Diabetes Among People With Posttraumatic Stress Disorder. <i>Psychosomatic Medicine</i> , 2016, 78, 465-473.	1.3	73
549	The association between smoking prevalence and eating disorders: a systematic review and meta-analysis. <i>Addiction</i> , 2016, 111, 1914-1922.	1.7	65
550	Hypovitaminosis D and orthostatic hypotension. <i>Journal of Hypertension</i> , 2016, 34, 1036-1043.	0.3	31
551	Among Inpatients, Posttraumatic Stress Disorder Symptom Severity Is Negatively Associated With Time Spent Walking. <i>Journal of Nervous and Mental Disease</i> , 2016, 204, 15-19.	0.5	16
552	Religiosity and suicidal behaviour in the National Survey of American Life. <i>Acta Psychiatrica Scandinavica</i> , 2016, 134, 183-184.	2.2	5
553	Different prognostic roles of tumor suppressor gene <i>BAP1</i> in cancer: A systematic review with meta-analysis. <i>Genes Chromosomes and Cancer</i> , 2016, 55, 741-749.	1.5	58
554	How can we increase physical activity and exercise among youth experiencing first episode psychosis? A systematic review of intervention variables. <i>Microbial Biotechnology</i> , 2016, 10, 435-440.	0.9	22
555	Bone mineral density, osteoporosis, and fractures among people with eating disorders: a systematic review and meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 341-351.	2.2	94
556	Strategies to deal with comorbid physical illness in psychosis. <i>Epidemiology and Psychiatric Sciences</i> , 2016, 25, 197-204.	1.8	10
557	Extranodal extension of lymph node metastasis is a marker of poor prognosis in oesophageal cancer: a systematic review with meta-analysis. <i>Journal of Clinical Pathology</i> , 2016, 69, 956-961.	1.0	30
558	Acetylcholinesterase inhibitors are associated with weight loss in older people with dementia: a systematic review and meta-analysis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016, 87, 1368-1374.	0.9	36

#	ARTICLE	IF	CITATIONS
559	Motivating factors and barriers towards exercise in severe mental illness: a systematic review and meta-analysis. <i>Psychological Medicine</i> , 2016, 46, 2869-2881.	2.7	345
560	Sitting time, physical fitness impairments and metabolic abnormalities in people with bipolar disorder: An exploratory study. <i>Psychiatry Research</i> , 2016, 242, 7-12.	1.7	18
561	Nutrition interventions in people with severe mental illness: Novel strategies for addressing physical health co-morbidity in a high-risk population. <i>European Psychiatry</i> , 2016, 33, S620-S620.	0.1	2
562	Physical activity and sedentary behavior in people with bipolar disorder: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2016, 201, 145-152.	2.0	109
563	Extra-nodal extension of sentinel lymph node metastasis is a marker of poor prognosis in breast cancer patients: A systematic review and an exploratory meta-analysis. <i>European Journal of Surgical Oncology</i> , 2016, 42, 919-925.	0.5	92
564	Cardiorespiratory fitness in outpatients with bipolar disorder versus matched controls: An exploratory study. <i>Journal of Affective Disorders</i> , 2016, 199, 1-5.	2.0	21
565	Significance of the prognostic stratification of extranodal extension in colorectal cancer. <i>Annals of Oncology</i> , 2016, 27, 1647.	0.6	11
566	Osteoarthritis and mortality: A prospective cohort study and systematic review with meta-analysis. <i>Seminars in Arthritis and Rheumatism</i> , 2016, 46, 160-167.	1.6	128
567	Depressive symptoms and muscular fitness contribute independently to the ability to perform daily life activities in people with bipolar disorder. <i>Nordic Journal of Psychiatry</i> , 2016, 70, 477-482.	0.7	13
568	Exercise improves physical and psychological quality of life in people with depression: A meta-analysis including the evaluation of control group response. <i>Psychiatry Research</i> , 2016, 241, 47-54.	1.7	118
569	Falls in older adults with major depressive disorder (MDD): a systematic review and exploratory meta-analysis of prospective studies. <i>International Psychogeriatrics</i> , 2016, 28, 23-29.	0.6	41
570	Is Pain Perception Altered in People With Depression? A Systematic Review and Meta-Analysis of Experimental Pain Research. <i>Journal of Pain</i> , 2016, 17, 1257-1272.	0.7	114
571	Hypovitaminosis D predicts the onset of orthostatic hypotension in older adults. <i>Journal of the American Society of Hypertension</i> , 2016, 10, 724-732.	2.3	6
572	Physical activity and depression: a large cross-sectional, population-based study across 36 low- and middle-income countries. <i>Acta Psychiatrica Scandinavica</i> , 2016, 134, 546-556.	2.2	88
573	Peer support interventions seeking to improve physical health and lifestyle behaviours among people with serious mental illness: A systematic review. <i>International Journal of Mental Health Nursing</i> , 2016, 25, 484-495.	2.1	42
574	Adherence to the Mediterranean diet is associated with better quality of life: data from the Osteoarthritis Initiative. <i>American Journal of Clinical Nutrition</i> , 2016, 104, 1403-1409.	2.2	115
575	The epidemiology of back pain and its relationship with depression, psychosis, anxiety, sleep disturbances, and stress sensitivity: Data from 43 low- and middle-income countries. <i>General Hospital Psychiatry</i> , 2016, 43, 63-70.	1.2	122
576	Physical activity as a vital sign in patients with bipolar disorder. <i>Psychiatry Research</i> , 2016, 246, 218-222.	1.7	17

#	ARTICLE	IF	CITATIONS
577	Dropout from physical activity interventions in children and adolescents with attention deficit hyperactivity disorder: A systematic review and meta-analysis. <i>Mental Health and Physical Activity</i> , 2016, 11, 46-52.	0.9	11
578	Cardiorespiratory fitness levels and moderators in people with HIV: A systematic review and meta-analysis. <i>Preventive Medicine</i> , 2016, 93, 106-114.	1.6	36
579	A population study of the association between sleep disturbance and suicidal behaviour in people with mental illness. <i>Journal of Psychiatric Research</i> , 2016, 82, 149-154.	1.5	16
580	Exercise improves depressive symptoms in older adults: An umbrella review of systematic reviews and meta-analyses. <i>Psychiatry Research</i> , 2016, 244, 202-209.	1.7	137
581	Diabetes mellitus in people with schizophrenia, bipolar disorder and major depressive disorder: a systematic review and large scale meta-analysis. <i>World Psychiatry</i> , 2016, 15, 166-174.	4.8	487
582	Relationship between prolactin, breast cancer risk, and antipsychotics in patients with schizophrenia: a critical review. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 5-22.	2.2	72
583	Mobility Limitations and Fall-Related Factors Contribute to the Reduced Health-Related Quality of Life in Older Adults With Chronic Musculoskeletal Pain. <i>Pain Practice</i> , 2016, 16, 80-89.	0.9	57
584	Is pain sensitivity altered in people with Alzheimer's disease? A systematic review and meta-analysis of experimental pain research. <i>Experimental Gerontology</i> , 2016, 82, 30-38.	1.2	24
585	Effect of magnesium supplementation on glucose metabolism in people with or at risk of diabetes: a systematic review and meta-analysis of double-blind randomized controlled trials. <i>European Journal of Clinical Nutrition</i> , 2016, 70, 1354-1359.	1.3	102
586	Physical multimorbidity and psychosis: comprehensive cross sectional analysis including 242,952 people across 48 low- and middle-income countries. <i>BMC Medicine</i> , 2016, 14, 189.	2.3	119
587	Physical Activity in People With Posttraumatic Stress Disorder: A Systematic Review of Correlates. <i>Journal of Physical Activity and Health</i> , 2016, 13, 910-918.	1.0	48
588	Inflammation and frailty in the elderly: A systematic review and meta-analysis. <i>Ageing Research Reviews</i> , 2016, 31, 1-8.	5.0	659
589	Extranodal Extension of Nodal Metastases Is a Poor Prognostic Indicator in Gastric Cancer: a Systematic Review and Meta-analysis. <i>Journal of Gastrointestinal Surgery</i> , 2016, 20, 1692-1698.	0.9	41
590	Lower Bone Mineral Density at the Hip and Lumbar Spine in People with Psychosis Versus Controls: a Comprehensive Review and Skeletal Site-Specific Meta-analysis. <i>Current Osteoporosis Reports</i> , 2016, 14, 249-259.	1.5	28
591	The prevalence of diabetes mellitus type 2 in people with alcohol use disorders: a systematic review and large scale meta-analysis. <i>Psychiatry Research</i> , 2016, 246, 394-400.	1.7	27
592	Moving beyond the weight-loss paradigm of exercise interventions for mental illness. <i>Psychiatry Research</i> , 2016, 246, 392-393.	1.7	4
593	Are lower levels of cardiorespiratory fitness associated with incident depression? A systematic review of prospective cohort studies. <i>Preventive Medicine</i> , 2016, 93, 159-165.	1.6	85
594	Case finding and screening clinical utility of the Patient Health Questionnaire (PHQ-9 and PHQ-2) for depression in primary care: a diagnostic meta-analysis of 40 studies. <i>BJPsych Open</i> , 2016, 2, 127-138.	0.3	237

#	ARTICLE	IF	CITATIONS
595	“Walk This Way”™ a pilot of a health coaching intervention to reduce sedentary behaviour and increase low intensity exercise in people with serious mental illness: study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 594.	0.7	15
596	The Functional Exercise Capacity Is Associated With Global Functioning in People With Bipolar Disorder. <i>Journal of Nervous and Mental Disease</i> , 2016, 204, 673-677.	0.5	7
597	Preferences and motivations for exercise in early psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2016, 134, 83-84.	2.2	23
598	Anxiety disorders in postpartum women: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2016, 203, 292-331.	2.0	178
599	Clinical correlates of vitamin D deficiency in established psychosis. <i>BMC Psychiatry</i> , 2016, 16, 76.	1.1	44
600	The Prevalence of Metabolic Syndrome in Alcohol Use Disorders: A Systematic Review and Meta-analysis. <i>Alcohol and Alcoholism</i> , 2016, 51, 515-521.	0.9	72
601	What physical performance measures predict incident cognitive decline among intact older adults? A 4.4year follow up study. <i>Experimental Gerontology</i> , 2016, 81, 110-118.	1.2	68
602	How much physical activity do people with schizophrenia engage in? A systematic review, comparative meta-analysis and meta-regression. <i>Schizophrenia Research</i> , 2016, 176, 431-440.	1.1	284
603	Nephrolithiasis, bone mineral density, osteoporosis, and fractures: a systematic review and comparative meta-analysis. <i>Osteoporosis International</i> , 2016, 27, 3155-3164.	1.3	26
604	Frailty Is Associated with an Increased Risk of Incident Type 2 Diabetes in the Elderly. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 902-907.	1.2	49
605	Prevalence of depressive symptoms and anxiety in osteoarthritis: a systematic review and meta-analysis. <i>Age and Ageing</i> , 2016, 45, 228-235.	0.7	183
606	A random effects meta-analysis investigating the prevalence of bipolar disorder in people with fibromyalgia: An updated analysis. <i>Journal of Affective Disorders</i> , 2016, 191, 308-309.	2.0	5
607	What are the top 10 physical activity research questions in schizophrenia?. <i>Disability and Rehabilitation</i> , 2016, 38, 2235-2243.	0.9	27
608	Type 2 Diabetes Mellitus in Youth Exposed to Antipsychotics. <i>JAMA Psychiatry</i> , 2016, 73, 247.	6.0	189
609	How sedentary are people with psychosis? A systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2016, 171, 103-109.	1.1	225
610	Prevalence and predictors of treatment dropout from physical activity interventions in schizophrenia: a meta-analysis. <i>General Hospital Psychiatry</i> , 2016, 39, 15-23.	1.2	172
611	Treatment of comorbid bipolar disorder and anxiety disorders: A great challenge to modern psychiatry. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 699-700.	1.3	5
612	Neurobiological effects of exercise on major depressive disorder: A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2016, 61, 1-11.	2.9	189

#	ARTICLE	IF	CITATIONS
613	Physical activity as a vital sign in patients with schizophrenia: Evidence and clinical recommendations. <i>Schizophrenia Research</i> , 2016, 170, 336-340.	1.1	32
614	Extranodal extension is an important prognostic parameter for both colonic and rectal cancer. <i>Annals of Oncology</i> , 2016, 27, 955-956.	0.6	25
615	Acetylcholinesterase inhibitors and memantine in bipolar disorder: A systematic review and best evidence synthesis of the efficacy and safety for multiple disease dimensions. <i>Journal of Affective Disorders</i> , 2016, 197, 268-280.	2.0	16
616	Relationship between antipsychotic medication, serum prolactin levels and osteoporosis/osteoporotic fractures in patients with schizophrenia: a critical literature review. <i>Expert Opinion on Drug Safety</i> , 2016, 15, 809-823.	1.0	64
617	Top 10 research questions to promote physical activity in bipolar disorders: A consensus statement from the International Organization of Physical Therapists in Mental Health. <i>Journal of Affective Disorders</i> , 2016, 195, 82-87.	2.0	16
618	A comparative meta-analysis of TEMPS scores across mood disorder patients, their first-degree relatives, healthy controls, and other psychiatric disorders. <i>Journal of Affective Disorders</i> , 2016, 196, 32-46.	2.0	69
619	How common is bipolar disorder in general primary care attendees? A systematic review and meta-analysis investigating prevalence determined according to structured clinical assessments. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 631-639.	1.3	29
620	The prevalence and predictors of bipolar and borderline personality disorders comorbidity: Systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2016, 195, 105-118.	2.0	92
621	Course of illness in comorbid bipolar disorder and obsessive-compulsive disorder patients. <i>Asian Journal of Psychiatry</i> , 2016, 20, 12-14.	0.9	27
622	Augmentation of clozapine with electroconvulsive therapy in treatment resistant schizophrenia: A systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2016, 171, 215-224.	1.1	130
623	The prevalence and predictors of obstructive sleep apnea in major depressive disorder, bipolar disorder and schizophrenia: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2016, 197, 259-267.	2.0	120
624	Psychiatric comorbidities in comorbid bipolar disorder and obsessive-compulsive disorder patients. <i>Asian Journal of Psychiatry</i> , 2016, 21, 23-24.	0.9	1
625	Exercise as a treatment for depression: A meta-analysis adjusting for publication bias. <i>Journal of Psychiatric Research</i> , 2016, 77, 42-51.	1.5	950
626	A comparison of physical fitness in patients with bipolar disorder, schizophrenia and healthy controls. <i>Disability and Rehabilitation</i> , 2016, 38, 2047-2051.	0.9	27
627	Top 10 research questions to promote physical activity research in people with binge eating disorder. <i>Eating Disorders</i> , 2016, 24, 326-337.	1.9	5
628	Comorbid bipolar disorder and obsessive-compulsive disorder: Which came first?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 695-698.	1.3	22
629	Challenges Establishing the Efficacy of Exercise as an Antidepressant Treatment: A Systematic Review and Meta-Analysis of Control Group Responses in Exercise Randomised Controlled Trials. <i>Sports Medicine</i> , 2016, 46, 699-713.	3.1	43
630	The prevalence and odds of suicidal thoughts, behaviours and deaths among people with painful comorbidities: An updated meta-analysis accounting for publication bias. <i>Journal of Psychiatric Research</i> , 2016, 72, 72-73.	1.5	14

#	ARTICLE	IF	CITATIONS
631	A narrative synthesis investigating the use and value of social support to promote physical activity among individuals with schizophrenia. <i>Disability and Rehabilitation</i> , 2016, 38, 123-150.	0.9	36
632	Dropout from exercise randomized controlled trials among people with depression: A meta-analysis and meta regression. <i>Journal of Affective Disorders</i> , 2016, 190, 457-466.	2.0	202
633	Comorbid bipolar disorder and obsessive-compulsive disorder in children and adolescents: Treatment implications. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 594-596.	1.3	8
634	Exercise improves cardiorespiratory fitness in people with depression: A meta-analysis of randomized control trials. <i>Journal of Affective Disorders</i> , 2016, 190, 249-253.	2.0	132
635	Prognostic impact and implications of extracapsular lymph node involvement in colorectal cancer: a systematic review with meta-analysis. <i>Annals of Oncology</i> , 2016, 27, 42-48.	0.6	73
636	Association between osteoarthritis and cardiovascular disease: Systematic review and meta-analysis. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 938-946.	0.8	142
637	Are leptin levels increased among people with schizophrenia versus controls? A systematic review and comparative meta-analysis. <i>Psychoneuroendocrinology</i> , 2016, 63, 144-154.	1.3	58
638	Considering the Role of Physical Therapists Within the Treatment and Rehabilitation of Individuals With Eating Disorders: An International Survey of Expert Clinicians. <i>Physiotherapy Research International</i> , 2016, 21, 237-246.	0.7	6
639	Musculoskeletal pain characteristics associated with lower balance confidence in community-dwelling older adults. <i>Physiotherapy</i> , 2016, 102, 152-158.	0.2	21
640	Bipolar I and II Disorders; A Systematic Review and Meta-Analysis on Differences in Comorbid Obsessive-Compulsive Disorder. <i>Iranian Journal of Psychiatry and Behavioral Sciences</i> , 2016, 10, e3604.	0.1	30
641	The Metabolic Syndrome Is Associated with Self-Reported Physical Complaints in Patients with Bipolar Disorder. <i>Psychiatria Danubina</i> , 2016, 28, 139-45.	0.2	4
642	Antipsychotic treatment, prolactin, and breast tumorigenesis. <i>Psychiatria Danubina</i> , 2016, 28, 243-254.	0.2	5
643	Pain is independently associated with reduced health related quality of life in people with psychosis. <i>Psychiatry Research</i> , 2015, 230, 585-591.	1.7	15
644	Decreased pain sensitivity among people with schizophrenia. <i>Pain</i> , 2015, 156, 2121-2131.	2.0	95
645	The prevalence and predictors of type two diabetes mellitus in people with schizophrenia: a systematic review and comparative meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2015, 132, 144-157.	2.2	183
646	TYPE 2 DIABETES IN PATIENTS WITH MAJOR DEPRESSIVE DISORDER: A META-ANALYSIS OF PREVALENCE ESTIMATES AND PREDICTORS. <i>Depression and Anxiety</i> , 2015, 32, 763-773.	2.0	138
647	Older adults with chronic musculoskeletal pain are at increased risk of recurrent falls and the brief pain inventory could help identify those most at risk. <i>Geriatrics and Gerontology International</i> , 2015, 15, 881-888.	0.7	27
648	Health-related quality of life and aerobic fitness in people with schizophrenia. <i>International Journal of Mental Health Nursing</i> , 2015, 24, 394-402.	2.1	35

#	ARTICLE	IF	CITATIONS
649	The Psychosocial Consequences of Sports Participation for Individuals with Severe Mental Illness: A Metasynthesis Review. <i>Advances in Psychiatry</i> , 2015, 2015, 1-8.	0.4	19
650	What works to prevent falls in older adults dwelling in long term care facilities and hospitals? An umbrella review of meta-analyses of randomised controlled trials. <i>Maturitas</i> , 2015, 81, 335-342.	1.0	28
651	What are the factors that influence physical activity participation in adults with knee and hip osteoarthritis? A systematic review of physical activity correlates. <i>Clinical Rehabilitation</i> , 2015, 29, 80-94.	1.0	109
652	Risk of metabolic syndrome and its components in people with schizophrenia and related psychotic disorders, bipolar disorder and major depressive disorder: a systematic review and meta-analysis. <i>World Psychiatry</i> , 2015, 14, 339-347.	4.8	858
653	No evidence of a control group response in exercise randomised controlled trials in people with schizophrenia: A systematic review and meta-analysis. <i>Psychiatry Research</i> , 2015, 229, 840-843.	1.7	4
654	Exercise improves cardiorespiratory fitness in people with schizophrenia: A systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2015, 169, 453-457.	1.1	92
655	Integrating physical activity as medicine in the care of people with severe mental illness. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015, 49, 681-682.	1.3	69
656	Sedentary behaviour is associated with elevated C-reactive protein levels in people with psychosis. <i>Schizophrenia Research</i> , 2015, 168, 461-464.	1.1	48
657	Schizophrenia and the risk of fractures: a systematic review and comparative meta-analysis. <i>General Hospital Psychiatry</i> , 2015, 37, 126-133.	1.2	76
658	A Systematic Review of Physical Activity Correlates in Alcohol Use Disorders. <i>Archives of Psychiatric Nursing</i> , 2015, 29, 196-201.	0.7	45
659	Do people with mental illness receive adequate smoking cessation advice? A systematic review and meta-analysis. <i>General Hospital Psychiatry</i> , 2015, 37, 14-23.	1.2	71
660	The prevalence and predictors of comorbid bipolar disorder and obsessive-compulsive disorder: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2015, 186, 99-109.	2.0	67
661	A systematic review of the benefits of physical therapy within a multidisciplinary care approach for people with schizophrenia: An update. <i>Psychiatry Research</i> , 2015, 229, 828-839.	1.7	50
662	Could autonomous motivation hold the key to successfully implementing lifestyle changes in affective disorders? A multicentre cross sectional study. <i>Psychiatry Research</i> , 2015, 228, 100-106.	1.7	47
663	Test-retest reliability, feasibility and clinical correlates of the Eurofit test battery in people with bipolar disorder. <i>Psychiatry Research</i> , 2015, 228, 620-625.	1.7	21
664	The functional exercise capacity in patients with bipolar disorder versus healthy controls: A pilot study. <i>Psychiatry Research</i> , 2015, 229, 194-199.	1.7	19
665	Health-related physical fitness in patients with bipolar disorder vs. healthy controls: An exploratory study. <i>Journal of Affective Disorders</i> , 2015, 177, 22-27.	2.0	25
666	Why moving more should be promoted for severe mental illness. <i>Lancet Psychiatry</i> , 2015, 2, 295.	3.7	42

#	ARTICLE	IF	CITATIONS
667	What Works to Prevent Falls in Community-Dwelling Older Adults? Umbrella Review of Meta-analyses of Randomized Controlled Trials. <i>Physical Therapy</i> , 2015, 95, 1095-1110.	1.1	113
668	A meta-analysis investigating the prevalence and moderators of migraines among people with bipolar disorder. <i>Journal of Affective Disorders</i> , 2015, 178, 88-97.	2.0	38
669	Associations Between Metabolic and Aerobic Fitness Parameters in Patients With Schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2015, 203, 23-27.	0.5	16
670	How can we promote smoking cessation in people with schizophrenia in practice? A clinical overview. <i>Acta Psychiatrica Scandinavica</i> , 2015, 132, 122-130.	2.2	42
671	Promotion of cardiorespiratory fitness in schizophrenia: a clinical overview and meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2015, 132, 131-143.	2.2	108
672	Identifying the facilitators and processes which influence recovery in individuals with schizophrenia: a systematic review and thematic synthesis. <i>Journal of Mental Health</i> , 2015, 24, 103-110.	1.0	62
673	Comorbid bipolar disorder and obsessive-compulsive disorder: A child and adolescent perspective. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015, 49, 1066-1067.	1.3	7
674	Physical activity in the treatment of Post-traumatic stress disorder: A systematic review and meta-analysis. <i>Psychiatry Research</i> , 2015, 230, 130-136.	1.7	224
675	A Meta-Analysis Investigating Falls in Older Adults Taking Selective Serotonin Reuptake Inhibitors Confirms an Association but by No Means Implies Causation. <i>American Journal of Geriatric Psychiatry</i> , 2015, 23, 1098.	0.6	17
676	Aerobic capacity is associated with global functioning in people with schizophrenia. <i>Journal of Mental Health</i> , 2015, 24, 214-218.	1.0	17
677	The prevalence and risk of metabolic syndrome and its components among people with posttraumatic stress disorder: a systematic review and meta-analysis. <i>Metabolism: Clinical and Experimental</i> , 2015, 64, 926-933.	1.5	167
678	Bipolar disorder and its comorbidities between Feinstein and the Diagnostic and Statistical Manual of Mental Disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015, 49, 1073-1073.	1.3	61
679	Adopting and maintaining physical activity behaviours in people with severe mental illness: The importance of autonomous motivation. <i>Preventive Medicine</i> , 2015, 81, 216-220.	1.6	86
680	Negative symptoms are associated with lower autonomous motivation towards physical activity in people with schizophrenia. <i>Comprehensive Psychiatry</i> , 2015, 56, 128-132.	1.5	77
681	The prevalence of pain in bipolar disorder: a systematic review and large-scale meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2015, 131, 75-88.	2.2	78
682	The functional exercise capacity and its correlates in obese treatment-seeking people with binge eating disorder: an exploratory study. <i>Disability and Rehabilitation</i> , 2015, 37, 777-782.	0.9	21
683	Heredity in comorbid bipolar disorder and obsessive-compulsive disorder patients. <i>Shanghai Archives of Psychiatry</i> , 2015, 27, 307-10.	0.7	16
684	Comorbid bipolar disorder and obsessive-compulsive disorder:state of the art in pediatric patients. <i>Shanghai Archives of Psychiatry</i> , 2015, 27, 386-7.	0.7	3

#	ARTICLE	IF	CITATIONS
685	Prevalence and Predictors of Type 2 Diabetes Mellitus in People With Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2015, 76, 1490-1499.	1.1	85
686	Investigating the benefits of sport participation for individuals with schizophrenia: a systematic review. <i>Psychiatria Danubina</i> , 2015, 27, 2-13.	0.2	41
687	What are the factors that influence physical activity participation in individuals with depression? A review of physical activity correlates from 59 studies. <i>Psychiatria Danubina</i> , 2015, 27, 210-24.	0.2	51
688	The Patient's Experience of the Psychosocial Process That Influences Identity following Stroke Rehabilitation: A Metaethnography. <i>Scientific World Journal</i> , The, 2014, 2014, 1-13.	0.8	49
689	The Experience of Parkinson's Disease: A Systematic Review and Meta-Ethnography. <i>Scientific World Journal</i> , The, 2014, 2014, 1-19.	0.8	79
690	Identifying a Framework for Hope in Order to Establish the Importance of Generalised Hopes for Individuals Who Have Suffered a Stroke. <i>Advances in Medicine</i> , 2014, 2014, 1-8.	0.3	12
691	A survey of physiotherapy students' experiences and attitudes towards treating individuals with mental illness. <i>International Journal of Therapy and Rehabilitation</i> , 2014, 21, 324-330.	0.1	7
692	The Assessment, Benefits and Delivery of Physical Activity in People with Schizophrenia: A Survey of Members of the International Organization of Physical Therapists in Mental Health. <i>Physiotherapy Research International</i> , 2014, 19, 248-256.	0.7	14
693	Pain Interference Is Associated With Psychological Concerns Related to Falls in Community-Dwelling Older Adults: Multisite Observational Study. <i>Physical Therapy</i> , 2014, 94, 1410-1420.	1.1	24
694	Breast cancer screening in women with mental illness: comparative meta-analysis of mammography uptake. <i>British Journal of Psychiatry</i> , 2014, 205, 428-435.	1.7	106
695	Factors influencing patients' hope in stroke and spinal cord injury: A narrative review. <i>International Journal of Therapy and Rehabilitation</i> , 2014, 21, 210-218.	0.1	24
696	The value of social support to encourage people with schizophrenia to engage in physical activity: an international insight from specialist mental health physiotherapists. <i>Journal of Mental Health</i> , 2014, 23, 256-260.	1.0	26
697	Pain Is Associated with Recurrent Falls in Community-Dwelling Older Adults: Evidence from a Systematic Review and Meta-Analysis. <i>Pain Medicine</i> , 2014, 15, 1115-1128.	0.9	86
698	The Mini-Mental State Examination as a diagnostic and screening test for delirium: systematic review and meta-analysis. <i>General Hospital Psychiatry</i> , 2014, 36, 627-633.	1.2	33
699	Physical Activity Correlates in Persons with Binge Eating Disorder: A Systematic Review. <i>European Eating Disorders Review</i> , 2014, 22, 1-8.	2.3	37
700	Reliability and clinical correlates of the Astrand's Rhyming sub-maximal exercise test in patients with schizophrenia or schizoaffective disorder. <i>Psychiatry Research</i> , 2014, 220, 778-783.	1.7	26
701	The prevalence and moderators of clinical pain in people with schizophrenia: A systematic review and large scale meta-analysis. <i>Schizophrenia Research</i> , 2014, 160, 1-8.	1.1	70
702	Self-determination and stage of readiness to change physical activity behaviour in schizophrenia. <i>Mental Health and Physical Activity</i> , 2014, 7, 171-176.	0.9	41

#	ARTICLE	IF	CITATIONS
703	Understanding the role of physiotherapists in schizophrenia: an international perspective from members of the International Organisation of Physical Therapists in Mental Health (IOPTMH). <i>Journal of Mental Health</i> , 2014, 23, 125-129.	1.0	34
704	Barriers to and Facilitators of Physical Activity Among Persons With Schizophrenia: A Survey of Physical Therapists. <i>Psychiatric Services</i> , 2014, 65, 693-696.	1.1	88
705	Physiotherapists can help implement physical activity programmes in clinical practice. <i>British Journal of Psychiatry</i> , 2014, 204, 164-164.	1.7	52
706	Is there a relationship between pain and psychological concerns related to falling in community dwelling older adults? A systematic review. <i>Disability and Rehabilitation</i> , 2014, 36, 1931-1942.	0.9	44
707	The Avoidance of Activities due to Fear of Falling Contributes to Sedentary Behavior among Community-Dwelling Older Adults with Chronic Musculoskeletal Pain: A Multisite Observational Study. <i>Pain Medicine</i> , 2014, 15, 1861-1871.	0.9	70
708	Selection, Use and Psychometric Properties of Physical Activity Measures to Assess Individuals with Severe Mental Illness: A Narrative Synthesis. <i>Archives of Psychiatric Nursing</i> , 2014, 28, 135-151.	0.7	126
709	Physiotherapy students' experiences of bullying on clinical internships: a qualitative study. <i>Physiotherapy</i> , 2014, 100, 41-46.	0.2	21
710	A meta-analysis of prevalence estimates and moderators of low bone mass in people with schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2014, 130, 470-486.	2.2	76
711	Neurobiological effects of physical exercise in schizophrenia: a systematic review. <i>Disability and Rehabilitation</i> , 2014, 36, 1749-1754.	0.9	63
712	What are the factors associated with physical activity (PA) participation in community dwelling adults with dementia? A systematic review of PA correlates. <i>Archives of Gerontology and Geriatrics</i> , 2014, 59, 195-203.	1.4	67
713	The transcending benefits of physical activity for individuals with schizophrenia: A systematic review and meta-ethnography. <i>Psychiatry Research</i> , 2014, 220, 11-19.	1.7	75
714	Metabolic syndrome and lung function in schizophrenia: A pilot study. <i>Psychiatry Research</i> , 2014, 220, 58-62.	1.7	10
715	Pain and the Risk for Falls in Community-Dwelling Older Adults: Systematic Review and Meta-Analysis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014, 95, 175-187.e9.	0.5	194
716	Risk of dementia and mild cognitive impairment in older people with subjective memory complaints: meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2014, 130, 439-451.	2.2	750
717	Associations between perceived neighbourhood environmental attributes and self-reported sitting time in patients with schizophrenia: A pilot study. <i>Psychiatry Research</i> , 2014, 215, 33-38.	1.7	25
718	Associations between expiratory spirometry parameters and limitations in daily life activities in patients with schizophrenia. <i>General Hospital Psychiatry</i> , 2014, 36, 172-176.	1.2	15
719	Addressing the disparity in physical health provision for people with schizophrenia: an important role for physiotherapists. <i>Physiotherapy</i> , 2014, 100, 185-186.	0.2	16
720	Changes in physical activity, physical fitness, self-perception and quality of life following a 6-month physical activity counseling and cognitive behavioral therapy program in outpatients with binge eating disorder. <i>Psychiatry Research</i> , 2014, 219, 361-366.	1.7	34

#	ARTICLE	IF	CITATIONS
721	The benefits of walking for individuals with schizophrenia spectrum disorders: A systematic review. <i>International Journal of Therapy and Rehabilitation</i> , 2014, 21, 410-420.	0.1	29
722	Chronic musculoskeletal pain and falls in community-dwelling older adults: The brief pain inventory shows promising discriminative validity. <i>International Journal of Therapy and Rehabilitation</i> , 2014, 21, S2-S2.	0.1	2
723	Clinical correlates of global functioning in obese treatment seeking persons with binge eating disorder. <i>Psychiatria Danubina</i> , 2014, 26, 256-60.	0.2	5
724	Physiotherapy students' experiences of bullying on clinical internships: an exploratory study. <i>Physiotherapy</i> , 2013, 99, 178-180.	0.2	17
725	The importance of self-determined motivation towards physical activity in patients with schizophrenia. <i>Psychiatry Research</i> , 2013, 210, 812-818.	1.7	133
726	Sexual professional boundaries perceived by undergraduate and graduate physiotherapists: A cross sectional survey. <i>Physiotherapy</i> , 2013, 99, 298-304.	0.2	9
727	Are Older Adults with Chronic Musculoskeletal Pain Less Active than Older Adults Without Pain? A Systematic Review and Meta-Analysis. <i>Pain Medicine</i> , 2013, 14, 1316-1331.	0.9	138
728	Physical activity and sedentary behaviour in outpatients with schizophrenia: A systematic review and meta-analysis. <i>International Journal of Therapy and Rehabilitation</i> , 2013, 20, 588-595.	0.1	69
729	Physical restraint in mental health services: a gap in the knowledge regarding this extreme manual handling task. <i>Ergonomics</i> , 2011, 54, 876-878.	1.1	5
730	Do nurses and their assistants hold the key to reducing falls in institutionalized older adults?. <i>International Psychogeriatrics</i> , 2011, 23, 1189-1190.	0.6	0
731	The safe application of physical interventions in aggressive older adults: considerations from the physiotherapy profession. <i>International Psychogeriatrics</i> , 2011, 23, 672-674.	0.6	0
732	Managing the risks associated with physical intervention: a discussion paper. <i>British Journal of Forensic Practice</i> , 2011, 13, 257-263.	0.6	3
733	Are physical intervention techniques likely to cause pain or injury when applied to manage the severely aggressive older adult? A survey of physiotherapists' expert views in the UK. <i>Journal of Clinical Nursing</i> , 2011, 20, 2666-2675.	1.4	5
734	The shoulder: taking the strain during restraint. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2011, 18, 177-184.	1.2	9
735	Falls in older adult psychiatric patients: equipping nurses with knowledge to make a difference. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2011, 18, 457-462.	1.2	12
736	Displays of inappropriate sexual behaviour by patients with progressive cognitive impairment: the forgotten form of challenging behaviour?. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2011, 18, 602-607.	1.2	20
737	Physiotherapy students' experience, confidence and attitudes on the causes and management of violent and aggressive behaviour. <i>Physiotherapy</i> , 2011, 97, 313-318.	0.2	5
738	Falls in older adult psychiatric inpatients. <i>International Psychogeriatrics</i> , 2010, 22, 160-160.	0.6	4

#	ARTICLE	IF	CITATIONS
739	Osteoporosis and falls: some further considerations for the nursing profession. <i>British Journal of Nursing</i> , 2010, 19, 1431-1431.	0.3	8
740	Early ambulationâ€”Consider working with physiotherapists. A comment on Cortes et al. (2009). <i>International Journal of Nursing Studies</i> , 2010, 47, 263.	2.5	1
741	Physiotherapist involvement and views on the application of physical intervention to manage aggression: data from a national survey. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2010, 17, 754-756.	1.2	2
742	The provision of walking aids to the overtly aggressive older adult who is a high risk of falls: a careful balancing act. <i>International Psychogeriatrics</i> , 2010, 22, 161-162.	0.6	1
743	The risk of assault to physiotherapists: beyond zero tolerance?. <i>Physiotherapy</i> , 2009, 95, 134-139.	0.2	14
744	Physical assault by patients against physiotherapists working in mental health settings. <i>Physiotherapy</i> , 2009, 95, 170-175.	0.2	16
745	Physical intervention: a review of the literature on its use, staff and patient views, and the impact of training. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2009, 16, 99-105.	1.2	50
746	The manual handling of the aggressive patient: a review of the risk of injury to nurses. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2009, 16, 395-400.	1.2	25
747	Antipsychoticâ€”induced hyperprolactinaemia in patients with schizophrenia: considerations in relation to bone mineral density. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2009, 16, 838-842.	1.2	21
748	Screening for osteoporosis: a survey of older psychiatric inpatients at a tertiary referral centre. <i>International Psychogeriatrics</i> , 2009, 21, 180.	0.6	21
749	Physical intervention in older adult psychiatry: an audit of physical ailments identified by physiotherapists and the implications for managing aggressive behavior. <i>International Psychogeriatrics</i> , 2009, 21, 1196-1197.	0.6	4
750	Physical assault by aggressive older adults. <i>International Psychogeriatrics</i> , 2009, 21, 796-797.	0.6	3
751	Considering physical intervention as a manual handling procedure: learning lessons from our general nursing colleagues. <i>British Journal of Forensic Practice</i> , 2009, 11, 32-37.	0.6	1
752	Physical interventions to manage patients with brain injury: An audit on its use and staff and patient injuries from the techniques. <i>Brain Injury</i> , 2008, 22, 691-696.	0.6	23
753	Sexuality and Health Care: Can We Carry on Ignoring the Issue?. <i>British Journal of Occupational Therapy</i> , 2008, 71, 269-269.	0.5	5
754	Physical intervention to manage aggression in older adults: how often is it employed?. <i>International Psychogeriatrics</i> , 2008, 20, 855-857.	0.6	20
755	Let's talk about sexuality: Whose responsibility is it?. <i>International Journal of Therapy and Rehabilitation</i> , 2008, 15, 286-286.	0.1	6
756	Injuries to staff from implementation of physical interventions: could poor manual handling be at fault?. <i>British Journal of Forensic Practice</i> , 2008, 10, 12-14.	0.6	4

#	ARTICLE	IF	CITATIONS
757	Prevention and management of aggression in mental health: An interdisciplinary discussion. International Journal of Therapy and Rehabilitation, 2008, 15, 351-357.	0.1	21
758	Physical interventions for managing aggression in mental health: Should physiotherapists be involved?. International Journal of Therapy and Rehabilitation, 2008, 15, 8-13.	0.1	9
759	Physical intervention. Mental Health Practice, 2008, 12, 12-12.	0.1	1
760	An exploration of walking activity among older psychiatric inpatients. International Journal of Therapy and Rehabilitation, 2007, 14, 532-537.	0.1	3
761	Factors that influence participation in physical activity for people with bipolar disorder: a synthesis of qualitative evidence. The Cochrane Library, 0, , .	1.5	1
762	Physical activity and exercise for the prevention and management of anxiety. , 0, , 369-384.		2