## Shin-Ichi Uye

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11431842/publications.pdf

Version: 2024-02-01

55 papers	3,188 citations	218677 26 h-index	<sup>197818</sup> 49 g-index
55	55	55	2169
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Recurrent jellyfish blooms are a consequence of global oscillations. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 1000-1005.	7.1	378
2	Length-weight relationships of important zooplankton from the Inland Sea of Japan. Journal of the Oceanographical Society of Japan, 1982, 38, 149-158.	0.3	260
3	Questioning the Rise of Gelatinous Zooplankton in the World's Oceans. BioScience, 2012, 62, 160-169.	4.9	257
4	Is global ocean sprawl a cause of jellyfish blooms?. Frontiers in Ecology and the Environment, $2013,11,91$ -97.	4.0	231
5	Blooms of the giant jellyfish Nemopilema nomurai: a threat to the fisheries sustainability of the East Asian Marginal Seas. Plankton and Benthos Research, 2008, 3, 125-131.	0.6	188
6	Fecundity studies of neritic calanoid copepods Acartia clausi Giesbrecht and A. Steueri Smirnov: A simple empirical model of daily egg production. Journal of Experimental Marine Biology and Ecology, 1981, 50, 255-271.	1.5	154
7	Linking human wellâ€being and jellyfish: ecosystem services, impacts, and societal responses. Frontiers in Ecology and the Environment, 2014, 12, 515-523.	4.0	108
8	Temperature-dependent development and growth of Calanus sinicus (Copepoda: Calanoida) in the laboratory. Hydrobiologia, 1988, 167-168, 285-293.	2.0	106
9	Combined effects of food supply and temperature on asexual reproduction and somatic growth of polyps of the common jellyfish Aurelia aurita s.l Plankton and Benthos Research, 2010, 5, 98-105.	0.6	104
10	Human forcing of the copepod–fish–jellyfish triangular trophic relationship. Hydrobiologia, 2011, 666, 71-83.	2.0	103
11	Population dynamics and production of Acartiaclausi giesbrecht (Copepoda: Calanoida) in inlet waters. Journal of Experimental Marine Biology and Ecology, 1982, 57, 55-83.	1.5	97
12	Geographical and seasonal variations in abundance, biomass and estimated production rates of microzooplankton in the Inland Sea of Japan. Journal of Oceanography, 1996, 52, 689-703.	1.7	97
13	Replacement of large copepods by small ones with eutrophication of embayments: cause and consequence. Hydrobiologia, 1994, 292-293, 513-519.	2.0	80
14	Seasonal variations in abundance, size composition, biomass and production rate of Oikopleura dioica (Fol) (Tunicata: Appendicularia) in a temperate eutrophic inlet. Journal of Experimental Marine Biology and Ecology, 1995, 189, 1-11.	1.5	78
15	Jellyfish Body Plans Provide Allometric Advantages beyond Low Carbon Content. PLoS ONE, 2013, 8, e72683.	2.5	74
16	Jellyfish, Forage Fish, and the World's Major Fisheries. Oceanography, 2014, 27, 104-115.	1.0	59
17	Reproductive biology of the planktonic copepod Paracalanus sp. in the Inland Sea of Japan. Journal of Plankton Research, 1992, 14, 343-358.	1.8	58
18	Standing stocks and production rates of phytoplankton and planktonic copepods in the Inland Sea of Japan. Journal of Oceanography, 1986, 42, 421-434.	1.7	48

#	Article	IF	CITATIONS
19	Copepods attain high abundance, biomass and production in the absence of large predators but suffer cannibalistic loss. Journal of Marine Systems, 1998, 15, 495-501.	2.1	48
20	The potential role of podocysts in perpetuation of the common jellyfish Aurelia aurita s.l. (Cnidaria:) Tj ETQq0 0	0 rgBT /Ov	verlack 10 Tf 5
21	Marine artificial structures as amplifiers of Aurelia aurita s.l. blooms: a case study of a newly installed floating pier. Journal of Oceanography, 2014, 70, 447-455.	1.7	42
22	Temperature-dependent development and growth of Calanus sinicus (Copepoda: Calanoida) in the laboratory., 1988,, 285-293.		42
23	Relations between fecal pellet volume and body size for major zooplankters of the Inland Sea of Japan. Journal of Oceanography, 1994, 50, 43-49.	1.7	36
24	Bloom or non-bloom in the giant jellyfish Nemopilema nomurai (Scyphozoa: Rhizostomeae): roles of dormant podocysts. Journal of Plankton Research, 2013, 35, 213-217.	1.8	35
25	Cannibalistic feeding behavior of the brackish-water copepod Sinocalanus tenellus. Journal of Plankton Research, 1991, 13, 155-166.	1.8	32
26	Effects of hyposalinity on survival and settlement of moon jellyfish (Aurelia aurita) planulae. Journal of Experimental Marine Biology and Ecology, 2015, 462, 14-19.	1.5	31
27	Experimental induction of gonadal maturation and spawning in the giant jellyfish Nemopilema nomurai (Scyphozoa: Rhizostomeae). Marine Biology, 2007, 152, 667-676.	1.5	27
28	Ecophysiological characteristics of podocysts in Chrysaora pacifica (Goette) and Cyanea nozakii Kishinouye (Cnidaria: Scyphozoa: Semaeostomeae): Effects of environmental factors on their production, dormancy and excystment. Journal of Experimental Marine Biology and Ecology, 2013, 446, 151-158.	1.5	27
29	Replacement of large copepods by small ones with eutrophication of embayments: cause and consequence., 1994,, 513-519.		27
30	Natural predators of polyps of Aurelia aurita s.l. (Cnidaria: Scyphozoa: Semaeostomeae) and their predation rates. Plankton and Benthos Research, 2014, 9, 105-113.	0.6	26
31	Are tidal fronts good recruitment areas for herbivorous copepods?. Fisheries Oceanography, 1992, 1, 216-226.	1.7	25
32	Excretion and respiration rates of the scyphomedusa Aurelia aurita from the Inland Sea of Japan. Journal of Oceanography, 2007, 63, 27-34.	1.7	24
33	Fine structure, Histochemistry, and Morphogenesis During Excystment of the Podocysts of the Giant Jellyfish <i>Nemopilema nomurai</i> (Scyphozoa, Rhizostomeae). Biological Bulletin, 2011, 221, 248-260.	1.8	24
34	Title is missing!. Journal of Oceanography, 2000, 56, 389-398.	1.7	23
35	Evaluating the role of large jellyfish and forage fishes as energy pathways, and their interplay with fisheries, in the Northern Humboldt Current System. Progress in Oceanography, 2018, 164, 28-36.	3.2	23
36	Comparative analysis of the ecosystems in the northern Adriatic Sea and the Inland Sea of Japan: Can anthropogenic pressures disclose jellyfish outbreaks?. Science of the Total Environment, 2018, 626, 982-994.	8.0	22

#	Article	IF	Citations
37	Spatio-temporal distribution and seasonal population dynamics of the jellyfish Aurelia aurita s.l. studied with Dual-frequency IDentification SONar (DIDSON). Journal of Plankton Research, 2012, 34, 936-950.	1.8	20
38	Phosphorus content of zooplankton from the Inland Sea of Japan. Journal of the Oceanographical Society of Japan, 1988, 44, 280-286.	0.3	19
39	Interannual variability of the ecosystem of the Kii Channel, the Inland Sea of Japan, as influenced by bottom intrusion of cold and nutrient-rich water from the Pacific Ocean, and a recent trend of warming and oligotrophication. Fisheries Oceanography, 2004, 13, 65-79.	1.7	19
40	Predatory Feeding Behavior of Tortanus (Copepoda: Calanoida): Life-Stage Differences and the Predation Impact on Small Planktonic Crustaceans. Journal of Crustacean Biology, 1994, 14, 473.	0.8	16
41	Seasonal variations in the trophic relationship between the scyphomedusa Aurelia aurita s.l. and mesozooplankton in a eutrophic brackish-water lake, Japan. Plankton and Benthos Research, 2009, 4, 14-22.	0.6	16
42	Structural changes of gonads during artificially induced gametogenesis and spawning in the giant jellyfish Nemopilema nomurai (Scyphozoa: Rhizostomeae). Journal of the Marine Biological Association of the United Kingdom, 2011, 91, 215-227.	0.8	10
43	Effects of low salinity on the physiological ecology of planulae and polyps of scyphozoans in the East Asian Marginal Seas: potential impacts of monsoon rainfall on medusa population size. Hydrobiologia, 2018, 815, 165-176.	2.0	10
44	Respiration rates of planktonic crustaceans from the Inland Sea of Japan with special reference to the effects of body weight and temperature. Journal of the Oceanographical Society of Japan, 1988, 44, 47-51.	0.3	8
45	Offshore dispersion of ephyrae and medusae of Aurelia aurita s.l. (Cnidaria: Scyphozoa) from port enclosures: Physical and biological factors. Journal of Marine Systems, 2015, 152, 75-82.	2.1	8
46	Geographical and seasonal variations in biomass and estimated production rates of net zooplankton in Yatsushiro Bay, Japan. Journal of Oceanography, 2008, 64, 877-889.	1.7	4
47	The potential role of podocysts in perpetuation of the common jellyfish Aurelia aurita s.l. (Cnidaria:) Tj ETQq $1\ 1\ 0$	0.784314	rgB <sub>4</sub> T /Overlo
48	Size separation of copepods by sieving. Journal of the Oceanographical Society of Japan, 1983, 39, 136-140.	0.3	3
49	A Brief Review of Mass Culture Copepods Used for Fish Food in Japanese Mariculture and A Proposed Plan to Use High Biomass Natural Populations of Brackish-Water Copepods. , 0, , 75-90.		3
50	Anomalous Infrared Taxis of an Aquatic Animal, the Giant Jellyfish <i>Nemopilema nomurai </i> (Scyphozoa, Rhizostomeae). Biological Bulletin, 2011, 221, 243-247.	1.8	2
51	Effects of salinity, light intensity and biofouling on planula settlement and subsequent development to polyps in Cyanea nozakii (Cnidaria: Scyphozoa). Journal of Experimental Marine Biology and Ecology, 2021, 542-543, 151608.	1.5	2
52	Studies on Functional Roles of Zooplankton in Coastal Marine Ecosystem: Toward Restoring Productive Seas for Global Sustainability. Oceanography in Japan, 2010, 19, 283-299.	0.5	2
53	Starvation of the Respiratory Metabolism and Locomotion of Aurelia aurita s.l. Ephyrae. Open Journal of Marine Science, 2021, 11, 1-16.	0.5	1
54	Studies on the population dynamics and production of inshore marine copepods. Journal of the Oceanographical Society of Japan, 1984, 40, 163-174.	0.3	0

# ARTICLE IF CITATIONS

55 Using Multiagent Systems to Develop Individual-Based Models for Copepods., 2003,, 523-542. o