

Robert A Kirken

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11434304/publications.pdf>

Version: 2024-02-01

63
papers

2,925
citations

147801

31
h-index

161849

54
g-index

63
all docs

63
docs citations

63
times ranked

3007
citing authors

#	ARTICLE	IF	CITATIONS
1	Phosphorylation and activation of the Jak-3 Janus kinase in response to interleukin-2. <i>Nature</i> , 1994, 370, 151-153.	27.8	588
2	Prolactin recruits STAT1, STAT3 and STAT5 independent of conserved receptor tyrosines TYR402, TYR479, TYR515 and TYR580. <i>Molecular and Cellular Endocrinology</i> , 1996, 117, 131-140.	3.2	157
3	Differential Control of the Phosphorylation State of Proline-juxtaposed Serine Residues Ser725 of Stat5a and Ser730 of Stat5b in Prolactin-sensitive Cells. <i>Journal of Biological Chemistry</i> , 1998, 273, 30218-30224.	3.4	132
4	Tyrphostin AG-490 inhibits cytokine-mediated JAK3/STAT5a/b signal transduction and cellular proliferation of antigen-activated human T cells. <i>Journal of Leukocyte Biology</i> , 1999, 65, 891-899.	3.3	100
5	Selective inhibitor of Janus tyrosine kinase 3, PNU156804, prolongs allograft survival and acts synergistically with cyclosporine but additively with rapamycin. <i>Blood</i> , 2002, 99, 680-689.	1.4	97
6	Transcription Factor Stat5 Synergizes with Androgen Receptor in Prostate Cancer Cells. <i>Cancer Research</i> , 2008, 68, 236-248.	0.9	96
7	Transcription Factor Signal Transducer and Activator of Transcription 5 Promotes Growth of Human Prostate Cancer Cells <i>in vivo</i> . <i>Clinical Cancer Research</i> , 2008, 14, 1317-1324.	7.0	92
8	Activation of JAK3, but not JAK1, is critical for IL-2-induced proliferation and STAT5 recruitment by a COOH-terminal region of the IL-2 receptor β -chain. <i>Cytokine</i> , 1995, 7, 689-700.	3.2	85
9	The PHB1/2 Phosphocomplex Is Required for Mitochondrial Homeostasis and Survival of Human T Cells. <i>Journal of Biological Chemistry</i> , 2008, 283, 4699-4713.	3.4	84
10	Role of serine phosphorylation of Stat5a in prolactin-stimulated β -casein gene expression. <i>Molecular and Cellular Endocrinology</i> , 2001, 183, 151-163.	3.2	80
11	Searching in Mother Nature for Anti-Cancer Activity: Anti-Proliferative and Pro-Apoptotic Effect Elicited by Green Barley on Leukemia/Lymphoma Cells. <i>PLoS ONE</i> , 2013, 8, e73508.	2.5	79
12	Prolactin Stimulates Serine/Tyrosine Phosphorylation and Formation of Heterocomplexes of Multiple Stat5 Isoforms in Nb2 Lymphocytes. <i>Journal of Biological Chemistry</i> , 1997, 272, 14098-14103.	3.4	73
13	Autocrine release of interleukin-9 promotes Jak3-dependent survival of ALK+ anaplastic large-cell lymphoma cells. <i>Blood</i> , 2006, 108, 2407-2415.	1.4	71
14	STAT3: An Important Regulator of Multiple Cytokine Functions. <i>Transplantation</i> , 2008, 85, 1372-1377.	1.0	66
15	Targeted disruption of Stat6 DNA binding activity by an oligonucleotide decoy blocks IL-4-driven TH2 cell response. <i>Blood</i> , 2000, 95, 1249-1257.	1.4	65
16	Concomitant Inhibition of Janus Kinase 3 and Calcineurin-Dependent Signaling Pathways Synergistically Prolongs the Survival of Rat Heart Allografts. <i>Journal of Immunology</i> , 2001, 166, 3724-3732.	0.8	65
17	Interleukin-13 is a potent activator of JAK3 and STAT6 in cells expressing interleukin-2 receptor- β and interleukin-4 receptor- α . <i>Biochemical Journal</i> , 1996, 319, 865-872.	3.7	58
18	Coactivation of Janus Tyrosine Kinase (Jak)1 Positively Modulates Prolactin-Jak2 Signaling in Breast Cancer: Recruitment of ERK and Signal Transducer and Activator of Transcription (Stat)3 and Enhancement of Akt and Stat5a/b Pathways. <i>Molecular Endocrinology</i> , 2007, 21, 2218-2232.	3.7	58

#	ARTICLE	IF	CITATIONS
19	but Not JAK1 Activation of JAK3Is Critical to Interleukin-4 (IL4) Stimulated Proliferation and Requires a Membrane-proximal Region of IL4 Receptor \hat{I} . Journal of Biological Chemistry, 1995, 270, 9630-9637.	3.4	57
20	Two Discrete Regions of Interleukin-2 (IL2) Receptor \hat{I}^2 Independently Mediate IL2 Activation of a PD98059/Rapamycin/Wortmannin-insensitive Stat5a/b Serine Kinase. Journal of Biological Chemistry, 1997, 272, 15459-15465.	3.4	56
21	Identification of a Stat-6-responsive element in the promoter of the human interleukin-4 gene. European Journal of Immunology, 1997, 27, 1982-1987.	2.9	45
22	Functional Uncoupling of the Janus Kinase 3-Stat5 Pathway in Malignant Growth of Human T Cell Leukemia Virus Type 1-Transformed Human T Cells. Journal of Immunology, 2000, 165, 5097-5104.	0.8	42
23	Interleukin 4 Regulates Phosphorylation of Serine 756 in the Transactivation Domain of Stat6. Journal of Biological Chemistry, 2004, 279, 25196-25203.	3.4	42
24	Forskolin-inducible cAMP Pathway Negatively Regulates T-cell Proliferation by Uncoupling the Interleukin-2 Receptor Complex. Journal of Biological Chemistry, 2013, 288, 7137-7146.	3.4	41
25	The Mannich Base NC1153 Promotes Long-Term Allograft Survival and Spares the Recipient from Multiple Toxicities. Journal of Immunology, 2005, 175, 4236-4246.	0.8	39
26	Signal Transducer and Activator of Transcription 5b (Stat5b) Serine 193 Is a Novel Cytokine-induced Phospho-regulatory Site That Is Constitutively Activated in Primary Hematopoietic Malignancies. Journal of Biological Chemistry, 2012, 287, 16596-16608.	3.4	36
27	Specific Inhibition of Stat5a/b Promotes Apoptosis of IL-2-Responsive Primary and Tumor-Derived Lymphoid Cells. Journal of Immunology, 2003, 171, 3919-3927.	0.8	35
28	Regulation of T cell homeostasis by JAKs and STATs. Archivum Immunologiae Et Therapiae Experimentalis, 2007, 55, 231-245.	2.3	35
29	Protein Phosphatase 2A Regulates Interleukin-2 Receptor Complex Formation and JAK3/STAT5 Activation. Journal of Biological Chemistry, 2010, 285, 3582-3591.	3.4	35
30	Impact of CTLA-4 blockade in conjunction with metronomic chemotherapy on preclinical breast cancer growth. British Journal of Cancer, 2017, 116, 324-334.	6.4	35
31	STAT5 regulation of BCL10 parallels constitutive NF \hat{I} B activation in lymphoid tumor cells. Molecular Cancer, 2009, 8, 67.	19.2	31
32	Green barley mitigates cytotoxicity in human lymphocytes undergoing aggressive oxidative stress, via activation of both the Lyn/PI3K/Akt and MAPK/ERK pathways. Scientific Reports, 2019, 9, 6005.	3.3	31
33	Phosphorylation of Human Jak3 at Tyrosines 904 and 939 Positively Regulates Its Activity. Molecular and Cellular Biology, 2008, 28, 2271-2282.	2.3	26
34	Bif-1 Interacts with Prohibitin-2 to Regulate Mitochondrial Inner Membrane during Cell Stress and Apoptosis. Journal of the American Society of Nephrology: JASN, 2019, 30, 1174-1191.	6.1	25
35	The prohibitin protein complex promotes mitochondrial stabilization and cell survival in hematologic malignancies. Oncotarget, 2017, 8, 65445-65456.	1.8	25
36	Interleukin-2 family cytokines stimulate phosphorylation of the Pro-Ser-Pro motif of Stat5 transcription factors in human T cells: resistance to suppression of multiple serine kinase pathways. Journal of Leukocyte Biology, 2002, 72, 819-28.	3.3	23

#	ARTICLE	IF	CITATIONS
37	Janus Tyrosine Kinases and Signal Transducers and Activators of Transcription Regulate Critical Functions of T Cells in Allograft Rejection and Transplantation Tolerance. <i>Transplantation</i> , 2006, 82, 295-303.	1.0	21
38	A Preferential Role for STAT5, not Constitutively Active STAT3, in Promoting Survival of a Human Lymphoid Tumor. <i>Journal of Immunology</i> , 2006, 177, 5032-5040.	0.8	21
39	The Many Faces of JAKs and STATs Within the COVID-19 Storm. <i>Frontiers in Immunology</i> , 2021, 12, 690477.	4.8	18
40	Transforming Mutations of Jak3 (A573V and M511I) Show Differential Sensitivity to Selective Jak3 Inhibitors. <i>Clinical Cancer Drugs</i> , 2016, 3, 131-137.	0.3	16
41	Selective disruption of interleukin 4 autocrine-regulated loop by a tyrosine kinase inhibitor restricts activity of T-helper 2 cells. <i>Blood</i> , 2000, 95, 3816-3822.	1.4	15
42	Isoproterenol-induced beta-2 adrenergic receptor activation negatively regulates interleukin-2 signaling. <i>Biochemical Journal</i> , 2018, 475, 2907-2923.	3.7	15
43	Involvement of JAK-family tyrosine kinases in hematopoietin receptor signal transduction. <i>Progress in Growth Factor Research</i> , 1994, 5, 195-211.	1.6	13
44	Allograft Rejection Requires STAT5a/b-Regulated Antiapoptotic Activity in T Cells but Not B Cells. <i>Journal of Immunology</i> , 2006, 176, 128-137.	0.8	11
45	Interleukin-2 Receptor $\hat{1}^2$ Thr-450 Phosphorylation Is a Positive Regulator for Receptor Complex Stability and Activation of Signaling Molecules. <i>Journal of Biological Chemistry</i> , 2015, 290, 20972-20983.	3.4	11
46	Genome Wide Mapping Reveals PDE4B as an IL-2 Induced STAT5 Target Gene in Activated Human PBMCs and Lymphoid Cancer Cells. <i>PLoS ONE</i> , 2013, 8, e57326.	2.5	10
47	Sensitivity of imatinib-resistant T315I BCR-ABL CML to a synergistic combination of ponatinib and forskolin treatment. <i>Tumor Biology</i> , 2016, 37, 12643-12654.	1.8	10
48	Regulation of Lymphoid Cell Apoptosis by Jaks and Stats;. <i>Critical Reviews in Immunology</i> , 2004, 24, 87-110.	0.5	10
49	Allochimeric class I MHC protein-induced tolerance by partial TCR engagement requires activation of both CTL4- and common $\hat{?}$ -chain-dependent cytokine signals1. <i>Transplantation</i> , 2002, 73, 1227-1235.	1.0	9
50	SELECTIVE INHIBITION OF IL-2 GENE EXPRESSION BY IL-2 ANTISENSE OLIGONUCLEOTIDES BLOCKS HEART ALLOGRAFT REJECTION1. <i>Transplantation</i> , 2001, 72, 915-923.	1.0	7
51	Uncoupling JAK3 activation induces apoptosis in human lymphoid cancer cells via regulating critical survival pathways. <i>FEBS Letters</i> , 2010, 584, 1515-1520.	2.8	6
52	Identification of a Potent Cytotoxic Pyrazole with Anti-Breast Cancer Activity That Alters Multiple Pathways. <i>Cells</i> , 2022, 11, 254.	4.1	6
53	Pharmacodynamic biomarkers in metronomic chemotherapy: multiplex cytokine measurements in gastrointestinal cancer patients. <i>Clinical and Experimental Medicine</i> , 2021, 21, 149-159.	3.6	5
54	Analysis of Janus Tyrosine Kinase Phosphorylation and Activation. <i>Methods in Molecular Biology</i> , 2013, 967, 3-20.	0.9	4

#	ARTICLE	IF	CITATIONS
55	Integration of a Personalized Molecular Targeted Therapy into the Multimodal Treatment of Refractory Childhood Embryonal Tumor with Multilayered Rosettes (ETMR). Case Reports in Oncology, 2019, 12, 211-217.	0.7	3
56	Selective disruption of interleukin 4 autocrine-regulated loop by a tyrosine kinase inhibitor restricts activity of T-helper 2 cells. Blood, 2000, 95, 3816-3822.	1.4	2
57	Quadruple and Truncated MEK3 Mutants Identified from Acute Lymphoblastic Leukemia Promote Degradation and Enhance Proliferation. International Journal of Molecular Sciences, 2021, 22, 12210.	4.1	2
58	Mechanisms of cytokine signal transduction: IL-2, IL-4 and prolactin as hematopoietin receptor models. Veterinary Immunology and Immunopathology, 1998, 63, 27-36.	1.2	1
59	Unique advantage of Janus kinase 3 as a target for selective and nontoxic immunosuppression. Expert Review of Clinical Immunology, 2005, 1, 307-310.	3.0	1
60	Optimization of biomarkers-based classification scores as progression-free survival predictors: an intuitive graphical representation. Future Science OA, 2018, 4, FSO346.	1.9	1
61	Phosphorylation of CrkL S114 induced by common gamma chain cytokines and T-cell receptor signal transduction. Scientific Reports, 2021, 11, 16951.	3.3	1
62	Identification of a Unique Cytotoxic Thieno[2,3-c]Pyrazole Derivative with Potent and Selective Anticancer Effects In Vitro. Biology, 2022, 11, 930.	2.8	1
63	New directions in T-cell signal transduction and transplantation tolerance. Current Opinion in Organ Transplantation, 2002, 7, 18-25.	1.6	0