

# Dan Xie

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1143684/publications.pdf>

Version: 2024-02-01

124  
papers

7,761  
citations

50276

46  
h-index

60623

81  
g-index

144  
all docs

144  
docs citations

144  
times ranked

10412  
citing authors

#	ARTICLE	IF	CITATIONS
1	METTL3 facilitates tumor progression via an m6A-IGF2BP2-dependent mechanism in colorectal carcinoma. <i>Molecular Cancer</i> , 2019, 18, 112.	19.2	515
2	N6-methyladenosine modification of circNSUN2 facilitates cytoplasmic export and stabilizes HMGA2 to promote colorectal liver metastasis. <i>Nature Communications</i> , 2019, 10, 4695.	12.8	418
3	5-methylcytosine promotes pathogenesis of bladder cancer through stabilizing mRNAs. <i>Nature Cell Biology</i> , 2019, 21, 978-990.	10.3	410
4	Long non-coding RNA UICLM promotes colorectal cancer liver metastasis by acting as a ceRNA for microRNA-215 to regulate ZEB2 expression. <i>Theranostics</i> , 2017, 7, 4836-4849.	10.0	265
5	PRMT5 Circular RNA Promotes Metastasis of Urothelial Carcinoma of the Bladder through Sponging miR-30c to Induce Epithelial-Mesenchymal Transition. <i>Clinical Cancer Research</i> , 2018, 24, 6319-6330.	7.0	262
6	Excessive miR-25-3p maturation via N6-methyladenosine stimulated by cigarette smoke promotes pancreatic cancer progression. <i>Nature Communications</i> , 2019, 10, 1858.	12.8	242
7	Long non-coding RNA XIST regulates gastric cancer progression by acting as a molecular sponge of miR-101 to modulate EZH2 expression. <i>Journal of Experimental and Clinical Cancer Research</i> , 2016, 35, 142.	8.6	227
8	LncRNA RPPH1 promotes colorectal cancer metastasis by interacting with TUBB3 and by promoting exosomes-mediated macrophage M2 polarization. <i>Cell Death and Disease</i> , 2019, 10, 829.	6.3	212
9	CPT1A-mediated fatty acid oxidation promotes colorectal cancer cell metastasis by inhibiting anoikis. <i>Oncogene</i> , 2018, 37, 6025-6040.	5.9	211
10	NADPH homeostasis in cancer: functions, mechanisms and therapeutic implications. <i>Signal Transduction and Targeted Therapy</i> , 2020, 5, 231.	17.1	194
11	Acidic Microenvironment Up-Regulates Exosomal miR-21 and miR-10b in Early-Stage Hepatocellular Carcinoma to Promote Cancer Cell Proliferation and Metastasis. <i>Theranostics</i> , 2019, 9, 1965-1979.	10.0	168
12	CpG Methylation Signature Predicts Recurrence in Early-Stage Hepatocellular Carcinoma: Results From a Multicenter Study. <i>Journal of Clinical Oncology</i> , 2017, 35, 734-742.	1.6	148
13	METTL3 promotes ovarian carcinoma growth and invasion through the regulation of AXL translation and epithelial to mesenchymal transition. <i>Gynecologic Oncology</i> , 2018, 151, 356-365.	1.4	139
14	Epigenetic regulation of autophagy by the methyltransferase EZH2 through an MTOR-dependent pathway. <i>Autophagy</i> , 2015, 11, 2309-2322.	9.1	129
15	Modulation of Redox Homeostasis by Inhibition of MTHFD2 in Colorectal Cancer: Mechanisms and Therapeutic Implications. <i>Journal of the National Cancer Institute</i> , 2019, 111, 584-596.	6.3	125
16	Long noncoding RNA AGPG regulates PFKFB3-mediated tumor glycolytic reprogramming. <i>Nature Communications</i> , 2020, 11, 1507.	12.8	121
17	Liquid biopsies to track trastuzumab resistance in metastatic HER2-positive gastric cancer. <i>Gut</i> , 2019, 68, 1152-1161.	12.1	118
18	APC-activated long noncoding RNA inhibits colorectal carcinoma pathogenesis through reduction of exosome production. <i>Journal of Clinical Investigation</i> , 2019, 129, 727-743.	8.2	114

#	ARTICLE	IF	CITATIONS
19	CircLONP2 enhances colorectal carcinoma invasion and metastasis through modulating the maturation and exosomal dissemination of microRNA-17. <i>Molecular Cancer</i> , 2020, 19, 60.	19.2	110
20	circCAMSAP1 Promotes Tumor Growth in Colorectal Cancer via the miR-328-5p/E2F1 Axis. <i>Molecular Therapy</i> , 2020, 28, 914-928.	8.2	104
21	Systemic Delivery of MicroRNA-101 Potently Inhibits Hepatocellular Carcinoma In Vivo by Repressing Multiple Targets. <i>PLoS Genetics</i> , 2015, 11, e1004873.	3.5	90
22	Increased Expression of EIF5A2, Via Hypoxia or Gene Amplification, Contributes to Metastasis and Angiogenesis of Esophageal Squamous Cell Carcinoma. <i>Gastroenterology</i> , 2014, 146, 1701-1713.e9.	1.3	87
23	CBX8 Exhibits Oncogenic Activity via AKT/ $\beta$ -Catenin Activation in Hepatocellular Carcinoma. <i>Cancer Research</i> , 2018, 78, 51-63.	0.9	79
24	Integrin $\alpha$ 7 is a functional cancer stem cell surface marker in oesophageal squamous cell carcinoma. <i>Nature Communications</i> , 2016, 7, 13568.	12.8	78
25	Frequency and clinicopathological features of metastasis to liver, lung, bone, and brain from gastric cancer: A SEER-based study. <i>Cancer Medicine</i> , 2018, 7, 3662-3672.	2.8	78
26	ANXA3/JNK Signaling Promotes Self-Renewal and Tumor Growth, and Its Blockade Provides a Therapeutic Target for Hepatocellular Carcinoma. <i>Stem Cell Reports</i> , 2015, 5, 45-59.	4.8	74
27	Correlation of AIB1 overexpression with advanced clinical stage of human colorectal carcinoma. <i>Human Pathology</i> , 2005, 36, 777-783.	2.0	72
28	KIF2C: a novel link between Wnt/ $\beta$ -catenin and mTORC1 signaling in the pathogenesis of hepatocellular carcinoma. <i>Protein and Cell</i> , 2021, 12, 788-809.	11.0	71
29	A Coiled-Coil Domain Containing 50 Splice Variant Is Modulated by Serine/Arginine-Rich Splicing Factor 3 and Promotes Hepatocellular Carcinoma in Mice by the Ras Signaling Pathway. <i>Hepatology</i> , 2019, 69, 179-195.	7.3	67
30	The prognostic role of preoperative serum albumin/globulin ratio in patients with bladder urothelial carcinoma undergoing radical cystectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016, 34, 484.e1-484.e8.	1.6	66
31	High levels of CCL2 or CCL4 in the tumor microenvironment predict unfavorable survival in lung adenocarcinoma. <i>Thoracic Cancer</i> , 2018, 9, 775-784.	1.9	66
32	TSPAN15 interacts with BTRC to promote oesophageal squamous cell carcinoma metastasis via activating NF- $\kappa$ B signaling. <i>Nature Communications</i> , 2018, 9, 1423.	12.8	65
33	Pharmacological inhibition of DUSP6 suppresses gastric cancer growth and metastasis and overcomes cisplatin resistance. <i>Cancer Letters</i> , 2018, 412, 243-255.	7.2	65
34	Downregulation of MicroRNA-644a Promotes Esophageal Squamous Cell Carcinoma Aggressiveness and Stem Cell-like Phenotype via Dysregulation of PITX2. <i>Clinical Cancer Research</i> , 2017, 23, 298-310.	7.0	62
35	A GYS2/p53 Negative Feedback Loop Restricts Tumor Growth in HBV-Related Hepatocellular Carcinoma. <i>Cancer Research</i> , 2019, 79, 534-545.	0.9	62
36	A novel peptide encoded by N6-methyladenosine modified circMAP3K4 prevents apoptosis in hepatocellular carcinoma. <i>Molecular Cancer</i> , 2022, 21, 93.	19.2	62

#	ARTICLE	IF	CITATIONS
37	Zic2 promotes tumor growth and metastasis via PAK4 in hepatocellular carcinoma. <i>Cancer Letters</i> , 2017, 402, 71-80.	7.2	61
38	RBM24 suppresses cancer progression by upregulating miR-25 to target MALAT1 in nasopharyngeal carcinoma. <i>Cell Death and Disease</i> , 2016, 7, e2352-e2352.	6.3	58
39	TRIM65 supports bladder urothelial carcinoma cell aggressiveness by promoting ANXA2 ubiquitination and degradation. <i>Cancer Letters</i> , 2018, 435, 10-22.	7.2	56
40	Inhibition of the NF- $\kappa$ B pathway by nafamostat mesilate suppresses colorectal cancer growth and metastasis. <i>Cancer Letters</i> , 2016, 380, 87-97.	7.2	53
41	Melatonin enhances sensitivity to fluorouracil in oesophageal squamous cell carcinoma through inhibition of Erk and Akt pathway. <i>Cell Death and Disease</i> , 2016, 7, e2432-e2432.	6.3	49
42	HN1L-mediated transcriptional axis AP-2 $\beta$ /METTL13/TCF3-ZEB1 drives tumor growth and metastasis in hepatocellular carcinoma. <i>Cell Death and Differentiation</i> , 2019, 26, 2268-2283.	11.2	48
43	MYC-Activated LncRNA <i>MXN1-AS1</i> Promotes the Progression of Colorectal Cancer by Stabilizing YB1. <i>Cancer Research</i> , 2021, 81, 2636-2650.	0.9	48
44	Paradoxical role of CBX8 in proliferation and metastasis of colorectal cancer. <i>Oncotarget</i> , 2014, 5, 10778-10790.	1.8	48
45	AGBL2 promotes cancer cell growth through IRGM-regulated autophagy and enhanced Aurora A activity in hepatocellular carcinoma. <i>Cancer Letters</i> , 2018, 414, 71-80.	7.2	47
46	CSTF2-Induced Shortening of the <i>RAC1</i> 3'UTR Promotes the Pathogenesis of Urothelial Carcinoma of the Bladder. <i>Cancer Research</i> , 2018, 78, 5848-5862.	0.9	47
47	The prognostic significance of lymphovascular invasion in patients with resectable gastric cancer: a large retrospective study from Southern China. <i>BMC Cancer</i> , 2015, 15, 370.	2.6	44
48	DAPK3 inhibits gastric cancer progression via activation of ULK1-dependent autophagy. <i>Cell Death and Differentiation</i> , 2021, 28, 952-967.	11.2	43
49	C-terminal truncated hepatitis B virus X protein promotes hepatocellular carcinogenesis through induction of cancer and stem cell-like properties. <i>Oncotarget</i> , 2016, 7, 24005-24017.	1.8	43
50	Stemness and chemotherapeutic drug resistance induced by EIF5A2 overexpression in esophageal squamous cell carcinoma. <i>Oncotarget</i> , 2015, 6, 26079-26089.	1.8	40
51	TP53INP1 Downregulation Activates a p73-Dependent DUSP10/ERK Signaling Pathway to Promote Metastasis of Hepatocellular Carcinoma. <i>Cancer Research</i> , 2017, 77, 4602-4612.	0.9	39
52	Expansion of cancer stem cell pool initiates lung cancer recurrence before angiogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E8948-E8957.	7.1	38
53	Prognostic and predictive value of a microRNA signature in adults with T-cell lymphoblastic lymphoma. <i>Leukemia</i> , 2019, 33, 2454-2465.	7.2	38
54	Decreased Expression of PTPN12 Correlates with Tumor Recurrence and Poor Survival of Patients with Hepatocellular Carcinoma. <i>PLoS ONE</i> , 2014, 9, e85592.	2.5	36

#	ARTICLE	IF	CITATIONS
55	KIFC1 is activated by TCF-4 and promotes hepatocellular carcinoma pathogenesis by regulating HMGA1 transcriptional activity. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 329.	8.6	35
56	Overexpression of MUC13, a Poor Prognostic Predictor, Promotes Cell Growth by Activating Wnt Signaling in Hepatocellular Carcinoma. <i>American Journal of Pathology</i> , 2018, 188, 378-391.	3.8	34
57	GNA13 as a prognostic factor and mediator of gastric cancer progression. <i>Oncotarget</i> , 2016, 7, 4414-4427.	1.8	32
58	A deep learning model and human-machine fusion for prediction of EBV-associated gastric cancer from histopathology. <i>Nature Communications</i> , 2022, 13, 2790.	12.8	31
59	VDR-“SOX2 signaling promotes colorectal cancer stemness and malignancy in an acidic microenvironment. <i>Signal Transduction and Targeted Therapy</i> , 2020, 5, 183.	17.1	30
60	Intrahepatic cholangiocarcinoma prognostic determination using pre-operative serum C-reactive protein levels. <i>BMC Cancer</i> , 2016, 16, 792.	2.6	28
61	Super-enhancer-driven AJUBA is activated by TCF4 and involved in epithelial-mesenchymal transition in the progression of Hepatocellular Carcinoma. <i>Theranostics</i> , 2020, 10, 9066-9082.	10.0	28
62	Plasma miR-124 Is a Promising Candidate Biomarker for Human Intracerebral Hemorrhage Stroke. <i>Molecular Neurobiology</i> , 2018, 55, 5879-5888.	4.0	27
63	STEAP3 promotes cancer cell proliferation by facilitating nuclear trafficking of EGFR to enhance RAC1-ERK-STAT3 signaling in hepatocellular carcinoma. <i>Cell Death and Disease</i> , 2021, 12, 1052.	6.3	27
64	SATB2 is a Promising Biomarker for Identifying a Colorectal Origin for Liver Metastatic Adenocarcinomas. <i>EBioMedicine</i> , 2018, 28, 62-69.	6.1	26
65	<i>PDSS2</i> Deficiency Induces Hepatocarcinogenesis by Decreasing Mitochondrial Respiration and Reprogramming Glucose Metabolism. <i>Cancer Research</i> , 2018, 78, 4471-4481.	0.9	26
66	Eukaryotic translation initiation factor 5A2 promotes metabolic reprogramming in hepatocellular carcinoma cells. <i>Carcinogenesis</i> , 2017, 38, 94-104.	2.8	25
67	An NF90/NF110-mediated feedback amplification loop regulates dicer expression and controls ovarian carcinoma progression. <i>Cell Research</i> , 2018, 28, 556-571.	12.0	24
68	FMNL1 mediates nasopharyngeal carcinoma cell aggressiveness by epigenetically upregulating MTA1. <i>Oncogene</i> , 2018, 37, 6243-6258.	5.9	24
69	Roles of flotillins in tumors. <i>Journal of Zhejiang University: Science B</i> , 2018, 19, 171-182.	2.8	23
70	Ablation of EIF5A2 induces tumor vasculature remodeling and improves tumor response to chemotherapy via regulation of matrix metalloproteinase 2 expression. <i>Oncotarget</i> , 2014, 5, 6716-6733.	1.8	22
71	The telomere/telomerase binding factor PinX1 regulates paclitaxel sensitivity depending on spindle assembly checkpoint in human cervical squamous cell carcinomas. <i>Cancer Letters</i> , 2014, 353, 104-114.	7.2	22
72	Chromobox homolog 8 is a predictor of muscle invasive bladder cancer and promotes cell proliferation by repressing the p53 pathway. <i>Cancer Science</i> , 2017, 108, 2166-2175.	3.9	22

#	ARTICLE	IF	CITATIONS
73	Effects of three-dimensional collagen scaffolds on the expression profiles and biological functions of glioma cells. <i>International Journal of Oncology</i> , 2018, 52, 1787-1800.	3.3	22
74	Overexpression of SLC34A2 is an independent prognostic indicator in bladder cancer and its depletion suppresses tumor growth via decreasing c-Myc expression and transcriptional activity. <i>Cell Death and Disease</i> , 2017, 8, e2581-e2581.	6.3	21
75	Overexpression of CHD1L is positively associated with metastasis of lung adenocarcinoma and predicts patients poor survival. <i>Oncotarget</i> , 2015, 6, 31181-31190.	1.8	21
76	CD68 and interleukin 13, prospective immune markers for esophageal squamous cell carcinoma prognosis prediction. <i>Oncotarget</i> , 2016, 7, 15525-15538.	1.8	21
77	PLCD3, a flotillin2-interacting protein, is involved in proliferation, migration and invasion of nasopharyngeal carcinoma cells. <i>Oncology Reports</i> , 2017, 39, 45-52.	2.6	20
78	SIRP $\beta$ -expressing cancer stem-like cells promote immune escape of lung cancer via Hippo signaling. <i>Journal of Clinical Investigation</i> , 2022, 132, .	8.2	20
79	LRPPRC regulates redox homeostasis via the circANKHD1/FOXO1 axis to enhance bladder urothelial carcinoma tumorigenesis. <i>Redox Biology</i> , 2021, 48, 102201.	9.0	19
80	Prognostic factors affecting postoperative survival of patients with solitary small hepatocellular carcinoma. <i>Chinese Journal of Cancer</i> , 2016, 35, 80.	4.9	18
81	Flavagline analog FL3 induces cell cycle arrest in urothelial carcinoma cell of the bladder by inhibiting the Akt/PHB interaction to activate the GADD45 $\beta$ pathway. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018, 37, 21.	8.6	18
82	ZHX3 promotes the progression of urothelial carcinoma of the bladder via repressing of RGS2 and is a novel substrate of TRIM21. <i>Cancer Science</i> , 2021, 112, 1758-1771.	3.9	18
83	Chemotherapy With or Without Anti-EGFR Agents in Left- and Right-Sided Metastatic Colorectal Cancer: An Updated Meta-Analysis. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2019, 17, 805-811.	4.9	18
84	Kinesin family member C1 accelerates bladder cancer cell proliferation and induces epithelial $\rightarrow$ mesenchymal transition via Akt/ GSK 3 $\beta$ signaling. <i>Cancer Science</i> , 2019, 110, 2822-2833.	3.9	17
85	Overexpression of CEP72 Promotes Bladder Urothelial Carcinoma Cell Aggressiveness via Epigenetic CREB-Mediated Induction of SERPINE1. <i>American Journal of Pathology</i> , 2019, 189, 1284-1297.	3.8	16
86	AMPK $\beta$ 1 confers survival advantage of colorectal cancer cells under metabolic stress by promoting redox balance through the regulation of glutathione reductase phosphorylation. <i>Oncogene</i> , 2020, 39, 637-650.	5.9	16
87	Prognostic Significance of the pN Classification Supplemented by Vascular Invasion for Esophageal Squamous Cell Carcinoma. <i>PLoS ONE</i> , 2014, 9, e96129.	2.5	15
88	Association of insulin-like growth factor-binding protein-3 with radiotherapy response and prognosis of esophageal squamous cell carcinoma. <i>Chinese Journal of Cancer</i> , 2015, 34, 514-21.	4.9	15
89	Overexpression of RNF2 Is an Independent Predictor of Outcome in Patients with Urothelial Carcinoma of the Bladder Undergoing Radical Cystectomy. <i>Scientific Reports</i> , 2016, 6, 20894.	3.3	15
90	Prognostic Role of the Immunoscore for Patients with Urothelial Carcinoma of the Bladder Who Underwent Radical Cystectomy. <i>Annals of Surgical Oncology</i> , 2019, 26, 4148-4156.	1.5	15

#	ARTICLE	IF	CITATIONS
91	Immune-related adverse events predict responses to PD-1 blockade immunotherapy in hepatocellular carcinoma. <i>International Journal of Cancer</i> , 2021, 149, 959-966.	5.1	15
92	The putative tumor activator ARHGEF3 promotes nasopharyngeal carcinoma cell pathogenesis by inhibiting cellular apoptosis. <i>Oncotarget</i> , 2016, 7, 25836-25848.	1.8	15
93	BRD2 induces drug resistance through activation of the RasGRP1/Ras/ERK signaling pathway in adult T-cell lymphoblastic lymphoma. <i>Cancer Communications</i> , 2020, 40, 245-259.	9.2	14
94	Recent Findings in the Posttranslational Modifications of PD-L1. <i>Journal of Oncology</i> , 2020, 2020, 1-7.	1.3	14
95	The degree of microsatellite instability predicts response to PD-1 blockade immunotherapy in mismatch repair-deficient/microsatellite instability-high colorectal cancers. <i>Experimental Hematology and Oncology</i> , 2021, 10, 2.	5.0	14
96	ITLN1 inhibits tumor neovascularization and myeloid derived suppressor cells accumulation in colorectal carcinoma. <i>Oncogene</i> , 2021, 40, 5925-5937.	5.9	14
97	Insulin-like growth factor binding protein-3 is a new predictor of radiosensitivity on esophageal squamous cell carcinoma. <i>Scientific Reports</i> , 2015, 5, 17336.	3.3	13
98	p53R2 as a novel prognostic biomarker in nasopharyngeal carcinoma. <i>BMC Cancer</i> , 2017, 17, 846.	2.6	13
99	A gene-expression-based signature predicts survival in adults with T-cell lymphoblastic lymphoma: a multicenter study. <i>Leukemia</i> , 2020, 34, 2392-2404.	7.2	13
100	FXR1 can bind with the CFIm25/CFIm68 complex and promote the progression of urothelial carcinoma of the bladder by stabilizing TRAF1 mRNA. <i>Cell Death and Disease</i> , 2022, 13, 170.	6.3	13
101	MSI2-TGF- $\beta$ 1/TGF- $\beta$ 2 R1/SMAD3 positive feedback regulation in glioblastoma. <i>Cancer Chemotherapy and Pharmacology</i> , 2019, 84, 415-425.	2.3	12
102	Sodium butyrate induces autophagic apoptosis of nasopharyngeal carcinoma cells by inhibiting AKT/mTOR signaling. <i>Biochemical and Biophysical Research Communications</i> , 2019, 514, 64-70.	2.1	12
103	The Prognostic Significance Of JMJD3 In Primary Sarcomatoid Carcinoma Of The Lung, A Rare Subtype Of Lung Cancer. <i>OncoTargets and Therapy</i> , 2019, Volume 12, 9385-9393.	2.0	12
104	Combination of Tanshinone IIA and Cisplatin Inhibits Esophageal Cancer by Downregulating NF- $\kappa$ B/COX-2/VEGF Pathway. <i>Frontiers in Oncology</i> , 2020, 10, 1756.	2.8	12
105	Elevated expression of RIT1 hyperactivates RAS/MAPK signal and sensitizes hepatocellular carcinoma to combined treatment with sorafenib and AKT inhibitor. <i>Oncogene</i> , 2022, 41, 732-744.	5.9	12
106	$\beta$ 4 contributes to bladder urothelial carcinoma cell invasion and/or metastasis via regulation of E-cadherin and is a predictor of outcome in bladder urothelial carcinoma patients. <i>European Journal of Cancer</i> , 2014, 50, 840-851.	2.8	11
107	A CpG Methylation Classifier to Predict Relapse in Adults with T-Cell Lymphoblastic Lymphoma. <i>Clinical Cancer Research</i> , 2020, 26, 3760-3770.	7.0	11
108	$\beta$ -Fetoprotein mRNA in situ hybridisation is a highly specific marker of hepatocellular carcinoma: a multi-centre study. <i>British Journal of Cancer</i> , 2021, 124, 1988-1996.	6.4	10

#	ARTICLE	IF	CITATIONS
109	Old age at diagnosis increases risk of tumor progression in nasopharyngeal cancer. <i>Oncotarget</i> , 2016, 7, 66170-66181.	1.8	10
110	Combining plasma Epstein-Barr virus DNA and nodal maximal standard uptake values of 18F-fluoro-2-deoxy-D-glucose positron emission tomography improved prognostic stratification to predict distant metastasis for locoregionally advanced nasopharyngeal carcinoma. <i>Oncotarget</i> , 2015, 6, 38296-38307.	1.8	10
111	Prognostic significance of thymidylate synthase in postoperative non-small cell lung cancer patients. <i>OncoTargets and Therapy</i> , 2014, 7, 1301.	2.0	9
112	Correlation of Milestone Restricted Mean Survival Time Ratio With Overall Survival Hazard Ratio in Randomized Clinical Trials of Immune Checkpoint Inhibitors. <i>JAMA Network Open</i> , 2019, 2, e193433.	5.9	8
113	JMJD3 promotes esophageal squamous cell carcinoma pathogenesis through epigenetic regulation of MYC. <i>Signal Transduction and Targeted Therapy</i> , 2020, 5, 165.	17.1	8
114	Identification and validation of AIB1 and EIF5A2 for noninvasive detection of bladder cancer in urine samples. <i>Oncotarget</i> , 0, 7, 41703-41714.	1.8	8
115	Overexpression of amplified in breast cancer 1 ( <i>AIB1</i> ) gene promotes lung adenocarcinoma aggressiveness in vitro and in vivo by upregulating CXC motif chemokine receptor 4. <i>Cancer Communications</i> , 2018, 38, 1-14.	9.2	7
116	Overexpression of SLC12A5 is associated with tumor progression and poor survival in ovarian carcinoma. <i>International Journal of Gynecological Cancer</i> , 2019, 29, 1280-1284.	2.5	7
117	PPIP5K2 promotes colorectal carcinoma pathogenesis through facilitating DNA homologous recombination repair. <i>Oncogene</i> , 2021, 40, 6680-6691.	5.9	7
118	TBX20 inhibits colorectal cancer tumorigenesis by impairing NHEJ-mediated DNA repair. <i>Cancer Science</i> , 2022, 113, 2008-2021.	3.9	6
119	AIB1 predicts tumor response to definitive chemoradiotherapy and prognosis in cervical squamous cell carcinoma. <i>Journal of Cancer</i> , 2019, 10, 5212-5222.	2.5	4
120	Appraisal of Prognostic Interaction between Sidedness and Mucinous Histology in Colon Cancer: A Population-Based Study Using Inverse Probability Propensity Score Weighting. <i>Journal of Cancer</i> , 2019, 10, 388-396.	2.5	4
121	Loss of MYC and E-box3 binding contributes to defective MYC-mediated transcriptional suppression of human MC-let-7a-1-let-7d in glioblastoma. <i>Oncotarget</i> , 2016, 7, 56266-56278.	1.8	4
122	KLF16 enhances stress tolerance of colorectal carcinomas by modulating nucleolar homeostasis and translational reprogramming. <i>Molecular Therapy</i> , 2022, 30, 2828-2843.	8.2	4
123	Prognostic Model for the Risk Stratification of Early and Late Recurrence in Hepatitis B Virus-Related Small Hepatocellular Carcinoma Patients with Global Histone Modifications. <i>Journal of Hepatocellular Carcinoma</i> , 2021, Volume 8, 493-505.	3.7	3
124	Correction: Paradoxical role of CBX8 in proliferation and metastasis of colorectal cancer. <i>Oncotarget</i> , 2021, , .	1.8	0