

H Garcia-Mozo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11441169/publications.pdf>

Version: 2024-02-01

30
papers

1,592
citations

257450

24
h-index

454955

30
g-index

30
all docs

30
docs citations

30
times ranked

1514
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Heat requirement for the onset of the <i>Olea europaea</i> L. pollen season in several sites in Andalusia and the effect of the expected future climate change. <i>International Journal of Biometeorology</i> , 2005, 49, 184-188. | 3.0 | 174 |
| 2 | The role of temperature in the onset of the <i>Olea europaea</i> L. pollen season in southwestern Spain. <i>International Journal of Biometeorology</i> , 2001, 45, 8-12. | 3.0 | 119 |
| 3 | Poaceae pollen as the leading aeroallergen worldwide: A review. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2017, 72, 1849-1858. | 5.7 | 119 |
| 4 | Phenological trends in southern Spain: A response to climate change. <i>Agricultural and Forest Meteorology</i> , 2010, 150, 575-580. | 4.8 | 104 |
| 5 | Airborne olive pollen counts are not representative of exposure to the major olive allergen <i>Olea europaea</i> L. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2013, 68, 809-812. | 5.7 | 79 |
| 6 | Airborne pollen trends in the Iberian Peninsula. <i>Science of the Total Environment</i> , 2016, 550, 53-59. | 8.0 | 77 |
| 7 | Modelling olive phenological response to weather and topography. <i>Agriculture, Ecosystems and Environment</i> , 2013, 179, 62-68. | 5.3 | 66 |
| 8 | Influence of pollen emission and weather-related factors on variations in holm-oak (<i>Quercus ilex</i>) Tj ETQq0 0 0 rgBT/Overlock_10 Tf 50 4 | 4.2 | 61 |
| 9 | Prevalence of <i>Artemisia</i> species pollinosis in western Poland: impact of climate change on aerobiological trends, 1995-2004. <i>Journal of Investigational Allergology and Clinical Immunology</i> , 2007, 17, 39-47. | 1.3 | 60 |
| 10 | Statistical approach to the analysis of olive long-term pollen season trends in southern Spain. <i>Science of the Total Environment</i> , 2014, 473-474, 103-109. | 8.0 | 59 |
| 11 | Olive flowering phenology variation between different cultivars in Spain and Italy: modeling analysis. <i>Theoretical and Applied Climatology</i> , 2009, 95, 385-395. | 2.8 | 56 |
| 12 | Regional phenological models for forecasting the start and peak of the <i>Quercus</i> pollen season in Spain. <i>Agricultural and Forest Meteorology</i> , 2008, 148, 372-380. | 4.8 | 51 |
| 13 | Improvement in the accuracy of back trajectories using WRF to identify pollen sources in southern Iberian Peninsula. <i>International Journal of Biometeorology</i> , 2014, 58, 2031-2043. | 3.0 | 50 |
| 14 | Modeling Olive Crop Yield in Andalusia, Spain. <i>Agronomy Journal</i> , 2008, 100, 98-104. | 1.8 | 50 |
| 15 | A comparative study of different temperature accumulation methods for predicting the start of the <i>Quercus</i> pollen season in Cordoba (South West Spain). <i>Grana</i> , 2000, 39, 194-199. | 0.8 | 48 |
| 16 | A new method for determining the sources of airborne particles. <i>Journal of Environmental Management</i> , 2015, 155, 212-218. | 7.8 | 46 |
| 17 | Determination of potential sources of <i>Quercus</i> airborne pollen in Córdoba city (southern Spain) using back-trajectory analysis. <i>Aerobiologia</i> , 2011, 27, 261-276. | 1.7 | 44 |
| 18 | Phenological olive chilling requirements in Umbria (Italy) and Andalusia (Spain). <i>Plant Biosystems</i> , 2004, 138, 111-116. | 1.6 | 42 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Modeling Olive Crop Yield in Andalusia, Spain. <i>Agronomy Journal</i> , 2008, 100, 98. | 1.8 | 40 |
| 20 | Year clustering analysis for modelling olive flowering phenology. <i>International Journal of Biometeorology</i> , 2013, 57, 545-555. | 3.0 | 38 |
| 21 | Biometeorological and autoregressive indices for predicting olive pollen intensity. <i>International Journal of Biometeorology</i> , 2013, 57, 307-316. | 3.0 | 38 |
| 22 | Olive tree phenology and climate variations in the Mediterranean area over the last two decades. <i>Theoretical and Applied Climatology</i> , 2014, 115, 207-218. | 2.8 | 27 |
| 23 | Climatic indices in the interpretation of the phenological phases of the olive in mediterranean areas during its biological cycle. <i>Climatic Change</i> , 2013, 116, 263-284. | 3.6 | 26 |
| 24 | Cluster analysis of intradiurnal holm oak pollen cycles at peri-urban and rural sampling sites in southwestern Spain. <i>International Journal of Biometeorology</i> , 2015, 59, 971-982. | 3.0 | 26 |
| 25 | Analysis of atmospheric dispersion of olive pollen in southern Spain using SILAM and HYSPLIT models. <i>Aerobiologia</i> , 2014, 30, 239-255. | 1.7 | 24 |
| 26 | Phenological behaviour of early spring flowering trees in Spain in response to recent climate changes. <i>Theoretical and Applied Climatology</i> , 2018, 132, 263-273. | 2.8 | 17 |
| 27 | The reliability of geostatistic interpolation in olive field floral phenology. <i>Aerobiologia</i> , 2006, 22, 95-106. | 1.7 | 15 |
| 28 | Methods for interpolating missing data in aerobiological databases. <i>Environmental Research</i> , 2021, 200, 111391. | 7.5 | 13 |
| 29 | Long-term trends in atmospheric Quercus pollen related to climate change in southern Spain: A 25-year perspective. <i>Atmospheric Environment</i> , 2021, 262, 118637. | 4.1 | 12 |
| 30 | Wind dynamics' influence on south Spain airborne olive-pollen during African intrusions. <i>Science of the Total Environment</i> , 2017, 609, 1340-1348. | 8.0 | 11 |