

# Barbara Bellmann

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1147002/publications.pdf>

Version: 2024-02-01

21  
papers

476  
citations

840776

11  
h-index

713466

21  
g-index

29  
all docs

29  
docs citations

29  
times ranked

702  
citing authors

#	ARTICLE	IF	CITATIONS
1	Catheter Ablation of Atrial Fibrillation: State of the Art and Future Perspectives. <i>Cardiology and Therapy</i> , 2020, 9, 45-58.	2.6	57
2	The Beneficial Effects of Cardiac Rehabilitation. <i>Cardiology and Therapy</i> , 2020, 9, 35-44.	2.6	42
3	The use of a high-resolution mapping system may facilitate standard clinical practice in VE and VT ablation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2019, 55, 287-295.	1.3	1
4	Velocity characteristics of atrial fibrillation sources determined by electrographic flow mapping before and after catheter ablation. <i>International Journal of Cardiology</i> , 2019, 286, 56-60.	1.7	16
5	Left atrial appendage angiography is associated with the incidence and number of magnetic resonance imaging-detected brain lesions after percutaneous catheter-based left atrial appendage closure. <i>Heart Rhythm</i> , 2018, 15, 3-8.	0.7	29
6	Bronchial Injury After Atrial Fibrillation Ablation Using the Second-Generation Cryoballoon. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2018, 11, e005925.	4.8	4
7	Successful re-ablation of a permanent junctional reciprocating tachycardia with cryoenergy. <i>Wiener Medizinische Wochenschrift</i> , 2018, 168, 152-155.	1.1	0
8	First endocardial rotor ablation using a 64-pole basket catheter in a patient with a left atrial appendage closure device. <i>European Heart Journal</i> , 2018, 39, 476-476.	2.2	0
9	What is the real recurrence rate after cryoballoon-based pulmonary vein isolation? Lessons from rhythm follow-up based on implanted cardiac devices with continuous atrial monitoring. <i>Heart Rhythm</i> , 2018, 15, 1844-1850.	0.7	13
10	Long-term follow up of 3 T MRI-detected brain lesions after percutaneous catheter-based left atrial appendage closure. <i>Catheterization and Cardiovascular Interventions</i> , 2018, 92, 327-333.	1.7	8
11	Identification of active atrial fibrillation sources and their discrimination from passive rotors using electrographical flow mapping. <i>Clinical Research in Cardiology</i> , 2018, 107, 1021-1032.	3.3	34
12	First epicardial mapping of the left ventricle using the Advisor HD Grid catheter. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2018, 53, 103-104.	1.3	9
13	Acute efficacy, safety, and long-term clinical outcomes using the second-generation cryoballoon for pulmonary vein isolation in patients with a left common pulmonary vein: A multicenter study. <i>Heart Rhythm</i> , 2017, 14, 1111-1118.	0.7	61
14	Left atrial appendage closure in a patient with left atrial appendage thrombus using a novel fish ball technique. <i>International Journal of Cardiology</i> , 2017, 234, 146-149.	1.7	15
15	Left Atrial Appendage Closure With the New Occlutech® Device: First in Man Experience and Neurological Outcome. <i>Journal of Cardiovascular Electrophysiology</i> , 2017, 28, 315-320.	1.7	21
16	Apixaban, rivaroxaban, and dabigatran use in patients undergoing catheter ablation for atrial fibrillation using the second-generation cryoballoon. <i>Clinical Cardiology</i> , 2017, 40, 1095-1099.	1.8	8
17	Restrictive cardiomyopathy. <i>Wiener Klinische Wochenschrift</i> , 2017, 129, 278-283.	1.9	2
18	Successful intraprocedural anticoagulation with bivalirudin during pulmonary vein isolation in a patient with known heparin-induced thrombocytopenia type II. <i>Journal of Arrhythmia</i> , 2016, 32, 154-155.	1.2	8

#	ARTICLE	IF	CITATIONS
19	Atrial standstill in sinus node disease due to extensive atrial fibrosis: impact on dual chamber pacemaker implantation. <i>Europace</i> , 2016, 18, 238-245.	1.7	21
20	Late deterioration of left ventricular function after right ventricular pacemaker implantation. <i>Anatolian Journal of Cardiology</i> , 2015, 16, 678-83.	0.9	2
21	Comparison of Cryoballoon and Radiofrequency Ablation of Pulmonary Veins in 40 Patients with Paroxysmal Atrial Fibrillation: A Caseâ€Control Study. <i>Journal of Cardiovascular Electrophysiology</i> , 2009, 20, 1343-1348.	1.7	123