

Zi-Ling Xue

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1149924/publications.pdf>

Version: 2024-02-01

267
papers

10,737
citations

30070

54
h-index

49909

87
g-index

273
all docs

273
docs citations

273
times ranked

8884
citing authors

#	ARTICLE	IF	CITATIONS
1	Novel, Acentric Metal-Organic Coordination Polymers from Hydrothermal Reactions Involving In Situ Ligand Synthesis. <i>Angewandte Chemie - International Edition</i> , 2002, 41, 3800-3803.	13.8	487
2	Enantioseparation of Racemic Organic Molecules by a Zeolite Analogue This work was supported by The Major State Basic Research Development Program (Grant No. G2000077500), the National Natural Science Foundation of China, the Camille Dreyfus Teacher-Scholar Program, the National Science Foundation of the USA (CHE-9904338), and the University of Tennessee SARIF EPPE Fund.. <i>Angewandte Chemie - International Edition</i> , 2001, 40, 4422.	13.8	415
3	Imprint Coating: A Novel Synthesis of Selective Functionalized Ordered Mesoporous Sorbents. <i>Angewandte Chemie - International Edition</i> , 1999, 38, 1235-1239.	13.8	271
4	Hydrothermal Preparation of Novel Cd(II) Coordination Polymers Employing 5-(4-Pyridyl)tetrazolate as a Bridging Ligand. <i>Inorganic Chemistry</i> , 2002, 41, 6544-6546.	4.0	220
5	One-Step Solid-State Reactions at Ambient Temperatures-A Novel Approach to Nanocrystal Synthesis. <i>Advanced Materials</i> , 1999, 11, 941-942.	21.0	189
6	2D Molecular Square Grid with Strong Blue Fluorescent Emission: A Complex of Norfloxacin with Zinc(II). <i>Inorganic Chemistry</i> , 2001, 40, 4075-4077.	4.0	181
7	Slow Magnetic Relaxation in a Mononuclear Eight-Coordinate Cobalt(II) Complex. <i>Journal of the American Chemical Society</i> , 2014, 136, 12213-12216.	13.7	155
8	BiOBr hierarchical microspheres: Microwave-assisted solvothermal synthesis, strong adsorption and excellent photocatalytic properties. <i>Journal of Colloid and Interface Science</i> , 2011, 354, 630-636.	9.4	154
9	A Second-Order Nonlinear Optical Material Prepared through In Situ Hydrothermal Ligand Synthesis. <i>Inorganic Chemistry</i> , 2005, 44, 3618-3625.	4.0	153
10	Isolation and Crystallographic Characterization of a Solid Precipitate/Intermediate in the Preparation of 5-Substituted 1H-Tetrazoles from Nitrile in Water. <i>Inorganic Chemistry</i> , 2003, 42, 3969-3971.	4.0	151
11	Homochiral Zn and Cd Coordination Polymers Containing Amino Acid-Tetrazole Ligands. <i>Inorganic Chemistry</i> , 2003, 42, 7710-7712.	4.0	123
12	Individual and simultaneous determination of lead, cadmium, and zinc by anodic stripping voltammetry at a bismuth bulk electrode. <i>Talanta</i> , 2010, 82, 675-680.	5.5	123
13	Simultaneous stripping detection of Zn(II), Cd(II) and Pb(II) using a bimetallic Hg-Bi/single-walled carbon nanotubes composite electrode. <i>Journal of Electroanalytical Chemistry</i> , 2011, 656, 78-84.	3.8	114
14	Blue to Red Fluorescent Emission Tuning of a Cadmium Coordination Polymer by Conjugated Ligands. <i>European Journal of Inorganic Chemistry</i> , 2003, 2003, 2572-2577.	2.0	113
15	Unusual Magnetic Property Associated with Dimerization within a Nickel Tetramer. <i>Inorganic Chemistry</i> , 2002, 41, 5931-5933.	4.0	109
16	Characterization of (methylcyclopentadienyl)trimethylplatinum and low-temperature organometallic chemical vapor deposition of platinum metal. <i>Journal of the American Chemical Society</i> , 1989, 111, 8779-8784.	13.7	103
17	Syntheses, Structures, and Photoluminescence of Five New Metal-Organic Frameworks Based on Flexible Tetrapyridines and Aromatic Polycarboxylate Acids. <i>Crystal Growth and Design</i> , 2010, 10, 2676-2684.	3.0	102
18	Synthesis of Novel Chiral and Acentric Coordination Polymers by the Reaction of Zinc or Cadmium Salts with Racemic 3-Pyridyl-3-aminopropionic Acid. <i>Chemistry - A European Journal</i> , 2004, 10, 53-60.	3.3	101

#	ARTICLE	IF	CITATIONS
19	Syntheses, Structures, and Magnetic Properties of Unusual Nonlinear Polynuclear Copper(II) Complexes Containing Derivatives of 1,2,4-Triazole and Pivalate Ligands. <i>Inorganic Chemistry</i> , 2005, 44, 8011-8022.	4.0	101
20	Persimmon-like BiO_2CO_3 microstructures: hydrothermal preparation, photocatalytic properties and their conversion into Bi_2S_3 . <i>CrystEngComm</i> , 2011, 13, 1939-1945.	2.6	101
21	Microwave-assisted solution-phase preparation of flower-like Bi_2WO_6 and its visible-light-driven photocatalytic properties. <i>CrystEngComm</i> , 2011, 13, 306-311.	2.6	100
22	Fluorescent-Dye-Doped Sol-Gel Sensor for Highly Sensitive Carbon Dioxide Gas Detection below Atmospheric Concentrations. <i>Analytical Chemistry</i> , 2010, 82, 593-600.	6.5	98
23	Organometallic chemical vapor deposition of platinum. Reaction kinetics and vapor pressures of precursors. <i>Chemistry of Materials</i> , 1992, 4, 162-166.	6.7	96
24	Spin-phonon couplings in transition metal complexes with slow magnetic relaxation. <i>Nature Communications</i> , 2018, 9, 2572.	12.8	93
25	Six New Metal-Organic Frameworks Based on Polycarboxylate Acids and V-shaped Imidazole-Based Synthons: Syntheses, Crystal Structures, and Properties. <i>Inorganic Chemistry</i> , 2011, 50, 2404-2414.	4.0	89
26	Syntheses, Structures, and Photochemical Properties of Six New Metal-Organic Frameworks Based on Aromatic Dicarboxylate Acids and V-Shaped Imidazole Ligands. <i>Crystal Growth and Design</i> , 2010, 10, 4135-4142.	3.0	88
27	Synthesis of Cerium(IV) Oxide Ultrafine Particles by Solid-State Reactions. <i>Journal of the American Ceramic Society</i> , 2000, 83, 964-966.	3.8	86
28	Controlled Synthesis and Characterization of Nanostructured EuF_3 with Different Crystalline Phases and Morphologies. <i>Crystal Growth and Design</i> , 2006, 6, 2169-2173.	3.0	86
29	Flower-like self-assembly of gold nanoparticles for highly sensitive electrochemical detection of chromium(VI). <i>Analytica Chimica Acta</i> , 2012, 722, 1-7.	5.4	83
30	Bi_2MoO_6 microstructures: controllable synthesis, growth mechanism, and visible-light-driven photocatalytic activities. <i>CrystEngComm</i> , 2013, 15, 498-508.	2.6	83
31	2D Chiral Uranyl(VI) Coordination Polymers with Second-Harmonic Generation Response and Ferroelectric Properties. <i>European Journal of Inorganic Chemistry</i> , 2003, 2003, 3712-3715.	2.0	78
32	Three self-penetrated, interlocked, and polycatenated supramolecular isomers via one-pot synthesis and crystallization. <i>Chemical Communications</i> , 2012, 48, 681-683.	4.1	78
33	Microwave-assisted hydrothermal synthesis of cube-like $\text{Ag-Ag}_2\text{MoO}_4$ with visible-light photocatalytic activity. <i>Science China Chemistry</i> , 2013, 56, 443-450.	8.2	77
34	Fabrication of nanocrystalline ZnWO_4 with different morphologies and sizes via hydrothermal route. <i>Chemical Physics Letters</i> , 2003, 375, 185-190.	2.6	76
35	Slow magnetic relaxation in mononuclear seven-coordinate cobalt(II) complexes with easy plane anisotropy. <i>Dalton Transactions</i> , 2015, 44, 11482-11490.	3.3	76
36	Syntheses, Structures, and Characteristics of Four New Metal-Organic Frameworks Based on Flexible Tetrapyridines and Aromatic Polycarboxylate Acids. <i>Crystal Growth and Design</i> , 2012, 12, 3426-3435.	3.0	74

#	ARTICLE	IF	CITATIONS
37	Selective Synthesis and Characterization of Nanocrystalline EuF ₃ with Orthorhombic and Hexagonal Structures. <i>Crystal Growth and Design</i> , 2006, 6, 1972-1974.	3.0	72
38	Direct Observation of (Me ₃ ECH ₂) ₅ Ta (E = C, Si) as the Precursors to (Me ₃ ECH ₂) ₃ Ta:CH ₃ and (Me ₃ SiCH ₂) ₂ Ta(μ-C ₂ SiMe ₃) ₂ Ta(CH ₂ SiMe ₃) ₂ . Kinetic and Mechanistic Studies of the Formation of Alkylidene and Alkylidyne Ligands. <i>Journal of the American Chemical Society</i> , 1995, 117, 12746-12750.	13.7	70
39	Early-Transition-Metal Silyl Complexes Free from Anionic π-Ligands. A New Family of Alkyl, Alkylidene, and Alkylidyne Compounds. <i>Journal of the American Chemical Society</i> , 1994, 116, 2169-2170.	13.7	69
40	Ferroelectric Copper Quinine Complexes. <i>Chemistry of Materials</i> , 2003, 15, 4166-4168.	6.7	69
41	Microwave-assisted synthesis and photocatalytic properties of flower-like Bi ₂ WO ₆ and Bi ₂ O ₃ @Bi ₂ WO ₆ composite. <i>Journal of Colloid and Interface Science</i> , 2013, 394, 69-77.	9.4	66
42	Doped Thin-Film Sensors via a Sol-Gel Process for High-Acidity Determination. <i>Analytical Chemistry</i> , 1997, 69, 3076-3080.	6.5	64
43	Pb(dca) ₂ (dca = dicyanamide): a novel 3D compound with unusual coordination modes of dicyanamide. <i>New Journal of Chemistry</i> , 2002, 26, 1711-1713.	2.8	63
44	Electrochemical deposition of sol-gel films for enhanced chromium(VI) determination in aqueous solutions. <i>Analytica Chimica Acta</i> , 2006, 572, 17-24.	5.4	63
45	Pancake-like Fe ₂ (MoO ₄) ₃ microstructures: microwave-assisted hydrothermal synthesis, magnetic and photocatalytic properties. <i>New Journal of Chemistry</i> , 2010, 34, 2027.	2.8	63
46	Solvothermal synthesis and characterization of crystalline CaWO ₄ nanoparticles. <i>Journal of Crystal Growth</i> , 2003, 253, 361-365.	1.5	61
47	Preparation and characterization of nanocrystalline zinc oxide by a novel solvothermal oxidation route. <i>Journal of Crystal Growth</i> , 2003, 252, 184-189.	1.5	59
48	Synthesis and structures of two luminescent Zn(II) complexes with pyrazole and carboxylate ligands. <i>Inorganic Chemistry Communication</i> , 2004, 7, 538-541.	3.9	58
49	Syntheses, Structures, and Catalytic Properties of Ruthenium(II) Nitrosyl Complexes with Pyridine-Functionalized N-Heterocyclic Carbenes. <i>Organometallics</i> , 2009, 28, 819-823.	2.3	56
50	Functionalized Sol-Gels for Selective Copper(II) Separation. <i>Environmental Science & Technology</i> , 2000, 34, 2209-2214.	10.0	55
51	Noncentrosymmetric Organic Solids with Very Strong Harmonic Generation Response. <i>Chemistry - A European Journal</i> , 2004, 10, 2386-2390.	3.3	55
52	Quantitative Analysis of Trace Chromium in Blood Samples. Combination of the Advanced Oxidation Process with Catalytic Adsorptive Stripping Voltammetry. <i>Analytical Chemistry</i> , 2006, 78, 7582-7587.	6.5	55
53	Direct determination of cadmium and lead in pharmaceutical ingredients using anodic stripping voltammetry in aqueous and DMSO/water solutions. <i>Analytica Chimica Acta</i> , 2015, 893, 25-33.	5.4	55
54	Synthesis and Characterization of (Me ₃ ECH ₂) ₂ Ta(CH ₃)Si(SiMe ₃) ₃ (E = C, Si). Kinetic and Mechanistic Studies of the Formation of a Silyl Alkylidene Complex through Preferential Silane Elimination. <i>Organometallics</i> , 1996, 15, 3520-3527.	2.3	54

#	ARTICLE	IF	CITATIONS
55	Structure and bonding of $(\mu\text{-dicarbido})\text{hexa-tert-butoxytungsten}$, $(\text{tert-BuO})_3\text{W}(\mu\text{-C})_2(\mu\text{-C})_2\text{W}(\text{O-tert-Bu})_3$. <i>Organometallics</i> , 1992, 11, 321-326.	2.3	53
56	Direct Observation of an Equilibrium between $(\text{ButCH}_2)_2\text{W}(\mu\text{-C}(\text{Bu}))(\text{Si}(\text{Bu})\text{Ph}_2)$ and $(\text{ButCH}_2)\text{W}(\text{CH}(\text{Bu}))_2(\text{Si}(\text{Bu})\text{Ph}_2)$ and an Unusual Silyl Migration. <i>Journal of the American Chemical Society</i> , 1998, 120, 13519-13520.	13.7	53
57	Formation of YF_3 Nanocrystals and Their Self-Assembly into Hollow Peanut-Like Structures. <i>Crystal Growth and Design</i> , 2007, 7, 2106-2111.	3.0	53
58	Blue-Green Luminescent Rhenium(I) Tricarbonyl Complexes with Pyridine-Functionalized N-Heterocyclic Carbene Ligands. <i>Organometallics</i> , 2012, 31, 3829-3835.	2.3	53
59	Luminescent Mechanochromic Dinuclear Cu(I) Complexes with Macrocyclic Diamine-Tetracarbene Ligands. <i>Inorganic Chemistry</i> , 2018, 57, 13618-13630.	4.0	53
60	Solvothermal preparation of Cu ₂ O crystalline particles. <i>Journal of Crystal Growth</i> , 2002, 246, 169-175.	1.5	52
61	Netlike Nanostructures of Zn(OH)F and ZnO: Synthesis, Characterization, and Properties. <i>Crystal Growth and Design</i> , 2008, 8, 1412-1417.	3.0	52
62	Improved Bi film wrapped single walled carbon nanotubes for ultrasensitive electrochemical detection of trace Cr(VI). <i>Electrochimica Acta</i> , 2013, 113, 686-693.	5.2	52
63	Two Chiral Coordination Polymers: Preparation and X-ray Structures of Mono(4-sulfo-l-phenylalanine)(diaqua) Zinc(II) and Copper(II) Complexes. <i>Inorganic Chemistry</i> , 2002, 41, 3323-3326.	4.0	51
64	The First Metal (Nd ³⁺ , Mn ²⁺ , and Pb ²⁺) Coordination Compounds of 3,5-Dinitrotyrosine and their Nonlinear Optical Properties. <i>Chemistry - A European Journal</i> , 2005, 11, 988-994.	3.3	51
65	Theoretical Studies of the Relative Stabilities of Transition Metal Alkylidyne $(\text{CH}_3)_2\text{M}(\mu\text{-CH})(\text{X})$ and Bis(alkylidene) $(\text{CH}_3)_2\text{M}(\text{CH}_2)_2(\text{X})$ Complexes. <i>Organometallics</i> , 1999, 18, 5488-5495.	2.3	50
66	Morphology control of MnWO ₄ nanocrystals by a solvothermal route. <i>Journal of Materials Chemistry</i> , 2003, 13, 1132-1135.	6.7	50
67	Direct observation of α -hydrogen transfer from alkyl to alkylidyne ligands in $(\text{Me}_3\text{CCH}_2)_3\text{W}:\text{CSiMe}_3$. Kinetic and mechanistic studies of alkyl-alkylidyne exchange. <i>Journal of the American Chemical Society</i> , 1991, 113, 6082-6090.	13.7	49
68	Optical Sensors for the Determination of Concentrated Hydroxide. <i>Analytical Chemistry</i> , 2000, 72, 1078-1083.	6.5	49
69	Magnetic Transitions in Iron Porphyrin Halides by Inelastic Neutron Scattering and Ab Initio Studies of Zero-Field Splittings. <i>Inorganic Chemistry</i> , 2015, 54, 9790-9801.	4.0	49
70	Quantitative, colorimetric paper probe for hydrogen sulfide gas. <i>Sensors and Actuators B: Chemical</i> , 2017, 253, 846-851.	7.8	48
71	Syntheses and structures of two one-dimensional double-stranded lead polymers of dicyanamide with unusual coordination mode. <i>Polyhedron</i> , 2003, 22, 917-923.	2.2	47
72	The First Highly Stable Homochiral Olefin-Copper(I) 2D Coordination Polymer Grid Based on Quinine as a Building Block. <i>Organometallics</i> , 2003, 22, 2814-2816.	2.3	47

#	ARTICLE	IF	CITATIONS
73	Optical determination of Cr(VI) using regenerable, functionalized sol-gel monoliths. <i>Analytica Chimica Acta</i> , 2007, 581, 232-240.	5.4	47
74	Bismuth-Based, Disposable Sensor for the Detection of Hydrogen Sulfide Gas. <i>Analytical Chemistry</i> , 2016, 88, 1553-1558.	6.5	47
75	Synthesis and Structure of an Unusual Zirconium Hydride Amide Complex. <i>Mechanistic Studies of the Reactions of Transition-Metal Amides with Silanes</i> . <i>Journal of the American Chemical Society</i> , 1999, 121, 5350-5351.	13.7	46
76	Reactions of Tetrakis(dimethylamide)Titanium, Zirconium and Hafnium with Silanes: Synthesis of Unusual Amide Hydride Complexes and Mechanistic Studies of Titanium-Silicon Nitride (Ti-Si-N) Formation. <i>Journal of the American Chemical Society</i> , 2001, 123, 8011-8021.	13.7	46
77	Silyl alkylidene complexes free of anionic ligands (Me ₃ ECH ₂) ₂ Ta(η ⁵ -Cp*Me ₃)(SiPh ₂ But) (E = C, Si): PMe ₃ -promoted conversions to bis(alkylidene) complexes through preferential silane elimination. <i>Chemical Communications</i> , 1996, , 2383-2384.	4.1	45
78	Two Luminescent 2D Layered Copper(I) Olefin Coordination Polymers with High Thermal Stability. <i>Organometallics</i> , 2001, 20, 4118-4121.	2.3	45
79	Crown Ether-Doped Sol-Gel Materials for Strontium(II) Separation. <i>Analytical Chemistry</i> , 2000, 72, 5516-5519.	6.5	44
80	Microwave-assisted solution-phase preparation and growth mechanism of FeMoO ₄ hierarchical hollow spheres. <i>CrystEngComm</i> , 2010, 12, 207-210.	2.6	44
81	Slow magnetic relaxation in five-coordinate spin-crossover cobalt(II) complexes. <i>Chemical Communications</i> , 2017, 53, 9304-9307.	4.1	44
82	Low-pressure chemical vapor deposition of tungsten carbide (WC) thin films. <i>Chemistry of Materials</i> , 1991, 3, 384-386.	6.7	43
83	Synthesis of Tantalum(V) Amido Silyl Complexes and the Unexpected Formation of (Me ₂ N) ₃ Ta(η ⁵ -2-ONMe ₂)[OSi(SiMe ₃) ₃] from the Reaction of (Me ₂ N) ₄ Ta[Si(SiMe ₃) ₃] with O ₂ . <i>Organometallics</i> , 2002, 21, 3973-3978.	2.3	43
84	Functionalized sol-gels for mercury(II) separation: a comparison of mesoporous materials prepared with and without surfactant templates. <i>Microporous and Mesoporous Materials</i> , 2004, 70, 57-62.	4.4	43
85	Synthesis, structures and catalytic activities of ruthenium(II) carbonyl chloride complexes containing pyridine-functionalised N-heterocyclic carbenes. <i>Dalton Transactions</i> , 2009, , 7132.	3.3	43
86	Reaction of Ta(NMe ₂) ₅ with O ₂ : Formation of Aminoxy and Unusual (Aminomethyl)amide Oxo Complexes and Theoretical Studies of the Mechanistic Pathways. <i>Journal of the American Chemical Society</i> , 2007, 129, 14408-14421.	13.7	41
87	Microwave-assisted solvothermal synthesis and growth mechanism of WO ₃ ·(H ₂ O) _{0.33} hierarchical microstructures. <i>CrystEngComm</i> , 2010, 12, 1153-1158.	2.6	41
88	Chemical vapor deposition of CoGa and PtGa ₂ thin films from mixed metalorganometallic compounds. <i>Applied Physics Letters</i> , 1989, 55, 2760-2762.	3.3	40
89	A mononuclear complex of norfloxacin with silver(I) and its properties. <i>Inorganic Chemistry Communication</i> , 2003, 6, 819-822.	3.9	40
90	An Unusual Exchange between Alkylidyne Alkyl and Bis(alkylidene) Tungsten Complexes Promoted by Phosphine Coordination: Kinetic, Thermodynamic, and Theoretical Studies. <i>Journal of the American Chemical Society</i> , 2004, 126, 10208-10209.	13.7	40

#	ARTICLE	IF	CITATIONS
91	Inorganic Sensing Using Organofunctional Solâ€“Gel Materials. <i>Accounts of Chemical Research</i> , 2007, 40, 343-350.	15.6	40
92	Slow Magnetic Relaxation in Mononuclear Octahedral Manganese(III) Complexes with Dibenzoilmethanide Ligands. <i>European Journal of Inorganic Chemistry</i> , 2015, 2015, 271-278.	2.0	40
93	Reactions of d0 Group 4 Amides with Dioxygen. Preparation of Unusual Oxo Aminoxy Complexes and Theoretical Studies of Their Formation. <i>Journal of the American Chemical Society</i> , 2005, 127, 5204-5211.	13.7	39
94	Bis-N-heterocyclic carbene ruthenium(II) carbonyl complexes: Synthesis, structural characterization and catalytic activities in transfer hydrogenation of ketones. <i>Inorganica Chimica Acta</i> , 2010, 363, 430-437.	2.4	39
95	Slow Magnetic Relaxations in Cobalt(II) Tetranitrate Complexes. Studies of Magnetic Anisotropy by Inelastic Neutron Scattering and High-Frequency and High-Field EPR Spectroscopy. <i>Inorganic Chemistry</i> , 2016, 55, 12603-12617.	4.0	39
96	Reactions of Alkyl Alkylidene Complexes with Silanes. Synthesis and Characterization of Novel Tantalum 1,1-Metallasilacyclobutadiene and Disilyl-Substituted Alkylidene Complexes. <i>Journal of the American Chemical Society</i> , 1997, 119, 12657-12658.	13.7	38
97	Reactivities of a Bis(alkylidene) Complex. Synthesis of a Silyl Bis(alkylidyne) Complex and a Reaction Cycle among Symmetric Bis(alkylidyne), Bis(alkylidene), and Nonsymmetric Bis(alkylidyne) Compounds. <i>Organometallics</i> , 1998, 17, 4597-4606.	2.3	38
98	Zirconium, Hafnium, and Tantalum Amide Silyl Complexes:Â Their Preparation and Conversion to Metallaheterocyclic Complexes via Î³-Hydrogen Abstraction by Silyl Ligands. <i>Inorganic Chemistry</i> , 2004, 43, 7111-7119.	4.0	38
99	Microwave-assisted preparation and photocatalytic properties of Zn2GeO4 nanorod bundles. <i>CrystEngComm</i> , 2010, 12, 3201.	2.6	38
100	d0Bis(silyl) Complexes Free of Anionic Î€-Ligands:Â Syntheses, Structures, and a Novel Exchange between Silyl Ligands and Silyl Anions. <i>Journal of the American Chemical Society</i> , 1999, 121, 4300-4301.	13.7	37
101	Transition-Metal Silyl Complexes and Chemistry in the Reactions of Silanes with Transition-Metal Complexes. <i>Organometallics</i> , 2004, 23, 2210-2224.	2.3	37
102	Quinoline-functionalized N-heterocyclic carbene complexes of iridium: Synthesis, structures and catalytic activities in transfer hydrogenation. <i>Journal of Organometallic Chemistry</i> , 2009, 694, 2096-2105.	1.8	37
103	Polymer-directed synthesis and magnetic property of nanoparticles-assembled BiFeO3 microrods. <i>Journal of Solid State Chemistry</i> , 2010, 183, 1761-1766.	2.9	37
104	Zero-Field Slow Magnetic Relaxation and Hysteresis Loop in Four-Coordinate Co^{II} Single-Ion Magnets with Strong Easy-Axis Anisotropy. <i>Inorganic Chemistry</i> , 2019, 58, 12555-12564.	4.0	36
105	Synthesis and Characterization of Group 4 Amido Silyl Complexes Free of Anionic Î€-Ligands. <i>Inorganic Chemistry</i> , 1998, 37, 6366-6372.	4.0	35
106	Syntheses and structures of two- and one-dimensional organica€“inorganic hybrid compounds assembled from Pbl2 and 1,4-bis(4-pyridyl)-2,3-diaza-1,3-butadiene. <i>Inorganic Chemistry Communication</i> , 2002, 5, 1090-1094.	3.9	33
107	A Tungsten Silyl Alkylidyne Complex and Its Bis(alkylidene) Tautomer. Their Interconversion and an Unusual Silyl Migration in Their Reaction with Dioxygen. <i>Organometallics</i> , 2005, 24, 1214-1224.	2.3	33
108	Optical Metal Ion Sensor Based on Diffusion Followed by an Immobilizing Reaction. Quantitative Analysis by a Mesoporous Monolith Containing Functional Groups. <i>Analytical Chemistry</i> , 2005, 77, 3231-3237.	6.5	33

#	ARTICLE	IF	CITATIONS
109	Ionic-liquid-assisted synthesis of YF ₃ with different crystalline phases and morphologies. <i>Materials Research Bulletin</i> , 2009, 44, 623-628.	5.2	33
110	Transition Structures of Methane Elimination in Pentamethylniobium and Pentamethyltantalum. <i>Journal of the American Chemical Society</i> , 1995, 117, 9259-9264.	13.7	32
111	Reactions of (Me ₃ ECH ₂) ₃ ZrSi(SiMe ₃) ₃ (E = C, Si) with 2,6-Dimethylphenyl Isocyanide. Preferential Isocyanide Insertion into Zr ^{IV} Silyl Bonds. <i>Organometallics</i> , 1998, 17, 4853-4860.	2.3	32
112	Direct observation of η^2 -imine formation through η^2 -H abstraction between amide ligands. Neutron and X-ray diffraction structure of a dihydride imine ditantalum complex. Electronic supplementary information (ESI) available: experimental section; X-ray ORTEP views of 1a and 1b; HMQC and NOESY NMR spectra. See http://www.rsc.org/suppdata/cc/b1/b108913g/ . <i>Chemical Communications</i> , 2002, , 230-231.	4.1	32
113	Preparation and characterization of fine Sr ₂ CeO ₄ blue phosphor powders. <i>Solid State Communications</i> , 2004, 130, 281-285.	1.9	32
114	Synthesis and Characterization of Group 4 Amidinate Amide Complexes M[CyNC(Me)NCy] ₂ (NR) ₂ (R = Me, M = Ti, Zr, Hf; R = Et, M = Zr). <i>Organometallics</i> , 2009, 28, 3088-3092.	2.3	32
115	A capped trigonal prismatic cobalt(II) complex as a structural archetype for single-ion magnets. <i>Dalton Transactions</i> , 2020, 49, 2063-2067.	3.3	32
116	Early-Transition-Metal Silyl Complexes Free of Anionic η^6 -Ligands. A Comparison of Alkyl and Silyl Ligands. <i>Comments on Inorganic Chemistry</i> , 1996, 18, 223-247.	5.2	31
117	Synthesis and X-ray Crystal Structure of a Chlorobis(trimethylsiloxy)zirconium Silyl Derivative, (Me ₃ SiO) ₂ Zr(SiPh ₂ But)Cl \cdot 2THF. <i>Organometallics</i> , 1998, 17, 2917-2920.	2.3	31
118	Computational and Experimental Studies on the Thermolysis Mechanism of Zirconium and Hafnium Tetraalkyl Complexes. Difference between Titanium and Zirconium Complexes. <i>Organometallics</i> , 1999, 18, 2081-2090.	2.3	31
119	Multi-insertion Reactions of Isocyanides with Zirconium Amido Silyl Complexes. <i>Organometallics</i> , 1999, 18, 1002-1010.	2.3	31
120	Theoretical Studies on the Decomposition Mechanism of Tetraalkyl Titanium Complexes. <i>Journal of the American Chemical Society</i> , 1996, 118, 9772-9777.	13.7	30
121	A new approach to superior optical limiting materials: planar η^6 -open η^6 heteroatom clusters. <i>Chemical Communications</i> , 2001, , 843-844.	4.1	30
122	Synthesis and spectroscopic characterization of diruthenium σ , π -vinyl complexes Ru ₂ [μ -O:C(NMe ₂), μ - σ , π -C(Ar):C(Ar)H](CO) ₅ PPh ₃ , (Ar = phenyl, p-tolyl) and Ru ₂ [μ -O:C(NMe ₂), μ - σ , π -C(Ph):CH ₂](CO) ₅ PPh ₃ . Crystal and molecular structures of Ru ₂ [μ -O:C(NMe ₂), μ - σ , π -C(C ₆ H ₄ Me-p):C(C ₆ H ₄ Me-p)H](CO) ₅ PPh ₃ and Ru ₂ [μ -O:C(NMe ₂), μ - σ , π -C(Ph):CH ₂](CO) ₅ PPh ₃ . <i>Journal of the American Chemical Society</i> , 1990, 112, 1825-1833.	13.7	29
123	Neutron Instruments for Research in Coordination Chemistry. <i>European Journal of Inorganic Chemistry</i> , 2019, 2019, 1065-1089.	2.0	29
124	Preparation and Characterization of Flowerlike Y ₂ (OH) ₅ NO ₃ \cdot 1.5H ₂ O and Y ₂ O ₃ and Their Efficient Removal of Cr(VI) from Aqueous Solution. <i>Journal of Physical Chemistry C</i> , 2009, 113, 3461-3466.	3.1	28
125	Synthesis and Characterization of Tantalum Silyl and Disilyl Imido Complexes That Do Not Contain Anionic η^6 -Ligands. <i>Organometallics</i> , 2000, 19, 4191-4192.	2.3	27
126	A method for the preparation of transparent mesoporous silica sol-gel monoliths containing grafted organic functional groups. <i>Journal of Materials Chemistry</i> , 2005, 15, 2356.	6.7	27

#	ARTICLE	IF	CITATIONS
127	Unexpected Formation of (Dimethylaminomethylene)methylamide Complexes from the Reactions between Metal Chlorides and Lithium Dimethylamide. <i>Organometallics</i> , 2008, 27, 1338-1341.	2.3	27
128	Adsorption and removal of sulfonic dyes from aqueous solution onto a coordination polymeric xerogel with amino groups. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2015, 485, 125-135.	4.7	27
129	Trace vanadium analysis by catalytic adsorptive stripping voltammetry using mercury-coated micro-wire and polystyrene-coated bismuth film electrodes. <i>Analytica Chimica Acta</i> , 2009, 643, 19-25.	5.4	26
130	Preparation and Use of Ta(CD ₂ But) ₅ To Probe the Formation of (ButCD ₂) ₃ Ta•CDBut. Kinetic and Mechanistic Studies of the Conversion of Pentaneopentyltantalum to the Archetypical Alkylidene Complex. <i>Journal of the American Chemical Society</i> , 2009, 131, 8246-8251.	13.7	26
131	Fast preparation and growth mechanism of erythrocyte-like Cd ₂ Ge ₂ O ₆ superstructures via a microwave-hydrothermal process. <i>CrystEngComm</i> , 2011, 13, 2464.	2.6	26
132	Deprotonation Reactions of Zirconium and Hafnium Amide Complexes H ₂ N ⁺ M[N(SiMe ₃) ₂] ₃ and Subsequent Silyl Migration from Amide ⁻ N(SiMe ₃) ₂ to Imide NH Ligands. <i>Inorganic Chemistry</i> , 2005, 44, 1505-1510.	4.0	25
133	Magnetic Excitations in Metalloporphyrins by Inelastic Neutron Scattering: Determination of Zero-Field Splittings in Iron, Manganese, and Chromium Complexes. <i>Inorganic Chemistry</i> , 2014, 53, 1955-1961.	4.0	25
134	Optical Sensors for the Detection of Trace Chloroform. <i>Analytical Chemistry</i> , 2015, 87, 1569-1574.	6.5	25
135	Inter-Kramers Transitions and Spin-Phonon Couplings in a Lanthanide-Based Single-Molecule Magnet. <i>Inorganic Chemistry</i> , 2020, 59, 5218-5230.	4.0	25
136	Reactions of Tantalum Alkylidene Complexes with Silanes. Synthesis and Characterization of Novel Metallasilacyclodiene Complexes and Kinetic and Mechanistic Studies of Their Formation. <i>Organometallics</i> , 2001, 20, 1504-1514.	2.3	24
137	Unprecedented Homochiral Olefin-Copper(I) 2D Coordination Polymer Grid Based on Chiral Ammonium Salts as Building Blocks. <i>Organometallics</i> , 2003, 22, 4396-4398.	2.3	24
138	Tungsten Alkyl Alkylidyne and Bis-alkylidene Complexes. Preparation and Kinetic and Thermodynamic Studies of Their Unusual Exchanges. <i>Organometallics</i> , 2006, 25, 427-434.	2.3	24
139	From trans-Bis(alkylidene) to Nonsymmetric Bis(alkylidyne) Bridges. Synthesis of (Me ₃ P) ₂ ClTa(μ-C ₆ H ₅ SiMe ₃) ₂ TaCl(CH ₂ SiMe ₃) ₂ and Study of Its Axial-Equatorial Alkylidyne Ligand Exchange. <i>Organometallics</i> , 1995, 14, 4992-4993.	2.3	23
140	High-Acidity Determination in Salt-Containing Acids by Optical Sensors. The Scope of a Dual-Transducer Approach and the Hammett Acidity Function. <i>Analytical Chemistry</i> , 2002, 74, 2535-2540.	6.5	23
141	Synthesis and Characterization of Siloxy, Aminoxy, and Oxo Complexes from the Reaction of a Tantalum Amide Silyl Complex with Oxygen. <i>Inorganic Chemistry</i> , 2009, 48, 3073-3079.	4.0	23
142	Magnetic anisotropy and slow magnetic relaxation processes of cobalt(II)-pseudohalide complexes. <i>Dalton Transactions</i> , 2019, 48, 10743-10752.	3.3	23
143	Crystal Structure of TaCl(NMe ₂) ₄ and Its Reactions with Lithium Amides and Water. Indirect Observation of an Equilibrium among TaCl(NMe ₂) ₄ , Ta(NMe ₂) ₅ and Ta ₂ (μ ₄ -Cl) ₂ (NMe ₂) ₆ Cl ₂ . <i>Organometallics</i> , 2009, 28, 167-171.	2.3	22
144	Ruthenium(II) carbonyl chloride complexes containing pyridine-functionalised bidentate N-heterocyclic carbenes: Synthesis, structures, and impact of the carbene ligands on catalytic activities. <i>Inorganica Chimica Acta</i> , 2011, 378, 280-287.	2.4	22

#	ARTICLE	IF	CITATIONS
145	Reactions of d ⁰ tungsten alkylidyne complexes with O ₂ or H ₂ O. Formation of an oxo siloxy complex through unusual silyl migrations. <i>Chemical Communications</i> , 2013, 49, 9555.	4.1	22
146	Synthesis, structures and luminescence properties of amine-bis(N-heterocyclic carbene) copper and silver complexes. <i>Dalton Transactions</i> , 2018, 47, 6742-6753.	3.3	22
147	Spectroscopic Studies of the Magnetic Excitation and Spin-Phonon Couplings in a Single-Molecule Magnet. <i>Chemistry - A European Journal</i> , 2019, 25, 15846-15857.	3.3	22
148	Molecular Routes to Metal Carbides, Nitrides, and Oxides. 3.1 Chemical Vapor Deposition Employing X ₃ W ⁺ CCMe ₃ , Where X = CH ₂ Me ₃ , OtBu, and OtBu-d ₉ and *C = ¹² C or ¹³ C, and a Comparison with the Chemistry of (tBuO) ₃ W ⁺ N. <i>Chemistry of Materials</i> , 1998, 10, 2365-2370.	6.7	21
149	High-Basicity Determination in Mixed Water-Alcohol Solutions by a Dual Optical Sensor Approach. <i>Analytical Chemistry</i> , 2002, 74, 6073-6079.	6.5	21
150	Preparation of Tungsten Alkyl Alkylidene Alkylidyne Complexes and Kinetic Studies of Their Formation. <i>Journal of the American Chemical Society</i> , 2007, 129, 7277-7283.	13.7	21
151	Preparation, characterization, and catalytic properties of ruthenium nitrosyl complexes with polypyrazolylmethane ligands. <i>Journal of Organometallic Chemistry</i> , 2008, 693, 3851-3857.	1.8	21
152	Formation of Aminoxy and Oxo Complexes from the Reaction of Nb(NMe ₂) ₅ with O ₂ and the Crystal Structure of Nb(NEt ₂) ₅ . <i>Inorganic Chemistry</i> , 2010, 49, 4017-4022.	4.0	21
153	Transition metal alkylidene complexes. Pathways in their formation and tautomerization between bis-alkylidenes and alkyl alkylidynes. <i>Journal of Organometallic Chemistry</i> , 2011, 696, 3924-3934.	1.8	21
154	Syntheses, structures and catalytic activities of ruthenium (II) carbonyl iodide complexes with CNC-pincer bis (carbene) ligand. <i>Inorganic Chemistry Communication</i> , 2011, 14, 1673-1676.	3.9	21
155	Structure, magnetic anisotropy and relaxation behavior of seven-coordinate Co(II) single-ion magnets perturbed by counter-anions. <i>Dalton Transactions</i> , 2020, 49, 7620-7627.	3.3	21
156	Applying Unconventional Spectroscopies to the Single-Molecule Magnets, Co(PPh ₃) ₂ X ₂ (X=Cl, Br, I): Unveiling Magnetic Transitions and Spin-Phonon Coupling. <i>Chemistry - A European Journal</i> , 2021, 27, 11110-11125.	3.3	21
157	Conversion of chromium(III) propionate to chromium(VI) by the Advanced Oxidation Process Pretreatment of a biomimetic complex for metal analysis. <i>Talanta</i> , 2006, 70, 668-675.	5.5	20
158	Synthesis and Characterization of Group 4 Amide Chloride and Amide Imide Complexes. <i>Organometallics</i> , 2009, 28, 4269-4275.	2.3	20
159	Microwave-assisted hydrothermal synthesis, growth mechanism and photocatalytic properties of pancake-like Cd(OH) ₂ superstructures. <i>CrystEngComm</i> , 2012, 14, 3495.	2.6	20
160	Synthesis, structure and luminescent properties of rhenium(I) carbonyl complexes containing pyrimidine-functionalized N-heterocyclic carbenes. <i>Inorganica Chimica Acta</i> , 2013, 394, 488-493.	2.4	20
161	Synthesis and Characterization of Unusual Dichloro(amido)-Bridged Zirconium Complexes. X-ray Crystal Structures of (Me ₂ N) ₃ Zr(μ ₄ -Cl) ₂ (μ ₄ -NMe ₂)Zr(NMe ₂) ₂ (THF) and Cl(Me ₂ N) ₂ Zr(μ ₄ -Cl) ₂ (μ ₄ -NMe ₂)Zr(NMe ₂) ₂ (THF). <i>Inorganic Chemistry</i> , 1998, 37, 2570-2574.	4.0	19
162	Optical Sensors and the Salt Effect: A Dual-Transducer Approach to Acidity Determination in a Salt-Containing Concentrated Strong Acid. <i>Analytical Chemistry</i> , 2001, 73, 4592-4598.	6.5	19

#	ARTICLE	IF	CITATIONS
163	Syntheses of perovskite-type composite oxides nanocrystals by solid-state reactions. <i>Materials Letters</i> , 2002, 53, 282-286.	2.6	19
164	Synthesis, characterization and X-ray structures of new molybdenum bis(imide) amide and silyl complexes. <i>Inorganica Chimica Acta</i> , 2003, 345, 113-120.	2.4	19
165	Synthesis, Characterization, and Theoretical Studies of Group 4 Amido Hydrotris(pyrazolyl)borate Complexes. <i>Inorganic Chemistry</i> , 2003, 42, 3008-3015.	4.0	19
166	Synthesis and characterization of tantalum(V) metallaheterocycle (Me ₂ N) ₃ and chloro-mixed-amide (Me ₂ N) ₃ Ta(Cl)[N(SiMe ₃) ₂]. <i>Canadian Journal of Chemistry</i> , 2003, 81, 1398-1405.	1.1	19
167	Metal Complexes with a Hexadentate Macrocyclic Diamine-Tetracarbene Ligand. <i>Inorganic Chemistry</i> , 2017, 56, 11917-11928.	4.0	19
168	Slow Magnetic Relaxation in a Mononuclear Five-coordinate Cu(II) Complex. <i>European Journal of Inorganic Chemistry</i> , 2019, 2019, 4653-4659.	2.0	19
169	Single-Crystal Study of a Low Spin Co(II) Molecular Qubit: Observation of Anisotropic Rabi Cycles. <i>Inorganic Chemistry</i> , 2019, 58, 2330-2335.	4.0	19
170	Synthesis and characterization of poly(pyrazolyl)borate tantalum amide complexes and their reactivities toward oxygen. <i>Science in China Series B: Chemistry</i> , 2009, 52, 1583-1589.	0.8	18
171	Preparation of the Alkyl Complex Ta(η -NSiMe ₃) ₃ [N(SiMe ₃) ₂] ₂ (CH ₂ Bu ^t) ₂ . Preferential Oxygen Insertion in Its Reaction with O ₂ and a Ligand Exchange in the Alkoxide Ta(η -NSiMe ₃) ₃ [N(SiMe ₃) ₂] ₂ (OCH ₂ Bu ^t) ₂ . <i>Organometallics</i> , 2010, 29, 5579-5584.	2.3	18
172	Three Olefin Copper(I) Dimeric Complexes with 2-, 3-, and 4-Pyridylacrylic Acid and Their Electrochemical Properties. <i>Inorganic Chemistry</i> , 2004, 43, 712-715.	4.0	17
173	Disilyl Complexes of Zirconium, Hafnium, and Tantalum. Their Synthesis, Characterization, and Exchanges with Silyl Anions. <i>Organometallics</i> , 2005, 24, 4190-4197.	2.3	17
174	Reactivities of d0 transition metal complexes toward oxygen: Synthetic and mechanistic studies. <i>Science in China Series B: Chemistry</i> , 2009, 52, 1723-1733.	0.8	17
175	Preparation, Characterization, and Catalytic Properties of Ruthenium(II) Nitrosyl Complexes with $\hat{\pm}$ -Diimine Ligands. <i>Organometallics</i> , 2009, 28, 6687-6694.	2.3	17
176	Syntheses, structures and electrochemical properties of homoleptic ruthenium(III) and osmium(III) complexes bearing two tris(carbene)borate ligands. <i>Inorganic Chemistry Communication</i> , 2012, 21, 88-91.	3.9	17
177	Highly sensitive detection of hexavalent chromium utilizing a sol-gel/carbon nanotube modified electrode. <i>Journal of Electroanalytical Chemistry</i> , 2016, 781, 120-125.	3.8	17
178	Sol-gel synthesis of an array of C70 single crystal nanowires in a porous alumina template. <i>Chemical Communications</i> , 2001, , 541-542.	4.1	16
179	$\hat{\pm}$, $\hat{\gamma}$ -Bis(potassiosilyl)alkanes. Synthesis and Characterization of [K(18-crown-6)] ₂ [(Me ₃ Si) ₂ Si(CH ₂) _n Si(SiMe ₃) ₂]. <i>Organometallics</i> , 2001, 20, 5542-5546.	2.3	16
180	Spectroscopic detection of halocarbons using modified Fujiwara reactions. <i>Analytica Chimica Acta</i> , 2005, 548, 143-147.	5.4	16

#	ARTICLE	IF	CITATIONS
181	Four-coordinate Co(II) and Fe(II) complexes with bis(N-heterocyclic) Tj ETQq1 1 0.784314.rgBT /Overlock 10	3.8	16
182	Magnetic anisotropy and relaxation behavior of six-coordinate tris(pivalato)-Co(II) and -Ni(II) complexes. Dalton Transactions, 2018, 47, 10162-10171.	3.3	16
183	Hysteresis in optical sensing and its impact on the analytical error of a calibration-free acid sensor. Analytica Chimica Acta, 2001, 433, 97-102.	5.4	15
184	Unusual Equilibria Involving Group 4 Amides, Silyl Complexes, and Silyl Anions via Ligand Exchange Reactions. Journal of the American Chemical Society, 2004, 126, 4472-4473.	13.7	15
185	Optical Sensors for the Determination of Concentrated Hydroxide. Characterization of the Sensor Materials and Evaluation of the Sensor Performance. Analytical Chemistry, 2005, 77, 2842-2851.	6.5	15
186	A Linear Symmetric Chain with the -Cl-Zr-Cl-Zr- Unit. Crystal structure and Convenient Syntheses of Chlorotriepentylzirconium. Inorganic Chemistry, 1994, 33, 2497-2498.	4.0	14
187	Synthesis and crystal structure of a novel 2-D hybrid compound [(PbBr ₂) ₂ (¹ / ₄ -Pyz)] _n (Pyz=pyrazine). Inorganic Chemistry Communication, 2002, 5, 621-624.	3.9	14
188	Formation of the Imide [Ta(NMe ₂) ₃ (¹ / ₄ -NSiMe ₃) ₂] through an Unprecedented ¹ / ₄ -SiMe ₃ Abstraction by an Amide Ligand. Inorganic Chemistry, 2012, 51, 25-27.	4.0	14
189	Reactions of a tungsten alkylidyne complex with mono-dentate phosphines: Thermodynamic and theoretical studies. Polyhedron, 2013, 58, 30-38.	2.2	14
190	Synthesis and structural characterization of metal complexes with macrocyclic tetracarbene ligands. New Journal of Chemistry, 2017, 41, 13442-13453.	2.8	14
191	Probing Magnetic Excitations in Co(II) Single-Molecule Magnets by Inelastic Neutron Scattering. European Journal of Inorganic Chemistry, 2019, 2019, 1119-1127.	2.0	14
192	A novel HgI ₂ adduct with an azopyridine ligand: synthesis, structure and optical refractive effect of [HgI ₂ (4,4'-azopyridine)] _n . CrystEngComm, 2001, 3, 152-154.	2.6	13
193	Silyl-substituted alkylidenes: preparation of the novel complexes and mechanistic studies of their formation from reactions of alkylidenes with silanes and silyl-to-alkylidyne migration. Journal of Molecular Catalysis A, 2002, 190, 101-108.	4.8	13
194	Reactions of Oxygen with Metallaheterocyclic Alkyl Amide Complexes. Selective Insertion of Oxygen into Metal-Carbon Bonds. Organometallics, 2009, 28, 6642-6645.	2.3	13
195	Synthesis, Characterization, and Crystal Structures of Metal Amide Cage Complexes Containing a M ₄ O ₄ (M=Zr, Ta) Core Unit. Journal of Cluster Science, 2010, 21, 325-337.	3.3	13
196	Unexpected formation of a trinuclear complex containing a Ta(IV)-Ta(IV) bond in the reactions of ButNiTa(NMe ₂) ₃ with silanes. Chemical Communications, 2011, 47, 8685.	4.1	13
197	Iridium(I) and Rhodium(I) Carbonyl Complexes with the Bis(3-tert-butylimidazol-2-ylidene)borate Ligand and Unusual ¹ H Fluorination. Organometallics, 2011, 30, 2006-2011.	2.3	13
198	Fast preparation of Bi ₂ GeO ₅ nanoflakes via a microwave-hydrothermal process and enhanced photocatalytic activity after loading with Ag nanoparticles. Materials Research Bulletin, 2012, 47, 2422-2427.	5.2	13

#	ARTICLE	IF	CITATIONS
199	Product in indole detection by Ehrlich's reagent. <i>Analytical Biochemistry</i> , 2015, 484, 21-23.	2.4	13
200	Syntheses and Characterization of Tantalum Alkyl Imides and Amide Imides. DFT Studies of Unusual $\hat{\pm}$ -SiMe ₃ Abstraction by an Amide Ligand. <i>Organometallics</i> , 2015, 34, 5687-5696.	2.3	13
201	Synthesis and characterization of Ag($\hat{\pm}$) and Au($\hat{\pm}$) complexes with macrocyclic hybrid amine N-heterocyclic carbene ligands. <i>New Journal of Chemistry</i> , 2018, 42, 4700-4713.	2.8	13
202	Reactions of thioether carboxylic acids with mercury(II). Formation and X-ray crystal structure of mercury(II) mercaptoacetate. <i>Inorganica Chimica Acta</i> , 2004, 357, 243-249.	2.4	12
203	Solvothermal growth and characterization of one-dimensional-nanostructured materials NH ₄ LnF ₄ and LnF ₃ (Ln=Nd, Sm, Eu, Gd and Tb). <i>Journal of Crystal Growth</i> , 2005, 276, 613-620.	1.5	12
204	Studies of the oxidation of palladium complexes by the advanced oxidation process Pretreatment of model catalysts for precious metal analysis. <i>Talanta</i> , 2006, 70, 426-431.	5.5	12
205	A conversion route towards tubular SiO ₂ using rod-like BaSiF ₆ as a novel template. <i>Journal of Solid State Chemistry</i> , 2009, 182, 1679-1684.	2.9	12
206	Formation and Structure of the Novel Heptanuclear Lead(II) Oxo Cluster [Pb ₇ ($\hat{1}/43$ -O)($\hat{1}/44$ -O)($\hat{1}/43$ -OMe) ₄ ($\hat{1}/42$ -I) ₄] ₂ with an Unprecedented Cage Structure. <i>European Journal of Inorganic Chemistry</i> , 2002, 2002, 3210-3213.	2.0	11
207	Reaction of a Tungsten Alkylidyne Complex with a Chelating Diphosphine. $\hat{\pm}$ -Hydrogen Migration in the Intermediates and Formation of an Alkyl Alkylidene Alkylidyne Complex. <i>Organometallics</i> , 2009, 28, 1295-1302.	2.3	11
208	Preparation of Zirconium Guanidinate Complexes from the Direct Insertion of a Carbodiimine and Aminolysis Using a Guanidine. Comparison of the Reactions. <i>Organometallics</i> , 2012, 31, 3443-3446.	2.3	11
209	Formation of stable iron/cobalt NHC complexes via unexpected ring opening and in situ generation of a tridentate ligand. <i>Dalton Transactions</i> , 2012, 41, 10919.	3.3	11
210	A dye-doped optical sensor for the detection of biodiesel in diesel. <i>Chemical Communications</i> , 2013, 49, 9015.	4.1	11
211	Reactions of Group 4 Amide Guanidates with Dioxygen or Water. Studies of the Formation of Oxo Products. <i>Inorganic Chemistry</i> , 2013, 52, 11409-11421.	4.0	11
212	Intermolecular Interactions in Solid-State Metalloporphyrins and Their Impacts on Crystal and Molecular Structures. <i>Inorganic Chemistry</i> , 2014, 53, 11552-11562.	4.0	11
213	Trends in NMR chemical shifts of d ⁰ transition metal compounds. <i>Journal of Organometallic Chemistry</i> , 2017, 852, 74-93.	1.8	11
214	Reactions of d ⁰ alkylidene and amide complexes with silanes. <i>Pure and Applied Chemistry</i> , 2001, 73, 331-335.	1.9	10
215	Amide-Silyl Ligand Exchanges and Equilibria among Group 4 Amide and Silyl Complexes. <i>Inorganic Chemistry</i> , 2007, 46, 8071-8078.	4.0	10
216	Unusual reaction of a tungsten alkylidyne complex with water. Formation, characterization, and crystal structures of oxo trimers. <i>Science China Chemistry</i> , 2011, 54, 1903-1908.	8.2	10

#	ARTICLE	IF	CITATIONS
217	Synthesis and structural characterization of two heterometallic hybrids containing 0-D and 1-D bromoplumbate anions. <i>Polyhedron</i> , 2014, 81, 550-554.	2.2	10
218	Direct analysis of palladium in active pharmaceutical ingredients by anodic stripping voltammetry. <i>Analytica Chimica Acta</i> , 2016, 914, 47-52.	5.4	10
219	Effect of magnetic fields on the methyl rotation in a paramagnetic cobalt(II) complex. Quasielastic neutron scattering studies. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 21119-21126.	2.8	10
220	Magnetic anisotropy in square pyramidal cobalt(II) complexes supported by a tetraazo macrocyclic ligand. <i>Dalton Transactions</i> , 2020, 49, 14837-14846.	3.3	10
221	A Kinetic Study of the Silyl Substitution in Tantalum Amide Silyl Complex $(\text{Me}_2\text{N})_3\text{Ta}[\text{Si}(\text{SiMe}_3)_3]_2$. <i>Inorganic Chemistry</i> , 2007, 46, 6178-6181.	4.0	9
222	Stabilization of tetrameric metavanadate ion by tris(1,10-phenanthroline)cobalt(III): synthesis, spectroscopic, and X-ray structural study of $[\text{Co}(\text{phen})_3]_3(\text{V}_4\text{O}_{12})_2\text{Cl} \cdot 27\text{H}_2\text{O}$. <i>Journal of Coordination Chemistry</i> , 2010, 63, 3016-3027.	2.2	9
223	Reactions of zirconium amide amidinates with dioxygen. Observation of an unusual peroxo intermediate in the formation of oxo compounds. <i>Chemical Communications</i> , 2014, 50, 10517.	4.1	9
224	Manganese tetraphenylporphyrin bromide and iodide. Studies of structures and magnetic properties. <i>Polyhedron</i> , 2020, 184, 114488.	2.2	9
225	A Trisilyl Zincate Containing Bidentate $[(\text{Me}_3\text{Si})_2\text{Si}(\text{CH}_2)_2\text{Si}(\text{SiMe}_3)_2]_2$ -Ligands. <i>Organometallics</i> , 2004, 23, 5910-5912.	2.3	8
226	Polarized neutron diffraction and its application to spin density studies. <i>Science in China Series B: Chemistry</i> , 2009, 52, 2083-2095.	0.8	8
227	Optical and electrochemical sol-gel sensors for inorganic species. <i>Science in China Series B: Chemistry</i> , 2009, 52, 1777-1788.	0.8	8
228	Preparation, characterization, and catalytic properties of (triphenylphosphine)ruthenium complexes bearing N,O,N'-tridentate ligands. <i>Inorganica Chimica Acta</i> , 2009, 362, 4774-4779.	2.4	8
229	A facile synthesis method of nickel nanotubes assisted by polyethylene glycol. <i>Polymer Engineering and Science</i> , 2010, 50, 43-47.	3.1	8
230	Synthesis and structures of η^3 -allylpalladium(II) complexes containing bis(1,2,4-triazol-5-ylidene-1-yl)borate ligands. An unusual tetrahedral palladium complex. <i>Journal of Organometallic Chemistry</i> , 2011, 696, 3800-3806.	1.8	8
231	Pretreatment of whole blood using hydrogen peroxide and UV irradiation. Design of the advanced oxidation process. <i>Talanta</i> , 2012, 97, 118-123.	5.5	8
232	Synthesis and structural characterization of ruthenium(II) carbonyl complexes with a bistriazole N-heterocyclic carbene ligand. <i>Inorganica Chimica Acta</i> , 2012, 386, 46-49.	2.4	8
233	Size-controlled synthesis and magnetic properties of copper germanate nanorods. Observation of size-induced quenching of the spin-Peierls transition. <i>CrystEngComm</i> , 2014, 16, 850-857.	2.6	8
234	Preparation of all N-coordinated zirconium amide amidinates and studies of their reactions with dioxygen and water. <i>Polyhedron</i> , 2016, 103, 2-14.	2.2	8

#	ARTICLE	IF	CITATIONS
235	Density Functional Theory Study of the Reaction between d ⁰ Tungsten Alkylidyne Complexes and H ₂ O: Addition versus Hydrolysis. <i>Inorganic Chemistry</i> , 2017, 56, 7111-7119.	4.0	8
236	Room temperature synthesis and characterization of NaEuF ₄ nanorods and Na ₅ Eu ₉ F ₃₂ nanospheres. <i>Solid State Communications</i> , 2005, 136, 210-214.	1.9	7
237	Synthesis, characterization and crystal structure of zirconium complex containing amidinate, guanidinate and amide ligand sets. <i>Inorganica Chimica Acta</i> , 2009, 362, 4251-4254.	2.4	7
238	Synthesis and characterization of rhodium(I) and iridium(I) carbonyl phosphine complexes with bis(N-heterocyclic carbene)borate ligands. <i>Journal of Organometallic Chemistry</i> , 2012, 710, 36-43.	1.8	7
239	Sustained release of persulfate from inert inorganic materials for groundwater remediation. <i>Chemosphere</i> , 2020, 259, 127508.	8.2	7
240	[IrO ₄] ⁺ at the IX (+9) oxidation state observed, report states. <i>Science China Chemistry</i> , 2015, 58, 4-5.	8.2	6
241	Syntheses and characterization of hepta-coordinated Group 4 amidinate complexes. <i>Dalton Transactions</i> , 2018, 47, 11030-11040.	3.3	6
242	Optical probe for the analysis of trace indole in shrimp. <i>Analytical Biochemistry</i> , 2018, 557, 104-110.	2.4	6
243	Advanced Magnetic Resonance Studies of Tetraphenylporphyrinatoiron(III) Halides. <i>Applied Magnetic Resonance</i> , 2020, 51, 1411-1432.	1.2	6
244	Electrodeposited Sol-gels for Electrochemical Sensing of Cr(VI). <i>American Laboratory</i> , 2007, 39, 37-41.	0.0	6
245	Room temperature selective preparation and characterization of nanorods PbF ₂ (1-x)Br _{2x} (.). <i>Journal of Crystal Growth</i> , 2005, 276, 491-497.	1.5	5
246	Controlled-release polymers for delivery of dipyrityls and tetraalkyl ammonium hydroxide. <i>Journal of Applied Polymer Science</i> , 2007, 104, 1043-1048.	2.6	5
247	Synthesis of Organometallic Compounds. , 2011, , 269-293.		5
248	Synthesis and structural characterization of η^3 -allylpalladium(II) complexes with bis(imidazol-2-ylidene)borate ligands. <i>Polyhedron</i> , 2014, 83, 44-49.	2.2	5
249	Synthesis, Structures, and Catalytic Properties of Dinuclear Iridium(I) Complexes with a Hexadentate Macrocyclic Diamine-tetracarbene Ligand. <i>European Journal of Inorganic Chemistry</i> , 2018, 2018, 1595-1602.	2.0	5
250	Magnetic anisotropy of two tetrahedral Co(II)-halide complexes with triphenylphosphine ligands. <i>Dalton Transactions</i> , 2022, 51, 7530-7538.	3.3	5
251	A novel $\hat{I}^2\hat{a}^+\hat{I}^{\pm}$ phase transition of PbF ₂ at ambient condition driven by fluoride ions. <i>Solid State Communications</i> , 2005, 133, 393-395.	1.9	4
252	Fast preparation of flower-like PbGeO ₃ microstructures at low-temperature via a microwave-assisted hydrothermal process. <i>Materials Letters</i> , 2012, 68, 344-346.	2.6	4

#	ARTICLE	IF	CITATIONS
253	From China to the world: Science China Chemistry celebrates the International Year of Chemistry. <i>Science China Chemistry</i> , 2012, 55, 195-200.	8.2	4
254	C ¹ H Bond Activation during and after the Reactions of a Metallacyclic Amide with Silanes: Formation of a η^4 -Alkylidene Hydride Complex, Its H-D Exchange, and η^2 -H Abstraction by a Hydride Ligand. <i>Chemistry - A European Journal</i> , 2014, 20, 6033-6039.	3.3	4
255	Synthesis, structural characterization and NMR studies of group 10 metal complexes with macrocyclic amine N-heterocyclic carbene ligands. <i>Dalton Transactions</i> , 2018, 47, 4282-4292.	3.3	4
256	Unusual rearrangement of an N-heterocyclic carbene via a ring-opening and ring-closing process. <i>Chemical Communications</i> , 2018, 54, 7830-7833.	4.1	4
257	Palladium and the electrochemical quartz crystal microbalance: A new method for the in situ analysis of the precious metal in aqueous solutions. <i>Analytica Chimica Acta</i> , 2006, 572, 303-308.	5.4	3
258	Mechanistic investigation of hydrolysis reactions of dithioacetal derivatives grafted on silica gels. <i>Talanta</i> , 2004, 63, 259-264.	5.5	2
259	China celebrates the International Year of Chemistry. <i>Science China Chemistry</i> , 2011, 54, 2016-2017.	8.2	2
260	DFT examination of rare η^3 -SiMe ₃ abstraction in Ta(NMe ₂) ₄ [N(SiMe ₃) ₂]: formation of the imide compound Ta(η^3 -SiMe ₃)(NMe ₂) ₃ and its trapping to give guanidinate imides. <i>Dalton Transactions</i> , 2014, 43, 12390-12395.	3.3	2
261	Magnetic anisotropies and slow magnetic relaxation of three tetrahedral tetrakis(pseudohalido)cobalt(II) complexes. <i>New Journal of Chemistry</i> , 2021, 45, 16852-16861.	2.8	2
262	Characterization of (methylcyclopentadienyl)trimethylplatinum and low-temperature organometallic chemical vapor deposition of platinum metal [Erratum to document cited in CA111(25):233169n]. <i>Journal of the American Chemical Society</i> , 1990, 112, 4090-4090.	13.7	1
263	Fabrication of monodisperse colloidal array with confinement effects. <i>Chemical Communications</i> , 2006, , 75-77.	4.1	1
264	Solution NMR of transition metal complexes. , 2023, , 660-744.		1
265	Novel Pretreatments of Whole Blood Using Fenton-Like Processes for Trace Metal Analysis. <i>Ozone: Science and Engineering</i> , 2017, 39, 61-66.	2.5	0
266	Probing Magnetic Excitations in Coll Single-Molecule Magnets by Inelastic Neutron Scattering. <i>European Journal of Inorganic Chemistry</i> , 2019, 2019, 1055-1055.	2.0	0
267	CHEMISTRY IN MOLECULAR APPROACHES TO MICROELECTRONIC DIFFUSION BARRIER MATERIALS. , 2002, , .		0