

Oliver W Hakenberg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11503294/publications.pdf>

Version: 2024-02-01

128
papers

3,982
citations

172457

29
h-index

138484

58
g-index

134
all docs

134
docs citations

134
times ranked

3825
citing authors

#	ARTICLE	IF	CITATIONS
1	EAU Guidelines on Penile Cancer: 2014 Update. <i>European Urology</i> , 2015, 67, 142-150.	1.9	479
2	Perioperative Complications of Radical Cystectomy in a Contemporary Series. <i>European Urology</i> , 2007, 51, 397-402.	1.9	244
3	Lymphadenectomy in the Surgical Management of Penile Cancer. <i>European Urology</i> , 2009, 55, 1075-1088.	1.9	201
4	Prevention and Management of Complications Following Radical Cystectomy for Bladder Cancer. <i>European Urology</i> , 2010, 57, 983-1001.	1.9	194
5	Urine Markers for Detection and Surveillance of Non-Muscle-Invasive Bladder Cancer. <i>European Urology</i> , 2011, 60, 484-492.	1.9	176
6	Bladder wall thickness in normal adults and men with mild lower urinary tract symptoms and benign prostatic enlargement. <i>Neurourology and Urodynamics</i> , 2000, 19, 585-593.	1.5	146
7	Follow-up After Surgical Treatment of Bladder Cancer: A Critical Analysis of the Literature. <i>European Urology</i> , 2012, 62, 290-302.	1.9	121
8	Laparoscopic Living-Donor Nephrectomy: Analysis of the Existing Literature. <i>European Urology</i> , 2010, 58, 498-509.	1.9	119
9	Cisplatin, methotrexate and bleomycin for treating advanced penile carcinoma. <i>BJU International</i> , 2006, 98, 1225-1227.	2.5	105
10	The Estimation of Bladder Volume by Sonocystography. <i>Journal of Urology</i> , 1983, 130, 249-251.	0.4	100
11	Alterations in the tumor suppressor gene p16 INK4A are associated with aggressive behavior of penile carcinomas. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2011, 458, 221-229.	2.8	90
12	Expression of p53, p21 and cyclin D1 in penile cancer: p53 predicts poor prognosis. <i>Journal of Clinical Pathology</i> , 2012, 65, 232-236.	2.0	69
13	p16 ^{INK4a} is a Marker of Good Prognosis for Primary Invasive Penile Squamous Cell Carcinoma: A Multi-Institutional Study. <i>Journal of Urology</i> , 2012, 187, 899-907.	0.4	68
14	Risks and Benefits of Adjuvant Radiotherapy After Inguinal Lymphadenectomy in Node-positive Penile Cancer: A Systematic Review by the European Association of Urology Penile Cancer Guidelines Panel. <i>European Urology</i> , 2018, 74, 76-83.	1.9	61
15	Penile Sparing Surgery for Penile Cancer: A Multicenter International Retrospective Cohort. <i>Journal of Urology</i> , 2018, 199, 1233-1237.	0.4	59
16	Chemosensitization of bladder cancer cells by survivin-directed antisense oligodeoxynucleotides and siRNA. <i>Cancer Letters</i> , 2006, 232, 243-254.	7.2	50
17	Qualitative and quantitative assessment of urinary cytokeratin 8 and 18 fragments compared with voided urine cytology in diagnosis of bladder carcinoma. <i>Urology</i> , 2004, 64, 1121-1126.	1.0	47
18	Surgical management of penile carcinoma <i>in situ</i> : results from an international collaborative study and review of the literature. <i>BJU International</i> , 2018, 121, 393-398.	2.5	45

#	ARTICLE	IF	CITATIONS
19	Does Evaluation With the International Prostate Symptom Score Predict the Outcome of Transurethral Resection of the Prostate?. <i>Journal of Urology</i> , 1997, 158, 94-99.	0.4	43
20	Pharmacodynamics of propiverine and three of its main metabolites on detrusor contraction. <i>British Journal of Pharmacology</i> , 2005, 145, 608-619.	5.4	42
21	Is There a Relationship between the Amount of Tissue Removed at Transurethral Resection of the Prostate and Clinical Improvement in Benign Prostatic Hyperplasia. <i>European Urology</i> , 2001, 39, 412-417.	1.9	41
22	Propiverine and metabolites: differences in binding to muscarinic receptors and in functional models of detrusor contraction. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2006, 374, 87-97.	3.0	41
23	Contribution of Ca ²⁺ influx to carbachol-induced detrusor contraction is different in human urinary bladder compared to pig and mouse. <i>European Journal of Pharmacology</i> , 2007, 565, 180-189.	3.5	40
24	CHOLINERGIC AND PURINERGIC RESPONSES IN ISOLATED HUMAN DETRUSOR IN RELATION TO AGE. <i>Journal of Urology</i> , 2005, 173, 2182-2189.	0.4	39
25	Comparative Diagnostic Value of Urine Cytology, UBC-ELISA, and Fluorescence In Situ Hybridization for Detection of Transitional Cell Carcinoma of Urinary Bladder in Routine Clinical Practice. <i>Urology</i> , 2007, 70, 449-453.	1.0	38
26	Clinical Outcomes of Perioperative Chemotherapy in Patients With Locally Advanced Penile Squamous-Cell Carcinoma: Results of a Multicenter Analysis. <i>Clinical Genitourinary Cancer</i> , 2017, 15, 548-555.e3.	1.9	37
27	Management of Germ Cell Tumours of the Testis in Adult Patients. German Clinical Practice Guideline Part I: Epidemiology, Classification, Diagnosis, Prognosis, Fertility Preservation, and Treatment Recommendations for Localized Stages. <i>Urologia Internationalis</i> , 2021, 105, 169-180.	1.3	37
28	Detailed Analysis of Charlson Comorbidity Score as Predictor of Mortality After Radical Prostatectomy. <i>Urology</i> , 2008, 72, 1252-1257.	1.0	34
29	Evidence from the â€˜PROspective MulticEnTer Radical Cystectomy Series 2011 (PROMETRICS 2011)â€™ Study: How are Preoperative Patient Characteristics Associated with Urinary Diversion Type After Radical Cystectomy for Bladder Cancer?. <i>Annals of Surgical Oncology</i> , 2015, 22, 1032-1042.	1.5	33
30	Spontaneous late rupture of orthotopic detubularized ileal neobladders: report of five cases. <i>Urology</i> , 2001, 58, 43-46.	1.0	30
31	Prognostic and diagnostic implications of epithelial cell adhesion/activating molecule (<sc>EpCAM</sc>) expression in renal tumours: a retrospective clinicopathological study of 948 cases using tissue microarrays. <i>BJU International</i> , 2014, 114, 296-302.	2.5	29
32	Influence of Body Mass Index on Clinical Outcome Parameters, Complication Rate and Survival after Radical Cystectomy: Evidence from a Prospective European Multicentre Study. <i>Urologia Internationalis</i> , 2018, 101, 16-24.	1.3	28
33	Issues in the Treatment of Penile Carcinoma. <i>Urologia Internationalis</i> , 1999, 62, 229-233.	1.3	27
34	Decreased Overall and Bladder Cancerâ€™Specific Mortality with Adjuvant Chemotherapy After Radical Cystectomy: Multivariable Competing Risk Analysis. <i>European Urology</i> , 2016, 69, 984-987.	1.9	27
35	Nomogram-based prediction of overall survival after regional lymph node dissection and the role of perioperative chemotherapy in penile squamous cell carcinoma: A retrospective multicenter study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019, 37, 531.e7-531.e15.	1.6	27
36	Feasibility and Limitations of Comorbidity Measurement in Patients Undergoing Radical Prostatectomy. <i>European Urology</i> , 2005, 47, 190-195.	1.9	26

#	ARTICLE	IF	CITATIONS
37	Integrated Loss of miR-1/miR-101/miR-204 Discriminates Metastatic from Nonmetastatic Penile Carcinomas and Can Predict Patient Outcome. <i>Journal of Urology</i> , 2016, 196, 570-578.	0.4	26
38	Laser ablation as monotherapy for penile squamous cell carcinoma: A multi-center cohort analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018, 36, 147-152.	1.6	26
39	Which patients are at the highest risk of dying from competing causes 10 years after radical prostatectomy?. <i>BJU International</i> , 2012, 110, 206-210.	2.5	24
40	Chemotherapy in penile cancer. <i>Therapeutic Advances in Urology</i> , 2012, 4, 133-138.	2.0	23
41	Locally Recurrent Malignant Fibrous Histiocytoma: A Rare and Aggressive Genitourinary Malignancy. <i>Urologia Internationalis</i> , 1999, 62, 164-170.	1.3	22
42	Ki-67, mini-chromosome maintenance 2 protein (MCM2) and geminin have no independent prognostic relevance for cancer-specific survival in surgically treated squamous cell carcinoma of the penis. <i>BJU International</i> , 2013, 112, E383-90.	2.5	22
43	Inherent Grading Characteristics of Individual Pathologists Contribute to Clinically and Prognostically Relevant Interobserver Discordance Concerning Broders' Grading of Penile Squamous Cell Carcinomas. <i>Urologia Internationalis</i> , 2013, 90, 207-213.	1.3	22
44	Association Between Human Papillomavirus Infection and Outcome of Perioperative Nodal Radiotherapy for Penile Carcinoma. <i>European Urology Oncology</i> , 2021, 4, 802-810.	5.4	22
45	Effect of Hospital and Surgeon Case Volume on Perioperative Quality of Care and Short-term Outcomes After Radical Cystectomy for Muscle-invasive Bladder Cancer: Results From a European Tertiary Care Center Cohort. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e809-e817.	1.9	21
46	Perioperative allogeneic blood transfusion does not adversely affect oncological outcomes after radical cystectomy for urinary bladder cancer: a propensity score-weighted European multicentre study. <i>BJU International</i> , 2018, 121, 101-110.	2.5	21
47	Relationship of Comorbidity, Age and Perioperative Complications in Patients Undergoing Radical Prostatectomy. <i>Urologia Internationalis</i> , 2001, 67, 283-288.	1.3	20
48	Effect of rilmakalim on detrusor contraction in the presence and absence of urothelium. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2005, 372, 203-212.	3.0	20
49	Molecular Therapy in Urologic Oncology. <i>Urologia Internationalis</i> , 2007, 79, 1-7.	1.3	20
50	Optimal treatment of locally advanced prostate cancer. <i>World Journal of Urology</i> , 2007, 25, 169-176.	2.2	20
51	Systematic Assessment of Complications and Outcome of Radical Cystectomy Undertaken with Curative Intent in Patients with Comorbidity and over 75 Years of Age. <i>Urologia Internationalis</i> , 2013, 90, 195-201.	1.3	20
52	A combined index to classify prognostic comorbidity in candidates for radical prostatectomy. <i>BMC Urology</i> , 2014, 14, 28.	1.4	20
53	Identifying Psychosocial Distress and Stressors Using Distress-screening Instruments in Patients With Localized and Advanced Penile Cancer. <i>Clinical Genitourinary Cancer</i> , 2017, 15, 605-609.	1.9	19
54	Hyperpolarization-Activated Cyclic Nucleotide-Gated Non-selective (HCN) Ion Channels Regulate Human and Murine Urinary Bladder Contractility. <i>Frontiers in Physiology</i> , 2018, 9, 753.	2.8	19

#	ARTICLE	IF	CITATIONS
55	A brief overview of the development of robot-assisted radical prostatectomy. Arab Journal of Urology Arab Association of Urology, 2018, 16, 293-296.	1.5	19
56	Management of Germ Cell Tumours of the Testes in Adult Patients: German Clinical Practice Guideline, PART II – Recommendations for the Treatment of Advanced, Recurrent, and Refractory Disease and Extragonadal and Sex Cord/Stromal Tumours and for the Management of Follow-Up, Toxicity, Quality of Life, Palliative Care, and Supportive Therapy. Urologia Internationalis, 2021, 105, 181-191.	1.3	19
57	Different HER2 Protein Expression Profiles Aid in the Histologic Differential Diagnosis Between Urothelial Carcinoma In Situ (CIS) and Non-CIS Conditions (Dysplasia and Reactive Atypia) of the Urinary Bladder Mucosa. American Journal of Clinical Pathology, 2011, 136, 881-888.	0.7	18
58	Treatment of Bone Metastases in Urologic Malignancies. Urologia Internationalis, 2014, 93, 249-256.	1.3	18
59	Effectiveness of Adjuvant Chemotherapy After Radical Cystectomy for Locally Advanced and/or Pelvic Lymph Node-Positive Muscle-invasive Urothelial Carcinoma of the Bladder: A Propensity Score-Weighted Competing Risks Analysis. European Urology Focus, 2018, 4, 252-259.	3.1	18
60	Analysis of psychosocial stress factors in patients with renal cancer. Therapeutic Advances in Urology, 2018, 10, 175-182.	2.0	18
61	Chronic Pelvic Pain in Men. Urologia Internationalis, 2002, 68, 138-143.	1.3	17
62	Interaction Between Age and Comorbidity as Predictors of Mortality After Radical Prostatectomy. Journal of Urology, 2008, 179, 1823-1829.	0.4	15
63	Glansectomy as Primary Management of Penile Squamous Cell Carcinoma: An International Study Collaboration. Urology, 2017, 109, 140-144.	1.0	15
64	Upper Urinary Tract Tumors: Which Diagnostic Methods Are Needed?. Urologia Internationalis, 2017, 98, 304-311.	1.3	15
65	Optimising the selection of candidates for neoadjuvant chemotherapy amongst patients with node-positive penile squamous cell carcinoma. BJU International, 2020, 125, 867-875.	2.5	15
66	Loss of Mismatch-repair Protein Expression and Microsatellite Instability in Upper Tract Urothelial Carcinoma and Clinicopathologic Implications. Clinical Genitourinary Cancer, 2020, 18, e563-e572.	1.9	15
67	Comorbidity is poor predictor of survival in patients undergoing radical prostatectomy after 70 years of age. Urology, 2006, 68, 583-586.	1.0	14
68	Treatment of Locally Advanced Prostate Cancer – The Case for Radical Prostatectomy. Urologia Internationalis, 2006, 77, 193-199.	1.3	14
69	Which comorbidity classification best fits elderly candidates for radical prostatectomy?. Urologic Oncology: Seminars and Original Investigations, 2013, 31, 461-467.	1.6	14
70	C-kit overexpression is not associated with KIT gene mutations in chromophobe renal cell carcinoma or renal oncocytoma. Pathology Research and Practice, 2014, 210, 521-525.	2.3	14
71	Diagnostic and prognostic value of bladder cancer-related transcript markers in urine. Journal of Cancer Research and Clinical Oncology, 2016, 142, 401-414.	2.5	14
72	Urinary transcript quantitation of CK20 and IGF2 for the non-invasive bladder cancer detection. Journal of Cancer Research and Clinical Oncology, 2017, 143, 1757-1769.	2.5	14

#	ARTICLE	IF	CITATIONS
73	E2F1 Signalling is Predictive of Chemoresistance and Lymphogenic Metastasis in Penile Cancer: A Pilot Functional Study Reveals New Prognostic Biomarkers. <i>European Urology Focus</i> , 2018, 4, 599-607.	3.1	14
74	Cross-Sectional Patient-Reported Outcome Measuring of Health-Related Quality of Life With Establishment of Cancer- and Treatment-Specific Functional and Symptom Scales in Patients With Penile Cancer. <i>Clinical Genitourinary Cancer</i> , 2018, 16, e1215-e1220.	1.9	14
75	Age-dependent contribution of Rho kinase in carbachol-induced contraction of human detrusor smooth muscle in vitro. <i>Acta Pharmacologica Sinica</i> , 2014, 35, 74-81.	6.1	13
76	Nivolumab for the treatment of bladder cancer. <i>Expert Opinion on Biological Therapy</i> , 2017, 17, 1309-1315.	3.1	13
77	Rare ADAR and RNASEH2B variants and a type I interferon signature in glioma and prostate carcinoma risk and tumorigenesis. <i>Acta Neuropathologica</i> , 2017, 134, 905-922.	7.7	12
78	Predicting 90-day and long-term mortality in octogenarians undergoing radical cystectomy. <i>BMC Urology</i> , 2018, 18, 91.	1.4	12
79	A risk calculator predicting recurrence in lymph node metastatic penile cancer. <i>BJU International</i> , 2020, 126, 577-585.	2.5	12
80	Brachytherapy for Prostate Cancer. <i>Urologia Internationalis</i> , 1999, 63, 87-91.	1.3	11
81	Synthetic Nucleic Acids as Potential Therapeutic Tools for Treatment of Bladder Carcinoma. <i>European Urology</i> , 2007, 51, 315-327.	1.9	11
82	C-MET is expressed in the majority of penile squamous cell carcinomas and correlates with polysomy-7 but is not associated with MET oncogene amplification, pertinent histopathologic parameters, or with cancer-specific survival. <i>Pathology Research and Practice</i> , 2013, 209, 215-220.	2.3	11
83	Survival analysis in men undergoing radical prostatectomy at an age of 70 years or older. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2010, 28, 628-634.	1.6	10
84	Aggressive Angiomyxoma as a Rare Differential Diagnosis of Enlargement of the Scrotum. <i>Clinical Genitourinary Cancer</i> , 2016, 14, e237-e239.	1.9	9
85	Surgical resection of locally recurrent renal cell carcinoma after nephrectomy: Oncological outcome and predictors of survival. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018, 36, 11.e1-11.e6.	1.6	9
86	Gender and Mortality after Radical Cystectomy: Competing Risk Analysis. <i>Urologia Internationalis</i> , 2018, 101, 293-299.	1.3	9
87	Inverse relationship of Rho kinase and myosin-light chain kinase expression in the aging human detrusor smooth muscle. <i>BMC Urology</i> , 2015, 15, 104.	1.4	8
88	Prediction of Locally Advanced Urothelial Carcinoma of the Bladder Using Clinical Parameters before Radical Cystectomy - A Prospective Multicenter Study. <i>Urologia Internationalis</i> , 2016, 96, 57-64.	1.3	8
89	Impact of photodynamic diagnosis-assisted transurethral resection of bladder tumors on the prognostic outcome after radical cystectomy: results from PROMETRICS 2011. <i>World Journal of Urology</i> , 2017, 35, 245-250.	2.2	8
90	Copy Number Alterations with Prognostic Potential in Clear Cell Renal Cell Carcinoma. <i>Urologia Internationalis</i> , 2018, 101, 417-424.	1.3	8

#	ARTICLE	IF	CITATIONS
91	Correlation of Pathological and Cytological-Cytometric Grading of Transitional Cell Carcinoma of the Urinary Tract. <i>Urologia Internationalis</i> , 2011, 86, 36-40.	1.3	7
92	P2Y receptor-mediated transient relaxation of rat longitudinal ileum preparations involves phospholipase C activation, intracellular Ca ²⁺ release and SK channel activation. <i>Acta Pharmacologica Sinica</i> , 2016, 37, 617-628.	6.1	7
93	Critical evaluation of the PADUA score in a retrospective analysis of open partial nephrectomy. <i>Turkish Journal of Urology</i> , 2018, 44, 208-212.	1.3	7
94	Emerging apoptosis agonists for bladder cancer. <i>Expert Opinion on Emerging Drugs</i> , 2009, 14, 607-618.	2.4	6
95	Urinary immunocytology—Promise or nonseller? A review with an opinion. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014, 32, 383-390.	1.6	6
96	Age-related decrease of adenosine-mediated relaxation in rat detrusor is a result of A2B receptor downregulation. <i>International Journal of Urology</i> , 2015, 22, 322-329.	1.0	6
97	Psychological stress in geriatric patients with genito-urinary cancers. <i>Journal of Geriatric Oncology</i> , 2017, 8, 216-219.	1.0	6
98	Cure of Interstitial Cystitis and Non-Ulcerating Hunner's Ulcer by Cardinal/Uterosacral Ligament Repair. <i>Urologia Internationalis</i> , 2021, 105, 920-923.	1.3	6
99	How to Make the Diagnosis of Benign Prostatic Disease. <i>European Urology Supplements</i> , 2009, 8, 490-495.	0.1	5
100	Expression and clinicopathological correlations of retinoid acid receptor responder protein 1 in renal cell carcinomas. <i>Biomarkers in Medicine</i> , 2016, 10, 721-732.	1.4	5
101	Contemporary Treatment Patterns and Outcomes for Patients with Penile Squamous Cell Carcinoma: Identifying Management Gaps to Promote Multi-institutional Collaboration. <i>European Urology Oncology</i> , 2021, 4, 121-123.	5.4	5
102	Level of education and mortality after radical prostatectomy. <i>Asian Journal of Andrology</i> , 2017, 19, 173.	1.6	5
103	Changing comorbidity classification patterns at radical prostatectomy during a 10-year period. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2007, 25, 26-31.	1.6	3
104	Comment on Di Silverio et al.: Neoadjuvant Therapy with Sorafenib in Advanced Renal Cell Carcinoma with Vena Cava Extension Submitted to Radical Nephrectomy. <i>Urologia Internationalis</i> , 2008, 80, 454-454.	1.3	3
105	A New Neoadjuvant Chemotherapy Regimen for Penile Cancer with Nodal Metastases: A Step Forward. <i>European Urology</i> , 2009, 55, 552-553.	1.9	3
106	Reply to Kamran Zargar-Shoshtari, Pranav Sharma and Philippe E. Spiess Letter to the Editor re: Oliver W. Hakenberg, Eva M. Compérat, Suks Minhas, Andrea Necchi, Chris Protzel, Nick Watkin. <i>EAU Guidelines on Penile Cancer: 2014 Update. Eur Urol</i> 2015;67:142-50. <i>European Urology</i> , 2015, 67, e111.	1.9	3
107	Lee mortality index as comorbidity measure in patients undergoing radical cystectomy. <i>SpringerPlus</i> , 2015, 4, 55.	1.2	3
108	Risk factors and survival outcomes for upstaging after inguinal lymph node dissection for cN1 penile squamous cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 838.e7-838.e13.	1.6	3

#	ARTICLE	IF	CITATIONS
109	Editorial Comment on: A Prospective Randomized Study Comparing Monopolar and Bipolar Transurethral Resection of Prostate Using Transurethral Resection in Saline (TURIS) System. <i>European Urology</i> , 2007, 52, 523.	1.9	2
110	Re: Niels M. Graafland, Joost A.P. Leijte, Renato A. ValdÃ©s Olmos, et al. Scanning with 18F-FDG-PET/CT for Detection of Pelvic Nodal Involvement in Inguinal Node-Positive Penile Carcinoma. <i>Eur Urol</i> 2009;56:339â€“45. <i>European Urology</i> , 2010, 57, e12-e13.	1.9	2
111	Re: Role of Human Papillomavirus in Penile Carcinomas Worldwide. <i>European Urology</i> , 2016, 70, 1078-1079.	1.9	1
112	Pathology, Molecular Biology, and Prognosis of Penile Squamous Cell Carcinoma: What Can We Learn from the Specimen?. <i>European Urology Supplements</i> , 2018, 17, 138-145.	0.1	1
113	Re: Differences in Survival Associated with Lymph Node Dissection in Patients with Invasive Penile Cancer: Results from the National Cancer Database. <i>European Urology</i> , 2018, 74, 678-679.	1.9	1
114	Effectiveness and Distribution of Testosterone Levels within First Year of Androgen Deprivation Therapy in a Real-World Setting: Results from the Non-Interventional German Cohort LEAN Study. <i>Urologia Internationalis</i> , 2021, 105, 436-445.	1.3	1
115	Ceruloplasmin expression in renal cell carcinoma correlates with higher-grade and shortened survival. <i>Biomarkers in Medicine</i> , 2021, 15, 841-850.	1.4	1
116	Re: Froehner M, Koch R, Litz RJ, Oehlschlaeger S, Hakenberg OW, Wirth MP, Feasibility and limitations of comorbidity measurement in patients undergoing radical prostatectomy. <i>Eur Urol</i> 2005;47:190â€“5. <i>European Urology</i> , 2005, 48, 169.	1.9	0
117	Reply to M.G. Clarke, R. MacDonagh. <i>European Urology</i> , 2005, 48, 170.	1.9	0
118	Re: Bladder Cancer Screening in a High Risk Asymptomatic Population Using a Point of Care Urine Based Protein Tumour Marker. <i>European Urology</i> , 2009, 56, 1087-1088.	1.9	0
119	Lymph Node Management in Penile Cancer. , 2019, , 833-843.		0
120	Lymph Node Management in Penile Cancer. , 2019, , 1-11.		0
121	Diagnosis and Staging in Penile Cancer. , 2019, , 1-8.		0
122	Flow-dependent differentiation of cultured adrenal cells under different stimuli. <i>Cell and Tissue Research</i> , 2021, 384, 325-331.	2.9	0
123	Urinmarker und zellbasierte Nachweisverfahren beim Urothelkarzinom. , 2007, , 135-155.		0
124	Chemotherapy in Penile Cancer. , 2014, , 199-214.		0
125	Peniskarzinom. , 2014, , 1-17.		0
126	Chemotherapy in Penile Cancer. , 2016, , 235-243.		0

#	ARTICLE	IF	CITATIONS
127	Urinmarker beim Blasenkarzinom. , 2018, , 135-152.		0
128	Diagnosis and Staging in Penile Cancer. , 2019, , 807-815.		0