Yaseen M Arabi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11526138/publications.pdf

Version: 2024-02-01

7745 22153 24,685 194 59 150 citations h-index g-index papers 200 200 200 31642 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	VTE Prophylaxis in Critically Ill Adults. Chest, 2022, 161, 418-428.	0.8	27
2	Severe Middle East Respiratory Syndrome (MERS) Pneumonia. , 2022, , 362-372.		2
3	The Saudi Critical Care Society practice guidelines on the management of COVID-19 in the ICU: Therapy section. Journal of Infection and Public Health, 2022, 15, 142-151.	4.1	10
4	Infection control in the intensive care unit: expert consensus statements for SARS-CoV-2 using a Delphi method. Lancet Infectious Diseases, The, 2022, 22, e74-e87.	9.1	10
5	Predicting enteral feeding intolerance in patients with sepsis: Why and how?. Saudi Journal of Gastroenterology, 2022, 28, 1.	1.1	2
6	High-Flow Nasal Oxygen and Noninvasive Ventilation for COVID-19. Critical Care Clinics, 2022, 38, 601-621.	2.6	2
7	Electronic medical record implementation in a large healthcare system from a leadership perspective. BMC Medical Informatics and Decision Making, 2022, 22, 66.	3.0	2
8	Effect of Antiplatelet Therapy on Survival and Organ Support–Free Days in Critically Ill Patients With COVID-19. JAMA - Journal of the American Medical Association, 2022, 327, 1247.	7.4	83
9	Management of acute atrial fibrillation in the intensive care unit: An international survey. Acta Anaesthesiologica Scandinavica, 2022, 66, 375-385.	1.6	9
10	Nutrition priorities in obese critically ill patients. Current Opinion in Clinical Nutrition and Metabolic Care, 2022, 25, 99-109.	2.5	2
11	Lessening Organ Dysfunction With Vitamin C (LOVIT) Trial: Statistical Analysis Plan. JMIR Research Protocols, 2022, 11, e36261.	1.0	3
12	Effect of Awake Prone Positioning on Endotracheal Intubation in Patients With COVID-19 and Acute Respiratory Failure. JAMA - Journal of the American Medical Association, 2022, 327, 2104.	7.4	63
13	The effect of intermittent pneumatic compression on deep-vein thrombosis and ventilation-free days in critically ill patients with heart failure. Scientific Reports, 2022, 12, .	3.3	2
14	Intravenous Vitamin C in Adults with Sepsis in the Intensive Care Unit. New England Journal of Medicine, 2022, 386, 2387-2398.	27.0	146
15	Machine learning decision tree algorithm role for predicting mortality in critically ill adult COVID-19 patients admitted to the ICU. Journal of Infection and Public Health, 2022, 15, 826-834.	4.1	37
16	Enteral Feeding Intolerance: Updates in Definitions and Pathophysiology. Nutrition in Clinical Practice, 2021, 36, 40-49.	2.4	54
17	Surviving Sepsis Campaign Guidelines on the Management of Adults With Coronavirus Disease 2019 (COVID-19) in the ICU: First Update. Critical Care Medicine, 2021, 49, e219-e234.	0.9	289
18	A Post Hoc Analysis of Osmotherapy Use in the Erythropoietin in Traumatic Brain Injury Studyâ€"Associations With Acute Kidney Injury and Mortality. Critical Care Medicine, 2021, 49, e394-e403.	0.9	14

#	Article	IF	CITATIONS
19	Expert consensus statements for the management of COVID-19-related acute respiratory failure using a Delphi method. Critical Care, 2021, 25, 106.	5.8	121
20	How the COVID-19 pandemic will change the future of critical care. Intensive Care Medicine, 2021, 47, 282-291.	8.2	132
21	COVID-19 research in critical care: the good, the bad, and the ugly. Intensive Care Medicine, 2021, 47, 470-472.	8.2	11
22	Early sedation with dexmedetomidine in ventilated critically ill patients and heterogeneity of treatment effect in the SPICE III randomised controlled trial. Intensive Care Medicine, 2021, 47, 455-466.	8.2	43
23	Newâ€onset atrial fibrillation in the intensive care unit: Protocol for an international inception cohort study (AFIBâ€iCU). Acta Anaesthesiologica Scandinavica, 2021, 65, 846-851.	1.6	4
24	Interleukin-6 Receptor Antagonists in Critically Ill Patients with Covid-19. New England Journal of Medicine, 2021, 384, 1491-1502.	27.0	1,419
25	Mortality outcomes with hydroxychloroquine and chloroquine in COVID-19 from an international collaborative meta-analysis of randomized trials. Nature Communications, 2021, 12, 2349.	12.8	194
26	The Performance of Equations That Estimate Glomerular Filtration Rate against Measured Urinary Creatinine Clearance in Critically Ill Patients. Critical Care Research and Practice, 2021, 2021, 1-11.	1.1	7
27	Implementation of new ECMO centers during the COVID-19 pandemic: experience and results from the Middle East and India. Intensive Care Medicine, 2021, 47, 887-895.	8.2	39
28	Lopinavir-ritonavir and hydroxychloroquine for critically ill patients with COVID-19: REMAP-CAP randomized controlled trial. Intensive Care Medicine, 2021, 47, 867-886.	8.2	65
29	The gut in COVID-19. Intensive Care Medicine, 2021, 47, 1024-1027.	8.2	9
30	Favipiravir and Hydroxychloroquine Combination Therapy in Patients with Moderate to Severe COVID-19 (FACCT Trial): An Open-Label, Multicenter, Randomized, Controlled Trial. Infectious Diseases and Therapy, 2021, 10, 2291-2307.	4.0	12
31	Helmet Non-Invasive Ventilation for COVID-19 Patients (Helmet-COVID): study protocol for a multicentre randomised controlled trial. BMJ Open, 2021, 11, e052169.	1.9	4
32	Therapeutic Anticoagulation with Heparin in Noncritically Ill Patients with Covid-19. New England Journal of Medicine, 2021, 385, 790-802.	27.0	778
33	Replacing protein via enteral nutrition in a stepwise approach in critically ill patients: A pilot randomized controlled trial (REPLENISH pilot trial). Clinical Nutrition ESPEN, 2021, 44, 166-172.	1.2	8
34	How COVID-19 will change the management of other respiratory viral infections. Intensive Care Medicine, 2021, 47, 1148-1151.	8.2	1
35	Mechanical Ventilation Discontinuation Practices in Asia: A Multinational Survey. Annals of the American Thoracic Society, 2021, 18, 1352-1359.	3.2	6
36	Therapeutic Anticoagulation with Heparin in Critically III Patients with Covid-19. New England Journal of Medicine, 2021, 385, 777-789.	27.0	712

#	Article	IF	CITATIONS
37	Managing critical care during COVID-19 pandemic: The experience of an ICU of a tertiary care hospital. Journal of Infection and Public Health, 2021, 14, 1635-1641.	4.1	21
38	COVID-19 Critical Care Simulations: An International Cross-Sectional Survey. Frontiers in Public Health, 2021, 9, 700769.	2.7	4
39	Evolution of practice patterns in the management of acute respiratory distress syndrome: A secondary analysis of two successive randomized controlled trials. Journal of Critical Care, 2021, 65, 274-281.	2.2	9
40	Critically ill patients with diabetes and Middle East respiratory syndrome: a multi-center observational study. BMC Infectious Diseases, 2021, 21, 84.	2.9	3
41	A clinical approach to acute mesenteric ischemia. Current Opinion in Critical Care, 2021, 27, 183-192.	3.2	17
42	Prevention of gastrointestinal bleeding in critically ill patients. Current Opinion in Critical Care, 2021, 27, 177-182.	3.2	5
43	The REMDACTA trial: do interleukin receptor antagonists provide additional benefit in COVID-19?. Intensive Care Medicine, 2021, 47, 1315-1318.	8.2	6
44	Effect of Convalescent Plasma on Organ Support–Free Days in Critically Ill Patients With COVID-19. JAMA - Journal of the American Medical Association, 2021, 326, 1690.	7.4	169
45	The story of critical care in Asia: a narrative review. Journal of Intensive Care, 2021, 9, 60.	2.9	10
46	Enteral Nutrition Safety With Advanced Treatments: Extracorporeal Membrane Oxygenation, Prone Positioning, and Infusion of Neuromuscular Blockers. Nutrition in Clinical Practice, 2021, 36, 88-97.	2.4	13
47	Kinetics of antibody response in critically ill patients with Middle East respiratory syndrome and association with mortality and viral clearance. Scientific Reports, 2021, 11, 22548.	3.3	2
48	Outcomes of septic cirrhosis patients admitted to the intensive care unit. Medicine (United States), 2021, 100, e27593.	1.0	8
49	Statistical analysis plan for the Stepped-wedge Cluster Randomized trial of Electronic Early Notification of sepsis in hospitalized ward patients (SCREEN). Trials, 2021, 22, 828.	1.6	1
50	Nutrition support for critically ill patients. Journal of Parenteral and Enteral Nutrition, 2021, 45, 47-59.	2.6	13
51	A guide to enteral nutrition in intensive care units: 10 expert tips for the daily practice. Critical Care, 2021, 25, 424.	5.8	48
52	Enteral Nutrition Should Not Be Given to Patients on Vasopressor Agents. Critical Care Medicine, 2020, 48, 119-121.	0.9	19
53	Serum Lactate as an Independent Predictor of In-Hospital Mortality in Intensive Care Patients. Journal of Intensive Care Medicine, 2020, 35, 1257-1264.	2.8	16
54	Ribavirin and Interferon Therapy for Critically Ill Patients With Middle East Respiratory Syndrome: A Multicenter Observational Study. Clinical Infectious Diseases, 2020, 70, 1837-1844.	5.8	203

#	Article	IF	Citations
55	Treatment of Middle East respiratory syndrome with a combination of lopinavir/ritonavir and interferon- \hat{l}^2 1b (MIRACLE trial): statistical analysis plan for a recursive two-stage group sequential randomized controlled trial. Trials, 2020, 21, 8.	1.6	108
56	Protein intake and outcome in critically ill patients. Current Opinion in Clinical Nutrition and Metabolic Care, 2020, 23, 51-58.	2.5	11
57	Leptin, Ghrelin, and Leptin/Ghrelin Ratio in Critically Ill Patients. Nutrients, 2020, 12, 36.	4.1	12
58	The ten reasons why corticosteroid therapy reduces mortality in severe COVID-19. Intensive Care Medicine, 2020, 46, 2067-2070.	8.2	38
59	Interferon Beta-1b and Lopinavir–Ritonavir for Middle East Respiratory Syndrome. New England Journal of Medicine, 2020, 383, 1645-1656.	27.0	61
60	The effect of dexmedetomidine on vasopressor requirements in patients with septic shock: a subgroup analysis of the Sedation Practice in Intensive Care Evaluation [SPICEÂIII] Trial. Critical Care, 2020, 24, 441.	5.8	55
61	Phenotypes and personalized medicine in the acute respiratory distress syndrome. Intensive Care Medicine, 2020, 46, 2136-2152.	8.2	106
62	A minimal common outcome measure set for COVID-19 clinical research. Lancet Infectious Diseases, The, 2020, 20, e192-e197.	9.1	1,165
63	Pharmacologic Treatments and Supportive Care for Middle East Respiratory Syndrome. Emerging Infectious Diseases, 2020, 26, 1102-1112.	4.3	6
64	Bacteremia Antibiotic Length Actually Needed for Clinical Effectiveness (BALANCE) randomised clinical trial: study protocol. BMJ Open, 2020, 10, e038300.	1.9	16
65	Gastrointestinal dysfunction in the critically ill: a systematic scoping review and research agenda proposed by the Section of Metabolism, Endocrinology and Nutrition of the European Society of Intensive Care Medicine. Critical Care, 2020, 24, 224.	5. 8	96
66	Nutrition Therapy in Critically III Patients With Coronavirus Disease 2019. Journal of Parenteral and Enteral Nutrition, 2020, 44, 1174-1184.	2.6	143
67	Global outbreak research: harmony not hegemony. Lancet Infectious Diseases, The, 2020, 20, 770-772.	9.1	40
68	Managing ICU surge during the COVID-19 crisis: rapid guidelines. Intensive Care Medicine, 2020, 46, 1303-1325.	8.2	281
69	Focus on gastrointestinal system in critically ill patients. Intensive Care Medicine, 2020, 46, 1749-1752.	8.2	2
70	Surviving Sepsis Campaign: guidelines on the management of critically ill adults with Coronavirus Disease 2019 (COVID-19). Intensive Care Medicine, 2020, 46, 854-887.	8.2	1,536
71	Patient Outcomes at Twelve Months after Early Decompressive Craniectomy for Diffuse Traumatic Brain Injury in the Randomized DECRA Clinical Trial. Journal of Neurotrauma, 2020, 37, 810-816.	3.4	53
72	Surveillance or no surveillance ultrasonography for deep vein thrombosis and outcomes of critically ill patients: a pre-planned sub-study of the PREVENT trial. Intensive Care Medicine, 2020, 46, 737-746.	8.2	21

#	Article	IF	CITATIONS
73	COVID-19: a novel coronavirus and a novel challenge for critical care. Intensive Care Medicine, 2020, 46, 833-836.	8.2	222
74	Critical care management of adults with community-acquired severe respiratory viral infection. Intensive Care Medicine, 2020, 46, 315-328.	8.2	172
75	Treatment of patients with nonsevere and severe coronavirus disease 2019: an evidence-based guideline. Cmaj, 2020, 192, E536-E545.	2.0	45
76	Analysis of the Healthcare MERS-CoV Outbreak in King Abdulaziz Medical Center, Riyadh, Saudi Arabia, June–August 2015 Using a SEIR Ward Transmission Model. International Journal of Environmental Research and Public Health, 2020, 17, 2936.	2.6	8
77	Patient-Ventilator Asynchrony in Critical Care Settings: National Outcomes of Ventilator Waveform Analysis. Heart and Lung: Journal of Acute and Critical Care, 2020, 49, 630-636.	1.6	6
78	Intensive care management of coronavirus disease 2019 (COVID-19): challenges and recommendations. Lancet Respiratory Medicine, the, 2020, 8, 506-517.	10.7	1,177
79	Critical Care Bed Capacity in Asian Countries and Regions. Critical Care Medicine, 2020, 48, 654-662.	0.9	133
80	Association of corticosteroids use and outcomes in COVID-19 patients: A systematic review and meta-analysis. Journal of Infection and Public Health, 2020, 13, 1652-1663.	4.1	47
81	Surviving Sepsis Campaign: Guidelines on the Management of Critically Ill Adults with Coronavirus Disease 2019 (COVID-19). Critical Care Medicine, 2020, 48, e440-e469.	0.9	816
82	Spectrum of histopathological findings in coronavirus disease-19, Middle East respiratory syndrome and severe acute respiratory syndrome. Annals of Thoracic Medicine, 2020, 15, 52.	1.8	6
83	Simulation role in preparing for COVID-19. Annals of Thoracic Medicine, 2020, 15, 134.	1.8	13
84	Clinical trials for coronavirus disease 2019: What is being evaluated and what is not. Annals of Thoracic Medicine, 2020, 15, 49.	1.8	7
85	How to Feed the Critically Illâ€"A Review. Annals of the Academy of Medicine, Singapore, 2020, 49, 573-581.	0.4	4
86	Body Mass Index and Mortality in Subjects With ARDS: Post-hoc Analysis of the OSCILLATE Trial. Respiratory Care, 2019, 64, 1042-1048.	1.6	11
87	Less is more in nutrition: critically ill patients are starving but not hungry. Intensive Care Medicine, 2019, 45, 1629-1631.	8.2	21
88	When and how to manage enteral feeding intolerance?. Intensive Care Medicine, 2019, 45, 1029-1031.	8.2	12
89	Quality of life reported by survivors after hospitalization for Middle East respiratory syndrome (MERS). Health and Quality of Life Outcomes, 2019, 17, 101.	2.4	111
90	Early Sedation with Dexmedetomidine in Critically III Patients. New England Journal of Medicine, 2019, 380, 2506-2517.	27.0	303

#	Article	IF	Citations
91	Effect of Permissive Underfeeding with Intensive Insulin Therapy on MCP-1, sICAM-1, and TF in Critically Ill Patients. Nutrients, 2019, 11, 987.	4.1	2
92	Noninvasive ventilation in critically ill patients with the Middle East respiratory syndrome. Influenza and Other Respiratory Viruses, 2019, 13, 382-390.	3.4	91
93	Macrolides in critically ill patients with Middle East Respiratory Syndrome. International Journal of Infectious Diseases, 2019, 81, 184-190.	3.3	103
94	Acute respiratory distress syndrome. Nature Reviews Disease Primers, 2019, 5, 18.	30.5	1,364
95	Adjunctive Intermittent Pneumatic Compression for Venous Thromboprophylaxis. New England Journal of Medicine, 2019, 380, 1305-1315.	27.0	149
96	Free Fatty Acids' Level and Nutrition in Critically Ill Patients and Association with Outcomes: A Prospective Sub-Study of PermiT Trial. Nutrients, 2019, 11, 384.	4.1	12
97	The authors reply. Critical Care Medicine, 2019, 47, e795.	0.9	1
98	Implementing the comprehensive unit-based safety program model to improve the management of mechanically ventilated patients in Saudi Arabia. American Journal of Infection Control, 2019, 47, 51-58.	2.3	11
99	Caloric intake and the fat-to-carbohydrate ratio in hypercapnic acute respiratory failure: Post-hoc analysis of the PermiT trial. Clinical Nutrition ESPEN, 2019, 29, 175-182.	1.2	3
100	National Approach to Standardize and Improve Mechanical Ventilation. Annals of Thoracic Medicine, 2019, 14, 101.	1.8	10
101	The journey to zero deep-vein thrombosis in critically ill patients. Annals of Thoracic Medicine, 2019, 14, 223.	1.8	0
102	Dosing errors of empirical antibiotics in critically ill patients with severe sepsis or septic shock: A prospective observational study. International Journal of Health Sciences, 2019, 13, 48-55.	0.4	11
103	Reply to Compher et al.: Reservations about Permissive Underfeeding in Low versus High NUTRIC Patients?. American Journal of Respiratory and Critical Care Medicine, 2018, 197, 1228-1229.	5.6	4
104	Extracorporeal membrane oxygenation for severe Middle East respiratory syndrome coronavirus. Annals of Intensive Care, 2018, 8, 3.	4.6	146
105	Patient-physician relationship in specific cultural settings. Intensive Care Medicine, 2018, 44, 646-648.	8.2	2
106	Histopathology of Middle East respiratory syndrome coronovirus (<scp>MERS</scp> oV) infection – clinicopathological and ultrastructural study. Histopathology, 2018, 72, 516-524.	2.9	250
107	Corticosteroid Therapy for Critically III Patients with Middle East Respiratory Syndrome. American Journal of Respiratory and Critical Care Medicine, 2018, 197, 757-767.	5.6	911
108	Surveillance or no surveillance for deep venous thrombosis and outcomes of critically ill patients. Medicine (United States), 2018, 97, e12258.	1.0	3

#	Article	IF	CITATIONS
109	Critically ill healthcare workers with the middle east respiratory syndrome (MERS): A multicenter study. PLoS ONE, 2018, 13, e0206831.	2.5	33
110	Professional burnout among physicians and nurses in Asian intensive care units: a multinational survey. Intensive Care Medicine, 2018, 44, 2079-2090.	8.2	63
111	Focus on fluid therapy and nutritional support. Intensive Care Medicine, 2018, 44, 2271-2273.	8.2	1
112	Differential Gene Expression in Peripheral White Blood Cells with Permissive Underfeeding and Standard Feeding in Critically Ill Patients: A Descriptive Sub-study of the PermiT Randomized Controlled Trial. Scientific Reports, 2018, 8, 17984.	3.3	2
113	Antimicrobial consumption in five adult intensive care units: a 33-month surveillance study. Antimicrobial Resistance and Infection Control, 2018, 7, 156.	4.1	24
114	Early Enteral Nutrition or Not?. Critical Care Medicine, 2018, 46, 1183-1185.	0.9	3
115	Optimal timing, dose and route of early nutrition therapy in critical illness and shock: the quest for the Holy Grail. Intensive Care Medicine, 2018, 44, 1558-1560.	8.2	7
116	Treatment of Middle East Respiratory Syndrome with a combination of lopinavir-ritonavir and interferon-β1b (MIRACLE trial): study protocol for a randomized controlled trial. Trials, 2018, 19, 81.	1.6	221
117	Trophic or full nutritional support?. Current Opinion in Critical Care, 2018, 24, 262-268.	3.2	10
118	Shifting paradigm: From "No Code―and "Do-Not-Resuscitate―to "Goals of Care―policies. Annals of Thoracic Medicine, 2018, 13, 67.	1.8	16
119	Clinical spectrum of the Middle East respiratory syndrome coronavirus (MERS-CoV). Journal of Infection and Public Health, 2017, 10, 191-194.	4.1	32
120	Reply: Is Less Really More with Respect to Permissive Feeding in Critical Illness?. American Journal of Respiratory and Critical Care Medicine, 2017, 195, 692-693.	5.6	1
121	Middle East Respiratory Syndrome. New England Journal of Medicine, 2017, 376, 584-594.	27.0	351
122	Withholding Pantoprazole for Stress Ulcer Prophylaxis in Critically Ill Patients: A Pilot Randomized Clinical Trial and Meta-Analysis*. Critical Care Medicine, 2017, 45, 1121-1129.	0.9	78
123	Intensive Care Medicine in 2050: global perspectives. Intensive Care Medicine, 2017, 43, 1695-1699.	8.2	11
124	Identified Transmission Dynamics of Middle East Respiratory Syndrome Coronavirus Infection During an Outbreak: Implications of an Overcrowded Emergency Department. Clinical Infectious Diseases, 2017, 65, 675-679.	5.8	34
125	The impact of a multifaceted intervention including sepsis electronic alert system and sepsis response team on the outcomes of patients with sepsis and septic shock. Annals of Intensive Care, 2017, 7, 57.	4.6	37
126	Outbreaks in the adult ICUs. Current Opinion in Infectious Diseases, 2017, 30, 432-439.	3.1	7

#	Article	IF	CITATIONS
127	The intensive care medicine research agenda in nutrition and metabolism. Intensive Care Medicine, 2017, 43, 1239-1256.	8.2	140
128	Management of Acute Respiratory Distress Syndrome and Refractory Hypoxemia. A Multicenter Observational Study. Annals of the American Thoracic Society, 2017, 14, 1818-1826.	3.2	59
129	A critical view on primary and secondary outcome measures in nutrition trials. Intensive Care Medicine, 2017, 43, 1875-1877.	8.2	23
130	Critically Ill Patients With the Middle East Respiratory Syndrome: A Multicenter Retrospective Cohort Study. Critical Care Medicine, 2017, 45, 1683-1695.	0.9	139
131	Quantifying the Effects of Prior Acetyl-Salicylic Acid on Sepsis-Related Deaths: An Individual Patient Data Meta-Analysis Using Propensity Matching*. Critical Care Medicine, 2017, 45, 1871-1879.	0.9	33
132	Noninvasive Ventilation of Patients with Acute Respiratory Distress Syndrome. Insights from the LUNG SAFE Study. American Journal of Respiratory and Critical Care Medicine, 2017, 195, 67-77.	5.6	456
133	Permissive Underfeeding or Standard Enteral Feeding in High– and Low–Nutritional-Risk Critically Ill Adults. <i>Post Hoc</i> Analysis of the PermiT Trial. American Journal of Respiratory and Critical Care Medicine, 2017, 195, 652-662.	5.6	115
134	Recovery after critical illness: putting the puzzle togetherâ€"a consensus of 29. Critical Care, 2017, 21, 296.	5.8	112
135	Introducing the Comprehensive Unit-based Safety Program for mechanically ventilated patients in Saudi Arabian Intensive Care Units. Annals of Thoracic Medicine, 2017, 12, 11.	1.8	11
136	Feasibility of Using Convalescent Plasma Immunotherapy for MERS-CoV Infection, Saudi Arabia. Emerging Infectious Diseases, 2016, 22, 1554-1561.	4.3	193
137	Re-evaluating the Inhibition of Stress Erosions (REVISE): a protocol for pilot randomized controlled trial. Annals of Saudi Medicine, 2016, 36, 427-433.	1.1	7
138	Thromboprophylaxis using combined intermittent pneumatic compression and pharmacologic prophylaxis versus pharmacologic prophylaxis alone in critically ill patients: study protocol for a randomized controlled trial. Trials, 2016, 17, 390.	1.6	17
139	The critical care response to a hospital outbreak of Middle East respiratory syndrome coronavirus (MERS-CoV) infection: an observational study. Annals of Intensive Care, 2016, 6, 101.	4.6	65
140	Structure, Organization, and Delivery of Critical Care in Asian ICUs*. Critical Care Medicine, 2016, 44, e940-e948.	0.9	55
141	The search for therapeutic options for Middle East Respiratory Syndrome (MERS). Journal of Infection and Public Health, 2016, 9, 213-215.	4.1	2
142	Withholding and withdrawal of life-sustaining treatments in low-middle-income versus high-income Asian countries and regions. Intensive Care Medicine, 2016, 42, 1118-1127.	8.2	53
143	Lower versus higher dose of enteral caloric intake in adult critically ill patients: a systematic review and meta-analysis. Critical Care, 2016, 20, 358.	5.8	53
144	Association between aspirin therapy and the outcome in critically ill patients: a nested cohort study. BMC Pharmacology & Emp; Toxicology, 2016, 17, 5.	2.4	29

#	Article	IF	Citations
145	Middle East respiratory syndrome coronavirus on inanimate surfaces: A risk for health care transmission. American Journal of Infection Control, 2016, 44, 1387-1389.	2.3	15
146	Critically ill patients with Middle East respiratory syndrome coronavirus infection. Critical Care, 2016, 20, 65.	5.8	25
147	Knowledge gaps in therapeutic and non-therapeutic research on the Middle East respiratory syndrome. Lancet Respiratory Medicine,the, 2016, 4, 93-94.	10.7	4
148	Be early for enteral, no rush for calories!. Intensive Care Medicine, 2016, 42, 451-452.	8.2	2
149	The impact of implementing multifaceted interventions on the prevention of ventilator-associated pneumonia. American Journal of Infection Control, 2016, 44, 320-326.	2.3	63
150	Information technology to improve patient safety: A round table discussion from the 5thInternational Patient Safety Forum, Riyadh, Saudi Arabia, April 14–16, 2015. Annals of Thoracic Medicine, 2016, 11, 219.	1.8	3
151	Design of nutrition trials in critically ill patients: food for thought. Annals of Translational Medicine, 2016, 4, 186-186.	1.7	4
152	Feasibility of a randomized controlled trial to assess treatment of Middle East Respiratory Syndrome Coronavirus (MERS-CoV) infection in Saudi Arabia: a survey of physicians. BMC Anesthesiology, 2015, 16, 36.	1.8	14
153	Treatment of ventilator-associated pneumonia and ventilator-associated tracheobronchitis in the intensive care unit. Journal of King Abdulaziz University, Islamic Economics, 2015, 36, 1453-1462.	1.1	2
154	Anemia and Blood Transfusion in Patients with Isolated Traumatic Brain Injury. Critical Care Research and Practice, 2015, 2015, 1-7.	1.1	14
155	Permissive Underfeeding or Standard Enteral Feeding in Critically Ill Adults. New England Journal of Medicine, 2015, 372, 2398-2408.	27.0	455
156	Characteristics and Outcomes of Eligible Nonenrolled Patients in a Mechanical Ventilation Trial of Acute Respiratory Distress Syndrome. American Journal of Respiratory and Critical Care Medicine, 2015, 192, 1306-1313.	5.6	20
157	Withholding and Withdrawal of Life-Sustaining Treatments in Intensive Care Units in Asia. JAMA Internal Medicine, 2015, 175, 363.	5.1	151
158	Permissive Underfeeding or Standard Enteral Feeding in Critical Illness. New England Journal of Medicine, 2015, 373, 1173-1176.	27.0	14
159	Global Participation in Core Data Sets for Emerging Pathogens. American Journal of Respiratory and Critical Care Medicine, 2015, 191, 728-730.	5.6	7
160	Impact of empirical antimicrobial therapy on the outcome of critically ill patients with Acinetobacter bacteremia. Annals of Thoracic Medicine, 2015, 10, 256-62.	1.8	9
161	Infection with Middle East respiratory syndrome coronavirus. Canadian Journal of Respiratory Therapy, 2015, 51, 102.	0.8	18
162	Drug-resistant ventilator associated pneumonia in a tertiary care hospital in Saudi Arabia. Annals of Thoracic Medicine, 2014, 9, 104.	1.8	18

#	Article	IF	CITATIONS
163	Diagnostic accuracy of a screening electronic alert tool for severe sepsis and septic shock in the emergency department. BMC Medical Informatics and Decision Making, 2014, 14, 105.	3.0	45
164	Association of compliance of ventilator bundle with incidence of ventilator-associated pneumonia and ventilator utilization among critical patients over 4 years. Annals of Thoracic Medicine, 2014, 9, 221.	1.8	26
165	A multifaceted approach to improve hand hygiene practices in the adult intensive care unit of a tertiary-care center. Journal of Infection and Public Health, 2014, 7, 360-364.	4.1	12
166	Clinical Course and Outcomes of Critically III Patients With Middle East Respiratory Syndrome Coronavirus Infection. Annals of Internal Medicine, 2014, 160, 389-397.	3.9	475
167	Acinetobacter is the most common pathogen associated with late-onset and recurrent ventilator-associated pneumonia in an adult intensive care unit in Saudi Arabia. International Journal of Infectious Diseases, 2013, 17, e696-e701.	3.3	49
168	The association between statin therapy during intensive care unit stay and the incidence of venous thromboembolism: a propensity score-adjusted analysis. BMC Pharmacology & Expression (2013), 14, 57.	2.4	2
169	Life-threatening Infections in Medically Immunocompromised Patients. Critical Care Clinics, 2013, 29, 807-826.	2.6	5
170	Renal failure as a risk factor for venous thromboembolism in critically III patients: A cohort study. Thrombosis Research, 2013, 132, 671-675.	1.7	16
171	High-Frequency Oscillation in Early Acute Respiratory Distress Syndrome. New England Journal of Medicine, 2013, 368, 795-805.	27.0	1,209
172	Building capacity for quality and safety in critical care: A roundtable discussion from the second international patient safety conference in April 9-11, 2013, Riyadh, Saudi Arabia. Annals of Thoracic Medicine, 2013, 8, 183.	1.8	6
173	Use of Intermittent Pneumatic Compression and Not Graduated Compression Stockings Is Associated With Lower Incident VTE in Critically Ill Patients. Chest, 2013, 144, 152-159.	0.8	73
174	Even Mild Hyperlactatemia Is Associated with Increased Mortality in Critically III Patients. Critical Care, 2013, 17, R197.	5.8	65
175	Antimicrobial therapeutic determinants of outcomes from septic shock among patients with cirrhosis. Hepatology, 2012, 56, 2305-2315.	7.3	124
176	Permissive underfeeding versus target enteral feeding in adult critically ill patients (PermiT Trial): a study protocol of a multicenter randomized controlled trial. Trials, 2012, 13, 191.	1.6	16
177	The results of a 6-year epidemiologic surveillance for ventilator-associated pneumonia at a tertiary care intensive care unit in Saudi Arabia. American Journal of Infection Control, 2012, 40, 794-799.	2.3	50
178	Critical care management of severe traumatic brain injury in adults. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2012, 20, 12.	2.6	223
179	Trauma profile at a tertiary intensive care unit in Saudi Arabia. Annals of Saudi Medicine, 2012, 32, 498-501.	1.1	9
180	Decompressive Craniectomy in Diffuse Traumatic Brain Injury. New England Journal of Medicine, 2011, 364, 1493-1502.	27.0	1,395

#	Article	IF	CITATIONS
181	sRAGE in diabetic and non-diabetic critically ill patients: effects of intensive insulin therapy. Critical Care, 2011, 15, R203.	5.8	16
182	Association between statin therapy and outcomes in critically ill patients: a nested cohort study. BMC Clinical Pharmacology, 2011, 11, 12.	2.5	44
183	Impact of computerized physician order entry (CPOE) system on the outcome of critically ill adult patients: a before-after study. BMC Medical Informatics and Decision Making, 2011, 11, 71.	3.0	26
184	Management of severe sepsis in patients admitted to Asian intensive care units: prospective cohort study. BMJ: British Medical Journal, 2011, 342, d3245-d3245.	2.3	179
185	Reply to M Kastrup and C Spies. American Journal of Clinical Nutrition, 2011, 94, 958.	4.7	1
186	Permissive underfeeding and intensive insulin therapy in critically ill patients: a randomized controlled trial. American Journal of Clinical Nutrition, 2011, 93, 569-577.	4.7	299
187	What is the optimal blood glucose target in critically ill patients? A nested cohort study. Annals of Thoracic Medicine, 2011, 6, 207.	1.8	20
188	Mortality reduction after implementing a clinical practice guidelines–based management protocol for severe traumatic brain injury. Journal of Critical Care, 2010, 25, 190-195.	2.2	111
189	Low-dose hydrocortisone in patients with cirrhosis and septic shock: a randomized controlled trial. Cmaj, 2010, 182, 1971-1977.	2.0	175
190	Nearâ€Target Caloric Intake in Critically III Medicalâ€Surgical Patients Is Associated With Adverse Outcomes. Journal of Parenteral and Enteral Nutrition, 2010, 34, 280-288.	2.6	95
191	Hypoglycemia with intensive insulin therapy in critically ill patients: Predisposing factors and association with mortality*. Critical Care Medicine, 2009, 37, 2536-2544.	0.9	124
192	Ventilation Strategy Using Low Tidal Volumes, Recruitment Maneuvers, and High Positive End-Expiratory Pressure for Acute Lung Injury and Acute Respiratory Distress Syndrome. JAMA - Journal of the American Medical Association, 2008, 299, 637.	7.4	1,148
193	Intensive versus conventional insulin therapy: A randomized controlled trial in medical and surgical critically ill patients*. Critical Care Medicine, 2008, 36, 3190-3197.	0.9	421
194	Middle East respiratory syndrome coronavirus. , 0, , 21-34.		3