

Norton H Neff

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11530389/publications.pdf>

Version: 2024-02-01

67
papers

2,833
citations

136950

32
h-index

175258

52
g-index

68
all docs

68
docs citations

68
times ranked

1801
citing authors

#	ARTICLE	IF	CITATIONS
1	<sc>GM1</sc> ganglioside enhances Ret signaling in striatum. Journal of Neurochemistry, 2014, 130, 541-554.	3.9	23
2	CREB involvement in the regulation of striatal prodynorphin by nicotine. Psychopharmacology, 2012, 221, 143-153.	3.1	10
3	The golden years: A tribute to Erminio Costa. Pharmacological Research, 2011, 64, 350-358.	7.1	1
4	Nicotine and endogenous opioids: Neurochemical and pharmacological evidence. Neuropharmacology, 2011, 60, 1209-1220.	4.1	73
5	Desensitization of μ -opioid receptors in nucleus accumbens during nicotine withdrawal. Psychopharmacology, 2011, 213, 735-744.	3.1	18
6	Enhanced dopamine transporter function in striatum during nicotine withdrawal. Synapse, 2011, 65, 91-98.	1.2	19
7	Nicotine withdrawal and μ -opioid receptors. Psychopharmacology, 2010, 210, 221-229.	3.1	15
8	Aromatic L-tyrosine amino acid decarboxylase phosphorylation and activation by PKG in vitro. Journal of Neurochemistry, 2010, 114, 542-552.	3.9	11
9	Acute nicotine changes dynorphin and prodynorphin mRNA in the striatum. Psychopharmacology, 2009, 201, 507-516.	3.1	46
10	Increased expression of VMAT2 in dopaminergic neurons during nicotine withdrawal. Neuroscience Letters, 2009, 467, 182-186.	2.1	16
11	Dynorphin and prodynorphin mRNA changes in the striatum during nicotine withdrawal. Synapse, 2008, 62, 448-455.	1.2	36
12	GM1-induced activation of phosphatidylinositol 3-kinase: involvement of Trk receptors. Journal of Neurochemistry, 2008, 104, 1466-1477.	3.9	46
13	Enhancing Aromatic L-Tyrosine Amino Acid Decarboxylase Activity: Implications for L-DOPA Treatment in Parkinson's Disease. CNS Neuroscience and Therapeutics, 2008, 14, 340-351.	3.9	59
14	Clozapine Modulates Aromatic L-Amino Acid Decarboxylase Activity in Mouse Striatum. Journal of Pharmacology and Experimental Therapeutics, 2006, 317, 480-487.	2.5	18
15	GM1 and ERK signaling in the aged brain. Brain Research, 2005, 1054, 125-134.	2.2	45
16	Enhanced dopamine uptake in the striatum following repeated restraint stress. Synapse, 2005, 57, 167-174.	1.2	27
17	Sciatic nerve axotomy in aged rats: response of motoneurons and the effect of GM1 ganglioside treatment. Brain Research, 2003, 968, 44-53.	2.2	16
18	Proton magnetic resonance imaging and spectroscopy identify metabolic changes in the striatum in the MPTP feline model of parkinsonism. Experimental Neurology, 2003, 179, 159-166.	4.1	46

#	ARTICLE	IF	CITATIONS
19	Met-enkephalin and preproenkephalin mRNA changes in the striatum of the nicotine abstinence mouse. <i>Neuroscience Letters</i> , 2002, 325, 67-71.	2.1	40
20	Phosphorylation and Activation of Brain Aromatic L-Amino Acid Decarboxylase by Cyclic AMP-Dependent Protein Kinase. <i>Journal of Neurochemistry</i> , 2002, 75, 725-731.	3.9	28
21	GM1 ganglioside induces phosphorylation and activation of Trk and Erk in brain. <i>Journal of Neurochemistry</i> , 2002, 81, 696-707.	3.9	143
22	Motoric behavior in aged rats treated with GM1. <i>Brain Research</i> , 2001, 906, 92-100.	2.2	15
23	GM1 ganglioside restores abnormal responses to acute thermal and mechanical stimuli in aged rats. <i>Brain Research</i> , 2000, 858, 380-385.	2.2	21
24	Retinal cholinergic and dopaminergic deficits of aged rats are improved following treatment with GM1 ganglioside. <i>Brain Research</i> , 2000, 877, 1-6.	2.2	7
25	Glutamate receptors participate in the nicotine-induced changes of met-enkephalin in striatum. <i>Brain Research</i> , 2000, 878, 72-78.	2.2	12
26	Nerve growth factor (NGF) and NGF mRNA change in rat uterus during pregnancy. <i>Neuroscience Letters</i> , 2000, 294, 58-62.	2.1	35
27	Tyrosine hydroxylase, aromatic l-amino acid decarboxylase and dopamine metabolism after chronic treatment with dopaminergic drugs. <i>Brain Research</i> , 1999, 830, 237-245.	2.2	30
28	Nicotine abstinence in the mouse. <i>Brain Research</i> , 1999, 850, 189-196.	2.2	82
29	Decreased neuropeptide content in the spinal cord of aged rats. <i>NeuroReport</i> , 1999, 10, 513-516.	1.2	8
30	GM1 and the Aged Brain. <i>Annals of the New York Academy of Sciences</i> , 1998, 845, 225-231.	3.8	9
31	GM1 Ganglioside: In Vivo and In Vitro Trophic Actions on Central Neurotransmitter Systems. <i>Journal of Neurochemistry</i> , 1998, 70, 1335-1345.	3.9	81
32	GM1 increases the content and mRNA of NGF in the brain of aged rats. <i>NeuroReport</i> , 1997, 8, 3823-3827.	1.2	19
33	Regulation of tyrosine hydroxylase and aromatic l-amino acid decarboxylase by dopaminergic drugs. <i>European Journal of Pharmacology</i> , 1997, 323, 149-157.	3.5	60
34	GM1 ganglioside improves spatial learning and memory of aged rats. <i>Behavioural Brain Research</i> , 1997, 85, 203-211.	2.2	40
35	Cholinergic deficits in aged rat spinal cord: restoration by GM1 ganglioside. <i>Brain Research</i> , 1997, 761, 250-256.	2.2	15
36	D2 dopamine receptor antisense increases the activity and mRNA of tyrosine hydroxylase and aromatic l-amino acid decarboxylase in mouse brain. <i>Neuroscience Letters</i> , 1996, 217, 105-108.	2.1	6

#	ARTICLE	IF	CITATIONS
37	Modulation of tyrosine hydroxylase and aromatic l-amino acid decarboxylase after inhibiting monoamine oxidase-A. European Journal of Pharmacology, 1996, 314, 51-59.	3.5	20
38	Tyrosine hydroxylase and aromatic l-amino acid decarboxylase in mesencephalic cultures after MPP+: the consequences of treatment with GM1 ganglioside. Brain Research, 1996, 742, 260-264.	2.2	6
39	Dizocilpine enhances striatal tyrosine hydroxylase and aromatic L-amino acid decarboxylase activity. European Journal of Pharmacology, 1995, 289, 97-101.	2.6	32
40	Preproenkephalin mRNA and Methionineâ€Enkephalin Content Are Increased in Mouse Striatum After Treatment with Nicotine. Journal of Neurochemistry, 1995, 64, 1878-1883.	3.9	72
41	Trophic Factors and GM1 Ganglioside in the Basal Ganglia. , 1994, , 225-234.		0
42	Epidermal Growth Factor Enhances Striatal Dopaminergic Parameters in the 1-Methyl-4-Phenyl-, 2, 3, 6-Tetrahydropyridine-Treated Mouse. Journal of Neurochemistry, 1991, 57, 479-482.	3.9	84
43	Aromatic L-Amino Acid Decarboxylase Is Modulated by D1 Dopamine Receptors in Rat Retina. Journal of Neurochemistry, 1990, 54, 787-791.	3.9	71
44	Hypoxia-Induced Neurotransmitter Deficits in Neonatal Rats Are Partially Corrected by Exogenous GM1 Ganglioside. Journal of Neurochemistry, 1990, 55, 864-869.	3.9	22
45	Differential recovery of dopamine synthetic enzymes following MPTP and the consequences of GM1 ganglioside treatment. European Journal of Pharmacology, 1990, 181, 137-139.	3.5	24
46	Modulation of dopamine metabolism in the retina via dopamine D2 receptors. Brain Research, 1990, 533, 20-23.	2.2	10
47	Modulation of Retinal Aromatic l-Amino Acid Decarboxylase via ?2Adrenoceptors. Journal of Neurochemistry, 1989, 52, 647-652.	3.9	57
48	Aromatic l-Amino Acid Decarboxylase Activity of the Rat Retina Is Modulated In Vivo by Environmental Light Maria Hadjiconstantinou. Journal of Neurochemistry, 1988, 51, 1560-1564.	3.9	69
49	MPP+ depletes retinal dopamine and induces D-1 receptor supersensitivity. European Journal of Pharmacology, 1988, 148, 453-455.	3.5	15
50	1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) and free radicals in vitro. Biochemical Pharmacology, 1988, 37, 4573-4574.	4.4	128
51	1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) accelerates the accumulation of lipofuscin in mouse adrenal gland. Neuroscience Letters, 1987, 83, 1-6.	2.1	7
52	1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) treatment decreases dopamine and increases lipofuscin in mouse retina. Neuroscience Letters, 1986, 72, 221-226.	2.1	42
53	Photoaffinity Labeling of the GABAAR Receptor with [3H]Muscimol. Journal of Neurochemistry, 1985, 44, 916-921.	3.9	32
54	Exposure to Light Accelerates the Formation of Dopamine from Exogenous L-DOPA in the Rat Retina. Journal of Ocular Pharmacology and Therapeutics, 1985, 1, 177-181.	1.4	12

#	ARTICLE	IF	CITATIONS
55	Chemical mechanisms for photoaffinity labeling of receptors. <i>Biochemical Pharmacology</i> , 1985, 34, 2821-2826.	4.4	39
56	Chronic treatment with diisopropylfluorophosphate increases dopamine turnover in the striatum of the rat. <i>European Journal of Pharmacology</i> , 1984, 106, 607-611.	3.5	21
57	Muscarinic Receptors Modulate Dopamine-Activated Adenylate Cyclase of Rat Striatum. <i>Journal of Neurochemistry</i> , 1983, 41, 1364-1369.	3.9	33
58	Epinephrine: A Potential Neurotransmitter in Retina. <i>Journal of Neurochemistry</i> , 1983, 41, 1440-1444.	3.9	116
59	Activation of dopamine-containing amacrine cells of retina: light-induced increase of acidic dopamine metabolites. <i>Brain Research</i> , 1983, 260, 125-127.	2.2	69
60	Evidence that dopamine is a neurotransmitter in peripheral tissues. <i>Life Sciences</i> , 1983, 32, 1665-1674.	4.3	43
61	Catabolism of Endogenous Dopamine in Peripheral Tissues: Is There an Independent Role for Dopamine in Peripheral Neurotransmission?. <i>Journal of Neurochemistry</i> , 1982, 38, 1453-1458.	3.9	40
62	Cyclobenzaprine: a possible mechanism of action for its muscle relaxant effect. <i>Canadian Journal of Physiology and Pharmacology</i> , 1981, 59, 37-44.	1.4	37
63	Current status of dopamine in the mammalian spinal cord. <i>Biochemical Pharmacology</i> , 1979, 28, 1569-1573.	4.4	82
64	DOPAMINERGIC AND NORADRENERGIC NEURONS IN SPINAL CORD: FUNCTIONAL IMPLICATIONS. , 1979, , 1339-1341.		0
65	DIFFERENTIATION OF DOPAMINERGIC AND NORADRENERGIC NEURONS IN RAT SPINAL CORD. <i>Journal of Neurochemistry</i> , 1978, 30, 1095-1099.	3.9	123
66	A new projection from locus coeruleus to the spinal ventral columns: histochemical and biochemical evidence. <i>Brain Research</i> , 1978, 148, 207-213.	2.2	171
67	Fluorometric estimation of 4-hydroxy-3-methoxyphenylethyleneglycol sulphate in brain. <i>British Journal of Pharmacology</i> , 1972, 45, 435-441.	5.4	171