

Imir G Metushi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11534375/publications.pdf>

Version: 2024-02-01

20
papers

801
citations

759233

12
h-index

794594

19
g-index

20
all docs

20
docs citations

20
times ranked

1021
citing authors

#	ARTICLE	IF	CITATIONS
1	Positive Predictive Value of PCP Immunoassay at UC San Diego Health. <i>Journal of Analytical Toxicology</i> , 2017, 41, 258.	2.8	0
2	U-47700 Reply. <i>Clinical Toxicology</i> , 2017, 55, 73-73.	1.9	1
3	Near death from a novel synthetic opioid labeled U-47700: emergence of a new opioid class. <i>Clinical Toxicology</i> , 2017, 55, 51-54.	1.9	91
4	Protein Targets of Isoniazid-Reactive Metabolites in Mouse Liver <i>in Vivo</i> . <i>Chemical Research in Toxicology</i> , 2016, 29, 1064-1072.	3.3	11
5	High-dose loperamide abuse-associated ventricular arrhythmias. <i>HeartRhythm Case Reports</i> , 2016, 2, 232-236.	0.4	19
6	Assessment and Comparison of Vitreous Humor as an Alternative Matrix for Forensic Toxicology Screening by GC-MS. <i>Journal of Analytical Toxicology</i> , 2016, 40, 243-247.	2.8	26
7	Treatment of PD-1 ^{hi} mice with amodiaquine and anti-CTLA4 leads to liver injury similar to idiosyncratic liver injury in patients. <i>Hepatology</i> , 2015, 61, 1332-1342.	7.3	123
8	Acyclovir Has Low but Detectable Influence on HLA-B*57:01 Specificity without Inducing Hypersensitivity. <i>PLoS ONE</i> , 2015, 10, e0124878.	2.5	11
9	Hepatic effects of aminoglutethimide: A model aromatic amine. <i>Journal of Immunotoxicology</i> , 2015, 12, 24-32.	1.7	8
10	Automated benchmarking of peptide-MHC class I binding predictions. <i>Bioinformatics</i> , 2015, 31, 2174-2181.	4.1	127
11	Development of a novel mouse model of amodiaquine-induced liver injury with a delayed onset. <i>Journal of Immunotoxicology</i> , 2015, 12, 247-260.	1.7	36
12	Isoniazid-induced liver injury and immune response in mice. <i>Journal of Immunotoxicology</i> , 2014, 11, 383-392.	1.7	27
13	Paradoxical Attenuation of Autoimmune Hepatitis by Oral Isoniazid in Wild-Type and N-Acetyltransferase Deficient Mice. <i>Drug Metabolism and Disposition</i> , 2014, 42, 963-973.	3.3	13
14	IgG ₃ Is the Dominant Subtype of Anti-isoniazid Antibodies in Patients with Isoniazid-Induced Liver Failure. <i>Chemical Research in Toxicology</i> , 2014, 27, 738-740.	3.3	8
15	Lack of liver injury in Wistar rats treated with the combination of isoniazid and rifampicin. <i>Molecular and Cellular Biochemistry</i> , 2014, 387, 9-17.	3.1	13
16	D-penicillamine-induced granulomatous hepatitis in brown Norway rats. <i>Molecular and Cellular Biochemistry</i> , 2014, 393, 229-235.	3.1	6
17	Mild Isoniazid-Induced Liver Injury in Humans Is Associated with an Increase in Th17 Cells and T Cells Producing IL-10. <i>Chemical Research in Toxicology</i> , 2014, 27, 683-689.	3.3	33
18	Detection of anti-isoniazid and anti-cytochrome P450 antibodies in patients with isoniazid-induced liver failure. <i>Hepatology</i> , 2014, 59, 1084-1093.	7.3	107

#	ARTICLE	IF	CITATIONS
19	Direct Oxidation and Covalent Binding of Isoniazid to Rodent Liver and Human Hepatic Microsomes: Humans Are More Like Mice than Rats. <i>Chemical Research in Toxicology</i> , 2012, 25, 2567-2576.	3.3	89
20	Animal Models of Idiosyncratic Drug Reactions. <i>Advances in Pharmacology</i> , 2012, 63, 81-135.	2.0	52