

Julian F R Paton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1153841/publications.pdf>

Version: 2024-02-01

293
papers

11,048
citations

23544

58
h-index

39638

94
g-index

295
all docs

295
docs citations

295
times ranked

7883
citing authors

#	ARTICLE	IF	CITATIONS
1	The sympathetic nervous system exacerbates carotid body sensitivity in hypertension. <i>Cardiovascular Research</i> , 2023, 119, 316-331.	1.8	14
2	Intra-carotid body inter-cellular communication. <i>Journal of the Royal Society of New Zealand</i> , 2023, 53, 332-361.	1.0	0
3	Sympathetic-transduction in untreated hypertension. <i>Journal of Human Hypertension</i> , 2022, 36, 24-31.	1.0	14
4	Mathematical modelling of atrial and ventricular pressure-volume dynamics and their change with heart rate. <i>Mathematical Biosciences</i> , 2022, 344, 108766.	0.9	2
5	New understanding of circulatory blood flow and arterial blood pressure mechanisms. <i>Cardiovascular Research</i> , 2022, 118, e29-e31.	1.8	4
6	Reverse re-modelling chronic heart failure by reinstating heart rate variability. <i>Basic Research in Cardiology</i> , 2022, 117, 4.	2.5	23
7	Patterns of cardio-respiratory motor outputs during acute and subacute exposure to chlorpyrifos in an ex-vivo in situ preparation in rats. <i>Toxicology and Applied Pharmacology</i> , 2022, 436, 115862.	1.3	5
8	GLP1R Attenuates Sympathetic Response to High Glucose via Carotid Body Inhibition. <i>Circulation Research</i> , 2022, 130, 694-707.	2.0	33
9	Effects of hypoxia and hyperoxia on venous capacity and compliance in healthy men and women. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2022, 322, R445-R453.	0.9	1
10	Cerebrovascular Variants and the Role of the Selfish Brain in Young-Onset Hypertension. <i>Hypertension</i> , 2022, 79, 1265-1274.	1.3	2
11	Cardiorespiratory responses to muscle metaboreflex activation in fibrosing interstitial lung disease. <i>Experimental Physiology</i> , 2022, 107, 527-540.	0.9	2
12	Sudden cardiac deaths have higher proportion of left stellate ganglionitis. <i>Forensic Science, Medicine, and Pathology</i> , 2022, 18, 156-164.	0.6	4
13	Advancing respiratory cardiovascular physiology with the working heart-brainstem preparation over 25 years. <i>Journal of Physiology</i> , 2022, 600, 2049-2075.	1.3	22
14	Aortic Body Chemoreceptors Regulate Coronary Blood Flow in Conscious Control and Hypertensive Sheep. <i>Hypertension</i> , 2022, 79, 1275-1285.	1.3	3
15	Lower limb venous function in hypoxia and hyperoxia: effect of healthy ageing. <i>FASEB Journal</i> , 2022, 36, .	0.2	0
16	Cerebrovascular Carbon Dioxide Reactivity with Hyperoxia and Hypoxia in Humans with Treated Hypertension. <i>FASEB Journal</i> , 2022, 36, .	0.2	0
17	Sex differences in the sympathetic neurocirculatory responses to chemoreflex activation. <i>Journal of Physiology</i> , 2022, , .	1.3	15
18	Examination of the periaqueductal gray as a site for controlling arterial pressure in the conscious spontaneously hypertensive rat. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2022, 240, 102984.	1.4	2

#	ARTICLE	IF	CITATIONS
19	Peripheral chemoreflex activation induces expiratory but not inspiratory excitation of <sc>C1</sc> preâ€sympathetic neurones of rats. <i>Acta Physiologica</i> , 2022, 235, .	1.8	2
20	Autonomic innervation of the carotid body as a determinant of its sensitivity: implications for cardiovascular physiology and pathology. <i>Cardiovascular Research</i> , 2021, 117, 1015-1032.	1.8	23
21	Oxygenation pattern and compensatory responses to hypoxia and hypercapnia following bilateral carotid body resection in humans. <i>Journal of Physiology</i> , 2021, 599, 2323-2340.	1.3	17
22	Heartbeats entrain breathing via baroreceptorâ€mediated modulation of expiratory activity. <i>Experimental Physiology</i> , 2021, 106, 1181-1195.	0.9	9
23	Sympathetic Modulation By Glucagon Like Peptide 1 And Melanocortin 4 Receptors In The Carotid Body Of Wistar Rats. <i>FASEB Journal</i> , 2021, 35, .	0.2	1
24	Heightened respiratoryâ€parasympathetic coupling to airways in the spontaneously hypertensive rat. <i>Journal of Physiology</i> , 2021, 599, 3237-3252.	1.3	3
25	Circumventricular Organ Apelin Receptor Knockdown Decreases Blood Pressure and Sympathetic Drive Responses in the Spontaneously Hypertensive Rat. <i>Frontiers in Physiology</i> , 2021, 12, 711041.	1.3	1
26	The inevitability of ATP as a transmitter in the carotid body. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2021, 234, 102815.	1.4	12
27	Intrinsic and synaptic mechanisms controlling the expiratory activity of excitatory lateral parafacial neurones of rats. <i>Journal of Physiology</i> , 2021, 599, 4925-4948.	1.3	16
28	Editorial: Hypoxia and Cardiorespiratory Control. <i>Frontiers in Physiology</i> , 2021, 12, 820815.	1.3	2
29	A6 neurons simultaneously modulate active expiration and upper airway resistance in rats. <i>Experimental Physiology</i> , 2020, 105, 53-64.	0.9	2
30	Astrocytes monitor cerebral perfusion and control systemic circulation to maintain brain blood flow. <i>Nature Communications</i> , 2020, 11, 131.	5.8	137
31	Enhancing respiratory sinus arrhythmia increases cardiac output in rats with left ventricular dysfunction. <i>Journal of Physiology</i> , 2020, 598, 455-471.	1.3	15
32	Efficacy of Electrical Baroreflex Activation Is Independent of Peripheral Chemoreceptor Modulation. <i>Hypertension</i> , 2020, 75, 257-264.	1.3	16
33	Active expiratory oscillator regulates nasofacial and oral motor activities in rats. <i>Experimental Physiology</i> , 2020, 105, 379-392.	0.9	6
34	Investigation and Treatment of High Blood Pressure in Young People. <i>Hypertension</i> , 2020, 75, 16-22.	1.3	69
35	Role of the Carotid Body in an Ovine Model of Renovascular Hypertension. <i>Hypertension</i> , 2020, 76, 1451-1460.	1.3	7
36	Nitric oxide is fundamental to neurovascular coupling in humans. <i>Journal of Physiology</i> , 2020, 598, 4927-4939.	1.3	51

#	ARTICLE	IF	CITATIONS
37	Gravitational effects on intracranial pressure and blood flow regulation in young men: a potential shunting role for the external carotid artery. <i>Journal of Applied Physiology</i> , 2020, 129, 901-908.	1.2	8
38	Zibotentan, an Endothelin A Receptor Antagonist, Prevents Amyloid- β -Induced Hypertension and Maintains Cerebral Perfusion. <i>Journal of Alzheimer's Disease</i> , 2020, 73, 1185-1199.	1.2	8
39	Retrograde blood flow in the internal jugular veins of humans with hypertension may have implications for cerebral arterial blood flow. <i>European Radiology</i> , 2020, 30, 3890-3899.	2.3	8
40	Clarity of the rhythmic brainstem. <i>Journal of Physiology</i> , 2020, 598, 2045-2046.	1.3	4
41	Therapeutic Relevance of Elevated Blood Pressure After Ischemic Stroke in the Hypertensive Rats. <i>Hypertension</i> , 2020, 75, 740-747.	1.3	5
42	Increased apelin receptor gene expression in the subfornical organ of spontaneously hypertensive rats. <i>PLoS ONE</i> , 2020, 15, e0231844.	1.1	6
43	Formal Modeling and Verification of Rate Adaptive Pacemakers for Heart Failure. , 2020, , .		1
44	Neurovascular coupling is not influenced by lower body negative pressure in humans. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2020, 319, H22-H31.	1.5	3
45	A consensus statement on the use of angiotensin receptor blockers and angiotensin converting enzyme inhibitors in relation to COVID-19 (corona virus disease 2019). <i>New Zealand Medical Journal</i> , 2020, 133, 85-87.	0.5	14
46	Denervated or Not? That Remains the Question for Renal Denervation. <i>Hypertension</i> , 2019, 74, 493-494.	1.3	0
47	Heart failure developed after myocardial infarction does not affect gut microbiota composition in the rat. <i>American Journal of Physiology - Renal Physiology</i> , 2019, 317, G342-G348.	1.6	7
48	Centrally acting adrenomedullin in the long-term potentiation of sympathetic vasoconstrictor activity induced by intermittent hypoxia in rats. <i>Experimental Physiology</i> , 2019, 104, 1371-1383.	0.9	5
49	Cerebral Blood Flow Response to Simulated Hypovolemia in Essential Hypertension. <i>Hypertension</i> , 2019, 74, 1391-1398.	1.3	13
50	The Logic of Carotid Body Connectivity to the Brain. <i>Physiology</i> , 2019, 34, 264-282.	1.6	71
51	Shift of leading pacemaker site during reflex vagal stimulation and altered electrical source-sink balance. <i>Journal of Physiology</i> , 2019, 597, 3297-3313.	1.3	9
52	On the presence and functional significance of sympathetic premotor neurons with collateralized spinal axons in the rat. <i>Journal of Physiology</i> , 2019, 597, 3407-3423.	1.3	28
53	Repaired coarctation of the aorta, persistent arterial hypertension and the selfish brain. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2019, 21, 68.	1.6	11
54	Optimal solid state neurons. <i>Nature Communications</i> , 2019, 10, 5309.	5.8	47

#	ARTICLE	IF	CITATIONS
55	Left ventricular extracellular volume fraction and atrioventricular interaction in hypertension. <i>European Radiology</i> , 2019, 29, 1574-1585.	2.3	7
56	Inflammatory pathways are central to posterior cerebrovascular artery remodelling prior to the onset of congenital hypertension. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2019, 39, 1803-1817.	2.4	9
57	Nocturnal dipping status and left ventricular hypertrophy: A cardiac magnetic resonance imaging study. <i>Journal of Clinical Hypertension</i> , 2018, 20, 784-793.	1.0	14
58	Hypothalamic paraventricular nucleus neuronal nitric oxide synthase activity is a major determinant of renal sympathetic discharge in conscious Wistar rats. <i>Experimental Physiology</i> , 2018, 103, 419-428.	0.9	11
59	Variable role of carotid bodies in cardiovascular responses to exercise, hypoxia and hypercapnia in spontaneously hypertensive rats. <i>Journal of Physiology</i> , 2018, 596, 3201-3216.	1.3	24
60	The K ^A lliker-Fuse nucleus orchestrates the timing of expiratory abdominal nerve bursting. <i>Journal of Neurophysiology</i> , 2018, 119, 401-412.	0.9	38
61	Cerebral A ² 40 and systemic hypertension. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2018, 38, 1993-2005.	2.4	9
62	Blockade of Rostral Ventrolateral Medulla Apelin Receptors Does Not Attenuate Arterial Pressure in SHR and L-NAME-Induced Hypertensive Rats. <i>Frontiers in Physiology</i> , 2018, 9, 1488.	1.3	5
63	Locus Coeruleus as a vigilance centre for active inspiration and expiration in rats. <i>Scientific Reports</i> , 2018, 8, 15654.	1.6	27
64	Purinergic plasticity within petrosal neurons in hypertension. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2018, 315, R963-R971.	0.9	15
65	Acute hydrocortisone administration reduces cardiovagal baroreflex sensitivity and heart rate variability in young men. <i>Journal of Physiology</i> , 2018, 596, 4847-4861.	1.3	17
66	Antihypertensive Treatment Fails to Control Blood Pressure During Exercise. <i>Hypertension</i> , 2018, 72, 102-109.	1.3	38
67	Differences in autonomic innervation to the vertebrobasilar arteries in spontaneously hypertensive and Wistar rats. <i>Journal of Physiology</i> , 2018, 596, 3505-3529.	1.3	8
68	The Efficacy of Electrical Baroreflex Activation Therapy is Independent of Peripheral Chemoreceptor Modulation. <i>FASEB Journal</i> , 2018, 32, 884.6.	0.2	0
69	Hypertensive heart disease versus hypertrophic cardiomyopathy: multi-parametric cardiovascular magnetic resonance discriminators when end-diastolic wall thickness ≥ 15 mm. <i>European Radiology</i> , 2017, 27, 1125-1135.	2.3	44
70	Intracranial mechanisms for preserving brain blood flow in health and disease. <i>Acta Physiologica</i> , 2017, 219, 274-287.	1.8	65
71	Vasopressin V1a receptors mediate the hypertensive effects of [Pyr ¹]apelin ¹⁻³ in the rat rostral ventrolateral medulla. <i>Journal of Physiology</i> , 2017, 595, 3303-3318.	1.3	18
72	Cardiac magnetic resonance imaging provides new insight into hypertensive heart disease—a reply. <i>Journal of Clinical Hypertension</i> , 2017, 19, 335-336.	1.0	0

#	ARTICLE	IF	CITATIONS
73	Targeting autonomic imbalance in pathophysiology: is the carotid body the new nirvana?. <i>Journal of Physiology</i> , 2017, 595, 29-30.	1.3	4
74	Reply from Michael J. Tipton, Joseph T. Costello and Julian F. R. Paton. <i>Journal of Physiology</i> , 2017, 595, 6365-6365.	1.3	0
75	Role of ventral medullary catecholaminergic neurons for respiratory modulation of sympathetic outflow in rats. <i>Scientific Reports</i> , 2017, 7, 16883.	1.6	15
76	The human ventilatory response to stress: rate or depth?. <i>Journal of Physiology</i> , 2017, 595, 5729-5752.	1.3	141
77	Increased sympathetic nerve activity and reduced cardiac baroreflex sensitivity in rheumatoid arthritis. <i>Journal of Physiology</i> , 2017, 595, 967-981.	1.3	52
78	Carotid body resection for sympathetic modulation in systolic heart failure: results from first-in-man study. <i>European Journal of Heart Failure</i> , 2017, 19, 391-400.	2.9	97
79	Electrocardiographic detection of hypertensive left atrial enlargement in the presence of obesity: re-calibration against cardiac magnetic resonance. <i>Journal of Human Hypertension</i> , 2017, 31, 212-219.	1.0	7
80	ECG strain pattern in hypertension is associated with myocardial cellular expansion and diffuse interstitial fibrosis: a multi-parametric cardiac magnetic resonance study. <i>European Heart Journal Cardiovascular Imaging</i> , 2017, 18, 441-450.	0.5	34
81	Cooperative Oxygen Sensing by the Kidney and Carotid Body in Blood Pressure Control. <i>Frontiers in Physiology</i> , 2017, 8, 752.	1.3	14
82	Utility of a Novel Biofeedback Device for Within-Breath Modulation of Heart Rate in Rats: A Quantitative Comparison of Vagus Nerve vs. Right Atrial Pacing. <i>Frontiers in Physiology</i> , 2016, 7, 27.	1.3	7
83	Sympathetic overactivity occurs before hypertension in the two-kidney, one-clip model. <i>Experimental Physiology</i> , 2016, 101, 67-80.	0.9	43
84	Comprehensive characterisation of hypertensive heart disease left ventricular phenotypes. <i>Heart</i> , 2016, 102, 1671-1679.	1.2	84
85	Deficiency of GABAergic synaptic inhibition in the <i>Kölliker-Fuse</i> area underlies respiratory dysrhythmia in a mouse model of Rett syndrome. <i>Journal of Physiology</i> , 2016, 594, 223-237.	1.3	51
86	Hypertension: a problem of organ blood flow supply-demand mismatch. <i>Future Cardiology</i> , 2016, 12, 339-349.	0.5	21
87	Purinergic receptors in the carotid body as a new drug target for controlling hypertension. <i>Nature Medicine</i> , 2016, 22, 1151-1159.	15.2	149
88	Is High Blood Pressure Self-Protection for the Brain?. <i>Circulation Research</i> , 2016, 119, e140-e151.	2.0	66
89	Brainstem sources of cardiac vagal tone and respiratory sinus arrhythmia. <i>Journal of Physiology</i> , 2016, 594, 7249-7265.	1.3	79
90	Unilateral Carotid Body Resection in Resistant Hypertension. <i>JACC Basic To Translational Science</i> , 2016, 1, 313-324.	1.9	118

#	ARTICLE	IF	CITATIONS
91	Carotid sinus denervation ameliorates renovascular hypertension in adult Wistar rats. <i>Journal of Physiology</i> , 2016, 594, 6255-6266.	1.3	41
92	Epigenetic Control of the Vasopressin Promoter Explains Physiological Ability to Regulate Vasopressin Transcription in Dehydration and Salt Loading States in the Rat. <i>Journal of Neuroendocrinology</i> , 2016, 28, .	1.2	8
93	Autonomic and neuroendocrine dysfunction in chronic disease. <i>Journal of Physiology</i> , 2016, 594, 1579-1580.	1.3	0
94	Parasympathetic innervation of vertebrobasilar arteries: is this a potential clinical target?. <i>Journal of Physiology</i> , 2016, 594, 6463-6485.	1.3	36
95	The Relationship Between Left Ventricular Wall Thickness, Myocardial Shortening, and Ejection Fraction in Hypertensive Heart Disease: Insights From Cardiac Magnetic Resonance Imaging. <i>Journal of Clinical Hypertension</i> , 2016, 18, 1119-1127.	1.0	39
96	Effects of selective carotid body stimulation with adenosine in conscious humans. <i>Journal of Physiology</i> , 2016, 594, 6225-6240.	1.3	28
97	003â€¦Detecting hypertensive heart disease: The additive value of cardiovascular magnetic resonance imaging. <i>Heart</i> , 2016, 102, A1.3-A1.	1.2	0
98	010â€¦Insights into hypertensive heart disease phenotypes: Spectrum of myocyte, interstitial and vascular changes by cardiovascular MRI. <i>Heart</i> , 2016, 102, A4.1-A4.	1.2	0
99	Rasd1, a small G protein with a big role in the hypothalamic response to neuronal activation. <i>Molecular Brain</i> , 2016, 9, 1.	1.3	52
100	Systemic leukotriene B ₄ receptor antagonism lowers arterial blood pressure and improves autonomic function in the spontaneously hypertensive rat. <i>Journal of Physiology</i> , 2016, 594, 5975-5989.	1.3	15
101	Quantifying sympathetic neuroâ€œhaemodynamic transduction at rest in humans: insights into sex, ageing and blood pressure control. <i>Journal of Physiology</i> , 2016, 594, 4753-4768.	1.3	85
102	The effect of obesity on electrocardiographic detection of hypertensive left ventricular hypertrophy: recalibration against cardiac magnetic resonance. <i>Journal of Human Hypertension</i> , 2016, 30, 197-203.	1.0	17
103	Influence of age on respiratory modulation of muscle sympathetic nerve activity, blood pressure and baroreflex function in humans. <i>Experimental Physiology</i> , 2015, 100, 1039-1051.	0.9	17
104	Insights gleaned from pharmacogenetic dissection and modelling of cardioâ€œrespiratory neural networks. <i>Journal of Physiology</i> , 2015, 593, 3031-3031.	1.3	0
105	Transcription factor CREB3L1 mediates cAMP and glucocorticoid regulation of arginine vasopressin gene transcription in the rat hypothalamus. <i>Molecular Brain</i> , 2015, 8, 68.	1.3	26
106	Carotid body overactivity induces respiratory neurone channelopathy contributing to neurogenic hypertension. <i>Journal of Physiology</i> , 2015, 593, 3055-3063.	1.3	16
107	1/4 opioid receptor activation hyperpolarizes respiratoryâ€œcontrolling KÃ¶llikerâ€œFuse neurons and suppresses postâ€œinspiratory drive. <i>Journal of Physiology</i> , 2015, 593, 4453-4469.	1.3	103
108	Respiratory modulated sympathetic activity: a putative mechanism for developing vascular resistance?. <i>Journal of Physiology</i> , 2015, 593, 5341-5360.	1.3	23

#	ARTICLE	IF	CITATIONS
109	RNA binding protein Caprin-2 is a pivotal regulator of the central osmotic defense response. <i>ELife</i> , 2015, 4, .	2.8	18
110	Modelling the vascular response to sympathetic postganglionic nerve activity. <i>Journal of Theoretical Biology</i> , 2015, 371, 102-116.	0.8	10
111	Brainstem Hypoxia Contributes to the Development of Hypertension in the Spontaneously Hypertensive Rat. <i>Hypertension</i> , 2015, 65, 775-783.	1.3	81
112	Control of Polyamine Biosynthesis by Antizyme Inhibitor 1 Is Important for Transcriptional Regulation of Arginine Vasopressin in the Male Rat Hypothalamus. <i>Endocrinology</i> , 2015, 156, 2905-2917.	1.4	20
113	144â€¦Does Home-Based, Slow Deep Breathing Training Reduce Central Sympathetic Outflow and Enhance Baroreflex Sensitivity in Primary Hypertension?. <i>Heart</i> , 2015, 101, A83.1-A83.	1.2	1
114	Osmoregulation Requires Brain Expression of the Renal Na-K-2Cl Cotransporter NKCC2. <i>Journal of Neuroscience</i> , 2015, 35, 5144-5155.	1.7	34
115	P2X3 receptors and sensitization of autonomic reflexes. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2015, 191, 16-24.	1.4	25
116	Joint UK societiesâ€™ 2014 consensus statement on renal denervation for resistant hypertension. <i>Heart</i> , 2015, 101, 10-16.	1.2	41
117	Defining inhibitory neurone function in respiratory circuits: opportunities with optogenetics?. <i>Journal of Physiology</i> , 2015, 593, 3033-3046.	1.3	16
118	Cardiac output is improved in rats with myocardial infarction by enhancement of respiratory sinus arrhythmia. <i>FASEB Journal</i> , 2015, 29, 1043.3.	0.2	2
119	P2X3 receptorâ€¦mediated chemoreceptor hypersensitivity in young spontaneous hypertensive rats. <i>FASEB Journal</i> , 2015, 29, 652.4.	0.2	1
120	Transcription Factor CREB3L1 Regulates Endoplasmic Reticulum Stress Response Genes in the Osmotically Challenged Rat Hypothalamus. <i>PLoS ONE</i> , 2015, 10, e0124956.	1.1	30
121	Vertebrobasilar Remodeling In Hypertension: Cause or Consequence. <i>FASEB Journal</i> , 2015, 29, 832.11.	0.2	0
122	P2X3 Receptor Antagonism Reduces Peripheral Chemoreceptor Reflex Hypersensitivity and Blood Pressure in the Spontaneously Hypertensive Rat. <i>FASEB Journal</i> , 2015, 29, 1060.1.	0.2	0
123	DISTINCT BRAINSTEM ORIGINS OF CARDIAC VAGAL TONE AND RESPIRATORY SINUS ARRHYTHMIA. <i>FASEB Journal</i> , 2015, 29, 1056.3.	0.2	2
124	Telemetric Recording of Renal and Carotid Blood Flow Velocity and Arterial Blood Pressure Simultaneously in Rats. <i>FASEB Journal</i> , 2015, 29, 960.3.	0.2	0
125	Desensitization of mu opioid receptors on KÃ¶llikerâ€¦Fuse neurons. <i>FASEB Journal</i> , 2015, 29, 1032.4.	0.2	0
126	Salt Appetite Is Reduced by a Single Experience of Drinking Hypertonic Saline in the Adult Rat. <i>PLoS ONE</i> , 2014, 9, e104802.	1.1	11

#	ARTICLE	IF	CITATIONS
127	Mapping the cellular electrophysiology of rat sympathetic preganglionic neurones to their roles in cardiorespiratory reflex integration: a whole cell recording study in situ. <i>Journal of Physiology</i> , 2014, 592, 2215-2236.	1.3	15
128	Rebuttal from L. E. K. Ratcliffe, W. Pijacka, F. D. McBryde, A. P. Abdala, D. J. Moraes, P. A. Sobotka, E. C. Hart, K. Narkiewicz, A. K. Nightingale and J. F. R. Paton. <i>Journal of Physiology</i> , 2014, 592, 3949-3950.	1.3	0
129	Dissociation between blood pressure and heart rate response to hypoxia after bilateral carotid body removal in men with systolic heart failure. <i>Experimental Physiology</i> , 2014, 99, 552-561.	0.9	52
130	CrossTalk opposing view: Which technique for controlling resistant hypertension? Carotid chemoreceptor denervation/modulation. <i>Journal of Physiology</i> , 2014, 592, 3941-3944.	1.3	8
131	Chronic depression of hypothalamic paraventricular neuronal activity produces sustained hypotension in hypertensive rats. <i>Experimental Physiology</i> , 2014, 99, 89-100.	0.9	24
132	Intrinsic chemosensitivity of rostral ventrolateral medullary sympathetic premotor neurons in the <i>in situ</i> arterially perfused preparation of rats. <i>Experimental Physiology</i> , 2014, 99, 1453-1466.	0.9	17
133	Specific Respiratory Neuron Types Have Increased Excitability That Drive Presympathetic Neurons in Neurogenic Hypertension. <i>Hypertension</i> , 2014, 63, 1309-1318.	1.3	63
134	Central regulation of heart rate and the appearance of respiratory sinus arrhythmia: New insights from mathematical modeling. <i>Mathematical Biosciences</i> , 2014, 255, 71-82.	0.9	48
135	Lactate-mediated glia-neuronal signalling in the mammalian brain. <i>Nature Communications</i> , 2014, 5, 3284.	5.8	278
136	Arteriovenous Anastomosis. <i>Hypertension</i> , 2014, 64, 6-12.	1.3	49
137	Carotid body induced post-inspiratory neuron channelopathy for neurogenic hypertension (872.9). <i>FASEB Journal</i> , 2014, 28, 872.9.	0.2	1
138	Device-guided slow deep breathing in essential hypertension: is cardiac or sympathetic baroreflex sensitivity altered? (1132.7). <i>FASEB Journal</i> , 2014, 28, 1132.7.	0.2	0
139	Functional connectivity between Böttinger complex glycinergic neurons and parafacial late-expiratory neurons for expiratory and sympathetic control (712.17). <i>FASEB Journal</i> , 2014, 28, 712.17.	0.2	1
140	Rheumatoid arthritis and autonomic function (1132.10). <i>FASEB Journal</i> , 2014, 28, 1132.10.	0.2	0
141	Increased memory and decreased naïve T cells in human hypertension (1074.9). <i>FASEB Journal</i> , 2014, 28, 1074.9.	0.2	0
142	Effect of device guided slow deep breathing on central sympathetic outflow and arterial baroreflex sensitivity in young healthy individuals (1170.4). <i>FASEB Journal</i> , 2014, 28, 1170.4.	0.2	0
143	Revelations About Carotid Body Function Through its Pathological Role in Resistant Hypertension. <i>Current Hypertension Reports</i> , 2013, 15, 273-280.	1.5	62
144	The Carotid Body as a Therapeutic Target for the Treatment of Sympathetically Mediated Diseases. <i>Hypertension</i> , 2013, 61, 5-13.	1.3	232

#	ARTICLE	IF	CITATIONS
145	The carotid body as a putative therapeutic target for the treatment of neurogenic hypertension. <i>Nature Communications</i> , 2013, 4, 2395.	5.8	204
146	Chronic Knockdown of the Nucleus of the Solitary Tract AT ₁ Receptors Increases Blood Inflammatory-Endothelial Progenitor Cell Ratio and Exacerbates Hypertension in the Spontaneously Hypertensive Rat. <i>Hypertension</i> , 2013, 61, 1328-1333.	1.3	30
147	Excessive Leukotriene B4 in Nucleus Tractus Solitarii Is Prohypertensive in Spontaneously Hypertensive Rats. <i>Hypertension</i> , 2013, 61, 194-201.	1.3	44
148	Brainstem respiratory networks: building blocks and microcircuits. <i>Trends in Neurosciences</i> , 2013, 36, 152-162.	4.2	330
149	Carotid body removal for treatment of chronic systolic heart failure. <i>International Journal of Cardiology</i> , 2013, 168, 2506-2509.	0.8	83
150	Modulation of respiratory sinus arrhythmia in rats with central pattern generator hardware. <i>Journal of Neuroscience Methods</i> , 2013, 212, 124-132.	1.3	12
151	Increasing brain serotonin corrects CO ₂ chemosensitivity in methylcyclobinding protein 2 (Mecp2) deficient mice. <i>Experimental Physiology</i> , 2013, 98, 842-849.	0.9	34
152	Cerebral artery resistance is directly related to sympathetic nerve activity in men. <i>FASEB Journal</i> , 2013, 27, 697.10.	0.2	0
153	Carotid body denervation (CBD) stunts development of Goldblatt 2 kidney clip (2K1C) hypertension in adult rats. <i>FASEB Journal</i> , 2013, 27, 1108.7.	0.2	0
154	Effects of anti-hypertensive interventions on the inflammatory response in the spontaneously hypertensive rat. <i>FASEB Journal</i> , 2013, 27, 905.8.	0.2	0
155	Influence of age on respiratory modulation of muscle sympathetic nerve activity and blood pressure in humans. <i>FASEB Journal</i> , 2013, 27, 1118.23.	0.2	0
156	Interactions between carotid body denervation and renal nerve denervation in lowering arterial blood pressure in the adult spontaneously hypertensive rat (SHR). <i>FASEB Journal</i> , 2013, 27, 699.13.	0.2	0
157	The balance between neural and hemodynamic factors is abolished in hypertensive men. <i>FASEB Journal</i> , 2013, 27, 1108.5.	0.2	0
158	Central neural mechanisms underpinning amplified respiratory-sympathetic coupling in the spontaneously hypertensive rat. <i>FASEB Journal</i> , 2013, 27, 927.12.	0.2	0
159	Hypertension Before and After Posterior Circulation Infarction: Analysis of Data from the South London Stroke Register. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2012, 21, 612-618.	0.7	12
160	Evaluating the physiological significance of respiratory sinus arrhythmia: looking beyond ventilation-perfusion efficiency. <i>Journal of Physiology</i> , 2012, 590, 1989-2008.	1.3	106
161	The sympathetic nervous system and blood pressure in humans: implications for hypertension. <i>Journal of Human Hypertension</i> , 2012, 26, 463-475.	1.0	213
162	Neurogenic Hypertension and Elevated Vertebrobasilar Arterial Resistance: Is There a Causative Link?. <i>Current Hypertension Reports</i> , 2012, 14, 261-269.	1.5	43

#	ARTICLE	IF	CITATIONS
163	Hypertension is critically dependent on the carotid body input in the spontaneously hypertensive rat. <i>Journal of Physiology</i> , 2012, 590, 4269-4277.	1.3	188
164	Depressed serotonin (5-HT) contributes to suppressed CO ₂ chemosensitivity in MeCP2 deficient mice. <i>FASEB Journal</i> , 2012, 26, 894.6.	0.2	0
165	Adaptive Single Neuron Hypertensive Gene Expression Programs in the Nucleus Tractus Solitarius. <i>FASEB Journal</i> , 2012, 26, 1035.19.	0.2	0
166	Long term enhancement of cerebral vascular resistance in spontaneously hypertensive rats produces short term pressor responses and long term remodeling of cerebral circulation. <i>FASEB Journal</i> , 2012, 26, 1091.53.	0.2	1
167	A theoretical study of the physiological significance of respiratory sinus arrhythmia. <i>FASEB Journal</i> , 2012, 26, 702.5.	0.2	0
168	Intermittent hypoxia-induced sensitization of central chemoreceptors contributes to sympathetic nerve activity during late expiration in rats. <i>Journal of Neurophysiology</i> , 2011, 105, 3080-3091.	0.9	84
169	Hypertension and coarctation of the aorta: an inevitable consequence of developmental pathophysiology. <i>Hypertension Research</i> , 2011, 34, 543-547.	1.5	53
170	An Exploration of the Control of Micturition Using a Novel in Situ Arterially Perfused Rat Preparation. <i>Frontiers in Neuroscience</i> , 2011, 5, 62.	1.4	27
171	Elevated verteobasilar artery resistance in neonatal spontaneously hypertensive rats. <i>Journal of Applied Physiology</i> , 2011, 111, 149-156.	1.2	37
172	Exercise with angina and cramp?. <i>Journal of Physiology</i> , 2011, 589, 261-262.	1.3	2
173	Switching control of sympathetic activity from forebrain to hindbrain in chronic dehydration. <i>Journal of Physiology</i> , 2011, 589, 4457-4471.	1.3	22
174	Processing of central and reflex vagal drives by rat cardiac ganglion neurones: an intracellular analysis. <i>Journal of Physiology</i> , 2011, 589, 5801-5818.	1.3	63
175	Autonomic-Immune-Vascular Interaction. <i>Hypertension</i> , 2011, 57, 1026-1033.	1.3	157
176	Control of sympathetic vasomotor tone by catecholaminergic C1 neurones of the rostral ventrolateral medulla oblongata. <i>Cardiovascular Research</i> , 2011, 91, 703-710.	1.8	67
177	NOS Antagonism Using Viral Vectors as an Experimental Strategy: Implications for In Vivo Studies of Cardiovascular Control and Peripheral Neuropathies. <i>Methods in Molecular Biology</i> , 2011, 704, 197-223.	0.4	3
178	Spiking behavior and membrane potential trajectories of pre-BötC and hypoglossal neurons recorded from the rat in situ. <i>FASEB Journal</i> , 2011, 25, .	0.2	1
179	Respiratory-Sympathetic Interactions and Central Baroreflex Pathways: Insights from Computational Modeling. <i>FASEB Journal</i> , 2011, 25, 1076.1.	0.2	0
180	Chronic knockdown of nNOS in the paraventricular nucleus (PVN) produces persistent increases in arterial pressure and renal sympathetic nerve activity (RSNA) in the rat. <i>FASEB Journal</i> , 2011, 25, 1078.8.	0.2	0

#	ARTICLE	IF	CITATIONS
181	Modeling the effect of changes in central respiratory-sympathetic coupling on the sympathetic nerve activity after chronic intermittent hypoxia. <i>FASEB Journal</i> , 2011, 25, 1076.6.	0.2	0
182	Altered respiratory related bursting of muscle sympathetic nerve activity in humans with essential hypertension. <i>FASEB Journal</i> , 2011, 25, 1076.2.	0.2	1
183	Cell- and region-specific miR30-based gene knock-down with temporal control in the rat brain. <i>BMC Molecular Biology</i> , 2010, 11, 93.	3.0	8
184	Transgenic neuronal nitric oxide synthase expression induces axotomy-like changes in adult motoneurons. <i>Journal of Physiology</i> , 2010, 588, 3425-3443.	1.3	13
185	Essential Role of Phox2b-Expressing Ventrolateral Brainstem Neurons in the Chemosensory Control of Inspiration and Expiration. <i>Journal of Neuroscience</i> , 2010, 30, 12466-12473.	1.7	136
186	Correction of respiratory disorders in a mouse model of Rett syndrome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 18208-18213.	3.3	146
187	Chemoreceptor Hypersensitivity, Sympathetic Excitation, and Overexpression of ASIC and TASK Channels Before the Onset of Hypertension in SHR. <i>Circulation Research</i> , 2010, 106, 536-545.	2.0	99
188	Late-Expiratory Activity: Emergence and Interactions With the Respiratory CPG. <i>Journal of Neurophysiology</i> , 2010, 104, 2713-2729.	0.9	82
189	Kidney-Induced Hypertension Depends on Superoxide Signaling in the Rostral Ventrolateral Medulla. <i>Hypertension</i> , 2010, 56, 290-296.	1.3	67
190	Role of GlyT 2 expressing neurons in the BÃttzinger Complex for respiratory rhythm and pattern generation. <i>FASEB Journal</i> , 2010, 24, 614.3.	0.2	3
191	Acute long term stimulation of the ventral periaqueductal grey (vPAG) evokes persistent hypotensive responses in spontaneously hypertensive (SH) rats. <i>FASEB Journal</i> , 2010, 24, 786.19.	0.2	0
192	Elevated sympathetic activity precedes the arterial hypertension in the Goldblatt model. <i>FASEB Journal</i> , 2010, 24, 982.4.	0.2	0
193	Suppression of expiratory activity in a mouse model of Rett Syndrome follows blockade of GABA reuptake and activation of serotonin type 1a receptors. <i>FASEB Journal</i> , 2010, 24, 613.9.	0.2	1
194	Increased intrinsic excitability of muscle vasoconstrictor sympathetic preganglionic neurones in neonatal spontaneously hypertensive rats. <i>FASEB Journal</i> , 2010, 24, 809.13.	0.2	1
195	New lentiviral vector to selectively target glycinergic neurons in the brainstem. <i>FASEB Journal</i> , 2010, 24, 614.2.	0.2	1
196	GABA-containing neurones in nucleus tractus solitarii chronically suppress baroreflex gain in normotensive but not hypertensive rats. <i>FASEB Journal</i> , 2010, 24, 780.2.	0.2	0
197	Normalization of Autonomic Function in Children With Coarctation of the Aorta After Surgical Correction in Infancy. <i>Hypertension</i> , 2009, 54, e21-2.	1.3	8
198	Harvey Cushing and the regulation of blood pressure in giraffe, rat and man: introducing Cushing's mechanism™. <i>Experimental Physiology</i> , 2009, 94, 11-17.	0.9	86

#	ARTICLE	IF	CITATIONS
199	Sympathetic-mediated hypertension of awake juvenile rats submitted to chronic intermittent hypoxia is not linked to baroreflex dysfunction. <i>Experimental Physiology</i> , 2009, 94, 972-983.	0.9	86
200	Amplified respiratory sympathetic coupling in the spontaneously hypertensive rat: does it contribute to hypertension?. <i>Journal of Physiology</i> , 2009, 587, 597-610.	1.3	178
201	Abdominal expiratory activity in the rat brainstem spinal cord <i>in situ</i> : patterns, origins and implications for respiratory rhythm generation. <i>Journal of Physiology</i> , 2009, 587, 3539-3559.	1.3	173
202	Location and properties of respiratory neurones with putative intrinsic bursting properties in the rat <i>in situ</i> . <i>Journal of Physiology</i> , 2009, 587, 3175-3188.	1.3	33
203	Do changes in the coupling between respiratory and sympathetic activities contribute to neurogenic hypertension?. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2009, 36, 1188-1196.	0.9	51
204	Hypotensive action of adrenomedullin (ADM) receptor blockade in the rostral ventrolateral medulla of spontaneously hypertensive rats. <i>FASEB Journal</i> , 2009, 23, 1008.9.	0.2	0
205	Nucleus tractus solitarii (NTS) blood flow and oxygenation are compromised in spontaneously hypertensive rats (SHR). <i>FASEB Journal</i> , 2009, 23, 959.3.	0.2	1
206	Cellular substrates for angiotensin I (Ang I) action in the rostral ventrolateral medulla (RVLM) of the normotensive and spontaneously hypertensive rat (SHR). <i>FASEB Journal</i> , 2009, 23, 958.3.	0.2	0
207	Hypercapnia engages parafacial respiratory group (pFRG) neuronal activity coincident with late expiratory motor outflow. <i>FASEB Journal</i> , 2009, 23, 621.13.	0.2	0
208	Dehydration switches emphasis from hypothalamus to medulla oblongata for maintenance of sympathetic nerve activity (SNA). <i>FASEB Journal</i> , 2009, 23, 959.7.	0.2	0
209	Revealing the role of the autonomic nervous system in the development and maintenance of Goldblatt hypertension in conscious rats. <i>FASEB Journal</i> , 2009, 23, 1017.16.	0.2	0
210	Autonomic cardiovascular responses to chronic infusions of angiotensin II (ANGII) in wistar kyoto rats (WKY). <i>FASEB Journal</i> , 2009, 23, 1017.13.	0.2	0
211	Mechanisms underpinning the hypertension in juvenile rats submitted to chronic intermittent hypoxia. <i>FASEB Journal</i> , 2009, 23, 1008.5.	0.2	0
212	Hyperosmotic evoked sympathoexcitation is blocked by overexpression of macrophage inhibitory migration factor (MIF) in the paraventricular nucleus of hypothalamus (PVN). <i>FASEB Journal</i> , 2009, 23, 792.11.	0.2	0
213	Signalling across the blood brain barrier by angiotensin II: novel implications for neurogenic hypertension. <i>Journal of Molecular Medicine</i> , 2008, 86, 705-710.	1.7	74
214	Enhancement of cell-specific transgene expression from a Tet-Off regulatory system using a transcriptional amplification strategy in the rat brain. <i>Journal of Gene Medicine</i> , 2008, 10, 583-592.	1.4	34
215	Pontomedullary transection attenuates central respiratory modulation of sympathetic discharge, heart rate and the baroreceptor reflex in the <i>in situ</i> rat preparation. <i>Experimental Physiology</i> , 2008, 93, 803-816.	0.9	71
216	Increased sympathetic outflow in juvenile rats submitted to chronic intermittent hypoxia correlates with enhanced expiratory activity. <i>Journal of Physiology</i> , 2008, 586, 3253-3265.	1.3	211

#	ARTICLE	IF	CITATIONS
217	Dominant role of aortic baroreceptors in the cardiac baroreflex of the rat in situ. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2008, 142, 32-39.	1.4	32
218	Gestational administration of glucocorticoid alters baroreceptor and chemoreceptor reflexes in rat. <i>FASEB Journal</i> , 2008, 22, 738.17.	0.2	0
219	Role of phosphoinositide 3-kinase (PI3K) in the nucleus of the solitary tract (NTS) in the modulation of baroreceptor reflex function in the hypertensive rat. <i>FASEB Journal</i> , 2008, 22, 737.34.	0.2	0
220	Ponto-medullary transection attenuates sympathorespiratory coupling and eliminates cardiac sinus arrhythmia in the in situ rat. <i>FASEB Journal</i> , 2008, 22, 739.6.	0.2	1
221	Pro-hypertensive role for leukotriene B4 receptors in the spontaneously hypertensive rat. <i>FASEB Journal</i> , 2008, 22, 968.6.	0.2	0
222	Developing an MRI based method for analyzing differences in blood vessel diameter and brain tissue perfusion in hypertension. <i>FASEB Journal</i> , 2008, 22, 1210.21.	0.2	0
223	Increased sympathetic activity in rats submitted to chronic intermittent hypoxia (CIH) is coupled to enhanced late expiratory activity. <i>FASEB Journal</i> , 2008, 22, 739.1.	0.2	0
224	Proteomic analysis of brainstem micro vessels in angiotensin II induced hypertension. <i>FASEB Journal</i> , 2008, 22, 968.1.	0.2	0
225	Thinking outside the Bötötter C (Bötötter complex): possible brainstem origins of abdominal (AB) expiratory activity in the rat in situ. <i>FASEB Journal</i> , 2008, 22, 755.18.	0.2	0
226	Spatial and Functional Architecture of the Mammalian Brain Stem Respiratory Network: A Hierarchy of Three Oscillatory Mechanisms. <i>Journal of Neurophysiology</i> , 2007, 98, 3370-3387.	0.9	383
227	Spatial organization and state-dependent mechanisms for respiratory rhythm and pattern generation. <i>Progress in Brain Research</i> , 2007, 165, 201-220.	0.9	132
228	Junctional Adhesion Molecule-1 Is Upregulated in Spontaneously Hypertensive Rats. <i>Hypertension</i> , 2007, 49, 1321-1327.	1.3	92
229	Response to Junctional Adhesion Molecule-1 May Have a Wider Role in Cardiovascular Disease. <i>Hypertension</i> , 2007, 50, .	1.3	0
230	Ischaemia-induced sympathoexcitation in spinalized rats. <i>Neuroscience Letters</i> , 2007, 415, 73-76.	1.0	19
231	Counterpoint: Medullary Pacemaker Neurons are Essential for Gasping, but not Eupnea, in Mammals. <i>Journal of Applied Physiology</i> , 2007, 103, 718-720.	1.2	22
232	Osmotic regulation of neuronal nitric oxide synthase expression in the rat amygdala: Functional role for nitric oxide in adaptive responses?. <i>Journal of Neuroscience Research</i> , 2007, 85, 410-422.	1.3	7
233	Hierarchical recruitment of the sympathetic and parasympathetic limbs of the baroreflex in normotensive and spontaneously hypertensive rats. <i>Journal of Physiology</i> , 2007, 579, 473-486.	1.3	48
234	Involvement of l-glutamate and ATP in the neurotransmission of the sympathoexcitatory component of the chemoreflex in the commissural nucleus tractus solitarii of awake rats and in the working heart-brainstem preparation. <i>Journal of Physiology</i> , 2007, 581, 1129-1145.	1.3	79

#	ARTICLE	IF	CITATIONS
235	Vascular-brain signaling in hypertension: Role of angiotensin II and nitric oxide. <i>Current Hypertension Reports</i> , 2007, 9, 242-247.	1.5	59
236	Baroreceptor receptive Bötzing er expiratory (E) neurons in the ventrolateral medulla of the in situ perfused rat. <i>FASEB Journal</i> , 2007, 21, A562.	0.2	1
237	Microarray analysis of brainstem micro vessels in an animal model genetically predisposed to hypertension. <i>FASEB Journal</i> , 2007, 21, A1411.	0.2	0
238	Chronic inhibition of phosphoinositide 3-kinase (PI3K) in the nucleus of the solitary tract (NTS) of hypertensive rats increases blood pressure. <i>FASEB Journal</i> , 2007, 21, A899.	0.2	2
239	Involvement of ATP and L-glutamate in the neurotransmission of the sympathoexcitatory component of the chemoreflex in the commissural NTS in the working heart-brainstem preparation (WHBP) of rat.. <i>FASEB Journal</i> , 2007, 21, A467.	0.2	0
240	Detection of angiotensin II mediated nitric oxide release within the nucleus of the solitary tract using electron-paramagnetic resonance (EPR) spectroscopy. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2006, 126-127, 193-201.	1.4	26
241	REFLEXLY EVOKED COACTIVATION OF CARDIAC VAGAL AND SYMPATHETIC MOTOR OUTFLOWS: OBSERVATIONS AND FUNCTIONAL IMPLICATIONS. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2006, 33, 1245-1250.	0.9	49
242	Optical imaging of medullary ventral respiratory network during eupnea and gasping In situ. <i>European Journal of Neuroscience</i> , 2006, 23, 3025-3033.	1.2	26
243	Respiratory rhythm generation during gasping depends on persistent sodium current. <i>Nature Neuroscience</i> , 2006, 9, 311-313.	7.1	184
244	Automation of analysis of cardiovascular autonomic function from chronic measurements of arterial pressure in conscious rats. <i>Experimental Physiology</i> , 2006, 91, 201-213.	0.9	73
245	A spinal vasopressinergic mechanism mediates hyperosmolality-induced sympathoexcitation. <i>Journal of Physiology</i> , 2006, 576, 569-583.	1.3	74
246	A decerebrate, artificially-perfused in situ preparation of rat: Utility for the study of autonomic and nociceptive processing. <i>Journal of Neuroscience Methods</i> , 2006, 155, 260-271.	1.3	65
247	Mechanism of nitric oxide action on inhibitory GABAergic signaling within the nucleus tractus solitarii. <i>FASEB Journal</i> , 2006, 20, 1537-1539.	0.2	52
248	Are pacemaker neurons active in eupnea when generated by an intact ponto-medullary network?. <i>FASEB Journal</i> , 2006, 20, A369.	0.2	0
249	A NOVEL IN SITU APPROACH FOR STUDYING THE HYPOTHALAMIC CONTROL OF HYPEROSMOLALITY INDUCED SYMPATHOEXCITATION. <i>FASEB Journal</i> , 2006, 20, .	0.2	0
250	Respiratory modulation of thoracic sympathetic nerve activity increased following brief hypoxia in the rat in situ preparation. <i>FASEB Journal</i> , 2006, 20, LB36.	0.2	0
251	Down-regulation of leukotriene B4 12-hydroxydehydrogenase gene in the nucleus tractus solitarii (NTS) of the spontaneously hypertensive rat may be pro-hypertensive. <i>FASEB Journal</i> , 2006, 20, .	0.2	0
252	Significant contribution from the thoracic spinal cord in mediating ischaemia induced sympatho-excitation.. <i>FASEB Journal</i> , 2006, 20, A775.	0.2	5

#	ARTICLE	IF	CITATIONS
253	A proteomic approach to investigate the changes within the rat hypothalamo-neurohypophyseal system induced by dehydration. <i>FASEB Journal</i> , 2006, 20, A354.	0.2	0
254	Spatiotemporal patterns of ventral medullary respiratory network activity during eupnea and gasping imaged using optical recording <i>in situ</i> . <i>FASEB Journal</i> , 2006, 20, A369.	0.2	0
255	Cardiovascular Genomics Themed Issue. <i>Experimental Physiology</i> , 2005, 90, 271-272.	0.9	0
256	Water deprivation increases the expression of neuronal nitric oxide synthase (nNOS) but not orexin-A in the lateral hypothalamic area of the rat. <i>Journal of Comparative Neurology</i> , 2005, 490, 180-193.	0.9	16
257	Long-term intracellular recordings of respiratory neuronal activities <i>in situ</i> during eupnea, gasping and blockade of synaptic transmission. <i>Journal of Neuroscience Methods</i> , 2005, 147, 138-145.	1.3	10
258	The yin and yang of cardiac autonomic control: Vago-sympathetic interactions revisited. <i>Brain Research Reviews</i> , 2005, 49, 555-565.	9.1	280
259	Whole Cell Recordings From Respiratory Neurones in an Arterially Perfused <i>in situ</i> Neonatal Rat Preparation. <i>Experimental Physiology</i> , 2003, 88, 725-732.	0.9	12
260	Chronic inhibition of endothelial nitric oxide synthase activity in nucleus tractus solitarii enhances baroreceptor reflex in conscious rats. <i>Journal of Physiology</i> , 2003, 546, 233-242.	1.3	98
261	Efficient large-scale production and concentration of HIV-1-based lentiviral vectors for use <i>in vivo</i> . <i>Physiological Genomics</i> , 2003, 12, 221-228.	1.0	154
262	Genetic and pharmacological dissection of pathways involved in the angiotensin II-mediated depression of baroreflex function. <i>FASEB Journal</i> , 2002, 16, 1595-1601.	0.2	50
263	Inhibitory synaptic mechanisms regulating upper airway patency. <i>Respiratory Physiology and Neurobiology</i> , 2002, 131, 57-63.	0.7	47
264	Central control of upper airway resistance regulating respiratory airflow in mammals. <i>Journal of Anatomy</i> , 2002, 201, 319-323.	0.9	29
265	Glycinergic inhibition is essential for coordinating cranial and spinal respiratory motor outputs in the neonatal rat. <i>Journal of Physiology</i> , 2002, 543, 643-653.	1.3	70
266	Sensory Afferent Selective Role of P2 Receptors in the Nucleus Tractus Solitarii for Mediating the Cardiac Component of the Peripheral Chemoreceptor Reflex in Rats. <i>Journal of Physiology</i> , 2002, 543, 995-1005.	1.3	34
267	Role of the solitary tract nucleus in mediating nociceptive evoked cardiorespiratory responses. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2001, 86, 170-182.	1.4	39
268	Cardiorespiratory reflexes in a working heart-brainstem preparation of the house musk shrew, <i>Suncus murinus</i> . <i>Autonomic Neuroscience: Basic and Clinical</i> , 2001, 89, 54-59.	1.4	5
269	Brain stem P ₂ and pH of the working heart-brain stem preparation during vascular perfusion with aqueous medium. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2001, 281, R528-R538.	0.9	41
270	Unravelling mechanisms of action of angiotensin II on cardiorespiratory function using <i>in vivo</i> gene transfer. <i>Acta Physiologica Scandinavica</i> , 2001, 173, 127-137.	2.3	32

#	ARTICLE	IF	CITATIONS
271	GABA A receptor α -subunit may confer benzodiazepine insensitivity to the caudal aspect of the nucleus tractus solitarii of the rat. <i>Journal of Physiology</i> , 2001, 536, 785-796.	1.3	35
272	Adenoviral vector demonstrates that angiotensin II-induced depression of the cardiac baroreflex is mediated by endothelial nitric oxide synthase in the nucleus tractus solitarii of the rat. <i>Journal of Physiology</i> , 2001, 531, 445-458.	1.3	151
273	Response Properties of Baroreceptive NTS Neurons. <i>Annals of the New York Academy of Sciences</i> , 2001, 940, 157-168.	1.8	21
274	Morphological and electrophysiological properties of neurones in the dorsal vagal complex of the rat activated by arterial baroreceptors. <i>Journal of Comparative Neurology</i> , 2000, 417, 233-249.	0.9	48
275	Somatic Gene Transfer: Implications for Cardiovascular Control. <i>Experimental Physiology</i> , 2000, 85, 747-755.	0.9	8
276	Respiratory activity in neonatal rats. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2000, 84, 19-29.	1.4	65
277	Characterizations of eupnea, apneusis and gasping in a perfused rat preparation. <i>Respiration Physiology</i> , 2000, 123, 201-213.	2.8	99
278	Morphological and electrophysiological properties of neurones in the dorsal vagal complex of the rat activated by arterial baroreceptors. , 2000, 417, 233.		1
279	Morphological and electrophysiological properties of neurones in the dorsal vagal complex of the rat activated by arterial baroreceptors. <i>Journal of Comparative Neurology</i> , 2000, 417, 233.	0.9	1
280	5-HT ₄ receptors in nucleus tractus solitarii attenuate cardiopulmonary reflex in anesthetized rats. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 1999, 277, H1914-H1923.	1.5	11
281	Nucleus Tractus Solitarii: Integrating Structures. <i>Experimental Physiology</i> , 1999, 84, 815-833.	0.9	47
282	Differential effects of angiotensin II on cardiorespiratory reflexes mediated by nucleus tractus solitarii - a microinjection study in the rat. <i>Journal of Physiology</i> , 1999, 521, 213-225.	1.3	99
283	Differential effects of angiotensin II in the nucleus tractus solitarii of the rat - plausible neuronal mechanisms. <i>Journal of Physiology</i> , 1999, 521, 227-238.	1.3	66
284	Nucleus Tractus Solitarii: Integrating Structures. , 1999, 84, 815.		27
285	Convergence properties of solitary tract neurones driven synaptically by cardiac vagal afferents in the mouse. <i>Journal of Physiology</i> , 1998, 508, 237-252.	1.3	52
286	Coupling of sympathetic and somatic motor outflows from the spinal cord in a perfused preparation of adult mouse in vitro. <i>Journal of Physiology</i> , 1998, 508, 907-918.	1.3	28
287	Importance of neurokinin-1 receptors in the nucleus tractus solitarii of mice for the integration of cardiac vagal inputs. <i>European Journal of Neuroscience</i> , 1998, 10, 2261-2275.	1.2	33
288	K ⁺ channel blockade in the NTS alters efficacy of two cardiorespiratory reflexes in vivo. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 1998, 274, R677-R685.	0.9	7

#	ARTICLE	IF	CITATIONS
289	Modeling Neural Mechanisms for Genesis of Respiratory Rhythm and Pattern. I. Models of Respiratory Neurons. <i>Journal of Neurophysiology</i> , 1997, 77, 1994-2006.	0.9	85
290	Modeling Neural Mechanisms for Genesis of Respiratory Rhythm and Pattern. II. Network Models of the Central Respiratory Pattern Generator. <i>Journal of Neurophysiology</i> , 1997, 77, 2007-2026.	0.9	120
291	Rhythmic bursting of pre- and post-inspiratory neurones during central apnoea in mature mice. <i>Journal of Physiology</i> , 1997, 502, 623-639.	1.3	55
292	Changes in baroreceptor vagal reflex performance in the developing rat. <i>Pflugers Archiv European Journal of Physiology</i> , 1997, 434, 438-444.	1.3	69
293	A working heart-brainstem preparation of the mouse. <i>Journal of Neuroscience Methods</i> , 1996, 65, 63-68.	1.3	429