

# Stefano Ferretti

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/115395/publications.pdf>

Version: 2024-02-01

98  
papers

3,185  
citations

126907

33  
h-index

168389

53  
g-index

102  
all docs

102  
docs citations

102  
times ranked

4812  
citing authors

#	ARTICLE	IF	CITATIONS
1	Burden and centralised treatment in Europe of rare tumours: results of RARECAREnetâ€”a population-based study. <i>Lancet Oncology</i> , The, 2017, 18, 1022-1039.	10.7	285
2	Sporadic colorectal adenocarcinomas with high-frequency microsatellite instability. <i>Cancer</i> , 2000, 89, 2025-2037.	4.1	195
3	Pattern of cancer risk in persons with AIDS in Italy in the HAART era. <i>British Journal of Cancer</i> , 2009, 100, 840-847.	6.4	176
4	HLAâ€”G genotype and HLAâ€”G expression in systemic lupus erythematosus: HLAâ€”G as a putative susceptibility gene in systemic lupus erythematosus. <i>Tissue Antigens</i> , 2008, 71, 520-529.	1.0	118
5	Incidence of thyroid cancer in Italy, 1991â€”2005: time trends and ageâ€”periodâ€”cohort effects. <i>Annals of Oncology</i> , 2011, 22, 957-963.	1.2	91
6	Changing geographical patterns and trends in cancer incidence in children and adolescents in Europe, 1991â€”2010 (Automated Childhood Cancer Information System): a population-based study. <i>Lancet Oncology</i> , The, 2018, 19, 1159-1169.	10.7	85
7	Estimate of overdiagnosis of breast cancer due to mammography after adjustment for lead time. A service screening study in Italy. <i>Breast Cancer Research</i> , 2006, 8, R68.	5.0	79
8	Long-term survival, prevalence, and cure of cancer: a population-based estimation for 818 902 Italian patients and 26 cancer types. <i>Annals of Oncology</i> , 2014, 25, 2251-2260.	1.2	77
9	Effectiveness of service screening: a caseâ€”control study to assess breast cancer mortality reduction. <i>British Journal of Cancer</i> , 2008, 99, 423-427.	6.4	75
10	Descriptive epidemiology of cholangiocarcinoma in Italy. <i>Digestive and Liver Disease</i> , 2010, 42, 490-495.	0.9	75
11	HLA-G 14-bp polymorphism regulates the methotrexate response in rheumatoid arthritis. <i>Pharmacogenetics and Genomics</i> , 2006, 16, 615-623.	1.5	73
12	Axillary Lymph Node Nanometastases Are Prognostic Factors for Disease-Free Survival and Metastatic Relapse in Breast Cancer Patients. <i>Clinical Cancer Research</i> , 2006, 12, 6696-6701.	7.0	71
13	Incidence of AIDS-Defining Cancers After AIDS Diagnosis Among People with AIDS in Italy, 1986â€”1998. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2003, 34, 84-90.	2.1	69
14	Survival of European patients diagnosed with lymphoid neoplasms in 2000-2002: results of the HAEMACARE project. <i>Haematologica</i> , 2011, 96, 720-728.	3.5	68
15	Defective production of soluble HLA-G molecules by peripheral blood monocytes in patients with asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2005, 115, 508-513.	2.9	65
16	Cancer incidence in people with AIDS in Italy. <i>International Journal of Cancer</i> , 2010, 127, 1437-1445.	5.1	61
17	p53 Expression in Colorectal Cancer:Relation to Tumor Type, DNA Ploidy Pattern, and Short-Term Survival. <i>American Journal of Clinical Pathology</i> , 1996, 105, 604-612.	0.7	58
18	Classic Kaposi's sarcoma in Italy, 1985â€”1998. <i>British Journal of Cancer</i> , 2005, 92, 188-193.	6.4	58

#	ARTICLE	IF	CITATIONS
19	The impact of overdiagnosis on thyroid cancer epidemic in Italy,1998â€“2012. <i>European Journal of Cancer</i> , 2018, 94, 6-15.	2.8	58
20	Completeness and timeliness: Cancer registries could/should improve their performance. <i>European Journal of Cancer</i> , 2015, 51, 1091-1098.	2.8	55
21	MIB-1 proliferative activity in invasive breast cancer measured by image analysis.. <i>Journal of Clinical Pathology</i> , 1996, 49, 926-930.	2.0	50
22	Cervical cancer screening in women vaccinated against human papillomavirus infection: Recommendations from a consensus conference. <i>Preventive Medicine</i> , 2017, 98, 21-30.	3.4	49
23	Cancer trends in Italy: figures from the cancer registries (1986-1997). <i>Epidemiologia E Prevenzione</i> , 2004, 28, 1-6.	1.1	48
24	Characteristics of people living in Italy after a cancer diagnosis in 2010 and projections to 2020. <i>BMC Cancer</i> , 2018, 18, 169.	2.6	42
25	Molecular Subtyping of Breast Cancer from Traditional Tumor Marker Profiles Using Parallel Clustering Methods. <i>Clinical Cancer Research</i> , 2006, 12, 781-790.	7.0	41
26	Changes in the Incidence of Thyroid Cancer Between 1991 and 2005 in Italy: A Geographical Analysis. <i>Thyroid</i> , 2012, 22, 27-34.	4.5	40
27	Population-based incidence and mortality cancer trends (1986â€“1997) from the network of Italian cancer registries. <i>European Journal of Cancer Prevention</i> , 2004, 13, 287-295.	1.3	39
28	Mastectomy rates are decreasing in the era of service screening: a population-based study in Italy (1997â€“2001). <i>British Journal of Cancer</i> , 2006, 95, 1265-1268.	6.4	37
29	Can tumor necrosis factor receptor II gene 676T&gt;G polymorphism predict the response grading to anti-TNFI± therapy in rheumatoid arthritis?. <i>Rheumatology International</i> , 2008, 28, 901-908.	3.0	37
30	Screening patterns within organized programs and survival of Italian women with invasive cervical cancer. <i>Preventive Medicine</i> , 2013, 57, 220-226.	3.4	37
31	Cancer prevalence estimates in Europe at the beginning of 2000. <i>Annals of Oncology</i> , 2013, 24, 1660-1666.	1.2	36
32	Biological Profile of in Situ Breast Cancer Investigated by Immunohistochemical Technique. <i>Cancer Detection and Prevention</i> , 1998, 22, 313-318.	2.1	36
33	Changes in cervical cancer incidence following the introduction of organized screening in Italy. <i>Preventive Medicine</i> , 2015, 75, 56-63.	3.4	35
34	An immunohistochemically positive E-cadherin status is not always predictive for a good prognosis in human breast cancer. <i>British Journal of Cancer</i> , 2010, 103, 1835-1839.	6.4	30
35	Biophenotypes and survival of BRCA1 and TP53 deleted breast cancer in young women. <i>Breast Cancer Research and Treatment</i> , 2001, 66, 135-142.	2.5	27
36	Regional inequalities in cancer care persist in Italy and can influence survival. <i>Cancer Epidemiology</i> , 2012, 36, 541-547.	1.9	26

#	ARTICLE	IF	CITATIONS
37	The risk of developing a second, different, cancer among 14%560 survivors of malignant cutaneous melanoma: a study by AIRTUM (the Italian Network of Cancer Registries). <i>Melanoma Research</i> , 2008, 18, 230-234.	1.2	25
38	Non-Hodgkin lymphoma among young adults with and without AIDS in Italy. <i>International Journal of Cancer</i> , 2001, 93, 430-435.	5.1	24
39	The impact of organised screening programmes on the stage-specific incidence of breast cancer in some Italian areas. <i>European Journal of Cancer</i> , 2003, 39, 1776-1782.	2.8	24
40	Prognosis and cure of long-term cancer survivors: A population-based estimation. <i>Cancer Medicine</i> , 2019, 8, 4497-4507.	2.8	24
41	Biophenotypes of Breast Carcinoma in situ Defined by Image Analysis of Biological Parameters. <i>Pathology Research and Practice</i> , 1996, 192, 117-123.	2.3	23
42	Modulation of biomarkers in minimal breast carcinoma. , 1998, 83, 89-97.		22
43	In situ breast cancer: Incidence trend and organised screening programmes in Italy. <i>European Journal of Cancer</i> , 2005, 41, 1045-1050.	2.8	22
44	Cancer prevalence in United States, Nordic Countries, Italy, Australia, and France: an analysis of geographic variability. <i>British Journal of Cancer</i> , 2013, 109, 219-228.	6.4	22
45	Survival After Cancer in Italian Persons With AIDS, 1986-2005. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2014, 66, 428-435.	2.1	22
46	Application of quantitative analysis to biologic profile evaluation in breast cancer. <i>Cancer</i> , 1995, 76, 2510-2517.	4.1	21
47	Screen-detected vs clinical breast cancer: the advantage in the relative risk of lymph node metastases decreases with increasing tumour size. <i>British Journal of Cancer</i> , 2005, 92, 156-161.	6.4	21
48	Estimating the impact of an organised screening programme on cervical cancer incidence: A 26-year study from northern Italy. <i>International Journal of Cancer</i> , 2019, 144, 1017-1026.	5.1	20
49	Incidence of primary liver cancer in Italy between 1988 and 2002: An age-period-cohort analysis. <i>European Journal of Cancer</i> , 2008, 44, 285-292.	2.8	19
50	Incidence trends of vulvar squamous cell carcinoma in Italy from 1990 to 2015. <i>Gynecologic Oncology</i> , 2020, 157, 656-663.	1.4	19
51	Risk of Squamous Cell Carcinoma and Adenocarcinoma of the Esophagus in Patients With Achalasia: A Long-Term Prospective Cohort Study in Italy. <i>American Journal of Gastroenterology</i> , 2021, 116, 289-295.	0.4	19
52	Risk of vulvar carcinoma in women affected with lichen sclerosus: results of a cohort study. <i>JDDG - Journal of the German Society of Dermatology</i> , 2019, 17, 1069-1071.	0.8	18
53	Changes in life expectancy for cancer patients over time since diagnosis. <i>Journal of Advanced Research</i> , 2019, 20, 153-159.	9.5	16
54	Cancer incidence in Italian contaminated sites. <i>Annali Dell'Istituto Superiore Di Sanita</i> , 2014, 50, 186-91.	0.4	16

#	ARTICLE	IF	CITATIONS
55	Mesothelioma and thymic tumors: Treatment challenges in (outside) a network setting. <i>European Journal of Surgical Oncology</i> , 2019, 45, 75-80.	1.0	15
56	Stage-specific incidence of breast cancer before the beginning of organized screening programs in Italy. <i>Cancer Causes and Control</i> , 2002, 13, 65-71.	1.8	14
57	Survival after the diagnosis of breast or colorectal cancer in the GAZA Strip from 2005 to 2014. <i>BMC Cancer</i> , 2018, 18, 632.	2.6	14
58	Effects of Attendance to an Organized Fecal Immunochemical Test Screening Program on the Risk of Colorectal Cancer: An Observational Cohort Study. <i>Clinical Gastroenterology and Hepatology</i> , 2022, 20, 2373-2382.	4.4	14
59	Estimated and Observed Cancer Incidence in Italy: A Validation Study. <i>Tumori</i> , 2007, 93, 387-391.	1.1	13
60	Mid-term trends and recent birth-cohort-dependent changes in incidence rates of cutaneous malignant melanoma in Italy. <i>International Journal of Cancer</i> , 2021, 148, 835-844.	5.1	13
61	New Insights into the Epidemiology of Vulvar Cancer: Systematic Literature Review for an Update of Incidence and Risk Factors. <i>Cancers</i> , 2022, 14, 389.	3.7	13
62	Risk of thyroid as a first or second primary cancer. A population-based study in Italy, 1998-2012. <i>Cancer Medicine</i> , 2021, 10, 6855-6867.	2.8	12
63	How a faecal immunochemical test screening programme changes annual colorectal cancer incidence rates: an Italian intention-to-screen study. <i>British Journal of Cancer</i> , 2022, 127, 541-548.	6.4	12
64	Strong Seasonality in the Diagnosis of Skin Melanoma in Italy: The Italian Network of Cancer Registries (AIRTUM) Study. <i>Tumori</i> , 2009, 95, 665-668.	1.1	11
65	Establishment of keratinocyte colonies from small-sized cervical intraepithelial neoplasia specimens. <i>Journal of Cellular Physiology</i> , 2012, 227, 3787-3795.	4.1	11
66	The relative contribution of the decreasing trend in tumour thickness to the 2010s increase in net survival from cutaneous malignant melanoma in Italy: a population-based investigation*. <i>British Journal of Dermatology</i> , 2022, 187, 52-63.	1.5	11
67	Clinical Usefulness of Estrogen Receptor Immunocytochemistry in Human Breast Cancer. <i>Tumori</i> , 1992, 78, 287-290.	1.1	10
68	Evaluation of service mammography screening impact in Italy. The contribution of hazard analysis. <i>European Journal of Cancer</i> , 2008, 44, 858-865.	2.8	10
69	Proportional incidence of interval colorectal cancer in a large population-based faecal immunochemical test screening programme. <i>Digestive and Liver Disease</i> , 2020, 52, 452-456.	0.9	10
70	Annual mammography at age 45-49 years and biennial mammography at age 50-69 years: comparing performance measures in an organised screening setting. <i>European Radiology</i> , 2019, 29, 5517-5527.	4.5	9
71	Disentangling the Roles of Mammographic Screening and HRT in Recent Breast Cancer Incidence Trends in Italy by Analyses Based on Calendar Time and Time Since Screening Activation. <i>Breast Journal</i> , 2010, 16, no-no.	1.0	8
72	Impact of socioeconomic status and district of residence on cutaneous malignant melanoma prognosis: a survival study on incident cases between 1991 and 2011 in the province of Ferrara, northern Italy. <i>Melanoma Research</i> , 2017, 27, 619-624.	1.2	7

#	ARTICLE	IF	CITATIONS
73	Cohort study of residents of a district with soil and groundwater industrial waste contamination. <i>Annali Dell'Istituto Superiore Di Sanita</i> , 2013, 49, 354-7.	0.4	6
74	The burden of rare cancers in Italy: the surveillance of rare cancers in Italy (RITA) project. <i>Tumori</i> , 2012, 98, 550-8.	1.1	6
75	Breast screening: Axillary lymph node status of interval cancers by interval year. <i>Breast</i> , 2008, 17, 477-483.	2.2	5
76	Ageing and other factors behind recent cancer incidence and mortality trends in Italy. <i>Journal of Geriatric Oncology</i> , 2012, 3, 111-119.	1.0	5
77	Population-based method for investigating adherence to international recommendations for pathology reporting of primary cutaneous melanoma: Results of a EURO CARE-5 high resolution study. <i>Cancer Epidemiology</i> , 2015, 39, 424-429.	1.9	5
78	Sporadic colorectal adenocarcinomas with high-frequency microsatellite instability. <i>Cancer</i> , 2000, 89, 2025-2037.	4.1	5
79	Biological Heterogeneity of Breast Carcinoma in Situ. <i>Annals of the New York Academy of Sciences</i> , 1996, 784, 458-461.	3.8	4
80	Use of 2-[18F]fluoro-2-deoxy-D-glucose positron emission tomography in patients with Hodgkin lymphoma in daily practice: a population-based study from Northern Italy. <i>Leukemia and Lymphoma</i> , 2011, 52, 1689-1696.	1.3	4
81	The first 2 years of colorectal cancer screening in Ferrara, Italy. <i>European Journal of Cancer Prevention</i> , 2011, 20, 166-168.	1.3	4
82	Interpretation of colposcopy in population-based cervical screening services in north-eastern Italy: an online interregional agreement study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 206, 64-69.	1.1	4
83	Time to viral clearance after successful conservative treatment for high-risk HPV-infected high-grade cervical intraepithelial neoplasia and early invasive squamous cervical carcinoma. <i>Diagnostic Microbiology and Infectious Disease</i> , 2016, 86, 270-272.	1.8	4
84	Incidence and survival trends of cervical adenocarcinoma in Italy: Cytology screening has become more effective in downstaging the disease but not in detecting its precursors. <i>International Journal of Cancer</i> , 2017, 140, 247-248.	5.1	4
85	Incidence of interval breast cancer among women aged 45-49 in an organised mammography screening setting. <i>Journal of Medical Screening</i> , 2021, 28, 207-209.	2.3	4
86	Thyroidectomies in Italy: A Population-Based National Analysis from 2001 to 2018. <i>Thyroid</i> , 2022, 32, 263-272.	4.5	4
87	Trends in net survival from liver cancer in six European Latin countries: results from the SUDCAN population-based study. <i>European Journal of Cancer Prevention</i> , 2017, 26, S56-S62.	1.3	3
88	Consistency and inconsistency in testing biomarkers in breast cancer. A GRELL study in cut-off variability in the Romance language countries. <i>Breast</i> , 2013, 22, 476-481.	2.2	2
89	Biological Staging of Incipient, in Situ, and Invasive Breast Carcinomas. <i>Annals of the New York Academy of Sciences</i> , 1996, 784, 381-394.	3.8	1
90	The Results of an Italian Quality Assurance Program Support the New American Society for Colposcopy and Cervical Pathology Recommendations for Colposcopy Practice. <i>Journal of Lower Genital Tract Disease</i> , 2018, 22, 235-236.	1.9	1

#	ARTICLE	IF	CITATIONS
91	Second primary malignancies in patients with non-melanoma skin cancer: Results from a cancer registry-based study in Emilia Romagna, north-east Italy. <i>Cancer Epidemiology</i> , 2019, 61, 176-184.	1.9	1
92	Changes in the incidence of cervical tumours by disease stage in a cytology-based screening programme. <i>Journal of Medical Screening</i> , 2020, 27, 96-104.	2.3	1
93	Clinical Epidemiology of Microinvasive Cervical Carcinoma in an Italian Population Targeted by a Screening Programme. <i>Cancers</i> , 2022, 14, 2093.	3.7	1
94	Cancer Incidence and Mortality in the Province of Ferrara 1989-1990. <i>Tumori</i> , 1995, 81, 321-329.	1.1	0
95	Reply: An inverse association between tumour size and overdiagnosis may explain the results by Bucchi et al. <i>British Journal of Cancer</i> , 2005, 92, 1815-1816.	6.4	0
96	Early (short-interval) rescreen in mammography screening. <i>Journal of Medical Screening</i> , 2017, 24, 54-55.	2.3	0
97	Five-year annual incidence and clinico-molecular features of breast cancer after the last negative screening mammography at age 68-69. <i>European Radiology</i> , 2021, , 1.	4.5	0
98	Estimates of cancer burden in Emilia-Romagna. <i>Tumori</i> , 2013, 99, 327-33.	1.1	0