

Maria Grazia Finoia

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11547694/publications.pdf>

Version: 2024-02-01

22
papers

1,039
citations

623734

14
h-index

677142

22
g-index

22
all docs

22
docs citations

22
times ranked

1485
citing authors

#	ARTICLE	IF	CITATIONS
1	Integrated approach of multiple environmental datasets for the assessment of sediment contamination in marine areas affected by long-lasting industrial activity: the case study of Bagnoli (southern Italy). <i>Journal of Soils and Sediments</i> , 2020, 20, 1692-1705.	3.0	11
2	Managing complexity of marine ecosystems: From the monitoring breakdown structure (MBS) to the baseline assessment. Trace metal concentrations in biomonitors of the Beagle Channel, Patagonia (2005â€“2012). <i>Ecological Indicators</i> , 2019, 104, 296-305.	6.3	7
3	Performance of two Patagonian molluscs as trace metal biomonitors: The overlap bioaccumulation index (OBI) as an integrative tool for the management of marine ecosystems. <i>Ecological Indicators</i> , 2019, 101, 749-758.	6.3	14
4	Abundance and characterization of microplastics in the coastal waters of Tuscany (Italy): The application of the MSFD monitoring protocol in the Mediterranean Sea. <i>Marine Pollution Bulletin</i> , 2018, 133, 543-552.	5.0	149
5	Baseline trace metals in <i>Patella caerulea</i> in a central Tyrrhenian ecosystem (Pontine Islands) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5 24, 8852-8865.	5.3	10
6	First detection of seven phthalate esters (PAEs) as plastic tracers in superficial neustonic/planktonic samples and cetacean blubber. <i>Analytical Methods</i> , 2017, 9, 1512-1520.	2.7	99
7	Baseline Trace Metals Concentration in <i>Monodonta turbinata</i> Throughout Pontine Islands Archipelago, Italy. <i>International Journal of Environmental Research</i> , 2017, 11, 13-23.	2.3	1
8	Fin whales and microplastics: The Mediterranean Sea and the Sea of Cortez scenarios. <i>Environmental Pollution</i> , 2016, 209, 68-78.	7.5	299
9	Uncommon multivariate statistical methods for environmental studies: A review. <i>Trends in Environmental Analytical Chemistry</i> , 2015, 6-7, 31-38.	10.3	9
10	Determination of trace metal baseline values in <i>Posidonia oceanica</i> , <i>Cystoseira</i> sp., and other marine environmental biomonitors: a quality control method for a study in South Tyrrhenian coastal areas. <i>Environmental Science and Pollution Research</i> , 2015, 22, 3640-3651.	5.3	15
11	Characterization of Argentine honeys on the basis of their mineral content and some typical quality parameters. <i>Chemistry Central Journal</i> , 2014, 8, 44.	2.6	32
12	Correlation between textural characteristics of marine sediments and benthic foraminifera in highly anthropogenically-altered coastal areas. <i>Marine Geology</i> , 2012, 315-318, 143-161.	2.1	46
13	Baseline trace metals in gastropod mollusks from the Beagle Channel, Tierra del Fuego (Patagonia,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5 2.4 21	2.4	21
14	Atmospheric background trace elements deposition in Tierra del Fuego region (Patagonia, Argentina), using transplanted <i>Usnea barbata</i> lichens. <i>Environmental Monitoring and Assessment</i> , 2012, 184, 527-538.	2.7	23
15	Baseline trace metals in bivalve molluscs from the Beagle Channel, Patagonia (Argentina). <i>Ecotoxicology</i> , 2011, 20, 1341-1353.	2.4	21
16	Baseline Trace Metals in Seagrass, Algae, and Mollusks in a Southern Tyrrhenian Ecosystem (Linosa) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 4.1 55	4.1	55
17	Metals in molluscs and algae: A northâ€“south Tyrrhenian Sea baseline. <i>Journal of Hazardous Materials</i> , 2010, 181, 388-392.	12.4	22
18	Benthic foraminifera from the coastal zone of Baia (Naples, Italy): Assemblage distribution and modification as tools for environmental characterisation. <i>Marine Pollution Bulletin</i> , 2009, 59, 234-244.	5.0	50

#	ARTICLE	IF	CITATIONS
19	Diet of Atlantic lizardfish, <i>Synodus saurus</i> (Linnaeus, 1758) (Pisces: Synodontidae) in the central Mediterranean Sea. <i>Scientia Marina</i> , 2009, 73, 369-376.	0.6	9
20	Industrial pollution at Bagnoli (Naples, Italy): Benthic foraminifera as a tool in integrated programs of environmental characterisation. <i>Marine Pollution Bulletin</i> , 2008, 56, 439-457.	5.0	90
21	Diet of <i>Tetrapturus belone</i> (Istiophoridae) in the central Mediterranean Sea. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2008, 88, 183-187.	0.8	14
22	Food and feeding habits of pearly razorfish, <i>Xyrichtys novacula</i> (Linnaeus, 1758), in the southern Tyrrhenian Sea: variation by sex and size. <i>Environmental Biology of Fishes</i> , 2005, 72, 123-133.	1.0	42