

Cheryl A Frye

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11567446/publications.pdf>

Version: 2024-02-01

223
papers

14,861
citations

15504

65
h-index

22832

112
g-index

223
all docs

223
docs citations

223
times ranked

10044
citing authors

#	ARTICLE	IF	CITATIONS
1	Pregnant women with more seizures have lower allopregnanolone concentrations. <i>Epilepsy Research</i> , 2021, 177, 106778.	1.6	3
2	Central Actions of 3Î±,5Î±-THP Involving NMDA and GABAA Receptors Regulate Affective and Sexual Behavior of Female Rats. <i>Frontiers in Behavioral Neuroscience</i> , 2020, 14, 11.	2.0	3
3	Mating Enhances Expression of Hormonal and Trophic Factors in the Midbrain of Female Rats. <i>Frontiers in Behavioral Neuroscience</i> , 2020, 14, 21.	2.0	1
4	Learning and the Lifespan: Whatâ€™s Sex Got to Do With It?. <i>Frontiers in Neuroscience</i> , 2020, 14, 216.	2.8	2
5	Progesterone's Effects on Cognitive Performance of Male Mice Are Independent of Progestin Receptors but Relate to Increases in GABAA Activity in the Hippocampus and Cortex. <i>Frontiers in Endocrinology</i> , 2020, 11, 552805.	3.5	6
6	Prenatal resident-intruder stress decreases levels of allopregnanolone in the cortex, hypothalamus, and midbrain of males, and increases levels in the hippocampus and cerebellum of female, juvenile rat offspring. <i>Neurobiology of Stress</i> , 2020, 12, 100214.	4.0	3
7	Advances in Knowledge of Androgens: How Intentional and Accidental Neurosteroid Changes Inform Us of Their Action and Role. <i>Current Sexual Health Reports</i> , 2020, 12, 209-220.	0.8	0
8	The Steroidogenesis Inhibitor Finasteride Reduces the Response to Both Stressful and Rewarding Stimuli. <i>Biomolecules</i> , 2019, 9, 749.	4.0	28
9	Effects of non-contingent cocaine on 3 alpha-androstenediol. II. Disruption of lordosis of proestrous rats. <i>Physiology and Behavior</i> , 2019, 203, 113-119.	2.1	4
10	Effects of non-contingent cocaine on 3alpha-androstenediol. I. Disruption of male sexual behavior. <i>Physiology and Behavior</i> , 2019, 203, 120-127.	2.1	5
11	Research Brief: Self-Reports of a Constellation of Persistent Antiandrogenic, Estrogenic, Physical, and Psychological Effects of Finasteride Usage Among Men. <i>American Journal of Men's Health</i> , 2018, 12, 900-906.	1.6	13
12	Progestogensâ€™ effects and mechanisms for object recognition memory across the lifespan. <i>Behavioural Brain Research</i> , 2015, 294, 50-61.	2.2	9
13	Novel receptor targets for production and action of allopregnanolone in the central nervous system: a focus on pregnane xenobiotic receptor. <i>Frontiers in Cellular Neuroscience</i> , 2014, 8, 106.	3.7	38
14	The pregnane xenobiotic receptor, a prominent liver factor, has actions in the midbrain for neurosteroid synthesis and behavioral/neural plasticity of female rats. <i>Frontiers in Systems Neuroscience</i> , 2014, 8, 60.	2.5	14
15	Allopregnanolone levels and seizure frequency in progesterone-treated women with epilepsy. <i>Neurology</i> , 2014, 83, 345-348.	1.1	40
16	Neurochemical and behavioral effects of chronic unpredictable stress. <i>Behavioural Pharmacology</i> , 2014, 25, 557-566.	1.7	13
17	Endocrine-Disrupting Chemicals. <i>Vitamins and Hormones</i> , 2014, 94, 41-98.	1.7	12
18	Progesterone-facilitated lordosis of estradiol-primed mice is attenuated by knocking down expression of membrane progestin receptors in the midbrain. <i>Steroids</i> , 2014, 81, 17-25.	1.8	31

#	ARTICLE	IF	CITATIONS
19	Female mice with deletion of Type One 5 α -reductase have reduced reproductive responding during proestrus and after hormone-priming. <i>Pharmacology Biochemistry and Behavior</i> , 2014, 122, 20-29.	2.9	12
20	Membrane progesterin receptors in the midbrain ventral tegmental area are required for progesterone-facilitated lordosis of rats. <i>Hormones and Behavior</i> , 2013, 64, 539-545.	2.1	22
21	Progesterone facilitates exploration, affective and social behaviors among wildtype, but not 5 α -reductase Type 1 mutant, mice. <i>Behavioural Brain Research</i> , 2013, 253, 232-239.	2.2	19
22	Progesterone, compared to medroxyprogesterone acetate, to C57BL/6, but not 5 α -reductase mutant, mice enhances object recognition and placement memory and is associated with higher BDNF levels in the hippocampus and cortex. <i>Neuroscience Letters</i> , 2013, 551, 53-57.	2.1	29
23	Type 1 5 α -reductase may be required for estrous cycle changes in affective behaviors of female mice. <i>Behavioural Brain Research</i> , 2012, 226, 376-380.	2.2	36
24	Dissociating Behavioral, Autonomic, and Neuroendocrine Effects of Androgen Steroids in Animal Models. <i>Methods in Molecular Biology</i> , 2012, 829, 397-431.	0.9	6
25	Gestational or acute restraint in adulthood reduces levels of 5 α -reduced testosterone metabolites in the hippocampus and produces behavioral inhibition of adult male rats. <i>Frontiers in Cellular Neuroscience</i> , 2012, 6, 40.	3.7	22
26	Juvenile offspring of rats exposed to restraint stress in late gestation have impaired cognitive performance and dysregulated progesterone formation. <i>Stress</i> , 2011, 14, 23-32.	1.8	42
27	Prenatal Stress Alters Progesterone to Mediate Susceptibility to Sex-Typical, Stress-Sensitive Disorders, such as Drug Abuse: A Review. <i>Frontiers in Psychiatry</i> , 2011, 2, 52.	2.6	12
28	Progesterone attenuates depressive behavior of younger and older adult C57/BL6, wildtype, and progesterone receptor knockout mice. <i>Pharmacology Biochemistry and Behavior</i> , 2011, 99, 525-531.	2.9	26
29	II. Cognitive performance of middle-aged female rats is influenced by capacity to metabolize progesterone in the prefrontal cortex and hippocampus. <i>Brain Research</i> , 2011, 1379, 149-163.	2.2	32
30	I. Levels of 5 α -reduced progesterone metabolite in the midbrain account for variability in reproductive behavior of middle-aged female rats. <i>Brain Research</i> , 2011, 1379, 137-148.	2.2	11
31	Divergent mechanisms for trophic actions of estrogens in the brain and peripheral tissues. <i>Brain Research</i> , 2011, 1379, 119-136.	2.2	22
32	Effects of neurosteroid actions at N-methyl-d-aspartate and GABA _A receptors in the midbrain ventral tegmental area for anxiety-like and mating behavior of female rats. <i>Psychopharmacology</i> , 2011, 213, 93-103.	3.1	12
33	Progesterone, administered before kainic acid, prevents decrements in cognitive performance in the Morris Water Maze. <i>Developmental Neurobiology</i> , 2011, 71, 142-152.	3.0	17
34	Gestational Exposure to Variable Stressors Produces Decrements in Cognitive and Neural Development of Juvenile Male and Female Rats. <i>Current Topics in Medicinal Chemistry</i> , 2011, 11, 1706-1713.	2.1	23
35	Progesterone reduces depressive behavior of young ovariectomized, aged progesterone receptor knockout, and aged wild type mice in the tail suspension test. <i>Journal of Psychopharmacology</i> , 2011, 25, 421-428.	4.0	15
36	Neurosteroids for a successful pregnancy. <i>Stress</i> , 2011, 14, 1-5.	1.8	14

#	ARTICLE	IF	CITATIONS
37	Immune stress in late pregnant rats decreases length of gestation and fecundity, and alters later cognitive and affective behaviour of surviving pre-adolescent offspring. <i>Stress</i> , 2011, 14, 652-664.	1.8	51
38	Effects and Mechanisms of $3\beta,5\alpha$ -THP on Emotion, Motivation, and Reward Functions Involving Pregnane Xenobiotic Receptor. <i>Frontiers in Neuroscience</i> , 2011, 5, 136.	2.8	35
39	The Vogel Punished Drinking Task as a Bioassay of Anxiety-Like Behavior of Mice. <i>Neuromethods</i> , 2011, , 143-158.	0.3	2
40	The Role of 3β -Hydroxy- 5α -Pregnan-20-One in Mediating the Development and/or Expression of Schizophrenia Spectrum Disorders: Findings in Rodents Models and Clinical Populations. , 2011, , 367-404.		0
41	Conjugated equine estrogen, with medroxyprogesterone acetate, enhances formation of 5α -reduced progestogens and reduces anxiety-like behavior of middle-aged rats. <i>Behavioural Pharmacology</i> , 2010, 21, 530-539.	1.7	13
42	Mnemonic effects of progesterone to mice require formation of $3\beta,5\alpha$ -THP. <i>NeuroReport</i> , 2010, 21, 590-595.	1.2	18
43	Fluoxetine-Induced Decrements in Sexual Responses of Female Rats and Hamsters Are Reversed by $3\beta,5\alpha$ -THP. <i>Journal of Sexual Medicine</i> , 2010, 7, 2670-2680.	0.6	11
44	Effects and mechanisms of progestogens and androgens in ictal activity. <i>Epilepsia</i> , 2010, 51, 135-140.	5.1	32
45	3β -androstenediol, but not testosterone, attenuates age-related decrements in cognitive, anxiety, and depressive behavior of male rats. <i>Frontiers in Aging Neuroscience</i> , 2010, 2, 15.	3.4	55
46	Corticosteroid and neurosteroid dysregulation in an animal model of autism, BTBR mice. <i>Physiology and Behavior</i> , 2010, 100, 264-267.	2.1	45
47	Progesterone enhances learning and memory of aged wildtype and progestin receptor knockout mice. <i>Neuroscience Letters</i> , 2010, 472, 38-42.	2.1	29
48	Infusions of anti-sense oligonucleotides for DARPP-32 to the ventral tegmental area reduce effects of progesterone- and a dopamine type 1-like receptor agonist to facilitate lordosis. <i>Behavioural Brain Research</i> , 2010, 206, 286-292.	2.2	13
49	Progesterone reduces hyperactivity of female and male dopamine transporter knockout mice. <i>Behavioural Brain Research</i> , 2010, 209, 59-65.	2.2	17
50	Estrogen action: A historic perspective on the implications of considering alternative approaches. <i>Physiology and Behavior</i> , 2010, 99, 151-162.	2.1	111
51	6-Hydroxydopamine lesions enhance progesterone-facilitated lordosis of rats and hamsters, independent of effects on motor behavior. <i>Physiology and Behavior</i> , 2010, 99, 218-224.	2.1	5
52	Estradiol reduces anxiety- and depression-like behavior of aged female mice. <i>Physiology and Behavior</i> , 2010, 99, 169-174.	2.1	97
53	Oxytocin and/or steroid hormone binding globulin infused into the ventral tegmental area modulates progestogen-mediated lordosis. <i>Neuropharmacology</i> , 2010, 58, 44-49.	4.1	6
54	Sex differences in salivary cortisol in response to acute stressors among healthy participants, in recreational or pathological gamblers, and in those with posttraumatic stress disorder. <i>Hormones and Behavior</i> , 2010, 57, 35-45.	2.1	81

#	ARTICLE	IF	CITATIONS
55	Low doses of cocaine decrease, and high doses increase, anxiety-like behavior and brain progesterone levels among intact rats. <i>Hormones and Behavior</i> , 2010, 57, 474-480.	2.1	22
56	Increasing 3 β ,5 α -THP following inhibition of neurosteroid biosynthesis in the ventral tegmental area reinstates anti-anxiety, social, and sexual behavior of naturally receptive rats. <i>Reproduction</i> , 2009, 137, 119-128.	2.6	28
57	Progesterone and estrogen influence impulsive burying and avoidant freezing behavior of naturally cycling and ovariectomized rats. <i>Pharmacology Biochemistry and Behavior</i> , 2009, 93, 337-342.	2.9	65
58	Infusions of bicuculline to the ventral tegmental area attenuates sexual, exploratory, and anti-anxiety behavior of proestrous rats. <i>Pharmacology Biochemistry and Behavior</i> , 2009, 93, 474-481.	2.9	16
59	Chronic estradiol replacement to aged female rats reduces anxiety-like and depression-like behavior and enhances cognitive performance. <i>Psychoneuroendocrinology</i> , 2009, 34, 909-916.	2.7	97
60	Neurosteroids TM effects and mechanisms for social, cognitive, emotional, and physical functions. <i>Psychoneuroendocrinology</i> , 2009, 34, S143-S161.	2.7	77
61	Progesterone can enhance consolidation and/or performance in spatial, object and working memory tasks in Long ^{Evans} rats. <i>Animal Behaviour</i> , 2009, 78, 279-286.	1.9	20
62	Estradiol enhances sociosexual behavior and can have proliferative effects in ovariectomized rats. <i>Age</i> , 2009, 31, 221-229.	3.0	9
63	Chronic administration of androgens with actions at estrogen receptor beta have anti-anxiety and cognitive-enhancing effects in male rats. <i>Age</i> , 2009, 31, 119-126.	3.0	11
64	Progesterone reduces depression-like behavior in a murine model of Alzheimer TM s Disease. <i>Age</i> , 2009, 31, 143-153.	3.0	21
65	Chronic administration of androgens with actions at estrogen receptor beta have anti-anxiety and cognitive-enhancing effects in male rats. <i>Age</i> , 2009, 31, 191-198.	3.0	47
66	Proestrous compared to diestrous wildtype, but not estrogen receptor beta knockout, mice have better performance in the spontaneous alternation and object recognition tasks and reduced anxiety-like behavior in the elevated plus and mirror maze. <i>Behavioural Brain Research</i> , 2009, 196, 254-260.	2.2	136
67	Estrogen increases latencies to seizures and levels of 5 α -pregnan-3 α -ol-20-one in hippocampus of wild-type, but not 5 α -reductase knockout, mice. <i>Epilepsy and Behavior</i> , 2009, 16, 411-414.	1.7	13
68	Antiseizure effects of 3 α -androstane-20-one and/or 17 β -estradiol may involve actions at estrogen receptor β . <i>Epilepsy and Behavior</i> , 2009, 16, 418-422.	1.7	15
69	Depression-like behavior of aged male and female mice is ameliorated with administration of testosterone or its metabolites. <i>Physiology and Behavior</i> , 2009, 97, 266-269.	2.1	84
70	Progesterone influences cognitive processes in aging. <i>Future Medicinal Chemistry</i> , 2009, 1, 1215-1231.	2.3	5
71	Effects of two estradiol regimens on anxiety and depressive behaviors and trophic effects in peripheral tissues in a rodent model. <i>Gender Medicine</i> , 2009, 6, 300-311.	1.4	44
72	Nociceptive and anxiety-like behavior in reproductively competent and reproductively senescent middle-aged rats. <i>Gender Medicine</i> , 2009, 6, 235-246.	1.4	13

#	ARTICLE	IF	CITATIONS
73	Trilostane exerts antidepressive effects among wild-type, but not estrogen receptor $\hat{1}^2$ knockout mice. <i>NeuroReport</i> , 2009, 20, 1047-1050.	1.2	4
74	Using the Elevated Plus Maze as a Bioassay to Assess the Effects of Naturally Occurring and Exogenously Administered Compounds to Influence Anxiety-Related Behaviors of Mice. <i>Neuromethods</i> , 2009, , 225-246.	0.3	5
75	Effects of manipulating progesterone and NMDA receptors in the ventral tegmental area for lordosis of hamsters and rats. <i>Psychopharmacology</i> , 2008, 200, 71-80.	3.1	5
76	Finasteride Blocks the Reduction in Ictal Activity Produced by Exogenous Estrous Cyclicity. <i>Journal of Neuroendocrinology</i> , 2008, 10, 291-296.	2.6	62
77	In the ventral tegmental area, progestogens' membrane-mediated actions for lordosis of rats involve the second-messenger phospholipase C. <i>Brain Research</i> , 2008, 1230, 218-223.	2.2	5
78	Progesterone enhances performance of aged mice in cortical or hippocampal tasks. <i>Neuroscience Letters</i> , 2008, 437, 116-120.	2.1	45
79	Effects of progesterone administration and APP ^{swe} +PSEN1 ^{E9} mutation for cognitive performance of mid-aged mice. <i>Neurobiology of Learning and Memory</i> , 2008, 89, 17-26.	1.9	66
80	Estradiol or diarylpropionitrile administration to wild type, but not estrogen receptor beta knockout, mice enhances performance in the object recognition and object placement tasks. <i>Neurobiology of Learning and Memory</i> , 2008, 89, 513-521.	1.9	110
81	Progesterone to ovariectomized mice enhances cognitive performance in the spontaneous alternation, object recognition, but not placement, water maze, and contextual and cued conditioned fear tasks. <i>Neurobiology of Learning and Memory</i> , 2008, 90, 171-177.	1.9	60
82	Parity and estrogen-administration alter affective behavior of ovariectomized rats. <i>Physiology and Behavior</i> , 2008, 93, 351-356.	2.1	30
83	Antiseizure effects of 5 $\hat{1}\pm$ -androstane-3 $\hat{1}\pm$,7 $\hat{1}^2$ -diol may be independent of actions at estrogen receptor $\hat{1}^2$. <i>Epilepsy and Behavior</i> , 2008, 13, 32-35.	1.7	2
84	Androgens with activity at estrogen receptor beta have anxiolytic and cognitive-enhancing effects in male rats and mice. <i>Hormones and Behavior</i> , 2008, 54, 726-734.	2.1	105
85	Membrane actions of progestins at dopamine type 1-like and GABAA receptors involve downstream signal transduction pathways. <i>Steroids</i> , 2008, 73, 906-913.	1.8	30
86	Rapid and estrogen receptor beta mediated actions in the hippocampus mediate some functional effects of estrogen. <i>Steroids</i> , 2008, 73, 997-1007.	1.8	63
87	Activity of protein kinase C is important for 3 $\hat{1}\pm$,5 $\hat{1}\pm$ -THP's actions at dopamine type 1-like and/or GABAA receptors in the ventral tegmental area for lordosis of rats. <i>Brain Research Bulletin</i> , 2008, 77, 91-97.	3.0	10
88	Infusions of 3 $\hat{1}\pm$,5 $\hat{1}\pm$ -THP to the VTA enhance exploratory, anti-anxiety, social, and sexual behavior and increase levels of 3 $\hat{1}\pm$,5 $\hat{1}\pm$ -THP in midbrain, hippocampus, diencephalon, and cortex of female rats. <i>Behavioural Brain Research</i> , 2008, 187, 88-99.	2.2	31
89	Exploratory, anti-anxiety, social, and sexual behaviors of rats in behavioral estrus is attenuated with inhibition of 3 $\hat{1}\pm$,5 $\hat{1}\pm$ -THP formation in the midbrain ventral tegmental area. <i>Behavioural Brain Research</i> , 2008, 193, 269-276.	2.2	25
90	Androgen Administration to Aged Male Mice Increases Anti-Anxiety Behavior and Enhances Cognitive Performance. <i>Neuropsychopharmacology</i> , 2008, 33, 1049-1061.	5.4	115

#	ARTICLE	IF	CITATIONS
91	Antisense Oligodeoxynucleotides for Estrogen Receptor- β and α Attenuate Estradiol's Modulation of Affective and Sexual Behavior, Respectively. <i>Neuropsychopharmacology</i> , 2008, 33, 431-440.	5.4	54
92	Estrous cycle, pregnancy, and parity enhance performance of rats in object recognition or object placement tasks. <i>Reproduction</i> , 2008, 136, 105-115.	2.6	112
93	Chapter 3 Hormonal Influences on Seizures. <i>International Review of Neurobiology</i> , 2008, 83, 27-77.	2.0	51
94	Estradiol or diarylpropionitrile decrease anxiety-like behavior of wildtype, but not estrogen receptor beta knockout, mice.. <i>Behavioral Neuroscience</i> , 2008, 122, 974-981.	1.2	106
95	Oestrogen Effects in Olivo-Cerebellar and Hippocampal Circuits. <i>Novartis Foundation Symposium</i> , 2008, 230, 155-172.	1.1	10
96	Conjugated equine estrogen enhances rats' cognitive, anxiety, and social behavior. <i>NeuroReport</i> , 2008, 19, 789-792.	1.2	32
97	The Role of Midbrain 5α -THP in Mediating Exploration, Anxiety, Social, and Reproductive Behavior. , 2008, , 449-482.		3
98	Estradiol-Induced Conditioned Place Preference may Require Actions at Estrogen Receptors in the Nucleus Accumbens. <i>Neuropsychopharmacology</i> , 2007, 32, 522-530.	5.4	32
99	Estradiol decreases anxiety behavior and enhances inhibitory avoidance and gestational stress produces opposite effects. <i>Stress</i> , 2007, 10, 251-260.	1.8	64
100	Engaging in paced mating, but neither exploratory, anti-anxiety, nor social behavior, increases 5α -reduced progesterin concentrations in midbrain, hippocampus, striatum, and cortex. <i>Reproduction</i> , 2007, 133, 663-674.	2.6	58
101	Sexual experience of male rats influences anxiety-like behavior and androgen levels. <i>Physiology and Behavior</i> , 2007, 92, 443-453.	2.1	69
102	Androgens' effects to enhance learning may be mediated in part through actions at estrogen receptor- β in the hippocampus. <i>Neurobiology of Learning and Memory</i> , 2007, 87, 78-85.	1.9	77
103	Androgens' performance-enhancing effects in the inhibitory avoidance and water maze tasks may involve actions at intracellular androgen receptors in the dorsal hippocampus. <i>Neurobiology of Learning and Memory</i> , 2007, 87, 201-208.	1.9	33
104	Estrogens and progestins enhance spatial learning of intact and ovariectomized rats in the object placement task. <i>Neurobiology of Learning and Memory</i> , 2007, 88, 208-216.	1.9	218
105	The use of the elevated plus maze as an assay of anxiety-related behavior in rodents. <i>Nature Protocols</i> , 2007, 2, 322-328.	12.0	2,116
106	Self-administration of 3α -androstane-20-one increases locomotion and analgesia and decreases aggressive behavior of male hamsters. <i>Pharmacology Biochemistry and Behavior</i> , 2007, 86, 415-421.	2.9	17
107	Administration of estrogen receptor beta-specific selective estrogen receptor modulators to the hippocampus decrease anxiety and depressive behavior of ovariectomized rats. <i>Pharmacology Biochemistry and Behavior</i> , 2007, 86, 407-414.	2.9	145
108	Progestins influence motivation, reward, conditioning, stress, and/or response to drugs of abuse. <i>Pharmacology Biochemistry and Behavior</i> , 2007, 86, 209-219.	2.9	88

#	ARTICLE	IF	CITATIONS
109	Some rewarding effects of androgens may be mediated by actions of its 5 α -reduced metabolite 3 α -androstenediol. <i>Pharmacology Biochemistry and Behavior</i> , 2007, 86, 354-367.	2.9	64
110	MK-801 infusions to the ventral tegmental area and ventromedial hypothalamus produce opposite effects on lordosis of hormone-primed rats. <i>Pharmacology Biochemistry and Behavior</i> , 2007, 86, 377-385.	2.9	19
111	Differential Effects of Antiepileptic Drugs on Neuroactive Steroids in Men with Epilepsy. <i>Epilepsia</i> , 2006, 47, 1945-1948.	5.1	36
112	A Review and Update of Mechanisms of Estrogen in the Hippocampus and Amygdala for Anxiety and Depression Behavior. <i>Neuropsychopharmacology</i> , 2006, 31, 1097-1111.	5.4	416
113	Progestins TM effects on sexual behaviour of female rats and hamsters involving D1 and GABAA receptors in the ventral tegmental area may be G-protein-dependent. <i>Behavioural Brain Research</i> , 2006, 172, 286-293.	2.2	16
114	Intrahippocampal administration of an androgen receptor antagonist, flutamide, can increase anxiety-like behavior in intact and DHT-replaced male rats. <i>Hormones and Behavior</i> , 2006, 50, 216-222.	2.1	72
115	Progestin facilitation of lordosis in rodents involves adenylyl cyclase activity in the ventral tegmental area. <i>Hormones and Behavior</i> , 2006, 50, 237-244.	2.1	13
116	In the ventral tegmental area, progestins have actions at D1 receptors for lordosis of hamsters and rats that involve GABAA receptors. <i>Hormones and Behavior</i> , 2006, 50, 332-337.	2.1	22
117	ER β -selective SERMs produce mnemonic-enhancing effects in the inhibitory avoidance and water maze tasks. <i>Neurobiology of Learning and Memory</i> , 2006, 85, 183-191.	1.9	102
118	Ovarian steroids enhance object recognition in naturally cycling and ovariectomized, hormone-primed rats. <i>Neurobiology of Learning and Memory</i> , 2006, 86, 35-46.	1.9	216
119	Inhibiting 5 α -reductase in the amygdala attenuates antianxiety and antidepressive behavior of naturally receptive and hormone-primed ovariectomized rats. <i>Psychopharmacology</i> , 2006, 186, 302-311.	3.1	64
120	3 α ,5 α -THP: a potential plasma neurosteroid biomarker in Alzheimer's disease and perhaps non-Alzheimer's dementia. <i>Psychopharmacology</i> , 2006, 186, 481-485.	3.1	42
121	Early postnatal stimulation alters pregnane neurosteroids in the hippocampus. <i>Psychopharmacology</i> , 2006, 186, 343-350.	3.1	21
122	In the ventral tegmental area, G-proteins mediate progesterone TM 's actions at dopamine type 1 receptors for lordosis of rats and hamsters. <i>Psychopharmacology</i> , 2006, 186, 133-142.	3.1	12
123	Administration of estrogen to ovariectomized rats promotes conditioned place preference and produces moderate levels of estrogen in the nucleus accumbens. <i>Brain Research</i> , 2006, 1067, 209-215.	2.2	29
124	Region-, age-, and sex-specific effects of fetal diazepam exposure on the postnatal development of neurosteroids. <i>Brain Research</i> , 2006, 1067, 115-125.	2.2	9
125	Reduced metabolites mediate neuroprotective effects of progesterone in the adult rat hippocampus. The synthetic progestin medroxyprogesterone acetate (Provera) is not neuroprotective. <i>Journal of Neurobiology</i> , 2006, 66, 916-928.	3.6	121
126	Progestin Concentrations Are Increased following Paced Mating in Midbrain, Hippocampus, Diencephalon, and Cortex of Rats in Behavioral Estrus, but Only in Midbrain of Diestrous Rats. <i>Neuroendocrinology</i> , 2006, 83, 336-347.	2.5	36

#	ARTICLE	IF	CITATIONS
127	In the Ventral Tegmental Area, Progestins [™] Membrane-Mediated Actions for Lordosis of Hamsters and Rats Involve Protein Kinase A. <i>Neuroendocrinology</i> , 2006, 84, 405-414.	2.5	10
128	Role of androgens in epilepsy. <i>Expert Review of Neurotherapeutics</i> , 2006, 6, 1061-1075.	2.8	23
129	An overview of oral contraceptives. <i>Neurology</i> , 2006, 66, S29-36.	1.1	71
130	Antianxiety and Antidepressive Behavior Produced by Physiological Estradiol Regimen may be Modulated by Hypothalamic [€] “Pituitary [€] “Adrenal Axis Activity. <i>Neuropsychopharmacology</i> , 2005, 30, 1288-1301.	5.4	142
131	Estradiol to aged female or male mice improves learning in inhibitory avoidance and water maze tasks. <i>Brain Research</i> , 2005, 1036, 101-108.	2.2	65
132	Progesterone's 5 α -reduced metabolite, 3 α ,5 α -THP, mediates lateral displacement of hamsters. <i>Brain Research</i> , 2005, 1038, 59-68.	2.2	13
133	Estrogen-priming can enhance progesterone's anti-seizure effects in part by increasing hippocampal levels of allopregnanolone. <i>Pharmacology Biochemistry and Behavior</i> , 2005, 81, 907-916.	2.9	51
134	Testosterone's anti-anxiety and analgesic effects may be due in part to actions of its 5 α -reduced metabolites in the hippocampus. <i>Psychoneuroendocrinology</i> , 2005, 30, 418-430.	2.7	132
135	In the ventral tegmental area picrotoxin blocks FGIN 1-27-induced increases in sexual behavior of rats and hamsters. <i>Psychopharmacology</i> , 2005, 178, 174-182.	3.1	21
136	ER β -Selective Estrogen Receptor Modulators Produce Antianxiety Behavior when Administered Systemically to Ovariectomized Rats. <i>Neuropsychopharmacology</i> , 2005, 30, 1598-1609.	5.4	209
137	Differences in affective behaviors and hippocampal allopregnanolone levels in adult rats of lines selectively bred for infantile vocalizations. <i>Behavioural Brain Research</i> , 2005, 159, 301-311.	2.2	50
138	Progestin-facilitated lordosis of hamsters may involve dopamine-like type 1 receptors in the ventral tegmental area. <i>Behavioural Brain Research</i> , 2005, 161, 1-7.	2.2	25
139	Attenuating 5 α -pregnane-3 α -ol-20-one formation in the hippocampus of female rats increases pentylenetetrazole-induced seizures. <i>Epilepsy and Behavior</i> , 2005, 6, 140-146.	1.7	20
140	Actions at GABAA receptors in the hippocampus may mediate some antiseizure effects of progestins. <i>Epilepsy and Behavior</i> , 2005, 6, 320-327.	1.7	22
141	Ketogenic diet decreases circulating concentrations of neuroactive steroids of female rats. <i>Epilepsy and Behavior</i> , 2005, 7, 231-239.	1.7	13
142	In the Ventral Tegmental Area, G-Proteins and cAMP Mediate the Neurosteroid 3 α ,5 α -THP [™] s Actions at Dopamine Type 1 Receptors for Lordosis of Rats. <i>Neuroendocrinology</i> , 2004, 80, 233-243.	2.5	27
143	Progestins in the Hippocampus of Female Rats Have Antiseizure Effects in a Pentylenetetrazole Seizure Model. <i>Epilepsia</i> , 2004, 45, 1531-1538.	5.1	35
144	Antidepressant effects of ER β -selective estrogen receptor modulators in the forced swim test. <i>Pharmacology Biochemistry and Behavior</i> , 2004, 78, 523-529.	2.9	168

#	ARTICLE	IF	CITATIONS
145	Hippocampal $3\beta,5\alpha$ -THP may alter depressive behavior of pregnant and lactating rats. <i>Pharmacology Biochemistry and Behavior</i> , 2004, 78, 531-540.	2.9	81
146	Estrogen has mnemonic-enhancing effects in the inhibitory avoidance task. <i>Pharmacology Biochemistry and Behavior</i> , 2004, 78, 551-558.	2.9	59
147	Progestins' actions in the VTA to facilitate lordosis involve dopamine-like type 1 and 2 receptors. <i>Pharmacology Biochemistry and Behavior</i> , 2004, 78, 405-418.	2.9	39
148	Testosterone's metabolism in the hippocampus may mediate its anti-anxiety effects in male rats. <i>Pharmacology Biochemistry and Behavior</i> , 2004, 78, 473-481.	2.9	77
149	Androgens in the hippocampus can alter, and be altered by, ictal activity. <i>Pharmacology Biochemistry and Behavior</i> , 2004, 78, 483-493.	2.9	44
150	$3\beta,5\alpha$ -THP mediates progestins' effects to protect against adrenalectomy-induced cell death in the dentate gyrus of female and male rats. <i>Pharmacology Biochemistry and Behavior</i> , 2004, 78, 505-512.	2.9	26
151	Mnemonic effects of testosterone and its 5α -reduced metabolites in the conditioned fear and inhibitory avoidance tasks. <i>Pharmacology Biochemistry and Behavior</i> , 2004, 78, 559-568.	2.9	81
152	5α -reduced androgens may have actions in the hippocampus to enhance cognitive performance of male rats. <i>Psychoneuroendocrinology</i> , 2004, 29, 1019-1027.	2.7	86
153	Gonadal, adrenal, and neuroactive steroids' role in ictal activity. <i>Brain Research</i> , 2004, 1000, 8-18.	2.2	64
154	Progesterone enhances motor, anxiolytic, analgesic, and antidepressive behavior of wild-type mice, but not those deficient in type 1 5α -reductase. <i>Brain Research</i> , 2004, 1004, 116-124.	2.2	117
155	Estrogen and/or Progesterone Administered Systemically or to the Amygdala Can Have Anxiety-, Fear-, and Pain-Reducing Effects in Ovariectomized Rats.. <i>Behavioral Neuroscience</i> , 2004, 118, 306-313.	1.2	151
156	Differential Effects of Antiepileptic Drugs on Sexual Function and Reproductive Hormones in Men with Epilepsy: Interim Analysis of a Comparison between Lamotrigine and Enzyme-inducing Antiepileptic Drugs. <i>Epilepsia</i> , 2004, 45, 764-768.	5.1	92
157	Testosterone's Analgesic, Anxiolytic, and Cognitive-Enhancing Effects May Be Due in Part to Actions of Its 5α -Reduced Metabolites in the Hippocampus.. <i>Behavioral Neuroscience</i> , 2004, 118, 1352-1364.	1.2	146
158	Fluoxetine May Influence Lordosis of Rats through Effects on Midbrain $3\beta,5\alpha$ -THP Concentrations. <i>Annals of the New York Academy of Sciences</i> , 2003, 1007, 37-41.	3.8	32
159	Olanzapine's effects to reduce fear and anxiety and enhance social interactions coincide with increased progestin concentrations of ovariectomized rats. <i>Psychoneuroendocrinology</i> , 2003, 28, 657-673.	2.7	34
160	Seizure exacerbation associated with inhibition of progesterone metabolism. <i>Annals of Neurology</i> , 2003, 53, 390-391.	5.3	120
161	Effect of prenatal stress and gonadal hormone condition on depressive behaviors of female and male rats. <i>Hormones and Behavior</i> , 2003, 44, 319-326.	2.1	128
162	Anti-nociception following exposure to trimethylthiazoline, peripheral or intra-amygdala estrogen and/or progesterone. <i>Behavioural Brain Research</i> , 2003, 144, 77-85.	2.2	35

#	ARTICLE	IF	CITATIONS
163	Zaprinast, a Phosphodiesterase 5 Inhibitor, Overcomes Sexual Dysfunction Produced by Fluoxetine, a Selective Serotonin Reuptake Inhibitor in Hamsters. <i>Neuropsychopharmacology</i> , 2003, 28, 310-316.	5.4	17
164	Lordosis of Rats Is Modified by Neurosteroidogenic Effects of Membrane Benzodiazepine Receptors in the Ventral Tegmental Area. <i>Neuroendocrinology</i> , 2003, 77, 71-82.	2.5	32
165	Progesterins Have Actions Through GABAA Receptors. , 2003, , 165-168.		1
166	Allopregnanolone Levels and Symptom Improvement in Severe Premenstrual Syndrome. <i>Journal of Clinical Psychopharmacology</i> , 2002, 22, 516-520.	1.4	85
167	Changes in Progesterone Metabolites in the Hippocampus Can Modulate Open Field and Forced Swim Test Behavior of Proestrous Rats. <i>Hormones and Behavior</i> , 2002, 41, 306-315.	2.1	245
168	Prenatal Stress Alters Reproductive Responses of Rats in Behavioral Estrus and Paced Mating of Hormone-Primed Rats. <i>Hormones and Behavior</i> , 2002, 42, 472-483.	2.1	36
169	Self-reported dietary restraint is associated with elevated levels of salivary cortisol. <i>Appetite</i> , 2002, 38, 13-17.	3.7	68
170	Social isolation stress during the third week of life has age-dependent effects on spatial learning in rats. <i>Behavioural Brain Research</i> , 2002, 128, 153-160.	2.2	86
171	Neonatal isolation alters stress hormone and mesolimbic dopamine release in juvenile rats. <i>Pharmacology Biochemistry and Behavior</i> , 2002, 73, 77-85.	2.9	79
172	Prenatal stress produces deficits in socio-sexual behavior of cycling, but not hormone-primed, Long-Evans rats. <i>Pharmacology Biochemistry and Behavior</i> , 2002, 73, 53-60.	2.9	24
173	Testosterone enhances aggression of wild-type mice but not those deficient in type I 5 α -reductase. <i>Brain Research</i> , 2002, 948, 165-170.	2.2	30
174	Enhancing effects of estrogen on inhibitory avoidance performance may be in part independent of intracellular estrogen receptors in the hippocampus. <i>Brain Research</i> , 2002, 956, 285-293.	2.2	63
175	Progesterone Reduces Pentylentetrazol-Induced Ictal Activity of Wild-Type Mice But Not Those Deficient in Type I 5 α -Reductase. <i>Epilepsia</i> , 2002, 43, 14-17.	5.1	70
176	The Role of Neurosteroids and Nongenomic Effects of Progesterins in the Ventral Tegmental Area in Mediating Sexual Receptivity of Rodents. <i>Hormones and Behavior</i> , 2001, 40, 226-233.	2.1	88
177	The testosterone metabolite and neurosteroid 3 α -androstenediol may mediate the effects of testosterone on conditioned place preference. <i>Brain Research Reviews</i> , 2001, 37, 162-171.	9.0	60
178	The role of neurosteroids and non-genomic effects of progesterins and androgens in mediating sexual receptivity of rodents. <i>Brain Research Reviews</i> , 2001, 37, 201-222.	9.0	190
179	Progesterone and 3 α ,5 α -THP enhance sexual receptivity in mice.. <i>Behavioral Neuroscience</i> , 2001, 115, 1118-1128.	1.2	27
180	Responses to Laboratory Psychosocial Stress in Postpartum Women. <i>Psychosomatic Medicine</i> , 2001, 63, 814-821.	2.0	158

#	ARTICLE	IF	CITATIONS
181	Posttraining androgens' enhancement of cognitive performance is temporally distinct from androgens' increases in affective behavior. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2001, 1, 172-182.	2.0	80
182	Inhibiting progesterone metabolism in the hippocampus of rats in behavioral estrus decreases anxiolytic behaviors and enhances exploratory and antinociceptive behaviors. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2001, 1, 287-296.	2.0	76
183	Testosterone increases analgesia, anxiolysis, and cognitive performance of male rats. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2001, 1, 371-381.	2.0	206
184	Estradiol tends to improve inhibitory avoidance performance in adrenalectomized male rats and reduces pyknotic cells in the dentate gyrus of adrenalectomized male and female rats. <i>Brain Research</i> , 2001, 889, 358-363.	2.2	20
185	3 β ,5 α -THP in the raphe magnus attenuates PTZ-induced myoclonic seizures. <i>Brain Research</i> , 2001, 911, 146-151.	2.2	11
186	Testosterone reduces pentylenetetrazole-induced ictal activity of wildtype mice but not those deficient in type I 5 α -reductase. <i>Brain Research</i> , 2001, 918, 182-186.	2.2	49
187	Anti-seizure effects of progesterone and 3 β ,5 α -THP in kainic acid and perforant pathway models of epilepsy. <i>Psychoneuroendocrinology</i> , 2000, 25, 407-420.	2.7	101
188	Estrous cycle and sex differences in performance on anxiety tasks coincide with increases in hippocampal progesterone and 3 β ,5 α -THP. <i>Pharmacology Biochemistry and Behavior</i> , 2000, 67, 587-596.	2.9	421
189	Central allopregnanolone is increased in rat pups in response to repeated, short episodes of neonatal isolation. <i>Developmental Brain Research</i> , 2000, 124, 133-136.	1.7	48
190	Infusion of 3 β ,5 α -THP to the pontine reticular formation attenuates PTZ-induced seizures. <i>Brain Research</i> , 2000, 881, 98-102.	2.2	32
191	The neurosteroid, 3 β -androstenediol, prevents inhibitory avoidance deficits and pyknotic cells in the granule layer of the dentate gyrus induced by adrenalectomy in rats. <i>Brain Research</i> , 2000, 855, 166-170.	2.2	44
192	Activation of peripheral mitochondrial benzodiazepine receptors in the hippocampus stimulates allopregnanolone synthesis and produces anxiolytic-like effects in the rat. <i>Psychopharmacology</i> , 2000, 151, 64-71.	3.1	122
193	Androgens Are Neuroprotective in the Dentate Gyrus of Adrenalectomized Female Rats. <i>Stress</i> , 2000, 3, 185-194.	1.8	42
194	Anti-sense oligonucleotides, for progestin receptors in the VMH and glutamic acid decarboxylase in the VTA, attenuate progesterone-induced lordosis in hamsters and rats. <i>Behavioural Brain Research</i> , 2000, 115, 55-64.	2.2	37
195	Perforant path stimulation in rats produces seizures, loss of hippocampal neurons, and a deficit in spatial mapping which are reduced by prior MK-801. <i>Behavioural Brain Research</i> , 2000, 107, 59-69.	2.2	28
196	Intravenous progesterone elicits a more rapid induction of lordosis in rats than does SKF38393. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2000, 28, 99-109.	1.3	27
197	Progestins influence performance on cognitive tasks independent of changes in affective behavior. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2000, 28, 550-563.	1.3	33
198	Endogenous levels of 5 alpha-reduced progestins and androgens in fetal vs. adult rat brains. <i>Developmental Brain Research</i> , 1999, 115, 17-24.	1.7	57

#	ARTICLE	IF	CITATIONS
199	Progesterone has rapid and membrane effects in the facilitation of female mouse sexual behavior. Brain Research, 1999, 815, 259-269.	2.2	65
200	Effects of chronic benzodiazepine exposure on stress-induced neuroactive steroid levels. Brain Research, 1999, 824, 136-139.	2.2	5
201	Prenatal stress suppresses rat pup ultrasonic vocalization and myoclonic twitching in response to separation. , 1999, 34, 205-215.		41
202	Prenatal stress reduces the effectiveness of the neurosteroid 3 β ,5 α -THP to block kainic-acid-induced seizures. Developmental Psychobiology, 1999, 34, 227-234.	1.6	62
203	GABAA, D1, and D5, but not progestin receptor, antagonist and anti-sense oligonucleotide infusions to the ventral tegmental area of cycling rats and hamsters attenuate lordosis. Behavioural Brain Research, 1999, 103, 23-34.	2.2	53
204	The Neurosteroids DHEA and DHEAS May Influence Cognitive Performance by Altering Affective State. Physiology and Behavior, 1999, 66, 85-92.	2.1	74
205	The neurosteroids, progesterone and 3 β ,5 α -THP, enhance sexual motivation, receptivity, and proceptivity in female rats. Brain Research, 1998, 808, 72-83.	2.2	154
206	ANDROGENIC NEUROSTEROIDS: ANTI-SEIZURE EFFECTS IN AN ANIMAL MODEL OF EPILEPSY. Psychoneuroendocrinology, 1998, 23, 385-399.	2.7	89
207	The nitric oxide synthase inhibitor 7-nitroindazole displays enhanced anxiolytic efficacy without tolerance in rats following subchronic administration. Neuropharmacology, 1998, 37, 899-904.	4.1	67
208	Seizure Activity Is Increased in Endocrine States Characterized by Decline in Endogenous Levels of the Neurosteroid 3 β ,5 α -THP. Neuroendocrinology, 1998, 68, 272-280.	2.5	95
209	Withdrawal from 3 β -OH-5 α -Pregnan-20-One Using a Pseudopregnancy Model Alters the Kinetics of Hippocampal GABA _A -Gated Current and Increases the GABA _A Receptor α 4 Subunit in Association with Increased Anxiety. Journal of Neuroscience, 1998, 18, 5275-5284.	3.6	334
210	Behavioral effects of 3 β -androstenediol I: modulation of sexual receptivity and promotion of GABA-stimulated chloride flux. Behavioural Brain Research, 1996, 79, 109-118.	2.2	144
211	Behavioral effects of 3 α -androstenediol II: Hypothalamic and preoptic area actions via a GABAergic mechanism. Behavioural Brain Research, 1996, 79, 119-130.	2.2	91
212	Chronic anabolic-androgenic steroid treatment affects brain gabaa receptor-gated chloride ion transport. Life Sciences, 1996, 58, 573-583.	4.3	45
213	Progestins Can Have a Membrane-Mediated Action in Rat Midbrain for Facilitation of Sexual Receptivity. Hormones and Behavior, 1996, 30, 682-691.	2.1	73
214	Effects of paced and non-paced mating stimulation on plasma progesterone, 3 β -diol and corticosterone. Psychoneuroendocrinology, 1996, 21, 431-439.	2.7	68
215	Estrus-associated decrements in a water maze task are limited to acquisition. Physiology and Behavior, 1995, 57, 5-14.	2.1	263
216	Taste preferences and sensory perceptions in female varsity swimmers. Appetite, 1995, 24, 25-36.	3.7	23

#	ARTICLE	IF	CITATIONS
217	Progesterone metabolites, effective at the GABAA receptor complex, attenuate pain sensitivity in rats. Brain Research, 1994, 643, 194-203.	2.2	194
218	Menstrual cycle and sex differences influence salt preference. Physiology and Behavior, 1994, 55, 193-197.	2.1	38
219	Menstrual cycle and dietary restraint influence taste preferences in young women. Physiology and Behavior, 1994, 55, 561-567.	2.1	73
220	5 α -reduced progesterone metabolites are essential in hamster VTA for sexual receptivity. Life Sciences, 1994, 54, 653-659.	4.3	41
221	Hormonal milieu affects tailflick latency in female rats and may be attenuated by access to sucrose. Physiology and Behavior, 1992, 52, 699-706.	2.1	158
222	Androgens™ Effects across the Lifespan in Men and Animal Models. , 0, , .		0
223	One Health and the Positive Effects of Alaskan Blueberries. , 0, , .		0