## Susann Steudte-Schmiedgen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11574705/publications.pdf

Version: 2024-02-01

27 papers 1,373 citations

623734 14 h-index 25 g-index

28 all docs 28 docs citations

times ranked

28

1934 citing authors

#	Article	IF	CITATIONS
1	The impact of the COVID-19 pandemic on the mental health of medical staff considering the interplay of pandemic burden and psychosocial resources—A rapid systematic review. PLoS ONE, 2022, 17, e0264290.	2.5	28
2	Human perceptual learning is delayed by the N-methyl-D-aspartate receptor partial agonist D-cycloserine. Journal of Psychopharmacology, 2021, 35, 253-264.	4.0	2
3	The Effects of Modifying Dysfunctional Appraisals in Posttraumatic Stress Disorder Using a Form of Cognitive Bias Modification: Results of a Randomized Controlled Trial in an Inpatient Setting. Psychotherapy and Psychosomatics, 2021, 90, 386-402.	8.8	28
4	Hydrocortisone as an adjunct to brief cognitive-behavioural therapy for specific fear: Endocrine and cognitive biomarkers as predictors of symptom improvement. Journal of Psychopharmacology, 2021, 35, 641-651.	4.0	5
5	Social Support and Optimism as Protective Factors for Mental Health among 7765 Healthcare Workers in Germany during the COVID-19 Pandemic: Results of the VOICE Study. International Journal of Environmental Research and Public Health, 2021, 18, 3827.	2.6	52
6	Sense of coherence, social support and religiosity as resources for medical personnel during the COVID-19 pandemic: A web-based survey among 4324 health care workers within the German Network University Medicine. PLoS ONE, 2021, 16, e0255211.	2.5	32
7	Correlates and Predictors of PTSD Symptoms Among Healthcare Workers During the COVID-19 Pandemic: Results of the egePan-VOICE Study. Frontiers in Psychiatry, 2021, 12, 686667.	2.6	16
8	Lifetime trauma history and cognitive functioning in major depression and their role for cognitive-behavioral therapy outcome. Clinical Psychology in Europe, 2021, 3, .	1.1	1
9	The predictive role of hair cortisol concentrations for treatment outcome in PTSD inpatients. Psychoneuroendocrinology, 2021, 131, 105326.	2.7	1
10	Cognitive functioning in posttraumatic stress disorder before and after cognitive-behavioral therapy. Journal of Anxiety Disorders, 2020, 74, 102265.	3.2	3
11	Hair cortisol predicts avoidance behavior and depressiveness after first-time and single-event trauma exposure in motor vehicle crash victims. Stress, 2020, 23, 567-576.	1.8	8
12	The Impact of Parental Role Distributions, Work Participation, and Stress Factors on Family Health-Related Outcomes: Study Protocol of the Prospective Multi-Method Cohort "Dresden Study on Parenting, Work, and Mental Health―(DREAM). Frontiers in Psychology, 2019, 10, 1273.	2.1	32
13	Ecological momentary assessment in posttraumatic stress disorder and coping. An eHealth study protocol. Högre Utbildning, 2019, 10, 1654064.	3.0	9
14	Glucocorticoid receptor gene methylation moderates the association of childhood trauma and cortisol stress reactivity. Psychoneuroendocrinology, 2018, 90, 68-75.	2.7	66
15	Investigating d-cycloserine as a potential pharmacological enhancer of an emotional bias learning procedure. Journal of Psychopharmacology, 2018, 32, 569-577.	4.0	11
16	Biological stress indicators as risk markers for increased alcohol use following traumatic experiences. Addiction Biology, 2018, 23, 281-290.	2.6	12
17	Augmenting inpatient treatment for post-traumatic stress disorder with a computerised cognitive bias modification procedure targeting appraisals (CBM-App): protocol for a randomised controlled trial. BMJ Open, 2018, 8, e019964.	1.9	7
18	Stress-related and basic determinants of hair cortisol in humans: A meta-analysis. Psychoneuroendocrinology, 2017, 77, 261-274.	2.7	556

#	Article	IF	CITATIONS
19	The utility of hair cortisol concentrations in the prediction of PTSD symptoms following traumatic physical injury. Social Science and Medicine, 2017, 175, 228-234.	3.8	20
20	Reply to the commentary by Parrot and Downey (2017). Psychoneuroendocrinology, 2017, 81, 160.	2.7	0
21	Hair cortisol concentrations and cortisol stress reactivity in generalized anxiety disorder, major depression and their comorbidity. Journal of Psychiatric Research, 2017, 84, 184-190.	3.1	71
22	An integrative model linking traumatization, cortisol dysregulation and posttraumatic stress disorder: Insight from recent hair cortisol findings. Neuroscience and Biobehavioral Reviews, 2016, 69, 124-135.	6.1	127
23	Reply to: Linking Hair Cortisol Levels to Phenotypic Heterogeneity of Posttraumatic Stress Symptoms in Highly Traumatized Chinese Women. Biological Psychiatry, 2015, 77, e23-e24.	1.3	3
24	Sweat-inducing physiological challenges do not result in acute changes in hair cortisol concentrations. Psychoneuroendocrinology, 2015, 53, 108-116.	2.7	53
25	Hair cortisol concentrations and cortisol stress reactivity predict PTSD symptom increase after trauma exposure during military deployment. Psychoneuroendocrinology, 2015, 59, 123-133.	2.7	119
26	The Cortisol Paradox of Trauma-Related Disorders: Lower Phasic Responses but Higher Tonic Levels of Cortisol Are Associated with Sexual Abuse in Childhood. PLoS ONE, 2015, 10, e0136921.	2.5	74
27	Trauma exposure is associated with increased context-dependent adjustments of cognitive control in patients with posttraumatic stress disorder and healthy controls. Cognitive, Affective and Behavioral Neuroscience, 2014, 14, 1310-1319.	2.0	26