

Eric Reiter

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11579175/publications.pdf>

Version: 2024-02-01

92
papers

6,323
citations

94433

37
h-index

66911

78
g-index

94
all docs

94
docs citations

94
times ranked

5196
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1 | Serodolin, a β^2 -arrestin β^2 -biased ligand of 5-HT ₇ receptor, attenuates pain-related behaviors. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, . | 7.1 | 5 |
| 2 | Receptors Thyroid-Stimulating Hormone/Luteinizing Hormone/Follicle-Stimulating Hormone Receptors. , 2021, , 323-328. | | 0 |
| 3 | Direct impact of gonadotropins on glucose uptake and storage in preovulatory granulosa cells: Implications in the pathogenesis of polycystic ovary syndrome. Metabolism: Clinical and Experimental, 2021, 115, 154458. | 3.4 | 12 |
| 4 | A Novel Mutation in the FSH Receptor (I423T) Affecting Receptor Activation and Leading to Primary Ovarian Failure. Journal of Clinical Endocrinology and Metabolism, 2021, 106, e534-e550. | 3.6 | 11 |
| 5 | Accurate determination of epitope for antibodies with unknown 3D structures. MAbs, 2021, 13, 1961349. | 5.2 | 8 |
| 6 | β^2 -Arrestins and Endocrine-Related GPCRs. , 2021, , 445-458. | | 0 |
| 7 | In vitro effects of the endocrine disruptor p,p'-DDT on human choriogonadotropin/luteinizing hormone receptor signalling. Archives of Toxicology, 2021, 95, 1671-1681. | 4.2 | 11 |
| 8 | Pharmacological Characterization of Low Molecular Weight Biased Agonists at the Follicle Stimulating Hormone Receptor. International Journal of Molecular Sciences, 2021, 22, 9850. | 4.1 | 7 |
| 9 | Pharmacological Programming of Endosomal Signaling Activated by Small Molecule Ligands of the Follicle Stimulating Hormone Receptor. Frontiers in Pharmacology, 2020, 11, 593492. | 3.5 | 12 |
| 10 | FSH for the Treatment of Male Infertility. International Journal of Molecular Sciences, 2020, 21, 2270. | 4.1 | 38 |
| 11 | Follicle-Stimulating Hormone (FSH) Action on Spermatogenesis: A Focus on Physiological and Therapeutic Roles. Journal of Clinical Medicine, 2020, 9, 1014. | 2.4 | 61 |
| 12 | Membrane Estrogen Receptor (GPER) and Follicle-Stimulating Hormone Receptor (FSHR) Heteromeric Complexes Promote Human Ovarian Follicle Survival. IScience, 2020, 23, 101812. | 4.1 | 29 |
| 13 | Glycosylation Pattern and in vitro Bioactivity of Reference Follitropin alfa and Biosimilars. Frontiers in Endocrinology, 2019, 10, 503. | 3.5 | 19 |
| 14 | Biased Signaling and Allosteric Modulation at the FSHR. Frontiers in Endocrinology, 2019, 10, 148. | 3.5 | 26 |
| 15 | Methods to Determine Interaction Interfaces Between β^2 -Arrestins and Their Protein Partners. Methods in Molecular Biology, 2019, 1957, 177-194. | 0.9 | 0 |
| 16 | Workflow Description to Dynamically Model β^2 -Arrestin Signaling Networks. Methods in Molecular Biology, 2019, 1957, 195-215. | 0.9 | 1 |
| 17 | G protein β^2 -dependent signaling triggers a β^2 -arrestin β^2 -scaffolded p70S6K/ rpS6 module that controls 5'TOP mRNA translation. FASEB Journal, 2018, 32, 1154-1169. | 0.5 | 24 |
| 18 | Manifold roles of β^2 -arrestins in GPCR signaling elucidated with siRNA and CRISPR/Cas9. Science Signaling, 2018, 11, . | 3.6 | 169 |

| # | ARTICLE | IF | CITATIONS |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | MABTope: A Method for Improved Epitope Mapping. <i>Journal of Immunology</i> , 2018, 201, 3096-3105. | 0.8 | 26 |
| 20 | A logic-based method to build signaling networks and propose experimental plans. <i>Scientific Reports</i> , 2018, 8, 7830. | 3.3 | 4 |
| 21 | Follicle-Stimulating Hormone Receptor: Advances and Remaining Challenges. <i>International Review of Cell and Molecular Biology</i> , 2018, 338, 1-58. | 3.2 | 23 |
| 22 | FSH Receptor Signaling: Complexity of Interactions and Signal Diversity. <i>Endocrinology</i> , 2018, 159, 3020-3035. | 2.8 | 78 |
| 23 | Advances in computational modeling approaches of pituitary gonadotropin signaling. <i>Expert Opinion on Drug Discovery</i> , 2018, 13, 799-813. | 5.0 | 4 |
| 24 | G Protein-Coupled Receptors As Regulators of Localized Translation: The Forgotten Pathway?. <i>Frontiers in Endocrinology</i> , 2018, 9, 17. | 3.5 | 4 |
| 25 | Î ² -arrestins and biased signaling in gonadotropin receptors. <i>Minerva Ginecologica</i> , 2018, 70, 525-538. | 0.8 | 14 |
| 26 | Î ² -arrestin signalling and bias in hormone-responsive GPCRs. <i>Molecular and Cellular Endocrinology</i> , 2017, 449, 28-41. | 3.2 | 40 |
| 27 | Antibodies targeting G protein-coupled receptors: Recent advances and therapeutic challenges. <i>MAbs</i> , 2017, 9, 735-741. | 5.2 | 19 |
| 28 | Human Luteinizing Hormone and Chorionic Gonadotropin Display Biased Agonism at the LH and LH/CG Receptors. <i>Scientific Reports</i> , 2017, 7, 940. | 3.3 | 91 |
| 29 | Heterogeneous hCG and hMG commercial preparations result in different intracellular signalling but induce a similar long-term progesterone response in vitro. <i>Molecular Human Reproduction</i> , 2017, 23, 685-697. | 2.8 | 24 |
| 30 | Integration of GPCR Signaling and Sorting from Very Early Endosomes via Opposing APPL1 Mechanisms. <i>Cell Reports</i> , 2017, 21, 2855-2867. | 6.4 | 88 |
| 31 | A Comprehensive View of the Î ² -Arrestinome. <i>Frontiers in Endocrinology</i> , 2017, 8, 32. | 3.5 | 29 |
| 32 | Phosphorylation of Î ² -arrestin2 at Thr383 by MEK underlies Î ² -arrestin-dependent activation of Erk1/2 by GPCRs. <i>ELife</i> , 2017, 6, . | 6.0 | 53 |
| 33 | Role of Cysteine Residues in the Carboxyl-Terminus of the Follicle-Stimulating Hormone Receptor in Intracellular Traffic and Postendocytic Processing. <i>Frontiers in Cell and Developmental Biology</i> , 2016, 4, 76. | 3.7 | 16 |
| 34 | Identification of the epidermal growth factor receptor as the receptor for <i>Salmonella</i> Rck-dependent invasion. <i>FASEB Journal</i> , 2016, 30, 4180-4191. | 0.5 | 44 |
| 35 | Eculizumab epitope on complement C5: Progress towards a better understanding of the mechanism of action. <i>Molecular Immunology</i> , 2016, 77, 126-131. | 2.2 | 21 |
| 36 | Profiling of FSHR negative allosteric modulators on LH/CGR reveals biased antagonism with implications in steroidogenesis. <i>Molecular and Cellular Endocrinology</i> , 2016, 436, 10-22. | 3.2 | 41 |

| # | ARTICLE | IF | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | β -arrestins regulate gonadotropin receptor-mediated cell proliferation and apoptosis by controlling different FSHR or LHCGR intracellular signaling in the hGL5 cell line. <i>Molecular and Cellular Endocrinology</i> , 2016, 437, 11-21. | 3.2 | 63 |
| 38 | Unraveling the molecular architecture of a G protein-coupled receptor/ β -arrestin/Erk module complex. <i>Scientific Reports</i> , 2015, 5, 10760. | 3.3 | 50 |
| 39 | Assessing Gonadotropin Receptor Function by Resonance Energy Transfer-Based Assays. <i>Frontiers in Endocrinology</i> , 2015, 6, 130. | 3.5 | 75 |
| 40 | Screening and discovery of nitro-benzoxadiazole compounds activating epidermal growth factor receptor (EGFR) in cancer cells. <i>Scientific Reports</i> , 2015, 4, 3977. | 3.3 | 15 |
| 41 | Computational Models to Decipher Cell-Signaling Pathways. , 2014, , 269-284. | | 2 |
| 42 | Biased signalling in follicle stimulating hormone action. <i>Molecular and Cellular Endocrinology</i> , 2014, 382, 452-459. | 3.2 | 54 |
| 43 | Constitutive Activity in Gonadotropin Receptors. <i>Advances in Pharmacology</i> , 2014, 70, 37-80. | 2.0 | 29 |
| 44 | Activation of a GPCR leads to eIF4G phosphorylation at the 5' cap and to IRES-dependent translation. <i>Journal of Molecular Endocrinology</i> , 2014, 52, 373-382. | 2.5 | 9 |
| 45 | Trafficking of the Follitropin Receptor. <i>Methods in Enzymology</i> , 2013, 521, 17-45. | 1.0 | 18 |
| 46 | Semi-quantitative measurement of specific proteins in human cumulus cells using reverse phase protein array. <i>Reproductive Biology and Endocrinology</i> , 2013, 11, 100. | 3.3 | 6 |
| 47 | Integrating microRNAs into the complexity of gonadotropin signaling networks. <i>Frontiers in Cell and Developmental Biology</i> , 2013, 1, 3. | 3.7 | 9 |
| 48 | Normal testicular function without detectable follicle-stimulating hormone. A novel mutation in the follicle-stimulating hormone receptor gene leading to apparent constitutive activity and impaired agonist-induced desensitization and internalization. <i>Molecular and Cellular Endocrinology</i> , 2012, 364, 71-82. | 3.2 | 50 |
| 49 | mRNA-Selective Translation Induced by FSH in Primary Sertoli Cells. <i>Molecular Endocrinology</i> , 2012, 26, 669-680. | 3.7 | 29 |
| 50 | Competing G protein-coupled receptor kinases balance G protein and β -arrestin signaling. <i>Molecular Systems Biology</i> , 2012, 8, 590. | 7.2 | 77 |
| 51 | Molecular Mechanism of β -Arrestin-Biased Agonism at Seven-Transmembrane Receptors. <i>Annual Review of Pharmacology and Toxicology</i> , 2012, 52, 179-197. | 9.4 | 536 |
| 52 | Preferential β -arrestin signalling at low receptor density revealed by functional characterization of the human FSH receptor A189 V mutation. <i>Molecular and Cellular Endocrinology</i> , 2011, 331, 109-118. | 3.2 | 107 |
| 53 | Mapping the follicle-stimulating hormone-induced signaling networks. <i>Frontiers in Endocrinology</i> , 2011, 2, 45. | 3.5 | 130 |
| 54 | Novel pathways in gonadotropin receptor signaling and biased agonism. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2011, 12, 259-274. | 5.7 | 59 |

| # | ARTICLE | IF | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | GPCR signalling to the translation machinery. <i>Cellular Signalling</i> , 2010, 22, 707-716. | 3.6 | 38 |
| 56 | Selective Modulation of Follicle-Stimulating Hormone Signaling Pathways with Enhancing Equine Chorionic Gonadotropin/Antibody Immune Complexes. <i>Endocrinology</i> , 2010, 151, 2788-2799. | 2.8 | 25 |
| 57 | Partially Deglycosylated Equine LH Preferentially Activates β -Arrestin-Dependent Signaling at the Follicle-Stimulating Hormone Receptor. <i>Molecular Endocrinology</i> , 2010, 24, 561-573. | 3.7 | 46 |
| 58 | FSH-stimulated PTEN activity accounts for the lack of FSH mitogenic effect in prepubertal rat Sertoli cells. <i>Molecular and Cellular Endocrinology</i> , 2010, 315, 271-276. | 3.2 | 32 |
| 59 | Developmental regulation of p70 S6 kinase by a G protein-coupled receptor dynamically modeled in primary cells. <i>Cellular and Molecular Life Sciences</i> , 2009, 66, 3487-3503. | 5.4 | 48 |
| 60 | A highly sensitive near-infrared fluorescent detection method to analyze signalling pathways by reverse-phase protein array. <i>Proteomics</i> , 2009, 9, 5446-5454. | 2.2 | 29 |
| 61 | β -arrestin1 phosphorylation by GRK5 regulates G protein-independent 5-HT ₄ receptor signalling. <i>EMBO Journal</i> , 2009, 28, 2706-2718. | 7.8 | 62 |
| 62 | Towards a systems biology approach of G protein-coupled receptor signalling: Challenges and expectations. <i>Comptes Rendus - Biologies</i> , 2009, 332, 947-957. | 0.2 | 22 |
| 63 | Dimeric Transferrin Inhibits Phagocytosis of Residual Bodies by Testicular Rat Sertoli Cells ¹ . <i>Biology of Reproduction</i> , 2008, 78, 697-704. | 2.7 | 24 |
| 64 | Physical Interaction of Calmodulin with the 5-Hydroxytryptamine _{2C} Receptor C-Terminus Is Essential for G Protein-independent, Arrestin-dependent Receptor Signaling. <i>Molecular Biology of the Cell</i> , 2008, 19, 4640-4650. | 2.1 | 88 |
| 65 | 5-Hydroxytryptamine ₄ Receptor Activation of the Extracellular Signal-regulated Kinase Pathway Depends on Src Activation but Not on G Protein or β -Arrestin Signaling. <i>Molecular Biology of the Cell</i> , 2007, 18, 1979-1991. | 2.1 | 68 |
| 66 | Dichlorodiphenyltrichloroethane impairs follicle-stimulating hormone receptor-mediated signaling in rat Sertoli cells. <i>Reproductive Toxicology</i> , 2007, 23, 158-164. | 2.9 | 10 |
| 67 | GRKs and β -arrestins: roles in receptor silencing, trafficking and signaling. <i>Trends in Endocrinology and Metabolism</i> , 2006, 17, 159-165. | 7.1 | 572 |
| 68 | Follicle-stimulating hormone (FSH) activates extracellular signal-regulated kinase phosphorylation independently of beta-arrestin- and dynamin-mediated FSH receptor internalization. <i>Reproductive Biology and Endocrinology</i> , 2006, 4, 33. | 3.3 | 22 |
| 69 | A Phosphorylation Cluster of Five Serine and Threonine Residues in the C-Terminus of the Follicle-Stimulating Hormone Receptor Is Important for Desensitization But Not for β -Arrestin-Mediated ERK Activation. <i>Molecular Endocrinology</i> , 2006, 20, 3014-3026. | 3.7 | 147 |
| 70 | G protein-coupled receptor kinase 2 and β -arrestins are recruited to FSH receptor in stimulated rat primary Sertoli cells. <i>Journal of Endocrinology</i> , 2006, 190, 341-350. | 2.6 | 28 |
| 71 | Distinct β -Arrestin- and G Protein-dependent Pathways for Parathyroid Hormone Receptor-stimulated ERK1/2 Activation. <i>Journal of Biological Chemistry</i> , 2006, 281, 10856-10864. | 3.4 | 422 |
| 72 | β -Arrestin-dependent, G Protein-independent ERK1/2 Activation by the β 2 Adrenergic Receptor. <i>Journal of Biological Chemistry</i> , 2006, 281, 1261-1273. | 3.4 | 651 |

| # | ARTICLE | IF | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 73 | Extracellular signal-regulated kinases (ERK) 1, 2 are required for luteinizing hormone (LH)-induced steroidogenesis in primary Leydig cells and control steroidogenic acute regulatory (StAR) expression. <i>Reproduction, Nutrition, Development</i> , 2005, 45, 101-108. | 1.9 | 43 |
| 74 | Follicle-Stimulating Hormone Activates p70 Ribosomal Protein S6 Kinase by Protein Kinase A-Mediated Dephosphorylation of Thr 421/Ser 424 in Primary Sertoli Cells. <i>Molecular Endocrinology</i> , 2005, 19, 1812-1820. | 3.7 | 49 |
| 75 | Functional antagonism of different G protein-coupled receptor kinases for β -arrestin-mediated angiotensin II receptor signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 1442-1447. | 7.1 | 318 |
| 76 | Different G protein-coupled receptor kinases govern G protein and β -arrestin-mediated signaling of V2 vasopressin receptor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 1448-1453. | 7.1 | 298 |
| 77 | β -Arrestin 2-Dependent Angiotensin II Type 1A Receptor-Mediated Pathway of Chemotaxis. <i>Molecular Pharmacology</i> , 2005, 67, 1229-1236. | 2.3 | 115 |
| 78 | β -Arrestin 1 and G α q/11 Coordinately Activate RhoA and Stress Fiber Formation following Receptor Stimulation. <i>Journal of Biological Chemistry</i> , 2005, 280, 8041-8050. | 3.4 | 180 |
| 79 | A Mechanistic Overview on Male Infertility and Germ Cell Cancers. <i>Current Pharmaceutical Design</i> , 2004, 10, 449-469. | 1.9 | 3 |
| 80 | Prostate. , 2003, , 591-605. | | 1 |
| 81 | G Protein-Coupled Receptor Kinases and Beta Arrestins Are Relocalized and Attenuate Cyclic 3',5'-Adenosine Monophosphate Response to Follicle-Stimulating Hormone in Rat Primary Sertoli Cells1. <i>Biology of Reproduction</i> , 2002, 66, 70-76. | 2.7 | 42 |
| 82 | Kinase-Inactive G-Protein-Coupled Receptor Kinases Are Able to Attenuate Follicle-Stimulating Hormone-Induced Signaling. <i>Biochemical and Biophysical Research Communications</i> , 2001, 282, 71-78. | 2.1 | 30 |
| 83 | The ERK-dependent signalling is stage-specifically modulated by FSH, during primary Sertoli cell maturation. <i>Oncogene</i> , 2001, 20, 4696-4709. | 5.9 | 184 |
| 84 | A Novel Messenger Ribonucleic Acid Homologous to Human MAGE-D Is Strongly Expressed in Rat Sertoli Cells and Weakly in Leydig Cells and Is Regulated by Follitropin, Lutropin, and Prolactin1. <i>Endocrinology</i> , 2000, 141, 3821-3831. | 2.8 | 14 |
| 85 | Involvement of G Protein-Coupled Receptor Kinases and Arrestins in Desensitization to Follicle-Stimulating Hormone Action. <i>Molecular Endocrinology</i> , 1999, 13, 1599-1614. | 3.7 | 72 |
| 86 | Effects of pituitary hormones on the prostate. , 1999, 38, 159-165. | | 70 |
| 87 | Involvement of G Protein-Coupled Receptor Kinases and Arrestins in Desensitization to Follicle-Stimulating Hormone Action. <i>Molecular Endocrinology</i> , 1999, 13, 1599-1614. | 3.7 | 17 |
| 88 | β 2 adrenergic receptors mediate cAMP, tissue-type plasminogen activator and transferrin production in rat Sertoli cells. <i>Molecular and Cellular Endocrinology</i> , 1998, 142, 75-86. | 3.2 | 23 |
| 89 | Rat G Protein-Coupled Receptor Kinase GRK4: Identification, Functional Expression, and Differential Tissue Distribution of Two Splice Variants*. <i>Endocrinology</i> , 1998, 139, 2784-2795. | 2.8 | 54 |
| 90 | Luteinizing Hormone Increases the Abundance of Various Transcripts, Independently of the Androgens, in the Rat Prostate. <i>Biochemical and Biophysical Research Communications</i> , 1997, 233, 108-112. | 2.1 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 91 | Androgen-independent effects of prolactin on the different lobes of the immature rat prostate. Molecular and Cellular Endocrinology, 1995, 112, 113-122. | 3.2 | 30 |
| 92 | Growth hormone and prolactin stimulate androgen receptor, insulin-like growth factor-I (IGF-I) and IGF-I receptor levels in the prostate of immature rats. Molecular and Cellular Endocrinology, 1992, 88, 77-87. | 3.2 | 69 |