

Philippe Delespaul

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1158490/publications.pdf>

Version: 2024-02-01

219
papers

13,745
citations

22153

59
h-index

25787

108
g-index

226
all docs

226
docs citations

226
times ranked

11367
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparing psychotic experiences in low-and-middle-income-countries and high-income-countries with a focus on measurement invariance. <i>Psychological Medicine</i> , 2022, 52, 1509-1516.	4.5	16
2	A replication study of JTC bias, genetic liability for psychosis and delusional ideation. <i>Psychological Medicine</i> , 2022, 52, 1777-1783.	4.5	10
3	Evidence, and replication thereof, that molecular-genetic and environmental risks for psychosis impact through an affective pathway. <i>Psychological Medicine</i> , 2022, 52, 1910-1922.	4.5	14
4	Examining facial emotion recognition as an intermediate phenotype for psychosis: Findings from the EUGEI study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 113, 110440.	4.8	10
5	Lower emotional complexity as a prospective predictor of psychopathology in adolescents from the general population.. <i>Emotion</i> , 2022, 22, 836-843.	1.8	8
6	Ecological momentary assessment and other digital technologies for capturing daily life in mental health. , 2022, , 81-108.		6
7	Dysregulated Lipid Metabolism Precedes Onset of Psychosis. <i>Biological Psychiatry</i> , 2021, 89, 288-297.	1.3	42
8	Examining the association between exposome score for schizophrenia and functioning in schizophrenia, siblings, and healthy controls: Results from the EUGEI study. <i>European Psychiatry</i> , 2021, 64, e25.	0.2	18
9	Network dynamics of momentary affect states and future course of psychopathology in adolescents. <i>PLoS ONE</i> , 2021, 16, e0247458.	2.5	6
10	Health Patterns Reveal Interdependent Needs of Dutch Homeless Service Users. <i>Frontiers in Psychiatry</i> , 2021, 12, 614526.	2.6	4
11	Factors That Influence the Use of Electronic Diaries in Health Care: Scoping Review. <i>JMIR MHealth and UHealth</i> , 2021, 9, e19536.	3.7	5
12	Individualized prediction of three- and six-year outcomes of psychosis in a longitudinal multicenter study: a machine learning approach. <i>NPJ Schizophrenia</i> , 2021, 7, 34.	3.6	14
13	Efficacy of a transdiagnostic ecological momentary intervention for improving self-esteem (SELFIE) in youth exposed to childhood adversity: study protocol for a multi-center randomized controlled trial. <i>Trials</i> , 2021, 22, 641.	1.6	9
14	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021, 26, 4529-4543.	7.9	23
15	Effectiveness of Resource Groups for Improving Empowerment, Quality of Life, and Functioning of People With Severe Mental Illness. <i>JAMA Psychiatry</i> , 2021, 78, 1309.	11.0	9
16	Attachment as a framework to facilitate empowerment for people with severe mental illness. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2021, 94, 407-425.	2.5	2
17	Replicated evidence that endophenotypic expression of schizophrenia polygenic risk is greater in healthy siblings of patients compared to controls, suggesting geneâ€“environment interaction. The EUGEI study. <i>Psychological Medicine</i> , 2020, 50, 1884-1897.	4.5	28
18	Digital assessment of working memory and processing speed in everyday life: Feasibility, validation, and lessons-learned. <i>Internet Interventions</i> , 2020, 19, 100300.	2.7	20

#	ARTICLE	IF	CITATIONS
19	Childhood trauma and coping in patients with psychotic disorders and obsessive-compulsive symptoms and in un-affected siblings. <i>Child Abuse and Neglect</i> , 2020, 99, 104243.	2.6	12
20	An ecological momentary intervention incorporating personalised feedback to improve symptoms and social functioning in schizophrenia spectrum disorders. <i>Psychiatry Research</i> , 2020, 284, 112695.	3.3	37
21	A time-series network approach to auditory verbal hallucinations: Examining dynamic interactions using experience sampling methodology. <i>Schizophrenia Research</i> , 2020, 215, 148-156.	2.0	17
22	Ukrainian mental health services and World Psychiatric Association Expert Committee recommendations. <i>Lancet Psychiatry</i> , 2020, 7, 738-740.	7.4	12
23	Introducing the DizzyQuest: an app-based diary for vestibular disorders. <i>Journal of Neurology</i> , 2020, 267, 3-14.	3.6	8
24	The DizzyQuest: to have or not to have a vertigo attack?. <i>Journal of Neurology</i> , 2020, 267, 15-23.	3.6	3
25	Qualitative analysis of clinicians' perspectives on the use of a computerized decision aid in the treatment of psychotic disorders. <i>BMC Medical Informatics and Decision Making</i> , 2020, 20, 234.	3.0	8
26	Early warning signals in psychopathology: what do they tell?. <i>BMC Medicine</i> , 2020, 18, 269.	5.5	19
27	Association of preceding psychosis risk states and non-psychotic mental disorders with incidence of clinical psychosis in the general population: a prospective study in the NEMESIS cohort. <i>World Psychiatry</i> , 2020, 19, 199-205.	10.4	53
28	Polygenic risk score for schizophrenia was not associated with glycemic level (HbA1c) in patients with non-affective psychosis: Genetic Risk and Outcome of Psychosis (GROUP) cohort study. <i>Journal of Psychosomatic Research</i> , 2020, 132, 109968.	2.6	7
29	The impact of emotion awareness and regulation on psychotic symptoms during daily functioning. <i>NPJ Schizophrenia</i> , 2020, 6, 7.	3.6	32
30	Polygenic liability for schizophrenia and childhood adversity influences daily life emotion dysregulation and psychosis proneness. <i>Acta Psychiatrica Scandinavica</i> , 2020, 141, 465-475.	4.5	31
31	Expressive deficits and amotivation as mediators of the associations between cognitive problems and functional outcomes: Results from two independent cohorts. <i>Schizophrenia Research</i> , 2020, 218, 283-291.	2.0	9
32	Measuring resilience prospectively as the speed of affect recovery in daily life: a complex systems perspective on mental health. <i>BMC Medicine</i> , 2020, 18, 36.	5.5	29
33	Monitoring risk assessment on an acute psychiatric ward: Effects on aggression, seclusion and nurse behaviour. <i>PLoS ONE</i> , 2020, 15, e0240163.	2.5	3
34	Psychometric Properties of the Korean Version of the PsyMate Scale Using a Smartphone App: Ecological Momentary Assessment Study. <i>JMIR MHealth and UHealth</i> , 2020, 8, e17926.	3.7	1
35	Ecological momentary assessment versus retrospective assessment for measuring change in health-related quality of life following cardiac intervention. <i>Journal of Patient-Reported Outcomes</i> , 2020, 4, 98.	1.9	5
36	Estimating Exposome Score for Schizophrenia Using Predictive Modeling Approach in Two Independent Samples: The Results From the EUGEI Study. <i>Schizophrenia Bulletin</i> , 2019, 45, 960-965.	4.3	46

#	ARTICLE	IF	CITATIONS
37	White Noise Speech Illusions: A Trait-Dependent Risk Marker for Psychotic Disorder?. <i>Frontiers in Psychiatry</i> , 2019, 10, 676.	2.6	5
38	Potential Applications of Digital Technology in Assessment, Treatment, and Self-help for Hallucinations. <i>Schizophrenia Bulletin</i> , 2019, 45, S32-S42.	4.3	17
39	Evidence for interaction between genetic liability and childhood trauma in the development of psychotic symptoms. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 1045-1054.	3.1	8
40	Identifying psychosis spectrum disorder from experience sampling data using machine learning approaches. <i>Schizophrenia Research</i> , 2019, 209, 156-163.	2.0	17
41	20.4 EXAMINING THE ASSOCIATION BETWEEN CANNABIS USE AND PSYCHOSIS ACROSS THE SPECTRA OF EXPOSURE AND PHENOTYPE. <i>Schizophrenia Bulletin</i> , 2019, 45, S122-S123.	4.3	0
42	7.3 POLYGENIC RISK FOR SCHIZOPHRENIA MODERATES THE INFLUENCE OF CHILDHOOD ADVERSITY ON DAILY-LIFE EMOTIONAL DYSREGULATION AND PSYCHOSIS PRONENESS. <i>Schizophrenia Bulletin</i> , 2019, 45, S98-S98.	4.3	1
43	Examining the independent and joint effects of molecular genetic liability and environmental exposures in schizophrenia: results from the EUGEL study. <i>World Psychiatry</i> , 2019, 18, 173-182.	10.4	127
44	Longitudinal evidence for a relation between depressive symptoms and quality of life in schizophrenia using structural equation modeling. <i>Schizophrenia Research</i> , 2019, 208, 82-89.	2.0	16
45	Recovery from daily-life stressors in early and chronic psychosis. <i>Schizophrenia Research</i> , 2019, 213, 32-39.	2.0	33
46	The resource group method in severe mental illness: study protocol for a randomized controlled trial and a qualitative multiple case study. <i>International Journal of Mental Health Systems</i> , 2019, 13, 15.	2.7	9
47	Implementing Experience Sampling Technology for Functional Analysis in Family Medicine – A Design Thinking Approach. <i>Frontiers in Psychology</i> , 2019, 10, 2782.	2.1	18
48	TwinsCan – Gene-Environment Interaction in Psychotic and Depressive Intermediate Phenotypes: Risk and Protective Factors in a General Population Twin Sample. <i>Twin Research and Human Genetics</i> , 2019, 22, 460-466.	0.6	11
49	Measuring within-day cognitive performance using the experience sampling method: A pilot study in a healthy population. <i>PLoS ONE</i> , 2019, 14, e0226409.	2.5	24
50	The evidence-based group-level symptom-reduction model as the organizing principle for mental health care: time for change?. <i>World Psychiatry</i> , 2019, 18, 88-96.	10.4	137
51	Targeted Sequencing of 10,198 Samples Confirms Abnormalities in Neuronal Activity and Implicates Voltage-Gated Sodium Channels in Schizophrenia Pathogenesis. <i>Biological Psychiatry</i> , 2019, 85, 554-562.	1.3	40
52	Smoking, symptoms, and quality of life in patients with psychosis, siblings, and healthy controls: a prospective, longitudinal cohort study. <i>Lancet Psychiatry</i> , 2019, 6, 25-34.	7.4	30
53	Patterns of obsessive-compulsive symptoms and social functioning in schizophrenia; a replication study. <i>Psychiatry Research</i> , 2019, 271, 421-427.	3.3	1
54	Childhood adversities and psychotic symptoms: The potential mediating or moderating role of neurocognition and social cognition. <i>Schizophrenia Research</i> , 2019, 206, 183-193.	2.0	26

#	ARTICLE	IF	CITATIONS
55	Sensitivity to Peer Evaluation and Its Genetic and Environmental Determinants: Findings from a Population-Based Twin Study. <i>Child Psychiatry and Human Development</i> , 2018, 49, 766-778.	1.9	8
56	Reducing distress and improving social functioning in daily life in people with auditory verbal hallucinations: study protocol for the "Temstem"™ randomised controlled trial. <i>BMJ Open</i> , 2018, 8, e020537.	1.9	22
57	Virtual-reality-based cognitive behavioural therapy versus waiting list control for paranoid ideation and social avoidance in patients with psychotic disorders: a single-blind randomised controlled trial. <i>Lancet Psychiatry</i> , 2018, 5, 217-226.	7.4	144
58	Subjective quality of life in psychosis: Evidence for an association with real world functioning?. <i>Psychiatry Research</i> , 2018, 261, 116-123.	3.3	16
59	The role of cognitive functioning in the relationship between childhood trauma and a mixed phenotype of affective-anxious-psychotic symptoms in psychotic disorders. <i>Schizophrenia Research</i> , 2018, 192, 262-268.	2.0	10
60	O4.4. DOES POLYGENIC RISK SCORE FOR SCHIZOPHRENIA MODERATE THE MOMENTARY AFFECTIVE AND PSYCHOTIC REACTIONS TO DAILY-LIFE STRESSORS?. <i>Schizophrenia Bulletin</i> , 2018, 44, S84-S84.	4.3	0
61	Long-term cognitive trajectories and heterogeneity in patients with schizophrenia and their unaffected siblings. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 591-604.	4.5	30
62	Treatment results for severe psychiatric illness: which method is best suited to denote the outcome of mental health care?. <i>BMC Psychiatry</i> , 2018, 18, 225.	2.6	8
63	The Latent Taxonicity of Schizotypy in Biological Siblings of Proband With Schizophrenia. <i>Schizophrenia Bulletin</i> , 2018, 44, 922-932.	4.3	12
64	Double hits in schizophrenia. <i>Human Molecular Genetics</i> , 2018, 27, 2755-2761.	2.9	7
65	Psychotic Experiences and Related Distress: A Cross-national Comparison and Network Analysis Based on 7141 Participants From 13 Countries. <i>Schizophrenia Bulletin</i> , 2018, 44, 1185-1194.	4.3	54
66	The development and evaluation of a computerized decision aid for the treatment of psychotic disorders. <i>BMC Psychiatry</i> , 2018, 18, 163.	2.6	11
67	Association Between Smoking Behavior and Cognitive Functioning in Patients With Psychosis, Siblings, and Healthy Control Subjects: Results From a Prospective 6-Year Follow-Up Study. <i>American Journal of Psychiatry</i> , 2018, 175, 1121-1128.	7.2	49
68	Functional recovery of individuals with serious mental illnesses: Development and testing of a new short instrument for routine outcome monitoring. <i>Psychiatric Rehabilitation Journal</i> , 2018, 41, 341-350.	1.1	7
69	Exploring the use of Routine Outcome Monitoring in the treatment of patients with a psychotic disorder. <i>European Psychiatry</i> , 2017, 42, 89-94.	0.2	12
70	Familial liability to psychosis is a risk factor for multimorbidity in people with psychotic disorders and their unaffected siblings. <i>European Psychiatry</i> , 2017, 45, 81-89.	0.2	8
71	The experience sampling method as an mHealth tool to support self-monitoring, self-insight, and personalized health care in clinical practice. <i>Depression and Anxiety</i> , 2017, 34, 481-493.	4.1	135
72	An experience sampling study on the ecological validity of the SWN-20: Indication that subjective well-being is associated with momentary affective states above and beyond psychosis susceptibility. <i>Psychiatry Research</i> , 2017, 258, 234-238.	3.3	4

#	ARTICLE	IF	CITATIONS
73	Is sensitivity to daily stress predictive of onset or persistence of psychopathology?. <i>European Psychiatry</i> , 2017, 45, 167-173.	0.2	31
74	Autonomic Regulation and Auditory Hallucinations in Individuals With Schizophrenia: An Experience Sampling Study. <i>Schizophrenia Bulletin</i> , 2017, 43, 754-763.	4.3	38
75	Predicting Psychosis Using the Experience Sampling Method with Mobile Apps. , 2017, , .		11
76	Network Approach to Understanding Emotion Dynamics in Relation to Childhood Trauma and Genetic Liability to Psychopathology: Replication of a Prospective Experience Sampling Analysis. <i>Frontiers in Psychology</i> , 2017, 8, 1908.	2.1	24
77	Constructing a Reward-Related Quality of Life Statistic in Daily Lifeâ€”a Proof of Concept Study Using Positive Affect. <i>Frontiers in Psychology</i> , 2017, 8, 1917.	2.1	1
78	White noise speech illusion and psychosis expression: An experimental investigation of psychosis liability. <i>PLoS ONE</i> , 2017, 12, e0183695.	2.5	26
79	Economic evaluation of an experience sampling method intervention in depression compared with treatment as usual using data from a randomized controlled trial. <i>BMC Psychiatry</i> , 2017, 17, 415.	2.6	14
80	Demonstrating the reliability of transdiagnostic mHealth Routine Outcome Monitoring in mental health services using experience sampling technology. <i>PLoS ONE</i> , 2017, 12, e0186294.	2.5	38
81	Empowerment according to Persons with Severe Mental Illness: Development of the Netherlands Empowerment List and Its Psychometric Properties. <i>Open Journal of Psychiatry</i> , 2017, 07, 18-30.	0.6	21
82	Psychological and Biological Validation of a Novel Digital Social Peer Evaluation Experiment (digi-SPEE). <i>Noropsikiyatri Arsivi</i> , 2017, 54, 3-10.	0.7	8
83	A user-developed, user run recovery programme for people with severe mental illness: A randomised control trial. <i>Psychosis</i> , 2016, 8, 287-300.	0.8	46
84	Use of the experience sampling method in the context of clinical trials: TableÂ1. <i>Evidence-Based Mental Health</i> , 2016, 19, 86-89.	4.5	132
85	Assertive community treatment and associations with delinquency. <i>International Journal of Law and Psychiatry</i> , 2016, 49, 93-97.	0.9	1
86	Change in daily life behaviors and depression: Within-person and between-person associations.. <i>Health Psychology</i> , 2016, 35, 433-441.	1.6	47
87	Experience Sampling-Based Personalized Feedback and Positive Affect: A Randomized Controlled Trial in Depressed Patients. <i>PLoS ONE</i> , 2015, 10, e0128095.	2.5	43
88	Evidence That Environmental and Genetic Risks for Psychotic Disorder May Operate by Impacting on Connections Between Core Symptoms of Perceptual Alteration and Delusional Ideation. <i>Schizophrenia Bulletin</i> , 2015, 41, 687-697.	4.3	27
89	Childhood trauma and childhood urbanicity in relation to psychotic disorder. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 1481-1488.	3.1	22
90	Effects of momentary self-monitoring on empowerment in a randomized controlled trial in patients with depression. <i>European Psychiatry</i> , 2015, 30, 900-906.	0.2	38

#	ARTICLE	IF	CITATIONS
91	Measuring Health-Related Quality of Life by Experiences: The Experience Sampling Method. <i>Value in Health</i> , 2015, 18, 44-51.	0.3	32
92	Psychotic disorder and educational achievement: a family-based analysis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 1511-1518.	3.1	20
93	Routine outcome measurement in the Netherlands – A focus on benchmarking. <i>International Review of Psychiatry</i> , 2015, 27, 320-328.	2.8	18
94	Associations between Stereotype Awareness, Childhood Trauma and Psychopathology: A Study in People with Psychosis, Their Siblings and Controls. <i>PLoS ONE</i> , 2015, 10, e0117386.	2.5	6
95	Flexible ACT & Resource-group ACT: Different Working Procedures Which Can Supplement and Strengthen Each Other. A Response#. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2015, 11, 12-15.	1.2	17
96	Evidence That a Psychopathology Interactome Has Diagnostic Value, Predicting Clinical Needs: An Experience Sampling Study. <i>PLoS ONE</i> , 2014, 9, e86652.	2.5	44
97	Stereotype Awareness, Self-Esteem and Psychopathology in People with Psychosis. <i>PLoS ONE</i> , 2014, 9, e88586.	2.5	13
98	Criminal Victimization in People with Severe Mental Illness: A Multi-Site Prevalence and Incidence Survey in the Netherlands. <i>PLoS ONE</i> , 2014, 9, e91029.	2.5	77
99	Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. <i>Schizophrenia Bulletin</i> , 2014, 40, 729-736.	4.3	229
100	A therapeutic application of the experience sampling method in the treatment of depression: a randomized controlled trial. <i>World Psychiatry</i> , 2014, 13, 68-77.	10.4	194
101	Assertive Community Treatment and Associations with Substance Abuse Problems. <i>Community Mental Health Journal</i> , 2014, 50, 460-465.	2.0	6
102	Depression, subthreshold depression and comorbid anxiety symptoms in older Europeans: Results from the EURODEP concerted action. <i>Journal of Affective Disorders</i> , 2014, 155, 266-272.	4.1	105
103	The distribution of self-reported psychotic-like experiences in non-psychotic help-seeking mental health patients in the general population; a factor mixture analysis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 349-358.	3.1	16
104	Evidence that childhood urban environment is associated with blunted stress reactivity across groups of patients with psychosis, relatives of patients and controls. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1579-1587.	3.1	13
105	Poster #M104 SETTING PSYCHOPATHOLOGY IN MOTION: A NETWORK PERSPECTIVE. <i>Schizophrenia Research</i> , 2014, 153, S227.	2.0	0
106	Testing an mHealth Momentary Assessment Routine Outcome Monitoring Application: A Focus on Restoration of Daily Life Positive Mood States. <i>PLoS ONE</i> , 2014, 9, e115254.	2.5	31
107	Beyond DSM and ICD: introducing ‘precision diagnosis’ for psychiatry using momentary assessment technology. <i>World Psychiatry</i> , 2013, 12, 113-117.	10.4	92
108	Development of the Davos Assessment of Cognitive Biases Scale (DACOBS). <i>Schizophrenia Research</i> , 2013, 144, 63-71.	2.0	93

#	ARTICLE	IF	CITATIONS
109	FKBP5 as a possible moderator of the psychosis-inducing effects of childhood trauma. <i>British Journal of Psychiatry</i> , 2013, 202, 261-268.	2.8	81
110	Emotional Experience in Negative Symptoms of Schizophrenia—No Evidence for a Generalized Hedonic Deficit. <i>Schizophrenia Bulletin</i> , 2013, 39, 217-225.	4.3	140
111	Novel directions for psychiatric diagnosis: from psychopathology to motor function to monitoring technology. <i>Epidemiology and Psychiatric Sciences</i> , 2013, 22, 289-295.	3.9	11
112	Psychiatry beyond labels: introducing contextual precision diagnosis across stages of psychopathology. <i>Psychological Medicine</i> , 2013, 43, 1563-1567.	4.5	21
113	Altered Transfer of Momentary Mental States (ATOMS) as the Basic Unit of Psychosis Liability in Interaction with Environment and Emotions. <i>PLoS ONE</i> , 2013, 8, e54653.	2.5	37
114	The use of a Cumulative Needs for Care Monitor for individual treatment vs. care as usual for patients diagnosed with severe mental illness, a cost-effectiveness analysis from the health care perspective. <i>Epidemiology and Psychiatric Sciences</i> , 2012, 21, 381-392.	3.9	6
115	Consumer-Providers in Assertive Community Treatment Programs: Associations With Client Outcomes. <i>Psychiatric Services</i> , 2012, 63, 477-481.	2.0	43
116	Daily life moment-to-moment variation in coping in people with a diagnosis of schizophrenia: state within trait psychosis. <i>Psychosis</i> , 2012, 4, 115-125.	0.8	3
117	Symptomatic remission in psychosis and real-life functioning. <i>British Journal of Psychiatry</i> , 2012, 201, 215-220.	2.8	79
118	A time-lagged momentary assessment study on daily life physical activity and affect.. <i>Health Psychology</i> , 2012, 31, 135-144.	1.6	152
119	Temporal dynamics of visual and auditory hallucinations in psychosis. <i>Schizophrenia Research</i> , 2012, 140, 77-82.	2.0	48
120	Meta-analysis of MTHFR gene variants in schizophrenia, bipolar disorder and unipolar depressive disorder: Evidence for a common genetic vulnerability?. <i>Brain, Behavior, and Immunity</i> , 2011, 25, 1530-1543.	4.1	139
121	Assertive Community Treatment in the Netherlands: Outcome and Model Fidelity. <i>Canadian Journal of Psychiatry</i> , 2011, 56, 154-160.	1.9	38
122	Experience sampling research in individuals with mental illness: reflections and guidance. <i>Acta Psychiatrica Scandinavica</i> , 2011, 123, 12-20.	4.5	211
123	Translating assessments of the film of daily life into person-tailored feedback interventions in depression. <i>Acta Psychiatrica Scandinavica</i> , 2011, 123, 402-403.	4.5	43
124	Momentary assessment technology as a tool to help patients with depression help themselves. <i>Acta Psychiatrica Scandinavica</i> , 2011, 124, 262-272.	4.5	108
125	Neuroticism explained? From a non-informative vulnerability marker to informative person-context interactions in the realm of daily life. <i>British Journal of Clinical Psychology</i> , 2011, 50, 19-32.	3.5	54
126	Does monitoring need for care in patients diagnosed with severe mental illness impact on Psychiatric Service Use? Comparison of monitored patients with matched controls. <i>BMC Psychiatry</i> , 2011, 11, 45.	2.6	30

#	ARTICLE	IF	CITATIONS
127	Childhood Trauma and Psychosis: A Case-Control and Case-Sibling Comparison Across Different Levels of Genetic Liability, Psychopathology, and Type of Trauma. <i>American Journal of Psychiatry</i> , 2011, 168, 1286-1294.	7.2	170
128	Function assertive community treatment (FACT) and psychiatric service use in patients diagnosed with severe mental illness. <i>Epidemiology and Psychiatric Sciences</i> , 2011, 20, 273-278.	3.9	18
129	Psychotic exacerbation and emotional dampening in the daily life of patients with schizophrenia switched to aripiprazole therapy: a collection of standardized case reports. <i>Therapeutic Advances in Psychopharmacology</i> , 2011, 1, 145-151.	2.7	14
130	Emotional Experience and Estimates of D2Receptor Occupancy in Psychotic Patients Treated With Haloperidol, Risperidone, or Olanzapine. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 1397-1404.	2.2	35
131	Depression and parkinsonism in older Europeans: results from the EURODEP concerted action. <i>International Journal of Geriatric Psychiatry</i> , 2010, 25, 679-687.	2.7	12
132	Psychosis reactivity to cannabis use in daily life: an experience sampling study. <i>British Journal of Psychiatry</i> , 2010, 196, 447-453.	2.8	104
133	The cumulative needs for care monitor: a unique monitoring system in the south of the Netherlands. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010, 45, 475-485.	3.1	52
134	Do depression and pain intensity interfere with physical activity in daily life in patients with Chronic Low Back Pain?. <i>Pain</i> , 2010, 150, 161-166.	4.2	77
135	Unveiling patterns of affective responses in daily life may improve outcome prediction in depression: A momentary assessment study. <i>Journal of Affective Disorders</i> , 2010, 124, 191-195.	4.1	137
136	Systematic monitoring of needs for care and global outcomes in patients with severe mental illness. <i>BMC Psychiatry</i> , 2010, 10, 36.	2.6	17
137	A single blind randomized controlled trial of cognitive behavioural therapy in a help-seeking population with an At Risk Mental State for psychosis: the Dutch Early Detection and Intervention Evaluation (EDIE-NL) trial. <i>Trials</i> , 2010, 11, 30.	1.6	46
138	Meeting risk with resilience: high daily life reward experience preserves mental health. <i>Acta Psychiatrica Scandinavica</i> , 2010, 122, 129-138.	4.5	92
139	Concurrent Measurement of "Real-World" Stress and Arousal in Individuals With Psychosis: Assessing the Feasibility and Validity of a Novel Methodology. <i>Schizophrenia Bulletin</i> , 2010, 36, 1131-1139.	4.3	59
140	MOMENTARY ASSESSMENT TECHNOLOGY TO ASSESS GENE-ENVIRONMENT INTERACTIONS UNDERLYING THE AFFECTIVE INTERMEDIARY PHENOTYPE OF STRESS SENSITIVITY IN SCHIZOPHRENIA. <i>Schizophrenia Research</i> , 2010, 117, 160-161.	2.0	0
141	ARE SOCIAL ANXIETY AND PARANOIA ASSOCIATED, AND WHICH COMES FIRST?. <i>Schizophrenia Research</i> , 2010, 117, 317-318.	2.0	0
142	Cognitive deficits in nonaffective functional psychoses: A study in the Democratic Republic of Congo. <i>Psychiatry Research</i> , 2010, 180, 86-92.	3.3	11
143	Social needs in daily life in adults with Pervasive Developmental Disorders. <i>Psychiatry Research</i> , 2010, 179, 75-80.	3.3	30
144	Transition from stress sensitivity to a depressive state: longitudinal twin study. <i>British Journal of Psychiatry</i> , 2009, 195, 498-503.	2.8	123

#	ARTICLE	IF	CITATIONS
145	Mechanisms of gene-environment interactions in depression: evidence that genes potentiate multiple sources of adversity. <i>Psychological Medicine</i> , 2009, 39, 1077.	4.5	109
146	Experience sampling research in psychopathology: opening the black box of daily life. <i>Psychological Medicine</i> , 2009, 39, 1533-1547.	4.5	622
147	Subjective Experience of Cognitive Failures as Possible Risk Factor for Negative Symptoms of Psychosis in the General Population. <i>Schizophrenia Bulletin</i> , 2009, 35, 766-774.	4.3	25
148	Capturing coping with symptoms in people with a diagnosis of schizophrenia: introducing the MACS-24. <i>International Journal of Methods in Psychiatric Research</i> , 2009, 18, 4-12.	2.1	12
149	COMT Val ¹⁵⁸ /Met moderation of cannabis-induced psychosis: a momentary assessment study of on-off switching on hallucinations in the flow of daily life. <i>Acta Psychiatrica Scandinavica</i> , 2009, 119, 156-160.	4.5	106
150	A systematic review and meta-analysis of the psychosis continuum: evidence for a psychosis proneness-persistence-impairment model of psychotic disorder. <i>Psychological Medicine</i> , 2009, 39, 179-195.	4.5	1,829
151	Are social phobia and paranoia related, and which comes first?. <i>Psychosis</i> , 2009, 1, 29-38.	0.8	17
152	Momentary assessment research in psychosis.. <i>Psychological Assessment</i> , 2009, 21, 498-505.	1.5	114
153	The use of the Camberwell Assessment of Need in treatment: what unmet needs can be met?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 410-417.	3.1	46
154	Executive function does not predict coping with symptoms in stable patients with a diagnosis of schizophrenia. <i>BMC Psychiatry</i> , 2008, 8, 39.	2.6	9
155	A real-life observational study of the effectiveness of FACT in a Dutch mental health region. <i>BMC Psychiatry</i> , 2008, 8, 93.	2.6	33
156	The Catechol-O-Methyl Transferase Val158Met Polymorphism and Experience of Reward in the Flow of Daily Life. <i>Neuropsychopharmacology</i> , 2008, 33, 3030-3036.	5.4	70
157	The psychology of psychiatric genetics: Evidence that positive emotions in females moderate genetic sensitivity to social stress associated with the BDNF Val66Met polymorphism.. <i>Journal of Abnormal Psychology</i> , 2008, 117, 699-704.	1.9	55
158	Susceptibility to Depression Expressed as Alterations in Cortisol Day Curve: A Cross-Twin, Cross-Trait Study. <i>Psychosomatic Medicine</i> , 2008, 70, 314-318.	2.0	24
159	Genetic risk of depression and stress-induced negative affect in daily life. <i>British Journal of Psychiatry</i> , 2007, 191, 218-223.	2.8	146
160	A momentary assessment study of the relationship between affective and adrenocortical stress responses in daily life. <i>Biological Psychology</i> , 2007, 74, 60-66.	2.2	170
161	Evidence that moment-to-moment variation in positive emotions buffer genetic risk for depression: a momentary assessment twin study. <i>Acta Psychiatrica Scandinavica</i> , 2007, 115, 451-457.	4.5	144
162	The association between cognition and functional outcome in first-episode patients with schizophrenia: mystery resolved?. <i>Acta Psychiatrica Scandinavica</i> , 2007, 116, 119-124.	4.5	46

#	ARTICLE	IF	CITATIONS
163	The dynamics of symptomatic and non-symptomatic coping with psychotic symptoms in the flow of daily life. <i>Acta Psychiatrica Scandinavica</i> , 2007, 116, 71-75.	4.5	21
164	An observational, "real life" trial of the introduction of assertive community treatment in a geographically defined area using clinical rather than service use outcome criteria. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 125-130.	3.1	32
165	The relationship between cognitive dysfunction and stress sensitivity in schizophrenia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 284-287.	3.1	15
166	The Role of Gender Differences and Other Client Characteristics in the Prevalence of DSM-IV Affective Disorders Among a European Therapeutic Community Population. <i>Psychiatric Quarterly</i> , 2007, 78, 39-51.	2.1	10
167	Premorbid IQ as a predictor for the course of IQ in first onset patients with schizophrenia: A 10-year follow-up study. <i>Schizophrenia Research</i> , 2006, 88, 47-54.	2.0	38
168	Evidence for instrument and family-specific variation of subclinical psychosis dimensions in the general population.. <i>Journal of Abnormal Psychology</i> , 2006, 115, 5-14.	1.9	82
169	Diurnal mood variation in major depressive disorder.. <i>Emotion</i> , 2006, 6, 383-391.	1.8	226
170	Validation of Remission Criteria for Schizophrenia. <i>American Journal of Psychiatry</i> , 2006, 163, 2000-2002.	7.2	94
171	Genes Making One Feel Blue in the Flow of Daily Life: A Momentary Assessment Study of Gene-Stress Interaction. <i>Psychosomatic Medicine</i> , 2006, 68, 201-206.	2.0	33
172	Computerized experience sampling method (ESMc): Assessing feasibility and validity among individuals with schizophrenia. <i>Journal of Psychiatric Research</i> , 2006, 40, 221-230.	3.1	127
173	Physical health and depressive symptoms in older Europeans. <i>British Journal of Psychiatry</i> , 2005, 187, 35-42.	2.8	139
174	The schizophrenia envirome. <i>Current Opinion in Psychiatry</i> , 2005, 18, 141-145.	6.3	122
175	Hospital comorbidity bias and the concept of schizophrenia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 817-821.	3.1	13
176	Behavioural sensitization to daily life stress in psychosis. <i>Psychological Medicine</i> , 2005, 35, 733-741.	4.5	253
177	Electronic monitoring of salivary cortisol sampling compliance in daily life. <i>Life Sciences</i> , 2005, 76, 2431-2443.	4.3	141
178	Do different psychotic experiences differentially predict need for care in the general population?. <i>Comprehensive Psychiatry</i> , 2005, 46, 192-199.	3.1	54
179	Subtle Fluctuations in Psychotic Phenomena as Functional States of Abnormal Dopamine Reactivity in Individuals at Risk. <i>Biological Psychiatry</i> , 2005, 58, 105-110.	1.3	96
180	Toward a world consensus on prevention of schizophrenia. <i>Dialogues in Clinical Neuroscience</i> , 2005, 7, 53-67.	3.7	49

#	ARTICLE	IF	CITATIONS
181	Mental health challenges for the Netherlands: Research and practice. <i>Journal of Mental Health</i> , 2004, 13, 55-58.	1.9	0
182	Determinants of outcome in the pathways through care for children hearing voices. <i>International Journal of Social Welfare</i> , 2004, 13, 208-222.	1.7	31
183	Early adolescent cannabis exposure and positive and negative dimensions of psychosis. <i>Addiction</i> , 2004, 99, 1333-1341.	3.3	279
184	Ecological and Motivational Determinants of Activation: Studying Compared to Sports and Watching TV. <i>Social Indicators Research</i> , 2004, 67, 129-143.	2.7	21
185	National context of healthcare, economy and religion, and the association between disability and depressive symptoms in older Europeans: results from the EURODEP concerted action. <i>European Journal of Ageing</i> , 2004, 1, 26-36.	2.8	24
186	Is the excess risk of psychosis-like experiences in urban areas attributable to altered cognitive development?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 364-368.	3.1	38
187	Is our concept of schizophrenia influenced by Berkson's bias?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 600-605.	3.1	38
188	Abnormal response to metabolic stress in schizophrenia: marker of vulnerability or acquired sensitization?. <i>Psychological Medicine</i> , 2004, 34, 1103-1111.	4.5	45
189	Sex Differences in Emotional Reactivity to Daily Life Stress in Psychosis. <i>Journal of Clinical Psychiatry</i> , 2004, 65, 805-809.	2.2	64
190	Depression among older people in Europe: the EURODEP studies. <i>World Psychiatry</i> , 2004, 3, 45-9.	10.4	148
191	Can cognitive deficits explain differential sensitivity to life events in psychosis?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003, 38, 262-268.	3.1	15
192	Emotional reactivity to daily life stress in psychosis and affective disorder: an experience sampling study. <i>Acta Psychiatrica Scandinavica</i> , 2003, 107, 124-131.	4.5	304
193	Cerebral tissue alterations and daily life stress experience in psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2003, 107, 54-59.	4.5	9
194	Toxic rise of clozapine plasma concentrations in relation to inflammation. <i>European Neuropsychopharmacology</i> , 2003, 13, 381-385.	0.7	102
195	Nonreplication of the association between ab-ridge count and cerebral structural measures in schizophrenia. <i>Comprehensive Psychiatry</i> , 2003, 44, 459-461.	3.1	4
196	Coping defence and depression in adolescents hearing voices. <i>Journal of Mental Health</i> , 2003, 12, 91-99.	1.9	27
197	When Does Experience of Psychosis Result in a Need for Care? A Prospective General Population Study. <i>Schizophrenia Bulletin</i> , 2003, 29, 349-358.	4.3	80
198	Do life events have their effect on psychosis by influencing the emotional reactivity to daily life stress?. <i>Psychological Medicine</i> , 2003, 33, 327-333.	4.5	90

#	ARTICLE	IF	CITATIONS
199	The Experience Sampling Method in psychosis research. <i>Current Opinion in Psychiatry</i> , 2003, 16, S33-S38.	6.3	30
200	Jaspers was right after all – delusions are distinct from normal beliefs. <i>British Journal of Psychiatry</i> , 2003, 183, 285-286.	2.8	16
201	Effects of daily events on mood states in major depressive disorder.. <i>Journal of Abnormal Psychology</i> , 2003, 112, 203-211.	1.9	238
202	Psychosis Research at Maastricht University, The Netherlands. <i>British Journal of Psychiatry</i> , 2003, 183, 559-560.	2.8	4
203	Psychosis Research at Maastricht University, The Netherlands. <i>British Journal of Psychiatry</i> , 2003, 183, 559-560.	2.8	4
204	Jaspers was right after all – delusions are distinct from normal beliefs. <i>Against. British Journal of Psychiatry</i> , 2003, 183, 286.	2.8	4
205	Independent course of childhood auditory hallucinations: A sequential 3-year follow-up study. <i>British Journal of Psychiatry</i> , 2002, 181, s10-s18.	2.8	129
206	Are Cognitive Impairments Associated With Sensitivity to Stress in Schizophrenia? An Experience Sampling Study. <i>American Journal of Psychiatry</i> , 2002, 159, 443-449.	7.2	101
207	Formation of delusional ideation in adolescents hearing voices: A prospective study. <i>American Journal of Medical Genetics Part A</i> , 2002, 114, 913-920.	2.4	86
208	Determinants of occurrence and recovery from hallucinations in daily life. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2002, 37, 97-104.	3.1	247
209	Single or multiple familial cognitive risk factors in schizophrenia?. <i>American Journal of Medical Genetics Part A</i> , 2001, 105, 183-188.	2.4	64
210	High expressed emotion: Marker for a caring family?. <i>Comprehensive Psychiatry</i> , 2001, 42, 504-507.	3.1	35
211	The context of delusional experiences in the daily life of patients with schizophrenia. <i>Psychological Medicine</i> , 2001, 31, 489-498.	4.5	154
212	Maastricht Assessment of Coping Strategies (MACS): a brief instrument to assess coping with psychotic symptoms. <i>Acta Psychiatrica Scandinavica</i> , 2001, 103, 453-459.	4.5	42
213	MACS-II: does coping enhance subjective control over psychotic symptoms?. <i>Acta Psychiatrica Scandinavica</i> , 2001, 103, 460-464.	4.5	31
214	Neighbourhood variation in incidence of schizophrenia. <i>British Journal of Psychiatry</i> , 2000, 176, 243-248.	2.8	191
215	Schizophrenia Patients Are More Emotionally Active Than Is Assumed Based on Their Behavior. <i>Schizophrenia Bulletin</i> , 2000, 26, 847-854.	4.3	220
216	Does the peak-end phenomenon observed in laboratory pain studies apply to real-world pain in rheumatoid arthritis?. <i>Journal of Pain</i> , 2000, 1, 212-217.	1.4	116

#	ARTICLE	IF	CITATIONS
217	Naturalistic assessments in psychiatry. <i>Acta Neuropsychiatrica</i> , 1997, 9, 61-63.	2.1	2
218	Subjective and Experiential Correlates of Guilt in Daily Life. <i>Personality and Social Psychology Bulletin</i> , 1995, 21, 1256-1268.	3.0	86
219	Time, Context, and Subjective Experiences in Schizophrenia. <i>Schizophrenia Bulletin</i> , 1989, 15, 233-244.	4.3	53