

David R Marchant

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11586157/publications.pdf>

Version: 2024-02-01

80
papers

6,201
citations

57758

44
h-index

66911

78
g-index

80
all docs

80
docs citations

80
times ranked

3167
citing authors

#	ARTICLE	IF	CITATIONS
1	Recent ice ages on Mars. <i>Nature</i> , 2003, 426, 797-802.	27.8	705
2	Antarctic dry valleys: Microclimate zonation, variable geomorphic processes, and implications for assessing climate change on Mars. <i>Icarus</i> , 2007, 192, 187-222.	2.5	354
3	Mid-Miocene cooling and the extinction of tundra in continental Antarctica. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 10676-10680.	7.1	241
4	Preservation of Miocene glacier ice in East Antarctica. <i>Nature</i> , 1995, 376, 412-414.	27.8	225
5	Cold-based mountain glaciers on Mars: Western Arsia Mons. <i>Geology</i> , 2003, 31, 641.	4.4	212
6	Late Amazonian glaciation at the dichotomy boundary on Mars: Evidence for glacial thickness maxima and multiple glacial phases. <i>Geology</i> , 2008, 36, 411.	4.4	165
7	Origin and evolution of a cold-based tropical mountain glacier on Mars: The Pavonis Mons fan-shaped deposit. <i>Journal of Geophysical Research</i> , 2005, 110, .	3.3	159
8	Northern mid-latitude glaciation in the Late Amazonian period of Mars: Criteria for the recognition of debris-covered glacier and valley glacier landsystem deposits. <i>Earth and Planetary Science Letters</i> , 2010, 294, 306-320.	4.4	154
9	Thermal contraction crack polygons on Mars: A synthesis from HiRISE, Phoenix, and terrestrial analog studies. <i>Icarus</i> , 2010, 206, 229-252.	2.5	147
10	Tropical mountain glaciers on Mars: Altitude-dependence of ice accumulation, accumulation conditions, formation times, glacier dynamics, and implications for planetary spin-axis/orbital history. <i>Icarus</i> , 2008, 198, 305-317.	2.5	145
11	Fossil genes and microbes in the oldest ice on Earth. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 13455-13460.	7.1	141
12	Formation of gullies on Mars: Link to recent climate history and insolation microenvironments implicate surface water flow origin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 13258-13263.	7.1	137
13	The age and origin of the Labyrinth, western Dry Valleys, Antarctica: Evidence for extensive middle Miocene subglacial floods and freshwater discharge to the Southern Ocean. <i>Geology</i> , 2006, 34, 513.	4.4	126
14	Late Cenozoic Antarctic paleoclimate reconstructed from volcanic ashes in the Dry Valleys region of southern Victoria Land. <i>Bulletin of the Geological Society of America</i> , 1996, 108, 181-194.	3.3	125
15	Concentric crater fill in the northern mid-latitudes of Mars: Formation processes and relationships to similar landforms of glacial origin. <i>Icarus</i> , 2010, 209, 390-404.	2.5	111
16	Modification of the dichotomy boundary on Mars by Amazonian mid-latitude regional glaciation. <i>Geophysical Research Letters</i> , 2006, 33, .	4.0	109
17	Periods of active permafrost layer formation during the geological history of Mars: Implications for circum-polar and mid-latitude surface processes. <i>Planetary and Space Science</i> , 2008, 56, 289-302.	1.7	108
18	Miocene and Pliocene paleoclimate of the Dry Valleys region, Southern Victoria land: a geomorphological approach. <i>Marine Micropaleontology</i> , 1996, 27, 253-271.	1.2	105

#	ARTICLE	IF	CITATIONS
19	Lineated valley fill and lobate debris apron stratigraphy in Nilosyrtis Mensae, Mars: Evidence for phases of glacial modification of the dichotomy boundary. <i>Journal of Geophysical Research</i> , 2007, 112, .	3.3	102
20	East Antarctic Ice Sheet Sensitivity to Pliocene Climatic Change from a Dry Valleys Perspective. <i>Geografiska Annaler, Series A: Physical Geography</i> , 1993, 75, 155-204.	1.5	101
21	Flow patterns of lobate debris aprons and lineated valley fill north of Ismeniae Fossae, Mars: Evidence for extensive mid-latitude glaciation in the Late Amazonian. <i>Icarus</i> , 2010, 207, 186-209.	2.5	96
22	East Antarctic Ice Sheet Sensitivity to Pliocene Climatic Change from a Dry Valleys Perspective. <i>Geografiska Annaler, Series A: Physical Geography</i> , 1993, 75, 155.	1.5	96
23	Concentric crater fill in Utopia Planitia: History and interaction between glacial and periglacial mantle processes. <i>Icarus</i> , 2009, 202, 462-476.	2.5	95
24	The Ascræus Mons fan-shaped deposit: Volcano-ice interactions and the climatic implications of cold-based tropical mountain glaciation. <i>Icarus</i> , 2008, 197, 84-109.	2.5	92
25	Lineated valley fill (LVF) and lobate debris aprons (LDA) in the Deuteronilus Mensae northern dichotomy boundary region, Mars: Constraints on the extent, age and episodicity of Amazonian glacial events. <i>Icarus</i> , 2009, 202, 22-38.	2.5	92
26	Supraglacial and proglacial valleys on Amazonian Mars. <i>Icarus</i> , 2010, 208, 86-100.	2.5	90
27	Early Mars climate near the Noachian-Hesperian boundary: Independent evidence for cold conditions from basal melting of the south polar ice sheet (Dorsa Argentea Formation) and implications for valley network formation. <i>Icarus</i> , 2012, 219, 25-40.	2.5	84
28	The climate history of early Mars: insights from the Antarctic McMurdo Dry Valleys hydrologic system. <i>Antarctic Science</i> , 2014, 26, 774-800.	0.9	84
29	Recent glaciation at high elevations on Arsia Mons, Mars: Implications for the formation and evolution of large tropical mountain glaciers. <i>Journal of Geophysical Research</i> , 2007, 112, .	3.3	77
30	Debris-covered piedmont glaciers along the northwest flank of the Olympus Mons scarp: Evidence for low-latitude ice accumulation during the Late Amazonian of Mars. <i>Icarus</i> , 2006, 181, 388-407.	2.5	76
31	Landscape development in the Royal Society Range, southern Victoria Land, Antarctica: stability since the mid-Miocene. <i>Geomorphology</i> , 1999, 28, 181-200.	2.6	63
32	Don Juan Pond, Antarctica: Near-surface CaCl ₂ -brine feeding Earth's most saline lake and implications for Mars. <i>Scientific Reports</i> , 2013, 3, 1166.	3.3	61
33	Miocene-Pliocene-Pleistocene Glacial History of Arena Valley, Quartermain Mountains, Antarctica. <i>Geografiska Annaler, Series A: Physical Geography</i> , 1993, 75, 269.	1.5	59
34	Miocene Glacial Stratigraphy and Landscape Evolution of the Western Asgard Range, Antarctica. <i>Geografiska Annaler, Series A: Physical Geography</i> , 1993, 75, 303-330.	1.5	57
35	Kilometer-thick ice accumulation and glaciation in the northern mid-latitudes of Mars: Evidence for crater-filling events in the Late Amazonian at the Phlegra Montes. <i>Earth and Planetary Science Letters</i> , 2010, 294, 332-342.	4.4	53
36	Miocene Glacial Stratigraphy and Landscape Evolution of the Western Asgard Range, Antarctica. <i>Geografiska Annaler, Series A: Physical Geography</i> , 1993, 75, 303.	1.5	53

#	ARTICLE	IF	CITATIONS
37	Martian pedestal craters: Marginal sublimation pits implicate a climate-related formation mechanism. <i>Geophysical Research Letters</i> , 2008, 35, .	4.0	52
38	Viscous flow lobes in central Taylor Valley, Antarctica: Origin as remnant buried glacial ice. <i>Geomorphology</i> , 2010, 120, 174-185.	2.6	52
39	Miocene-Pliocene-Pleistocene Glacial History of Arena Valley, Quartermain Mountains, Antarctica. <i>Geografiska Annaler, Series A: Physical Geography</i> , 1993, 75, 269-302.	1.5	51
40	Formation of lobate debris aprons on Mars: Assessment of regional ice sheet collapse and debris-cover armoring. <i>Icarus</i> , 2014, 228, 54-63.	2.5	51
41	The geologic basis for a reconstruction of a grounded ice sheet in mcmurdo sound, antarctica, at the last glacial maximum. <i>Geografiska Annaler, Series A: Physical Geography</i> , 2000, 82, 167-211.	1.5	50
42	Quaternary changes in level of the upper Taylor Glacier, Antarctica: implications for paleoclimate and East Antarctic Ice Sheet dynamics. <i>Boreas</i> , 1994, 23, 29-43.	2.4	50
43	Seismic and GPR surveys of Mullins Glacier, McMurdo Dry Valleys, Antarctica: ice thickness, internal structure and implications for surface ridge formation. <i>Journal of Glaciology</i> , 2010, 56, 48-64.	2.2	50
44	The role of thermal contraction crack polygons in cold-desert fluvial systems. <i>Antarctic Science</i> , 2008, 20, 565-579.	0.9	48
45	Distribution and origin of patterned ground on Mullins Valley debris-covered glacier, Antarctica: the roles of ice flow and sublimation. <i>Antarctic Science</i> , 2006, 18, 385-397.	0.9	44
46	The Geologic Basis for a Reconstruction of a Grounded Ice Sheet in McMurdo Sound, Antarctica, at the Last Glacial Maximum. <i>Geografiska Annaler, Series A: Physical Geography</i> , 2000, 82A, 167-211.	1.5	41
47	The Case for a Stable East Antarctic Ice Sheet: The Background. <i>Geografiska Annaler, Series A: Physical Geography</i> , 1993, 75, 151-154.	1.5	40
48	Quantifying sulfate components and their variations in soils of the McMurdo Dry Valleys, Antarctica. <i>Journal of Geophysical Research</i> , 2006, 111, .	3.3	40
49	Volcano-ice interactions in the Arsia Mons tropical mountain glacier deposits. <i>Icarus</i> , 2014, 237, 315-339.	2.5	40
50	The Case for a Stable East Antarctic Ice Sheet: The Background. <i>Geografiska Annaler, Series A: Physical Geography</i> , 1993, 75, 151.	1.5	40
51	Subglacial Meltwater Channel Systems and Ice Sheet Overriding, Asgard Range, Antarctica. <i>Geografiska Annaler, Series A: Physical Geography</i> , 1991, 73, 109-121.	1.5	36
52	Evidence for Amazonian northern mid-latitude regional glacial landsystems on Mars: Glacial flow models using GCM-driven climate results and comparisons to geological observations. <i>Icarus</i> , 2011, 216, 23-39.	2.5	36
53	Identification of sublimation-type thermal contraction crack polygons at the proposed NASA Phoenix landing site: Implications for substrate properties and climate-driven morphological evolution. <i>Geophysical Research Letters</i> , 2008, 35, .	4.0	35
54	Accelerated thermokarst formation in the McMurdo Dry Valleys, Antarctica. <i>Scientific Reports</i> , 2013, 3, 2269.	3.3	35

#	ARTICLE	IF	CITATIONS
55	Subglacial Meltwater Channel Systems and Ice Sheet Overriding, Asgard Range, Antarctica. <i>Geografiska Annaler, Series A: Physical Geography</i> , 1991, 73, 109.	1.5	33
56	Glacial deposits on the rim of a Hesperian-Amazonian outflow channel source trough: Mangala Valles, Mars. <i>Geophysical Research Letters</i> , 2004, 31, n/a-n/a.	4.0	32
57	Cold-based debris-covered glaciers: Evaluating their potential as climate archives through studies of ground-penetrating radar and surface morphology. <i>Journal of Geophysical Research F: Earth Surface</i> , 2014, 119, 2505-2540.	2.8	31
58	Cold and dry processes in the Martian Arctic: Geomorphic observations at the Phoenix landing site and comparisons with terrestrial cold desert landforms. <i>Geophysical Research Letters</i> , 2009, 36, .	4.0	29
59	Modeling vapor diffusion within cold and dry supraglacial tills of Antarctica: Implications for the preservation of ancient ice. <i>Geomorphology</i> , 2011, 126, 159-173.	2.6	29
60	High-latitude cold-based glacial deposits on Mars: Multiple superposed drop moraines in a crater interior at 70°N latitude. <i>Meteoritics and Planetary Science</i> , 2006, 41, 1659-1674.	1.6	28
61	Elevated East Antarctic outlet glaciers during warmer-than-present climates in southern Victoria Land. <i>Global and Planetary Change</i> , 2011, 79, 61-72.	3.5	27
62	Middle to Late Amazonian tropical mountain glaciers on Mars: The ages of the Tharsis Montes fan-shaped deposits. <i>Planetary and Space Science</i> , 2014, 91, 52-59.	1.7	26
63	Pitted rock surfaces on Mars: A mechanism of formation by transient melting of snow and ice. <i>Journal of Geophysical Research</i> , 2011, 116, .	3.3	25
64	Exceptionally preserved lacustrine ostracods from the Middle Miocene of Antarctica: implications for high-latitude palaeoenvironment at 77°S. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2008, 275, 2449-2454.	2.6	24
65	Volcanism-induced, local wet-based glacial conditions recorded in the Late Amazonian Arsia Mons tropical mountain glacier deposits. <i>Icarus</i> , 2015, 250, 18-31.	2.5	24
66	Shallow seismic surveys and ice thickness estimates of the Mullins Valley debris-covered glacier, McMurdo Dry Valleys, Antarctica. <i>Antarctic Science</i> , 2007, 19, 485-496.	0.9	22
67	Sensitivity of ice-cemented Antarctic soils to greenhouse-induced thawing: Are terrestrial archives at risk?. <i>Earth and Planetary Science Letters</i> , 2007, 259, 347-359.	4.4	22
68	Two chloride sources in soils of the McMurdo Dry Valleys, Antarctica. <i>Journal of Geophysical Research</i> , 2008, 113, .	3.3	21
69	Preservation of Late Amazonian Mars ice and water-related deposits in a unique crater environment in Noachis Terra: Age relationships between lobate debris tongues and gullies. <i>Icarus</i> , 2011, 211, 347-365.	2.5	21
70	A 2D Model for Characterising First-Order Variability in Sublimation of Buried Glacier Ice, Antarctica: Assessing the Influence of Polygon Troughs, Desert Pavements and Shallow Subsurface Salts. <i>Permafrost and Periglacial Processes</i> , 2012, 23, 1-14.	3.4	21
71	Dating buried glacier ice using cosmogenic ³ He in surface clasts: Theory and application to Mullins Glacier, Antarctica. <i>Quaternary Science Reviews</i> , 2016, 140, 75-100.	3.0	15
72	Transient post-glacial processes on Mars: Geomorphologic evidence for a paraglacial period. <i>Icarus</i> , 2018, 309, 187-206.	2.5	15

#	ARTICLE	IF	CITATIONS
73	Remnant buried ice in the equatorial regions of Mars: Morphological indicators associated with the Arsia Mons tropical mountain glacier deposits. <i>Planetary and Space Science</i> , 2015, 111, 144-154.	1.7	14
74	Obliquity-paced climate change recorded in Antarctic debris-covered glaciers. <i>Nature Communications</i> , 2017, 8, 14194.	12.8	13
75	Geochemical analyses of air from an ancient debris-covered glacier, Antarctica. <i>Quaternary Geochronology</i> , 2015, 28, 29-39.	1.4	10
76	Glacier advance during Marine Isotope Stage 11 in the McMurdo Dry Valleys of Antarctica. <i>Scientific Reports</i> , 2017, 7, 41433.	3.3	10
77	Gully formation in the McMurdo Dry Valleys, Antarctica: multiple sources of water, temporal sequence and relative importance in gully erosion and deposition processes. <i>Geological Society Special Publication</i> , 2019, 467, 289-314.	1.3	10
78	Geologic analogies between the surface of Mars and the McMurdo Dry Valleys: microclimate-related geomorphic features and evidence for climate change. , 2010, , 9-77.		5
79	The geomorphic signature of massive subglacial floods in Victoria Land, Antarctica. <i>Geophysical Monograph Series</i> , 2011, , 111-127.	0.1	2
80	Don Juan Pond, Antarctica: Near-surface CaCl ₂ -brine feeding Earth's most saline lake and implications for Mars. , 0, .		1