

# Carlos A Torres-Cabala

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1159392/publications.pdf>

Version: 2024-02-01

174  
papers

7,250  
citations

94433

37  
h-index

62596

80  
g-index

176  
all docs

176  
docs citations

176  
times ranked

9690  
citing authors

#	ARTICLE	IF	CITATIONS
1	Cutaneous Lymphoid Hyperplasia With T-Cell Clonality and Monotypic Plasma Cells Secondary to a Tick Bite: A Hidden Critter and the Power of Deeper Levels. <i>American Journal of Dermatopathology</i> , 2022, 44, 226-229.	0.6	2
2	Diverse landscape of dermatologic toxicities from small-molecule inhibitor cancer therapy. <i>Journal of Cutaneous Pathology</i> , 2022, 49, 61-81.	1.3	5
3	Cutaneous balamuthiasis: A clinicopathological study. <i>JAAD International</i> , 2022, 6, 51-58.	2.2	6
4	The dilemma of primary epidermotropic T-cell lymphoma: Distinction from mycosis fungoides, signs of cytotoxicity, and need for more detailed analysis. <i>Journal of Cutaneous Pathology</i> , 2022, 49, 419-420.	1.3	2
5	Primary cutaneous Epstein-Barr virus-positive B-cell lymphoid proliferation with features of diffuse large B-cell lymphoma and mucocutaneous ulcer: a diagnostic dilemma. <i>International Journal of Dermatology</i> , 2022, , .	1.0	0
6	Eosinophilic homogeneous intracytoplasmic inclusion bodies: Unique viral cytopathic changes associated with epidermodysplasia verruciformis and human papillomavirus type 49. <i>Journal of Cutaneous Pathology</i> , 2022, , .	1.3	1
7	Enhanced T-Cell Priming and Improved Anti-Tumor Immunity through Lymphatic Delivery of Checkpoint Blockade Immunotherapy. <i>Cancers</i> , 2022, 14, 1823.	3.7	4
8	Severe de novo pustular psoriasiform immune-related adverse event associated with nivolumab treatment for metastatic esophageal adenocarcinoma. <i>Journal of Cutaneous Pathology</i> , 2022, 49, 472-481.	1.3	7
9	Treatment With Dupilumab for Refractory Cutaneous B-Cell Pseudolymphoma. <i>JAMA Dermatology</i> , 2022, 158, 697.	4.1	4
10	Genomic Correlates of Outcome in Tumor-Infiltrating Lymphocyte Therapy for Metastatic Melanoma. <i>Clinical Cancer Research</i> , 2022, 28, 1911-1924.	7.0	3
11	Cutaneous adnexal carcinosarcoma: Immunohistochemical and molecular evidence of epithelial mesenchymal transition. <i>Journal of Cutaneous Pathology</i> , 2021, 48, 526-534.	1.3	1
12	Langerhans cell sarcoma involving skin and showing epidermotropism: A comprehensive review. <i>Journal of Cutaneous Pathology</i> , 2021, 48, 547-557.	1.3	3
13	Prognostic significance of acral lentiginous histologic type in T1 melanoma. <i>Modern Pathology</i> , 2021, 34, 572-583.	5.5	8
14	TRPS1: a highly sensitive and specific marker for breast carcinoma, especially for triple-negative breast cancer. <i>Modern Pathology</i> , 2021, 34, 710-719.	5.5	90
15	Tertiary lymphoid structures with overlapping histopathologic features of cutaneous marginal zone lymphoma during neoadjuvant cemiplimab therapy are associated with antitumor response. <i>Journal of Cutaneous Pathology</i> , 2021, 48, 674-679.	1.3	4
16	Is immunohistochemical expression of GATA3 helpful in the differential diagnosis of transformed mycosis fungoides and primary cutaneous CD30-positive T cell lymphoproliferative disorders?. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021, 479, 377-383.	2.8	5
17	Diagnostic utility of PRAME in distinguishing proliferative nodules from melanoma in giant congenital melanocytic nevi. <i>Journal of Cutaneous Pathology</i> , 2021, 48, 1410-1415.	1.3	11
18	PARP and CDK4/6 Inhibitor Combination Therapy Induces Apoptosis and Suppresses Neuroendocrine Differentiation in Prostate Cancer. <i>Molecular Cancer Therapeutics</i> , 2021, 20, 1680-1691.	4.1	22

#	ARTICLE	IF	CITATIONS
19	Gamma/Delta Phenotype in Primary Cutaneous T-cell Lymphomas and Lymphoid Proliferations. <i>Surgical Pathology Clinics</i> , 2021, 14, 177-194.	1.7	8
20	Telomerase Reverse Transcriptase Protein Expression Is More Frequent in Acral Lentiginous Melanoma Than in Other Types of Cutaneous Melanoma. <i>Archives of Pathology and Laboratory Medicine</i> , 2021, 145, 842-850.	2.5	0
21	Aggressive primary cutaneous anaplastic large cell lymphoma with massive bilateral upper limb involvement at relapse. <i>JAAD Case Reports</i> , 2021, 17, 34-37.	0.8	1
22	Localized cutaneous argyria: Review of a rare clinical mimicker of melanocytic lesions. <i>Annals of Diagnostic Pathology</i> , 2021, 54, 151776.	1.3	4
23	The utility of digital pathology in improving the diagnostic skills of pathology trainees in commonly encountered pigmented cutaneous lesions during the COVID-19 pandemic: A single academic institution experience. <i>Annals of Diagnostic Pathology</i> , 2021, 54, 151807.	1.3	7
24	Prognostic Significance of Subungual Anatomic Site in Acral Lentiginous Melanoma. <i>Archives of Pathology and Laboratory Medicine</i> , 2021, 145, 943-952.	2.5	8
25	Molecular characterization of biphenotypic epithelioid and plexiform melanoma with deep penetrating nevus-like features. <i>Pigment Cell and Melanoma Research</i> , 2021, . .	3.3	3
26	Multimodality Imaging and Genetics of Primary Mucosal Melanomas and Response to Treatment. <i>Radiographics</i> , 2021, 41, 1954-1972.	3.3	2
27	Prognostic model for patient survival in primary anorectal mucosal melanoma: stage at presentation determines relevance of histopathologic features. <i>Modern Pathology</i> , 2020, 33, 496-513.	5.5	19
28	Cutaneous neoplasms composed of melanoma and carcinoma: A rare but important diagnostic pitfall and review of the literature. <i>Journal of Cutaneous Pathology</i> , 2020, 47, 36-46.	1.3	2
29	Diagnosis of T-cell lymphoid proliferations of the skin: putting all the pieces together. <i>Modern Pathology</i> , 2020, 33, 83-95.	5.5	6
30	Measurement of Tumor Thickness in Cutaneous Squamous Cell Carcinomas: Do the Different Methods Provide Better Prognostic Data?. <i>American Journal of Dermatopathology</i> , 2020, 42, 337-342.	0.6	9
31	Lymphomatoid Papulosis With a Unique T Follicular Helper-like Phenotype. <i>American Journal of Dermatopathology</i> , 2020, 42, 776-779.	0.6	2
32	Pathology-based Biomarkers Useful for Clinical Decisions in Melanoma. <i>Archives of Medical Research</i> , 2020, 51, 827-838.	3.3	17
33	Apparent partial loss of CD123 expression in blastic plasmacytoid dendritic cell neoplasm after treatment with CD123-targeted therapy: A novel finding and possible diagnostic pitfall. <i>Journal of Dermatology</i> , 2020, 47, e354-e355.	1.2	1
34	Correlative study of epigenetic regulation of tumor microenvironment in spindle cell melanomas and cutaneous malignant peripheral nerve sheath tumors. <i>Scientific Reports</i> , 2020, 10, 12996.	3.3	6
35	Angioimmunoblastic T-cell lymphoma associated with immune checkpoint inhibitor treatment. <i>JAAD Case Reports</i> , 2020, 6, 1264-1267.	0.8	5
36	Hypertrophic lichenoid dermatitis immune-related adverse event during combined immune checkpoint and exportin inhibitor therapy: A diagnostic pitfall for superficially invasive squamous cell carcinoma. <i>Journal of Cutaneous Pathology</i> , 2020, 47, 954-959.	1.3	8

#	ARTICLE	IF	CITATIONS
37	TERT amplification but not activation of canonical Wnt/ $\beta$ 2-catenin pathway is involved in acral lentiginous melanoma progression to metastasis. <i>Modern Pathology</i> , 2020, 33, 2067-2074.	5.5	6
38	BAP-1 Expression Status by Immunohistochemistry in Cellular Blue Nevus and Blue Nevus-like Melanoma. <i>American Journal of Dermatopathology</i> , 2020, 42, 313-321.	0.6	10
39	Lichen planus related to transforming growth factor beta inhibitor in a patient with metastatic chondrosarcoma: a case report. <i>Journal of Cutaneous Pathology</i> , 2020, 47, 490-493.	1.3	4
40	T-Cell Repertoire in Combination with T-Cell Density Predicts Clinical Outcomes in Patients with Merkel Cell Carcinoma. <i>Journal of Investigative Dermatology</i> , 2020, 140, 2146-2156.e4.	0.7	14
41	NCCN Guidelines Insights: Primary Cutaneous Lymphomas, Version 2.2020. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2020, 18, 522-536.	4.9	69
42	NCCN Guidelines Insights: T-Cell Lymphomas, Version 1.2021. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2020, 18, 1460-1467.	4.9	30
43	Lichenoid dermatitis from immune checkpoint inhibitor therapy: An immune-related adverse event with mycosis-like morphologic and molecular features. <i>Journal of Cutaneous Pathology</i> , 2019, 46, 872-877.	1.3	4
44	Unusual cutaneous metastatic carcinoma. <i>Annals of Diagnostic Pathology</i> , 2019, 43, 151399.	1.3	10
45	Expression of PD-1 and PD-L1 in Extramammary Paget Disease: Implications for Immune-Targeted Therapy. <i>Cancers</i> , 2019, 11, 754.	3.7	21
46	PD1/PD-L1 Expression in Blastic Plasmacytoid Dendritic Cell Neoplasm. <i>Cancers</i> , 2019, 11, 695.	3.7	12
47	From mycosis fungoides to herpetic folliculitis: The significance of deeper H&E tissue sections in dermatopathology. <i>Journal of Cutaneous Pathology</i> , 2019, 46, 624-626.	1.3	1
48	Gene expression profiling of lichenoid dermatitis immune-related adverse event from immune checkpoint inhibitors reveals increased CD14 <sup>+</sup> and CD16 <sup>+</sup> monocytes driving an innate immune response. <i>Journal of Cutaneous Pathology</i> , 2019, 46, 627-636.	1.3	27
49	Melanoma With Loss of BAP1 Expression in Patients With No Family History of BAP1-Associated Cancer Susceptibility Syndrome: A Case Series. <i>American Journal of Dermatopathology</i> , 2019, 41, 167-179.	0.6	14
50	Relationship between tumor-associated immune infiltrate and p16 staining over clinicopathological features in acral lentiginous melanoma. <i>Clinical and Translational Oncology</i> , 2019, 21, 1127-1134.	2.4	20
51	B7-H3 Expression in Merkel Cell Carcinoma-Associated Endothelial Cells Correlates with Locally Aggressive Primary Tumor Features and Increased Vascular Density. <i>Clinical Cancer Research</i> , 2019, 25, 3455-3467.	7.0	24
52	Immunohistochemical and Molecular Features of Melanomas Exhibiting Intratumor and Intertumor Histomorphologic Heterogeneity. <i>Cancers</i> , 2019, 11, 1714.	3.7	5
53	Level of tumor-infiltrating lymphocytes and density of infiltrating immune cells in different malignancies. <i>Biomarkers in Medicine</i> , 2019, 13, 1481-1491.	1.4	16
54	Aberrant DNA Methylation Predicts Melanoma-Specific Survival in Patients with Acral Melanoma. <i>Cancers</i> , 2019, 11, 2031.	3.7	23

#	ARTICLE	IF	CITATIONS
55	Correlation of Tumor Burden in Sentinel Lymph Nodes with Tumor Burden in Nonsentinel Lymph Nodes and Survival in Cutaneous Melanoma. <i>Clinical Cancer Research</i> , 2019, 25, 7585-7593.	7.0	17
56	Update on eighth edition American Joint Committee on Cancer classification for Merkel cell carcinoma and histopathological parameters that determine prognosis. <i>Journal of Clinical Pathology</i> , 2019, 72, 337-340.	2.0	23
57	Melanoma coexisting with solar elastosis: a potential pitfall in the differential diagnosis between nevus and melanoma. <i>Human Pathology</i> , 2019, 84, 270-274.	2.0	3
58	Post-radiation vascular lesions of the breast. <i>Journal of Cutaneous Pathology</i> , 2019, 46, 52-58.	1.3	17
59	Primary cutaneous CD4+ small-to medium-sized pleomorphic T-cell lymphoproliferative disorder in a pediatric patient successfully treated with low-dose radiation. <i>Pediatric Dermatology</i> , 2019, 36, e23-e26.	0.9	4
60	BCAT1 and miR-2504: novel methylome signature distinguishes spindle/desmoplastic melanoma from superficial malignant peripheral nerve sheath tumor. <i>Modern Pathology</i> , 2019, 32, 338-345.	5.5	8
61	Update on eighth edition American Joint Committee on Cancer classification for cutaneous melanoma and overview of potential pitfalls in histological examination of staging parameters. <i>Journal of Clinical Pathology</i> , 2019, 72, 265-270.	2.0	21
62	Regressed melanocytic nevi secondary to pembrolizumab therapy: an emerging melanocytic dermatologic effect from immune checkpoint antibody blockade. <i>International Journal of Dermatology</i> , 2019, 58, 1045-1052.	1.0	11
63	Summary of expression of SPARC protein in cutaneous vascular neoplasms and mimickers. <i>Annals of Diagnostic Pathology</i> , 2018, 34, 151-154.	1.3	3
64	Metastatic melanoma with balloon/histiocytoid cytomorphology after treatment with immunotherapy: A histologic mimic and diagnostic pitfall. <i>Journal of Cutaneous Pathology</i> , 2018, 45, 545-549.	1.3	5
65	Dermatologic toxicity from novel therapy using antimicrobial peptide LL37 in melanoma: A detailed examination of the clinicopathologic features. <i>Journal of Cutaneous Pathology</i> , 2018, 45, 539-544.	1.3	13
66	Dermatologic toxicity from immune checkpoint blockade therapy with an interstitial granulomatous pattern. <i>Journal of Cutaneous Pathology</i> , 2018, 45, 504-507.	1.3	25
67	Chronic granulomatous reaction in patients receiving vaccine immunotherapy for metastatic melanoma. <i>JAAD Case Reports</i> , 2018, 4, 87-90.	0.8	4
68	Granulomatous/sarcoid-like lesions associated with checkpoint inhibitors: a marker of therapy response in a subset of melanoma patients. , 2018, 6, 14.		118
69	Intratumoral and peritumoral lymphovascular invasion detected by D2-40 immunohistochemistry correlates with metastasis in primary cutaneous Merkel cell carcinoma. <i>Human Pathology</i> , 2018, 77, 98-107.	2.0	8
70	Differential expression of CCR4 in primary cutaneous gamma/delta (γδ) T cell lymphomas and mycosis fungoides: Significance for diagnosis and therapy. <i>Journal of Dermatological Science</i> , 2018, 89, 88-91.	1.9	13
71	Coccidioidomycosis Involving Lungs and Skin: A Mimicker of Metastatic Disease. <i>American Journal of Dermatopathology</i> , 2018, 40, e41-e43.	0.6	6
72	Primary cutaneous plasmablastic lymphoma in an immunocompetent patient: is it associated with an indolent course?. <i>Leukemia and Lymphoma</i> , 2018, 59, 1753-1755.	1.3	5

#	ARTICLE	IF	CITATIONS
73	Angiotropism in recurrent cutaneous squamous cell carcinoma: Implications for regional tumor recurrence and extravascular migratory spread. <i>Journal of Cutaneous Pathology</i> , 2018, 46, 152-158.	1.3	5
74	A phase II trial of recombinant MAGE-A3 protein with immunostimulant AS15 in combination with high-dose Interleukin-2 (HDIL2) induction therapy in metastatic melanoma. <i>BMC Cancer</i> , 2018, 18, 1274.	2.6	31
75	Dermal xanthomatous infiltrates after brentuximab vedotin therapy in mycosis fungoides with large cell transformation: A novel histologic finding. <i>Journal of Cutaneous Pathology</i> , 2018, 45, 711-715.	1.3	2
76	Prospective Analysis of Adoptive TIL Therapy in Patients with Metastatic Melanoma: Response, Impact of Anti-CTLA4, and Biomarkers to Predict Clinical Outcome. <i>Clinical Cancer Research</i> , 2018, 24, 4416-4428.	7.0	89
77	Suprabasal acantholytic dermatologic toxicities associated checkpoint inhibitor therapy: A spectrum of immune reactions from paraneoplastic pemphigus-like to Grover-like lesions. <i>Journal of Cutaneous Pathology</i> , 2018, 45, 764-773.	1.3	38
78	Calcinosis cutis dermatologic toxicity associated with fibroblast growth factor receptor inhibitor for the treatment of Wilms tumor. <i>Journal of Cutaneous Pathology</i> , 2018, 45, 786-790.	1.3	18
79	Concomitant Cutaneous Langerhans Cell Histiocytosis and Leukemia Cutis. <i>American Journal of Dermatopathology</i> , 2017, 39, 388-392.	0.6	11
80	Immunophenotypic Shifts in Primary Cutaneous $\hat{\text{T}}$ T-Cell Lymphoma Suggest Antigenic Modulation. <i>American Journal of Surgical Pathology</i> , 2017, 41, 431-445.	3.7	12
81	Lichenoid Dermatologic Toxicity From Immune Checkpoint Blockade Therapy: A Detailed Examination of the Clinicopathologic Features. <i>American Journal of Dermatopathology</i> , 2017, 39, 121-129.	0.6	96
82	High cytotoxic T-lymphocyte-associated antigen 4 and phospho-Akt expression in tumor samples predicts poor clinical outcomes in ipilimumab-treated melanoma patients. <i>Melanoma Research</i> , 2017, 27, 24-31.	1.2	15
83	Isolated Ectopic Cutaneous Atypical Meningioma of the Scalp: Another Mimicker of Primary Adnexal Tumor. <i>American Journal of Dermatopathology</i> , 2017, 39, 545-547.	0.6	5
84	Metastatic Melanoma With Papillary Features: A Mimic and Possible Diagnostic Pitfall. <i>American Journal of Dermatopathology</i> , 2017, 39, 468-470.	0.6	3
85	Primary Cutaneous T-Cell Lymphomas Showing Gamma-Delta ( $\hat{\text{T}}$ ) Phenotype and Predominantly Epidermotropic Pattern are Clinicopathologically Distinct From Classic Primary Cutaneous $\hat{\text{T}}$ T-Cell Lymphomas. <i>American Journal of Surgical Pathology</i> , 2017, 41, 204-215.	3.7	57
86	EBV-negative Aggressive NK-cell Leukemia/Lymphoma. <i>American Journal of Surgical Pathology</i> , 2017, 41, 67-74.	3.7	59
87	Tumor infiltrating lymphocytes in acral lentiginous melanoma: a study of a large cohort of cases from Latin America. <i>Clinical and Translational Oncology</i> , 2017, 19, 1478-1488.	2.4	46
88	Intraepithelial Melanoma in the Stomach After Treatment With Immune Checkpoint Blockade Therapy. <i>American Journal of Dermatopathology</i> , 2017, 39, e116-e118.	0.6	5
89	Tumor Thickness and Mitotic Rate Robustly Predict Melanoma-Specific Survival in Patients with Primary Vulvar Melanoma: A Retrospective Review of 100 Cases. <i>Clinical Cancer Research</i> , 2017, 23, 2093-2104.	7.0	48
90	Indeterminate dendritic cell neoplasm of the skin: A case report and review of the literature. <i>Journal of Cutaneous Pathology</i> , 2017, 44, 958-963.	1.3	23

#	ARTICLE	IF	CITATIONS
91	Erythema nodosum-like panniculitis mimicking disease recurrence: A novel toxicity from immune checkpoint blockade therapy—Report of 2 patients. <i>Journal of Cutaneous Pathology</i> , 2017, 44, 1080-1086.	1.3	48
92	Chronic myelomonocytic leukemia masquerading as cutaneous indeterminate dendritic cell tumor: Expanding the spectrum of skin lesions in chronic myelomonocytic leukemia. <i>Journal of Cutaneous Pathology</i> , 2017, 44, 1075-1079.	1.3	27
93	Detection of Merkel Cell Polyoma Virus and Beta Human Papillomavirus in Multiple Eccrine Poromas in a Patient With Acute Leukemia Treated With Stem Cell Transplant. <i>American Journal of Dermatopathology</i> , 2017, 39, 489-491.	0.6	8
94	Aberrant expression of $\beta$ -catenin in melanoma. <i>Journal of Cutaneous Pathology</i> , 2017, 44, 790-793.	1.3	5
95	Diverse types of dermatologic toxicities from immune checkpoint blockade therapy. <i>Journal of Cutaneous Pathology</i> , 2017, 44, 158-176.	1.3	186
96	Clinical significance of BRAF V600E mutational status in capsular nevi of sentinel lymph nodes in patients with primary cutaneous melanoma. <i>Human Pathology</i> , 2017, 59, 48-54.	2.0	8
97	A case of indeterminate dendritic cell tumor presenting with leonine facies. <i>Journal of Cutaneous Pathology</i> , 2016, 43, 158-163.	1.3	12
98	Giemsa is the optimal counterstain for immunohistochemical detection of BRAF V600E mutation status in pigmented melanomas. <i>Journal of Cutaneous Pathology</i> , 2016, 43, 722-724.	1.3	9
99	Autoimmune dermatologic toxicities from immune checkpoint blockade with anti-PD-1 antibody therapy: a report on bullous skin eruptions. <i>Journal of Cutaneous Pathology</i> , 2016, 43, 688-696.	1.3	126
100	Primary Cutaneous Gamma-Delta ( $\gamma/\delta$ ) T-cell Lymphoma: An Unusual Case With Very Subtle Histopathological Findings. <i>American Journal of Dermatopathology</i> , 2016, 38, e147-e149.	0.6	7
101	Density, Distribution, and Composition of Immune Infiltrates Correlate with Survival in Merkel Cell Carcinoma. <i>Clinical Cancer Research</i> , 2016, 22, 5553-5563.	7.0	96
102	Clinicopathological and molecular study of primary cutaneous CD4+ small/medium-sized pleomorphic T-cell lymphoma. <i>Journal of Cutaneous Pathology</i> , 2016, 43, 1121-1130.	1.3	34
103	Cutaneous histoplasmosis with prominent parasitization of epidermal keratinocytes: report of a case. <i>Journal of Cutaneous Pathology</i> , 2016, 43, 1155-1160.	1.3	7
104	Loss of CD30 expression after treatment with brentuximab vedotin in a patient with anaplastic large cell lymphoma: a novel finding. <i>Journal of Cutaneous Pathology</i> , 2016, 43, 1161-1166.	1.3	40
105	Cutaneous metastasis from anaplastic thyroid carcinoma exhibiting exclusively a spindle cell morphology. A case report and review of literature. <i>Journal of Cutaneous Pathology</i> , 2016, 43, 252-257.	1.3	8
106	BRAF inhibitor therapy-associated melanocytic lesions lack the BRAF V600E mutation and show increased levels of cyclin D1 expression. <i>Human Pathology</i> , 2016, 50, 79-89.	2.0	18
107	Loss of PTEN Promotes Resistance to T Cell-Mediated Immunotherapy. <i>Cancer Discovery</i> , 2016, 6, 202-216.	9.4	1,158
108	Proliferation indices correlate with diagnosis and metastasis in diagnostically challenging melanocytic tumors. <i>Human Pathology</i> , 2016, 53, 73-81.	2.0	11

#	ARTICLE	IF	CITATIONS
109	Molecular characteristics and potential therapeutic targets in Merkel cell carcinoma. <i>Journal of Clinical Pathology</i> , 2016, 69, 382-390.	2.0	19
110	Dermatologic Toxicities to Melanoma Targeted Therapies. , 2016, , 267-277.		1
111	Biomarker Analysis of Gene-Mutated Protein Products by Immunohistochemistry in Melanoma. , 2016, , 181-191.		0
112	Immunohistology and Molecular Studies of Cutaneous T-Cell Lymphomas and Mimics. , 2016, , 229-259.		0
113	Immunohistology of Melanocytic Lesions. , 2016, , 311-334.		0
114	Role of Radiotherapy in Aggressive Digital Papillary Adenocarcinoma. <i>Annals of Clinical and Laboratory Science</i> , 2016, 46, 222-4.	0.2	5
115	Panniculitis With Necrotizing Granulomata in a Patient on BRAF Inhibitor (Dabrafenib) Therapy for Metastatic Melanoma. <i>American Journal of Dermatopathology</i> , 2015, 37, e96-e99.	0.6	18
116	Use of clinical next-generation sequencing to identify melanomas harboring <i>SMARCB1</i> mutations. <i>Journal of Cutaneous Pathology</i> , 2015, 42, 308-317.	1.3	11
117	Metastatic Atypical Fibroxanthoma. <i>American Journal of Dermatopathology</i> , 2015, 37, 455-461.	0.6	40
118	Emerging clinical applications of selected biomarkers in melanoma. <i>Clinical, Cosmetic and Investigational Dermatology</i> , 2015, 8, 35.	1.8	18
119	An unusual case of cytotoxic peripheral T-cell lymphoma. <i>JAAD Case Reports</i> , 2015, 1, 257-260.	0.8	4
120	HTLV-1-associated infective dermatitis demonstrates low frequency of FOXP3-positive T-regulatory lymphocytes. <i>Journal of Dermatological Science</i> , 2015, 77, 150-155.	1.9	11
121	Utility of BRAF V600E Immunohistochemistry Expression Pattern as a Surrogate of BRAF Mutation Status in 154 Patients with Advanced Melanoma. <i>Human Pathology</i> , 2015, 46, 1101-1110.	2.0	43
122	Beyond BRAF V600 : Clinical Mutation Panel Testing by Next-Generation Sequencing in Advanced Melanoma. <i>Journal of Investigative Dermatology</i> , 2015, 135, 508-515.	0.7	138
123	Hematolymphoid Proliferations of the Skin. <i>Molecular Pathology Library</i> , 2015, , 3-36.	0.1	2
124	Infectious Diseases of the Skin. <i>Molecular Pathology Library</i> , 2015, , 81-102.	0.1	0
125	Somatic rearrangement of the TP63 gene preceding development of mycosis fungoides with aggressive clinical course. <i>Blood Cancer Journal</i> , 2014, 4, e253-e253.	6.2	16
126	Primary Cutaneous CD8+ T-cell Lymphoma Masquerading as Acral Vascular Syndrome. <i>Acta Dermato-Venereologica</i> , 2014, 94, 317-319.	1.3	3



#	ARTICLE	IF	CITATIONS
127	Immunophenotypic shift of <sc>CD4</sc> and <sc>CD8</sc> antigen expression in primary cutaneous Tâ€cell lymphomas: a clinicopathologic study of three cases. <i>Journal of Cutaneous Pathology</i> , 2014, 41, 51-57.	1.3	19
128	Pigmented extramammary Paget disease of the thigh mimicking a melanocytic tumor: report of a case and review of the literature. <i>Journal of Cutaneous Pathology</i> , 2014, 41, 529-535.	1.3	19
129	The differential diagnosis of CD8â€positive (â€œtype Dâ€) lymphomatoid papulosis. <i>Journal of Cutaneous Pathology</i> , 2014, 41, 88-100.	1.3	48
130	Sweet syndrome following vemurafenib therapy for recurrent cholangiocarcinoma. <i>Journal of Cutaneous Pathology</i> , 2014, 41, 326-328.	1.3	28
131	Histological Features Associated With Vemurafenib-Induced Skin Toxicities. <i>American Journal of Dermatopathology</i> , 2014, 36, 557-561.	0.6	17
132	p40 Is More Specific Than p63 for the Distinction of Atypical Fibroxanthoma From Other Cutaneous Spindle Cell Malignancies. <i>American Journal of Surgical Pathology</i> , 2014, 38, 1102-1110.	3.7	31
133	Extranodal Marginal Zone Lymphoma From Ocular Adnexae With Subcutaneous Involvement. <i>American Journal of Dermatopathology</i> , 2014, 36, e189-e193.	0.6	3
134	Diagnostic Utility and Comparative Immunohistochemical Analysis of MITF-1 and SOX10 to Distinguish Melanoma In Situ and Actinic Keratosis. <i>American Journal of Dermatopathology</i> , 2014, 36, 124-130.	0.6	43
135	Detection of mitotic figures and <sc>G2</sc>+ tumor nuclei with histone markers correlates with worse overall survival in patients with Merkel cell carcinoma. <i>Journal of Cutaneous Pathology</i> , 2014, 41, 846-852.	1.3	16
136	Dermatologic toxicities to targeted cancer therapy: shared clinical and histologic adverse skin reactions. <i>International Journal of Dermatology</i> , 2014, 53, 376-384.	1.0	62
137	Melanoma arising in association with blue nevus: a clinical and pathologic study of 24 cases and comprehensive review of the literature. <i>Modern Pathology</i> , 2014, 27, 1468-1478.	5.5	54
138	GNAQmutation in a patient with metastatic mucosal melanoma. <i>BMC Cancer</i> , 2014, 14, 516.	2.6	18
139	Novel Intra-Adrenal Secondary Lymphoid Follicle Formation. <i>Endocrine Pathology</i> , 2013, 24, 248-249.	9.0	1
140	Immunodetection of phosphohistone H3 as a surrogate of mitotic figure count and clinical outcome in cutaneous melanoma. <i>Modern Pathology</i> , 2013, 26, 1153-1160.	5.5	67
141	Ambiguous Melanocytic Tumors in a Tertiary Referral Center. <i>American Journal of Surgical Pathology</i> , 2013, 37, 1783-1796.	3.7	31
142	Impact of the 2009 (7th Edition) AJCC Melanoma Staging System in the Classification of Thin Cutaneous Melanomas. <i>BioMed Research International</i> , 2013, 2013, 1-7.	1.9	15
143	Changes in Tumor Morphology and Cyclin-Dependent Kinase Inhibitor Expression in Metastatic Melanoma Treated With Selective Second-Generation BRAF Inhibitor. <i>American Journal of Dermatopathology</i> , 2013, 35, 125-128.	0.6	5
144	H3K79me3T80ph is a Novel Histone Dual Modification and a Mitotic Indicator in Melanoma. <i>Journal of Skin Cancer</i> , 2012, 2012, 1-9.	1.2	12

#	ARTICLE	IF	CITATIONS
145	Anaplastic Oligodendroglioma Involving the Subcutaneous Tissue of the Scalp. American Journal of Dermatopathology, 2012, 34, 214-219.	0.6	7
146	Syringocystadenocarcinoma Papilliferum With Transition to Areas of Squamous Differentiation. American Journal of Dermatopathology, 2012, 34, 428-433.	0.6	19
147	Molecular Platforms Utilized to Detect BRAF V600E Mutation in Melanoma. Seminars in Cutaneous Medicine and Surgery, 2012, 31, 267-273.	1.6	48
148	The utility of <scp>ATF3</scp> in distinguishing cutaneous squamous cell carcinoma among other cutaneous epithelial neoplasms. Journal of Cutaneous Pathology, 2012, 39, 762-768.	1.3	6
149	Primary Cutaneous Small- to Medium-Sized CD4+ Pleomorphic T-Cell Lymphoma. American Journal of Clinical Dermatology, 2011, 12, 1.	6.7	23
150	Positive Sentinel Node in Sebaceous Carcinoma of the Eyelid. Ophthalmic Plastic and Reconstructive Surgery, 2011, 27, e4-e6.	0.8	33
151	Resistant mechanisms to BRAF inhibitor PLX4032 in melanoma. Expert Review of Dermatology, 2011, 6, 355-357.	0.3	2
152	Cutaneous epithelioid angiomatous nodule of the chest wall with expression of estrogen receptor: a mimic of carcinoma and a potential diagnostic pitfall. Journal of Cutaneous Pathology, 2011, 38, no-no.	1.3	7
153	Severe architectural disorder is a potential pitfall in the diagnosis of small melanocytic lesions. Journal of Cutaneous Pathology, 2010, 37, 860-865.	1.3	10
154	Cutaneous Metastases of Malignant Melanoma: A Clinicopathologic Study of 192 Cases With Emphasis on the Morphologic Spectrum. American Journal of Dermatopathology, 2010, 32, 129-136.	0.6	97
155	Detection of Human Papillomavirus in Multiple Eccrine Poromas in a Patient With Chronic Graft-vs-Host Disease and Immunosuppression. Archives of Dermatology, 2010, 147, 120.	1.4	16
156	Correlation between KIT expression and KIT mutation in melanoma: a study of 173 cases with emphasis on the acral-lentiginous/mucosal type. Modern Pathology, 2009, 22, 1446-1456.	5.5	196
157	HER2/neu expression in extramammary Paget disease: a clinicopathologic and immunohistochemistry study of 47 cases with and without underlying malignancy. Journal of Cutaneous Pathology, 2009, 36, 729-733.	1.3	77
158	Immunohistochemical Expression of S100A6 in Cellular Neurothekeoma: Clinicopathologic and Immunohistochemical Analysis of 31 Cases. American Journal of Dermatopathology, 2009, 31, 419-422.	0.6	62
159	Lymphomatoid Granulomatosis With Involvement of the Hard Palate: A Case Report. Journal of Oral and Maxillofacial Surgery, 2008, 66, 2161-2163.	1.2	17
160	The Morphologic Spectrum of Kidney Tumors in Hereditary Leiomyomatosis and Renal Cell Carcinoma (HLRCC) Syndrome. American Journal of Surgical Pathology, 2007, 31, 1578-1585.	3.7	361
161	Hereditary Leiomyomatosis and Renal Cell Cancer: A Syndrome Associated With an Aggressive Form of Inherited Renal Cancer. Journal of Urology, 2007, 177, 2074-2080.	0.4	235
162	Expression of Hypoxia Inducible Factor-1 $\alpha$ and 2 $\alpha$ in Genetically Distinct Early Renal Cortical Tumors. Journal of Urology, 2006, 175, 1908-1914.	0.4	28

#	ARTICLE	IF	CITATIONS
163	Proteomic Identification of New Biomarkers and Application in Thyroid Cytology. <i>Acta Cytologica</i> , 2006, 50, 518-528.	1.3	50
164	Ganglion cyst in a 52-year-old man with metastatic melanoma. <i>Diagnostic Cytopathology</i> , 2006, 34, 485-485.	1.0	1
165	Fine-needle aspiration of a Xp11.2 translocation/TFE3 fusion renal cell carcinoma metastatic to the lung: Report of a case and review of the literature. <i>Diagnostic Cytopathology</i> , 2006, 34, 751-756.	1.0	42
166	HIF overexpression correlates with biallelic loss of fumarate hydratase in renal cancer: Novel role of fumarate in regulation of HIF stability. <i>Cancer Cell</i> , 2005, 8, 143-153.	16.8	843
167	Role of Chromogenic in Situ Hybridization (CISH) in the Evaluation of HER2 Status in Breast Carcinoma: Comparison with Immunohistochemistry and Fish. <i>International Journal of Surgical Pathology</i> , 2005, 13, 343-351.	0.8	35
168	High Frequency of Somatic Frameshift BHD Gene Mutations in Birt-Hogg-DubÃ© Associated Renal Tumors. <i>Journal of the National Cancer Institute</i> , 2005, 97, 931-935.	6.3	213
169	EVALUATION AND MANAGEMENT OF RENAL TUMORS IN THE BIRT-HOGG-DUBÃ© SYNDROME. <i>Journal of Urology</i> , 2005, 173, 1482-1486.	0.4	260
170	The In vitro and In vivo Effects of Re-Expressing Methylated von Hippel-Lindau Tumor Suppressor Gene in Clear Cell Renal Carcinoma with 5-Aza-2â€²-deoxycytidine. <i>Clinical Cancer Research</i> , 2004, 10, 7011-7021.	7.0	49
171	Expression of Birtâ€™Hoggâ€™DubÃ© gene mRNA in normal and neoplastic human tissues. <i>Modern Pathology</i> , 2004, 17, 998-1011.	5.5	124
172	Differential Expression of S100C in Thyroid Lesions. <i>International Journal of Surgical Pathology</i> , 2004, 12, 107-115.	0.8	20
173	EARLY ONSET HEREDITARY PAPILLARY RENAL CARCINOMA: GERMLINE MISSENSE MUTATIONS IN THE TYROSINE KINASE DOMAIN OF THE MET PROTO-ONCOGENE. <i>Journal of Urology</i> , 2004, 172, 1256-1261.	0.4	115
174	Predicting survival in patients with metastatic kidney cancer by gene-expression profiling in the primary tumor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 6958-6963.	7.1	165