Shinjita Acharya

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11639095/publications.pdf

Version: 2024-02-01

516710 713466 1,118 21 16 21 citations g-index h-index papers 21 21 21 2100 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|--|--------------|-----------|
| 1 | Elucidating the Evolving Atomic Structure in Atomic Layer Deposition Reactions with in Situ XANES and Machine Learning. Chemistry of Materials, 2019, 31, 8937-8947. | 6.7 | 23 |
| 2 | Synthesis of Submicron PEDOT Particles of High Electrical Conductivity via Continuous Aerosol Vapor Polymerization. ACS Applied Materials & Samp; Interfaces, 2019, 11, 47320-47329. | 8.0 | 13 |
| 3 | The interface of SiO2/ZnS films studied by high resolution X-ray photoluminescence. Theoretical and Applied Mechanics Letters, 2018, 8, 24-27. | 2.8 | 3 |
| 4 | Studying Electrical Conductivity Using a 3D Printed Four-Point Probe Station. Journal of Chemical Education, 2017, 94, 950-955. | 2.3 | 34 |
| 5 | Ultrahigh stability of high-power nanofibrillar PEDOT supercapacitors. Sustainable Energy and Fuels, 2017, 1, 482-491. | 4.9 | 17 |
| 6 | Low-temperature vapour phase polymerized polypyrrole nanobrushes for supercapacitors. Journal of Materials Chemistry A, 2017, 5, 11772-11780. | 10.3 | 51 |
| 7 | Revealing the Bonding Environment of Zn in ALD Zn(O,S) Buffer Layers through X-ray Absorption Spectroscopy. ACS Applied Materials & ACS Applied Ma | 8.0 | 23 |
| 8 | Conducting Polymers for Pseudocapacitive Energy Storage. Chemistry of Materials, 2016, 28, 5989-5998. | 6.7 | 389 |
| 9 | Enhancing Cycling Stability of Aqueous Polyaniline Electrochemical Capacitors. ACS Applied Materials & Samp; Interfaces, 2016, 8, 29452-29460. | 8.0 | 29 |
| 10 | ALD Zn(O,S) Thin Films' Interfacial Chemical and Structural Configuration Probed by XAS. ACS Applied Materials & Configuration Probability & Configuration Probed by XAS. ACS Applied Materials & Configuration Probed by XAS. ACS Applied Materials & Configuration Probed by XAS. ACS Applied Materials & Configuration Probability & Configuration Probed by XAS. ACS Applied Materials & Configuration Probability | 8.0 | 17 |
| 11 | Relating Electronic and Geometric Structure of Atomic Layer Deposited BaTiO ₃ to its Electrical Properties. Journal of Physical Chemistry Letters, 2016, 7, 1428-1433. | 4.6 | 18 |
| 12 | Self-limiting atomic layer deposition of barium oxide and barium titanate thin films using a novel pyrrole based precursor. Journal of Materials Chemistry C, 2016, 4, 1945-1952. | 5 . 5 | 26 |
| 13 | Exploring the local electronic structure and geometric arrangement of ALD Zn(O,S) buffer layers using X-ray absorption spectroscopy. Journal of Materials Chemistry C, 2015, 3, 12192-12198. | 5. 5 | 24 |
| 14 | Vortexâ€Pattern Selfâ€Assembly in Mnâ€Doped ZnSe Nanorods. Chemistry - A European Journal, 2014, 20, 3922-3926. | 3.3 | 6 |
| 15 | Zinc Blende 0D Quantum Dots to Wurtzite 1D Quantum Wires: The Oriented Attachment and Phase Change in ZnSe Nanostructures. Journal of Physical Chemistry Letters, 2013, 4, 3292-3297. | 4.6 | 41 |
| 16 | Material Diffusion and Doping of Mn in Wurtzite ZnSe Nanorods. Journal of Physical Chemistry C, 2013, 117, 6006-6012. | 3.1 | 48 |
| 17 | Subnanometer Thin \hat{I}^2 -Indium Sulfide Nanosheets. Journal of Physical Chemistry Letters, 2012, 3, 3812-3817. | 4.6 | 29 |
| 18 | Synthesis of Micrometer Length Indium Sulfide Nanosheets and Study of Their Dopant Induced Photoresponse Properties. Chemistry of Materials, 2012, 24, 1779-1785. | 6.7 | 87 |

SHINJITA ACHARYA

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Insertion/Ejection of Dopant Ions in Composition Tunable Semiconductor Nanocrystals. Journal of Physical Chemistry C, 2011, 115, 19513-19519. | 3.1 | 29 |
| 20 | An Alternate Route to High-Quality ZnSe and Mn-Doped ZnSe Nanocrystals. Journal of Physical Chemistry Letters, 2010, $1,485-488$. | 4.6 | 117 |
| 21 | Prevention of photooxidation in blue–green emitting Cu doped ZnSe nanocrystals. Chemical Communications, 2010, 46, 2853. | 4.1 | 94 |