

# Harald Auge

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1164616/publications.pdf>

Version: 2024-02-01

84  
papers

4,745  
citations

101543

36  
h-index

102487

66  
g-index

90  
all docs

90  
docs citations

90  
times ranked

6697  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | For the sake of resilience and multifunctionality, let's diversify planted forests!. Conservation Letters, 2022, 15, e12829.   | 5.7  | 124       |
| 2  | Spatiotemporal dynamics of abiotic and biotic properties explain biodiversityâ€ecosystemâ€functioning relationships. Ecological Monographs, 2022, 92, e01490.                                      | 5.4  | 13        |
| 3  | Abiotic factors are more important than land management and biotic interactions in shaping vascular plant and soil fungal communities. Global Ecology and Conservation, 2022, 33, e01960.          | 2.1  | 4         |
| 4  | Effects of climate change and pollen supplementation on the reproductive success of two grassland plant species. Ecology and Evolution, 2022, 12, e8501.   | 1.9  | 4         |
| 5  | Tree diversity effects on soil microbial biomass and respiration are context dependent across forest diversity experiments. Global Ecology and Biogeography, 2022, 31, 872-885.                    | 5.8  | 16        |
| 6  | Responses of plant diversity to precipitation change are strongest at local spatial scales and in drylands. Nature Communications, 2021, 12, 2489.   | 12.8 | 43        |
| 7  | Foliar Fungal Endophytes in a Tree Diversity Experiment Are Driven by the Identity but Not the Diversity of Tree Species. Life, 2021, 11, 1081.  | 2.4  | 6         |
| 8  | We need more realistic climate change experiments for understanding ecosystems of the future. Global Change Biology, 2020, 26, 325-327.  | 9.5  | 65        |
| 9  | Understanding plant communities of the future requires filling knowledge gaps. Global Change Biology, 2020, 26, 328-329.   | 9.5  | 4         |
| 10 | Abundance, origin, and phylogeny of plants do not predict communityâ€level patterns of pathogen diversity and infection. Ecology and Evolution, 2020, 10, 5506-5516.                               | 1.9  | 5         |
| 11 | Natural enemies do not contribute to negative frequency-dependence in native and exotic grassland plants. Perspectives in Plant Ecology, Evolution and Systematics, 2020, 46, 125565.              | 2.7  | 2         |
| 12 | Scaleâ€dependent impact of land management on aboveâ€and belowground biodiversity. Ecology and Evolution, 2020, 10, 10139-10149.   | 1.9  | 1         |
| 13 | Reducing dispersal limitation via seed addition increases species richness but not aboveâ€ground biomass. Ecology Letters, 2020, 23, 1442-1450.  | 6.4  | 19        |
| 14 | Resilience trinity: safeguarding ecosystem functioning and services across three different time horizons and decision contexts. Oikos, 2020, 129, 445-456.   | 2.7  | 33        |
| 15 | Pre-adaptations and shifted chemical defences provide <i>Buddleja davidii</i> populations with high resistance against antagonists in the invasive range. Biological Invasions, 2019, 21, 333-347. | 2.4  | 2         |
| 16 | Effects of altitude, land use and microsites on early life performance of a high mountain tree: Insights from an in situ sowing experiment. Diversity and Distributions, 2019, 25, 1537-1550.      | 4.1  | 4         |
| 17 | Tree species identity determines wood decomposition via microclimatic effects. Ecology and Evolution, 2019, 9, 12113-12127.  | 1.9  | 33        |
| 18 | How do trees respond to species mixing in experimental compared to observational studies?. Ecology and Evolution, 2019, 9, 11254-11265.  | 1.9  | 8         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | The effects of drought and nutrient addition on soil organisms vary across taxonomic groups, but are constant across seasons. <i>Scientific Reports</i> , 2019, 9, 639.  | 3.3 | 72        |
| 20 | Investigating the consequences of climate change under different land-use regimes: a novel experimental infrastructure. <i>Ecosphere</i> , 2019, 10, e02635.   | 2.2 | 85        |
| 21 | Release from Above- and Belowground Insect Herbivory Mediates Invasion Dynamics and Impact of an Exotic Plant. <i>Plants</i> , 2019, 8, 544.   | 3.5 | 5         |
| 22 | Additive effects of experimental climate change and land use on faunal contribution to litter decomposition. <i>Soil Biology and Biochemistry</i> , 2019, 131, 141-148.  | 8.8 | 56        |
| 23 | Early stage litter decomposition across biomes. <i>Science of the Total Environment</i> , 2018, 628-629, 1369-1394.  | 8.0 | 177       |
| 24 | A million and more trees for science. <i>Nature Ecology and Evolution</i> , 2018, 2, 763-766.  | 7.8 | 90        |
| 25 | Integrating community assembly and biodiversity to better understand ecosystem function: the Community Assembly and the Functioning of Ecosystems (<scp>CAFE</scp>) approach. <i>Ecology Letters</i> , 2018, 21, 167-180.  | 6.4 | 94        |
| 26 | Evolutionary responses to land use in eight common grassland plants. <i>Journal of Ecology</i> , 2017, 105, 1290-1297.   | 4.0 | 21        |
| 27 | Diversity-dependent temporal divergence of ecosystem functioning in experimental ecosystems. <i>Nature Ecology and Evolution</i> , 2017, 1, 1639-1642.   | 7.8 | 95        |
| 28 | Interactions count: plant origin, herbivory and disturbance jointly explain seedling recruitment and community structure. <i>Scientific Reports</i> , 2017, 7, 8288.   | 3.3 | 5         |
| 29 | The study of the variability of biomass from plants of the <i>Elodea</i> genus from a river in Germany over a period of two hydrological years for investigating their suitability for biogas production. <i>Energy, Sustainability and Society</i> , 2017, 7, . | 3.8 | 7         |
| 30 | Processes affecting altitudinal distribution of invasive <i>Ageratina adenophora</i> in western Himalaya: The role of local adaptation and the importance of different life-cycle stages. <i>PLoS ONE</i> , 2017, 12, e0187708.                                  | 2.5 | 45        |
| 31 | Driving mechanisms of overstoreyâ€“understorey diversity relationships in European forests. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2016, 19, 21-29.   | 2.7 | 36        |
| 32 | Compensatory mechanisms of litter decomposition under alternating moisture regimes in tropical rice fields. <i>Applied Soil Ecology</i> , 2016, 107, 79-90.  | 4.3 | 31        |
| 33 | Stronger effect of gastropods than rodents on seedling establishment, irrespective of exotic or native plant species origin. <i>Oikos</i> , 2016, 125, 1467-1477.  | 2.7 | 11        |
| 34 | Mechanisms driving diversityâ€“productivity relationships differ between exotic and native communities and are affected by gastropod herbivory. <i>Oecologia</i> , 2016, 180, 1025-1036.   | 2.0 | 13        |
| 35 | Contributions of a global network of tree diversity experiments to sustainable forest plantations. <i>Ambio</i> , 2016, 45, 29-41.   | 5.5 | 203       |
| 36 | Performance and responses to competition in two congeneric annual species: does seed heteromorphism matter?. <i>Plant Biology</i> , 2015, 17, 1203-1209.   | 3.8 | 6         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Effects of Residue Management on Decomposition in Irrigated Rice Fields Are Not Related to Changes in the Decomposer Community. PLoS ONE, 2015, 10, e0134402.   | 2.5 | 22        |
| 38 | Herbivore preference drives plant community composition. Ecology, 2015, 96, 2923-2934.  | 3.2 | 31        |
| 39 | Environment rather than genetic background explains intraspecific variation in the protein-precipitating capacity of phenolic compounds in beech litter. Plant Ecology and Diversity, 2015, 8, 73-79.               | 2.4 | 6         |
| 40 | Non-significant tree diversity but significant identity effects on earthworm communities in three tree diversity experiments. European Journal of Soil Biology, 2015, 67, 17-26.                                    | 3.2 | 35        |
| 41 | Small-scale variability in the contribution of invertebrates to litter decomposition in tropical rice fields. Basic and Applied Ecology, 2015, 16, 674-680.   | 2.7 | 25        |
| 42 | Globally, functional traits are weak predictors of juvenile tree growth, and we do not know why. Journal of Ecology, 2015, 103, 978-989.  | 4.0 | 131       |
| 43 | Tree diversity modifies distance-dependent effects on seedling emergence but not plant-soil feedbacks of temperate trees. Ecology, 2015, 96, 1529-1539.   | 3.2 | 10        |
| 44 | Staged invasions across disparate grasslands: effects of seed provenance, consumers and disturbance on productivity and species richness. Ecology Letters, 2014, 17, 499-507.                                       | 6.4 | 47        |
| 45 | Tree diversity and the role of non-host neighbour tree species in reducing fungal pathogen infestation. Journal of Ecology, 2014, 102, 1673-1687.   | 4.0 | 85        |
| 46 | Does insect herbivory on oak depend on the diversity of tree stands?. Basic and Applied Ecology, 2014, 15, 685-692.   | 2.7 | 19        |
| 47 | Adaptive and Selective Seed Abortion Reveals Complex Conditional Decision Making in Plants. American Naturalist, 2014, 183, 376-383.  | 2.1 | 30        |
| 48 | Drought resistance of native pioneer species indicates potential suitability for restoration of post-mining areas. Web Ecology, 2014, 14, 65-74.  | 1.6 | 7         |
| 49 | A novel comparative research platform designed to determine the functional significance of tree species diversity in European forests. Perspectives in Plant Ecology, Evolution and Systematics, 2013, 15, 281-291. | 2.7 | 179       |
| 50 | Land use causes genetic differentiation of life-history traits in <i>Bromus hordeaceus</i> . Global Change Biology, 2013, 19, 892-899.  | 9.5 | 23        |
| 51 | Outcrossing breeding system does not compromise invasiveness in <i>Buddleja davidii</i> . Flora: Morphology, Distribution, Functional Ecology of Plants, 2012, 207, 843-848.  | 1.2 | 6         |
| 52 | Geographical and land-use effects on seed-mass variation in common grassland plants. Basic and Applied Ecology, 2012, 13, 395-404.  | 2.7 | 19        |
| 53 | Regional adaptation improves the performance of grassland plant communities. Basic and Applied Ecology, 2012, 13, 551-559.  | 2.7 | 22        |
| 54 | How do extreme drought and plant community composition affect host plant metabolites and herbivore performance?. Arthropod-Plant Interactions, 2012, 6, 15-25.  | 1.1 | 53        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Geographic variation in the response to drought in nine grassland species. <i>Basic and Applied Ecology</i> , 2011, 12, 21-28.  | 2.7 | 42        |
| 56 | Multiple common garden experiments suggest lack of local adaptation in an invasive ornamental plant. <i>Journal of Plant Ecology</i> , 2011, 4, 209-220.  | 2.3 | 45        |
| 57 | Testing hypotheses for exotic plant success: parallel experiments in the native and introduced ranges. <i>Ecology</i> , 2010, 91, 1355-1366.  | 3.2 | 59        |
| 58 | Impact of invertebrate herbivory in grasslands depends on plant species diversity. <i>Ecology</i> , 2010, 91, 1639-1650.  | 3.2 | 67        |
| 59 | Interactive effects of mycorrhizae and a root hemiparasite on plant community productivity and diversity. <i>Oecologia</i> , 2009, 159, 191-205.  | 2.0 | 33        |
| 60 | Specific bottom-up effects of arbuscular mycorrhizal fungi across a plant-herbivore-parasitoid system. <i>Oecologia</i> , 2009, 160, 267-277.   | 2.0 | 86        |
| 61 | Mahonia invasions in different habitats: local adaptation or general-purpose genotypes?. <i>Biological Invasions</i> , 2009, 11, 441-452.   | 2.4 | 28        |
| 62 | Land Use Options – Strategies and Adaptation to Global Change – Terrestrial Environmental Research. <i>Gaia</i> , 2009, 18, 77-80.  | 0.7 | 15        |
| 63 | The invasive shrub <i>Buddleja davidii</i> performs better in its introduced range. <i>Diversity and Distributions</i> , 2008, 14, 225-233.   | 4.1 | 61        |
| 64 | Invasive Mahonia plants outgrow their native relatives. <i>Plant Ecology</i> , 2008, 199, 21-31.  | 1.6 | 15        |
| 65 | Genetic relationships among three native North-American Mahonia species, invasive Mahonia populations from Europe, and commercial cultivars. <i>Plant Systematics and Evolution</i> , 2008, 275, 219-229. | 0.9 | 11        |
| 66 | Different gardens, different results: native and introduced populations exhibit contrasting phenotypes across common gardens. <i>Oecologia</i> , 2008, 157, 239-248.                                      | 2.0 | 83        |
| 67 | Predicting the spread of an invasive plant: combining experiments and ecological niche model. <i>Ecography</i> , 2008, 31, 709-719.   | 4.5 | 56        |
| 68 | Dispersal and seed limitation affect diversity and productivity of montane grasslands. <i>Oikos</i> , 2008, 117, 1469-1478.   | 2.7 | 45        |
| 69 | Invasive <i>Buddleja davidii</i> allocates more nitrogen to its photosynthetic machinery than five native woody species. <i>Oecologia</i> , 2007, 153, 501-510.   | 2.0 | 117       |
| 70 | Molecular evidence for multiple introductions of garlic mustard ( <i>Alliaria petiolata</i> , Brassicaceae) to North America. <i>Molecular Ecology</i> , 2005, 14, 1697-1706.                             | 3.9 | 189       |
| 71 | Seasonal changes in the relationship between plant species richness and community biomass in early succession. <i>Basic and Applied Ecology</i> , 2005, 6, 385-394.                                       | 2.7 | 20        |
| 72 | Phenotypic and genetic differentiation between native and introduced plant populations. <i>Oecologia</i> , 2005, 144, 1-11.   | 2.0 | 875       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Palatability and tolerance to simulated herbivory in native and introduced populations of <i>Alliaria petiolata</i> (Brassicaceae). <i>American Journal of Botany</i> , 2004, 91, 856-862.  | 1.7 | 83        |
| 74 | Reduced competitive ability in an invasive plant. <i>Ecology Letters</i> , 2004, 7, 346-353.  | 6.4 | 152       |
| 75 | Genetic variation in <i>Sanguisorba minor</i> after 6 years in situ selection under elevated CO <sub>2</sub> . <i>Global Change Biology</i> , 2004, 10, 1389-1401.                          | 9.5 | 28        |
| 76 | Resource dynamics in an early-successional plant community are influenced by insect exclusion. <i>Soil Biology and Biochemistry</i> , 2004, 36, 1817-1826.                                  | 8.8 | 12        |
| 77 | Secondary succession is influenced by belowground insect herbivory on a productive site. <i>Oecologia</i> , 2004, 138, 242-252.   | 2.0 | 76        |
| 78 | Does the Fretwell-Oksanen model apply to invertebrates?. <i>Oikos</i> , 2003, 100, 203-207.   | 2.7 | 22        |
| 79 | Palatability, decomposition and insect herbivory: patterns in a successional old-field plant community. <i>Oikos</i> , 2003, 103, 121-132.  | 2.7 | 112       |
| 80 | Demographic and random amplified polymorphic DNA analyses reveal high levels of genetic diversity in a clonal violet. <i>Molecular Ecology</i> , 2001, 10, 1811-1819.                       | 3.9 | 63        |
| 81 | Title is missing!. <i>Biodiversity and Conservation</i> , 2001, 10, 1497-1511.  | 2.6 | 39        |
| 82 | Spread of violets in polluted pine forests: morphological and molecular evidence for the ecological importance of interspecific hybridization. <i>Molecular Ecology</i> , 1999, 8, 365-377. | 3.9 | 68        |
| 83 | Seedling recruitment in the invasive clonal shrub, <i>Mahonia aquifolium</i> Pursh (Nutt.). <i>Oecologia</i> , 1997, 110, 205-211.  | 2.0 | 50        |
| 84 | Invasion science, ecology and economics: seeking roads not taken. <i>NeoBiota</i> , 0, 10, 1-5.   | 1.0 | 2         |