Finlay A Mcalister

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1165837/publications.pdf

Version: 2024-02-01

454 papers

34,343 citations

88 h-index 169 g-index

470 all docs

470 docs citations

470 times ranked

32202 citing authors

#	Article	IF	CITATIONS
1	Chronic Kidney Disease and Mortality Risk: A Systematic Review. Journal of the American Society of Nephrology: JASN, 2006, 17, 2034-2047.	3.0	1,346
2	Multidisciplinary strategies for the management of heart failure patients at high risk for admissionA systematic review of randomized trials. Journal of the American College of Cardiology, 2004, 44, 810-819.	1.2	990
3	Association Between Postoperative Troponin Levels and 30-Day Mortality Among Patients Undergoing Noncardiac Surgery. JAMA - Journal of the American Medical Association, 2012, 307, 2295.	3.8	821
4	Anemia Is Common in Heart Failure and Is Associated With Poor Outcomes. Circulation, 2003, 107, 223-225.	1.6	789
5	Meta-Analysis: Secondary Prevention Programs for Patients with Coronary Artery Disease. Annals of Internal Medicine, 2005, 143, 659.	2.0	774
6	Myocardial Injury after Noncardiac Surgery. Anesthesiology, 2014, 120, 564-578.	1.3	740
7	Body mass index and mortality in heart failure: A meta-analysis. American Heart Journal, 2008, 156, 13-22.	1.2	724
8	Renal Insufficiency and Heart Failure. Circulation, 2004, 109, 1004-1009.	1.6	651
9	Multidisciplinary strategies for the management of heart failure patients at high risk for admission. Journal of the American College of Cardiology, 2004, 44, 810-819.	1.2	565
10	Assessing the Quality of Randomized Trials. Contemporary Clinical Trials, 1999, 20, 448-452.	2.0	556
11	Telemonitoring or structured telephone support programmes for patients with chronic heart failure: systematic review and meta-analysis. BMJ: British Medical Journal, 2007, 334, 942.	2.4	537
12	Why Do Patients With Atrial Fibrillation Not Receive Warfarin?. Archives of Internal Medicine, 2000, 160, 41.	4.3	509
13	A systematic review of randomized trials of disease management programs in heart failure. American Journal of Medicine, 2001, 110, 378-384.	0.6	508
14	Cardiac Resynchronization Therapy for Patients With Left Ventricular Systolic Dysfunction. JAMA - Journal of the American Medical Association, 2007, 297, 2502.	3.8	497
15	Meta-analysis: \hat{I}^2 -Blocker Dose, Heart Rate Reduction, and Death in Patients With Heart Failure. Annals of Internal Medicine, 2009, 150, 784.	2.0	426
16	The Relation Between Hyperglycemia and Outcomes in 2,471 Patients Admitted to the Hospital With Community-Acquired Pneumonia. Diabetes Care, 2005, 28, 810-815.	4.3	390
17	Structured telephone support or telemonitoring programmes for patients with chronic heart failure. , 2010, , CD007228.		389
18	Improved Clinical Outcomes Associated With Metformin in Patients With Diabetes and Heart Failure. Diabetes Care, 2005, 28, 2345-2351.	4.3	363

#	Article	IF	Citations
19	Hypertension prevalence, awareness, treatment and control in national surveys from England, the USA and Canada, and correlation with stroke and ischaemic heart disease mortality: a cross-sectional study. BMJ Open, 2013, 3, e003423.	0.8	360
20	A Meta-Analysis of the Effect of Exercise Training on Left Ventricular Remodeling in Heart Failure Patients. Journal of the American College of Cardiology, 2007, 49, 2329-2336.	1.2	353
21	Contemporary Management of Chronic Obstructive Pulmonary Disease. JAMA - Journal of the American Medical Association, 2003, 290, 2301.	3.8	350
22	The association among renal insufficiency, pharmacotherapy, and outcomes in 6,427 patients with heart failure and coronary artery disease. Journal of the American College of Cardiology, 2004, 44, 1587-1592.	1.2	331
23	Which components of heart failure programmes are effective? A systematic review and metaâ€analysis of the outcomes of structured telephone support or telemonitoring as the primary component of chronic heart failure management in 8323 patients: Abridged Cochrane Review. European Journal of Heart Failure. 2011. 13. 1028-1040.	2.9	319
24	Declining In-Hospital Mortality and Increasing Heart Failure Incidence in Elderly Patients With First Myocardial Infarction. Journal of the American College of Cardiology, 2009, 53, 13-20.	1.2	309
25	The effects of inhaled corticosteroids in chronic obstructive pulmonary disease: a systematic review of randomized placebo-controlled trials. American Journal of Medicine, 2002, 113, 59-65.	0.6	299
26	Users' Guides to the Medical Literature. JAMA - Journal of the American Medical Association, 1999, 282, 771.	3.8	296
27	Incidence of and Risk Factors for Pulmonary Complications after Nonthoracic Surgery. American Journal of Respiratory and Critical Care Medicine, 2005, 171, 514-517.	2.5	294
28	Benefits and harms of antidiabetic agents in patients with diabetes and heart failure: systematic review. BMJ: British Medical Journal, 2007, 335, 497.	2.4	293
29	Randomised trials of secondary prevention programmes in coronary heart disease: systematic review. BMJ: British Medical Journal, 2001, 323, 957-962.	2.4	286
30	Validation of a Case Definition to Define Hypertension Using Administrative Data. Hypertension, 2009, 54, 1423-1428.	1.3	285
31	Comparative Safety and Effectiveness of Metformin in Patients With Diabetes Mellitus and Heart Failure. Circulation: Heart Failure, 2013, 6, 395-402.	1.6	282
32	Systematic Review: Cardiac Resynchronization in Patients with Symptomatic Heart Failure. Annals of Internal Medicine, 2004, 141, 381.	2.0	274
33	Pharmacist Care of Patients With Heart Failure <subtitle>A Systematic Review of Randomized Trials</subtitle> . Archives of Internal Medicine, 2008, 168, 687.	4.3	267
34	New Evidence for Stroke Prevention. JAMA - Journal of the American Medical Association, 2002, 288, 1388.	3.8	266
35	Diabetes and Coronary Artery Bypass Surgery: An examination of perioperative glycemic control and outcomes. Diabetes Care, 2003, 26, 1518-1524.	4.3	246
36	Analysis and Reporting of Factorial Trials. JAMA - Journal of the American Medical Association, 2003, 289, 2545.	3.8	242

#	Article	IF	CITATIONS
37	Implantable Cardioverter Defibrillators in Primary and Secondary Prevention. Annals of Internal Medicine, 2003, 138, 445.	2.0	234
38	Accuracy of administrative databases in identifying patients with hypertension. Open Medicine, 2007, 1 , e18-26.	1.5	232
39	Statins and outcomes in patients admitted to hospital with community acquired pneumonia: population based prospective cohort study. BMJ: British Medical Journal, 2006, 333, 999.	2.4	230
40	Evidence-based medicine and the practicing clinician. Journal of General Internal Medicine, 1999, 14, 236-242.	1.3	228
41	Changes in the rates of awareness, treatment and control of hypertension in Canada over the past two decades. Cmaj, 2011, 183, 1007-1013.	0.9	220
42	Cardiovascular Outcomes in Framingham Participants With Diabetes. Hypertension, 2011, 57, 891-897.	1.3	217
43	A Randomized Trial of the Effect of Community Pharmacist and Nurse Care on Improving Blood Pressure Management in Patients With Diabetes Mellitus. Archives of Internal Medicine, 2008, 168, 2355.	4.3	202
44	Users' Guides to the Medical Literature. JAMA - Journal of the American Medical Association, 2000, 283, 2829.	3.8	200
45	How Evidence-Based Are the Recommendations in Evidence-Based Guidelines?. PLoS Medicine, 2007, 4, e250.	3.9	199
46	Effect of Invasive Coronary Revascularization in Acute Myocardial Infarction on Subsequent Death Rate and Frequency of Chronic Heart Failure. American Journal of Cardiology, 2008, 102, 1-5.	0.7	188
47	Mortality and Readmission of Patients With Heart Failure, Atrial Fibrillation, or Coronary Artery Disease Undergoing Noncardiac Surgery. Circulation, 2011, 124, 289-296.	1.6	186
48	Association between frailty and 30-day outcomes after discharge from hospital. Cmaj, 2015, 187, 799-804.	0.9	173
49	The 2010 Canadian Hypertension Education Program recommendations for the management of hypertension: Part I – blood pressure measurement, diagnosis and assessment of risk. Canadian Journal of Cardiology, 2010, 26, 241-248.	0.8	170
50	Testosterone Supplementation in Heart Failure. Circulation: Heart Failure, 2012, 5, 315-321.	1.6	166
51	Predicting pulmonary complications after nonthoracic surgery: a systematic review of blinded studies. American Journal of Medicine, 2002, 112, 219-225.	0.6	165
52	The efficacy and safety of intensive statin therapy: a meta-analysis of randomized trials. Cmaj, 2008, 178, 576-584.	0.9	162
53	The obesity paradox in heart failure patients with preserved versus reduced ejection fraction: a meta-analysis of individual patient data. International Journal of Obesity, 2014, 38, 1110-1114.	1.6	155
54	Renal Dysfunction in Patients With Heart Failure With Preserved Versus Reduced Ejection Fraction. Circulation: Heart Failure, 2012, 5, 309-314.	1.6	152

#	Article	IF	CITATIONS
55	Randomized Trial of the Effect of Pharmacist Prescribing on Improving Blood Pressure in the Community. Circulation, 2015, 132, 93-100.	1.6	152
56	Users' Guides to the Medical Literature. JAMA - Journal of the American Medical Association, 1999, 282, 1371.	3.8	151
57	Impact of specialist follow-up in outpatients with congestive heart failure. Cmaj, 2005, 172, 189-194.	0.9	151
58	A Systematic Review of Drug Therapy to Delay or Prevent Type 2 Diabetes. Diabetes Care, 2005, 28, 736-744.	4.3	150
59	Systematic Review: Implantable Cardioverter Defibrillators for Adults with Left Ventricular Systolic Dysfunction. Annals of Internal Medicine, 2007, 147, 251.	2.0	146
60	Aldosterone blockade and left ventricular dysfunction: a systematic review of randomized clinical trials. European Heart Journal, 2008, 30, 469-477.	1.0	145
61	Transition From Meeting Abstract to Full-length Journal Article for Randomized Controlled Trials. JAMA - Journal of the American Medical Association, 2006, 295, 1281.	3.8	144
62	Insights into the contemporary epidemiology and outpatient management of congestive heart failure. American Heart Journal, 1999, 138, 87-94.	1.2	139
63	Predicting the risk of unplanned readmission or death within 30 days of discharge after a heart failure hospitalization. American Heart Journal, 2012, 164, 365-372.	1.2	139
64	Heart Failure Is a Risk Factor for Orthopedic Fracture. Circulation, 2008, 118, 1946-1952.	1.6	136
65	Evidence of suboptimal management of cardiovascular risk in patients with type 2 diabetes mellitus and symptomatic atherosclerosis. Cmaj, 2004, 171, 1189-1192.	0.9	135
66	Association Between Direct Measures of Body Composition and Prognostic Factors in Chronic Heart Failure. Mayo Clinic Proceedings, 2010, 85, 609-617.	1.4	135
67	From knowledge to practice in chronic cardiovascular disease: a long and winding road. Journal of the American College of Cardiology, 2004, 43, 1738-1742.	1.2	133
68	Multifaceted intervention to improve diagnosis and treatment of osteoporosis in patients with recent wrist fracture: a randomized controlled trial. Cmaj, 2008, 178, 569-575.	0.9	132
69	Does Performance-Based Remuneration for Individual Health Care Practitioners Affect Patient Care?. Annals of Internal Medicine, 2012, 157, 889.	2.0	132
70	The effects of beta-blockers on morbidity and mortality in a population-based cohort of 11,942 elderly patients with heart failure. American Journal of Medicine, 2002, 113, 650-656.	0.6	129
71	Risk factors for hypertension in Canada. Health Reports, 2019, 30, 3-13.	0.6	129
72	Treatment of Type 2 Diabetes and Outcomes in Patients With Heart Failure: A Nested Case-Control Study From the U.K. General Practice Research Database. Diabetes Care, 2010, 33, 1213-1218.	4.3	128

#	Article	IF	Citations
73	Evidence based management of hypertension: Cardiovascular risk factors and their effects on the decision to treat hypertension: evidence based review. BMJ: British Medical Journal, 2001, 322, 977-980.	2.4	125
74	Evidence based treatment of hypertension: Measurement of blood presssure: an evidence based review. BMJ: British Medical Journal, 2001, 322, 908-911.	2.4	125
75	Accuracy of the Preoperative Assessment in Predicting Pulmonary Risk after Nonthoracic Surgery. American Journal of Respiratory and Critical Care Medicine, 2003, 167, 741-744.	2.5	123
76	Epidemiology of Hypertension in Canada: An Update. Canadian Journal of Cardiology, 2016, 32, 687-694.	0.8	123
77	The relationship between body mass index, treatment, and mortality in patients with established coronary artery disease: a report from APPROACH. European Heart Journal, 2009, 30, 2584-2592.	1.0	121
78	Trends in heart failure care: has the incident diagnosis of heart failure shifted from the hospital to the emergency department and outpatient clinics?. European Journal of Heart Failure, 2011, 13, 142-147.	2.9	116
79	Perioperative allogeneic blood transfusion does not cause adverse sequelae in patients with cancer: a meta-analysis of unconfounded studies. British Journal of Surgery, 2003, 85, 171-178.	0.1	114
80	The 2006 Canadian Hypertension Education Program recommendations for the management of hypertension: Part II – Therapy. Canadian Journal of Cardiology, 2006, 22, 583-593.	0.8	113
81	Meta-analysis: Cardiac Resynchronization Therapy for Patients With Less Symptomatic Heart Failure. Annals of Internal Medicine, 2011, 154, 401.	2.0	113
82	Increases in Antihypertensive Prescriptions and Reductions in Cardiovascular Events in Canada. Hypertension, 2009, 53, 128-134.	1.3	112
83	Efficacy of statins for primary prevention in people at low cardiovascular risk: a meta-analysis. Cmaj, 2011, 183, E1189-E1202.	0.9	112
84	The Medical Review Article Revisited: Has the Science Improved?. Annals of Internal Medicine, 1999, 131, 947.	2.0	110
85	Preoperative Hyponatremia and Perioperative Complications. Archives of Internal Medicine, 2012, 172, 1474.	4.3	109
86	Sitagliptin Use in Patients With Diabetes and Heart Failure. JACC: Heart Failure, 2014, 2, 573-582.	1.9	106
87	Why we need large, simple studies of the clinical examination: the problem and a proposed solution. Lancet, The, 1999, 354, 1721-1724.	6.3	105
88	Patient and informal caregivers' knowledge of heart failure: necessary but insufficient for effective selfâ€care. European Journal of Heart Failure, 2009, 11, 617-621.	2.9	101
89	Competing risk bias was common in Kaplan–Meier risk estimates published in prominent medical journals. Journal of Clinical Epidemiology, 2016, 69, 170-173.e8.	2.4	97
90	Patterns of Care and Outcomes Differ for Urban Versus Rural Patients With Newly Diagnosed Heart Failure, Even in a Universal Healthcare System. Circulation: Heart Failure, 2011, 4, 317-323.	1.6	95

#	Article	IF	Citations
91	Cardiac resynchronization therapy (CRT): Clinical trials, guidelines, and target populations. Heart Rhythm, 2012, 9, S3-S13.	0.3	93
92	Teaching evidence-based medicine skills can change practice in a community hospital. Journal of General Internal Medicine, 2005, 20, 340-343.	1.3	91
93	Long-Term Effect of Endothelin Receptor Antagonism With Bosentan on the Morbidity and Mortality of Patients With Severe Chronic Heart Failure. JACC: Heart Failure, 2017, 5, 317-326.	1.9	91
94	The risk of heart failure in patients with type 2 diabetes treated with oral agent monotherapy. European Journal of Heart Failure, 2008, 10, 703-708.	2.9	90
95	The Accuracy of Patient History, Wheezing, and Laryngeal Measurements in Diagnosing Obstructive Airway Disease. JAMA - Journal of the American Medical Association, 2000, 283, 1853.	3.8	88
96	The 2007 Canadian Hypertension Education Program recommendations for the management of hypertension: Part 2 – therapy. Canadian Journal of Cardiology, 2007, 23, 539-550.	0.8	87
97	External validation of the Hospital Frailty Risk Score and comparison with the Hospital-patient One-year Mortality Risk Score to predict outcomes in elderly hospitalised patients: a retrospective cohort study. BMJ Quality and Safety, 2019, 28, 284-288.	1.8	85
98	The "number needed to treat" turns 20 and continues to be used and misused. Cmaj, 2008, 179, 549-553.	0.9	84
99	Atrioventricular Nodal Ablation in Atrial Fibrillation. Circulation: Arrhythmia and Electrophysiology, 2012, 5, 68-76.	2.1	84
100	Impact of physician continuity on death or urgent readmission after discharge among patients with heart failure. Cmaj, 2013, 185, E681-E689.	0.9	82
101	Comparative safety and effectiveness of sitagliptin in patients with type 2 diabetes: retrospective population based cohort study. BMJ, The, 2013, 346, f2267-f2267.	3.0	82
102	Impact of a patient decision aid on care among patients with nonvalvular atrial fibrillation: a cluster randomized trial. Cmaj, 2005, 173, 496-501.	0.9	80
103	Incidence of heart failure and mortality after acute coronary syndromes. American Heart Journal, 2013, 165, 379-385.e2.	1.2	80
104	Sleep Quality and Factors Influencing Self-Reported Sleep Duration and Quality in the General Internal Medicine Inpatient Population. PLoS ONE, 2016, 11, e0156735.	1.1	80
105	The 2008 Canadian Hypertension Education Program recommendations for the management of hypertension: Part 2 – therapy. Canadian Journal of Cardiology, 2008, 24, 465-475.	0.8	78
106	Assessing the use of health-related quality of life measures in the routine clinical care of lung-transplant patients. Quality of Life Research, 2010, 19, 371-379.	1.5	76
107	Influence of socioeconomic deprivation on the primary care burden and treatment of patients with a diagnosis of heart failure in general practice in Scotland: population based study. BMJ: British Medical Journal, 2004, 328, 1110.	2.4	7 5
108	Trends in Readmissions and Length of Stay for Patients Hospitalized With Heart Failure in Canada and the United States. JAMA Cardiology, 2019, 4, 444.	3.0	75

#	Article	IF	Citations
109	Secondary prevention programmes for coronary heart disease: a meta-regression showing the merits of shorter, generalist, primary care-based interventions. European Journal of Cardiovascular Prevention and Rehabilitation, 2007, 14, 538-546.	3.1	73
110	Risk stratification schemes, anticoagulation use and outcomes: the risk-treatment paradox in patients with newly diagnosed non-valvular atrial fibrillation. Heart, 2011, 97, 2046-2050.	1.2	73
111	The current and future financial burden of hospital admissions for heart failure in Canada: a cost analysis. CMAJ Open, 2016, 4, E365-E370.	1.1	7 3
112	Coronary Artery Bypass Surgery Improves Outcomes in Patients With Diabetes and LeftÂVentricular Dysfunction. Journal of the American College of Cardiology, 2018, 71, 819-827.	1.2	72
113	Accuracy of history, wheezing, and forced expiratory time in the diagnosis of chronic obstructive pulmonary disease. Journal of General Internal Medicine, 2002, 17, 684-688.	1.3	70
114	The 2004 Canadian recommendations for the management of hypertension: Part II-Therapy. Canadian Journal of Cardiology, 2004, 20, 41-54.	0.8	70
115	Antihypertensive Drug Persistence and Compliance Among Newly Treated Elderly Hypertensives in Ontario. American Journal of Medicine, 2010, 123, 173-181.	0.6	69
116	Case management for blood pressure and lipid level control after minor stroke: PREVENTION randomized controlled trial. Cmaj, 2014, 186, 577-584.	0.9	69
117	Symptoms associated with a positive result for a swab for SARS-CoV-2 infection among children in Alberta. Cmaj, 2021, 193, E1-E9.	0.9	69
118	Exploring the Treatment-Risk Paradox in Coronary Disease. Archives of Internal Medicine, 2007, 167, 1019.	4.3	67
119	Evidence-based medicine: a commentary on common criticisms. Cmaj, 2000, 163, 837-41.	0.9	67
120	Reduction of dietary sodium to less than 100 mmol in heart failure (SODIUM-HF): an international, open-label, randomised, controlled trial. Lancet, The, 2022, 399, 1391-1400.	6.3	67
121	Resource Use in the Last 6 Months of Life Among Patients With Heart Failure in Canada. Archives of Internal Medicine, 2011, 171, 211.	4.3	65
122	Blood pressure in Canadian adults. Health Reports, 2010, 21, 37-46.	0.6	64
123	External validation of the Hospital-patient One-year Mortality Risk (HOMR) model for predicting death within 1 year after hospital admission. Cmaj, 2015, 187, 725-733.	0.9	63
124	Frequency, predictors, and prognosis of ejection fraction improvement in heart failure: an echocardiogram-based registry study. European Heart Journal, 2019, 40, 2110-2117.	1.0	63
125	Underutilisation of ACE Inhibitors in Patients with Congestive Heart Failure. Drugs, 2001, 61, 2021-2033.	4.9	61
126	Synergy between publication and promotion: comparing adoption of new evidence in Canada and the United States. American Journal of Medicine, 2003, 115, 467-472.	0.6	61

#	Article	IF	CITATIONS
127	Challenges in Systematic Reviews of Therapeutic Devices and Procedures. Annals of Internal Medicine, 2005, 142, 1100.	2.0	61
128	Canadian Cardiovascular Society Consensus Conference: peripheral arterial disease - executive summary. Canadian Journal of Cardiology, 2005, 21, 997-1006.	0.8	61
129	The 2009 Canadian Hypertension Education Program recommendations for the management of hypertension: Part 1 $\hat{a} \in \text{``blood pressure measurement, diagnosis and assessment of risk. Canadian Journal of Cardiology, 2009, 25, 279-286.}$	0.8	60
130	Contemporary Management of Chronic Obstructive Pulmonary Disease. JAMA - Journal of the American Medical Association, 2003, 290, 2313.	3.8	59
131	Factors Associated With Lack of Awareness and Uncontrolled High Blood Pressure Among Canadian Adults With Hypertension. Canadian Journal of Cardiology, 2012, 28, 375-382.	0.8	59
132	The Canadian Hypertension Education Program – A unique Canadian initiative. Canadian Journal of Cardiology, 2006, 22, 559-564.	0.8	58
133	La demande sélective de tests préopératoires par les anesthésiologistes réduit le nombre et le coût d tests. Canadian Journal of Anaesthesia, 2005, 52, 575-580.	es 0.7	57
134	New Algorithm for the Diagnosis of HypertensionCanadian Hypertension Education Program Recommendations (2005). American Journal of Hypertension, 2005, 18, 1369-1374.	1.0	57
135	The Impact of the Canadian Hypertension Education Program on Antihypertensive Prescribing Trends. Hypertension, 2006, 47, 22-28.	1.3	57
136	Depressive symptoms are associated with higher rates of readmission or mortality after medical hospitalization: A systematic review and metaâ€analysis. Journal of Hospital Medicine, 2016, 11, 373-380.	0.7	57
137	The 2006 Canadian Hypertension Education Program recommendations for the management of hypertension: Part I – Blood pressure measurement, diagnosis and assessment of risk. Canadian Journal of Cardiology, 2006, 22, 573-581.	0.8	56
138	Trends in antihypertensive drug prescriptions and physician visits in Canada between 1996 and 2006. Canadian Journal of Cardiology, 2008, 24, 507-512.	0.8	56
139	Angiotensin-converting enzyme inhibitors or angiotensin receptor blockers are beneficial in normotensive atherosclerotic patients: a collaborative meta-analysis of randomized trials. European Heart Journal, 2012, 33, 505-514.	1.0	56
140	Incidence, cardiovascular complications and mortality of hypertension by sex and ethnicity. Heart, 2013, 99, 715-721.	1.2	56
141	The 2005 Canadian Hypertension Education Program recommendations for the management of hypertension: part II - therapy. Canadian Journal of Cardiology, 2005, 21, 657-72.	0.8	56
142	The effect of specialist care within the first year on subsequent outcomes in 24 232 adults with new-onset diabetes mellitus: population-based cohort study. Quality and Safety in Health Care, 2007, 16, 6-11.	2.5	55
143	Worsening Hypertension Awareness, Treatment, and Control Rates in Canadian Women Between 2007 and 2017. Canadian Journal of Cardiology, 2020, 36, 732-739.	0.8	55
144	Differing prognostic value of pulse pressure in patients with heart failure with reduced or preserved ejection fraction: results from the MAGGIC individual patient meta-analysis. European Heart Journal, 2015, 36, 1106-1114.	1.0	53

#	Article	IF	Citations
145	The long-term effects of dietary sodium restriction on clinical outcomes in patients with heart failure. The SODIUM-HF (Study of Dietary Intervention Under 100 mmol in Heart Failure): A pilot study. American Heart Journal, 2015, 169, 274-281.e1.	1.2	53
146	Lower extremity peripheral arterial disease in individuals with coronary artery disease: Prognostic importance, care gaps, and impact of therapy. American Heart Journal, 2008, 155, 348-355.	1.2	52
147	Hypertension Management in the Elderly Has Improved. Hypertension, 2005, 45, 1113-1118.	1.3	51
148	Effect of Lowering Diastolic Pressure in Patients With and Without Cardiovascular Disease. Hypertension, 2018, 71, 840-847.	1.3	51
149	Commentary: Relative treatment effects are consistent across the spectrum of underlying risks … usually. International Journal of Epidemiology, 2002, 31, 76-77.	0.9	50
150	Frequency of low-value care in Alberta, Canada: a retrospective cohort study. BMJ Quality and Safety, 2018, 27, 340-346.	1.8	50
151	Temporal trends in antihypertensive drug prescriptions in Canada before and after introduction of the Canadian Hypertension Education Program. Journal of Hypertension, 2003, 21, 1591-1597.	0.3	49
152	The 2007 Canadian Hypertension Education Program recommendations for the management of hypertension: Part $1\ \hat{a}\in$ blood pressure measurement, diagnosis and assessment of risk. Canadian Journal of Cardiology, 2007, 23, 529-538.	0.8	49
153	Early Follow-Up After a Heart Failure Exacerbation. Circulation: Heart Failure, 2016, 9, .	1.6	49
154	Nurse case-manager vs multifaceted intervention to improve quality of osteoporosis care after wrist fracture: randomized controlled pilot study. Osteoporosis International, 2011, 22, 223-230.	1.3	48
155	Is heart rate a risk marker in patients with chronic heart failure and concomitant atrial fibrillation? Results from the ⟨scp⟩ MAGGIC⟨/scp⟩ metaâ€analysis. European Journal of Heart Failure, 2015, 17, 1182-1191.	2.9	48
156	Patient Preference-based Treatment Thresholds and Recommendations. Medical Decision Making, 2000, 20, 394-402.	1.2	47
157	Treatment and blood pressure control in 47,964 people with diabetes and hypertension: A systematic review of observational studies. Canadian Journal of Cardiology, 2006, 22, 855-860.	0.8	47
158	A Cluster Randomized Trial of an Enhanced eGFR Prompt in Chronic Kidney Disease. Clinical Journal of the American Society of Nephrology: CJASN, 2012, 7, 565-572.	2.2	47
159	The effect of low-dose furosemide in critically ill patients with early acute kidney injury: A pilot randomized blinded controlled trial (the SPARK study). Journal of Critical Care, 2017, 42, 138-146.	1.0	47
160	Do Outcomes for Patients With Heart Failure Vary by Emergency Department Volume?. Circulation: Heart Failure, 2013, 6, 1147-1154.	1.6	46
161	Relationship Between Degree of Left Ventricular Dysfunction, Symptom Status, and Risk of Embolic Events in Patients With Atrial Fibrillation and Heart Failure. Stroke, 2015, 46, 667-672.	1.0	46
162	How many patients with heart failure are eligible for cardiac resynchronization? Insights from two prospective cohorts. European Heart Journal, 2006, 27, 323-329.	1.0	45

#	Article	IF	CITATIONS
163	The impact of the Canadian Hypertension Education Programme in its first decade. European Heart Journal, 2009, 30, 1434-1439.	1.0	45
164	Metformin treatment in diabetes and heart failure: when academic equipoise meets clinical reality. Trials, $2009,10,12.$	0.7	45
165	A novel process for updating recommendations for managing hypertension: rationale and methods. Canadian Journal of Cardiology, 2000, 16, 1094-102.	0.8	45
166	Effect of a Pharmacistâ€Managed Hypertension Program on Health System Costs: An Evaluation of the Study of Cardiovascular Risk Intervention by Pharmacists—Hypertension (<scp>SCRIP</scp> â€ <i><scp>HTN</scp></i>). Pharmacotherapy, 2012, 32, 527-537.	1.2	44
167	External Validation of the H ₂ F-PEF Model in Diagnosing Patients With Heart Failure and Preserved Ejection Fraction. Circulation, 2019, 139, 2377-2379.	1.6	44
168	The MedSafer Study—Electronic Decision Support for Deprescribing in Hospitalized Older Adults. JAMA Internal Medicine, 2022, 182, 265.	2.6	44
169	The 2001 Canadian recommendations for the management of hypertension: Part two-Therapy. Canadian Journal of Cardiology, 2002, 18, 625-41.	0.8	44
170	The Use of Î ² -Blockers in a Tertiary Care Heart Failure Clinic. Archives of Internal Medicine, 2004, 164, 769.	4.3	43
171	Changes in Adherence to Evidence-Based Medications in the First Year After Initial Hospitalization for Heart Failure. Circulation: Cardiovascular Quality and Outcomes, 2009, 2, 228-235.	0.9	43
172	Association between obesity and health-related quality of life in patients with coronary artery disease. International Journal of Obesity, 2010, 34, 1434-1441.	1.6	43
173	The Interplay Between Continuity of Care, Multimorbidity, and Adverse Events in Patients With Diabetes. Medical Care, 2016, 54, 386-393.	1.1	43
174	Preoperative Hypernatremia Predicts Increased Perioperative Morbidity and Mortality. American Journal of Medicine, 2013, 126, 877-886.	0.6	42
175	Variation in Critical Care Unit Admission Rates and Outcomes for Patients With Acute Coronary Syndromes or Heart Failure Among High―and Lowâ€Volume Cardiac Hospitals. Journal of the American Heart Association, 2015, 4, e001708.	1.6	42
176	Implications of the COVID-19 Pandemic for Cardiovascular Disease and Risk-Factor Management. Canadian Journal of Cardiology, 2021, 37, 722-732.	0.8	42
177	Aspirin Use and Outcomes in a Community-Based Cohort of 7352 Patients Discharged After First Hospitalization for Heart Failure. Circulation, 2006, 113, 2572-2578.	1.6	41
178	Risk factors, quality of care and prognosis in South Asian, East Asian and White patients with stroke. BMC Neurology, 2013, 13, 74.	0.8	41
179	Determinants of Early Readmission After Hospitalization forÂHeart Failure. Canadian Journal of Cardiology, 2014, 30, 612-618.	0.8	40
180	Is There a Sex Gap in Surviving an Acute Coronary Syndrome or Subsequent Development of Heart Failure?. Circulation, 2020, 142, 2231-2239.	1.6	39

#	Article	IF	CITATIONS
181	The relative importance of barriers to the prescription of warfarin for nonvalvular atrial fibrillation. Canadian Journal of Cardiology, 2003, 19, 280-4.	0.8	39
182	The Treatment and Prevention of Coronary Heart Disease in Canada: Do Older Patients Receive Efficacious Therapies?. Journal of the American Geriatrics Society, 1999, 47, 811-818.	1.3	38
183	Active-control equivalence trials and antihypertensive agents. American Journal of Medicine, 2001, 111, 553-558.	0.6	38
184	The 2008 Canadian Hypertension Education Program recommendations for the management of hypertension: Part $1\ \hat{a}\in$ blood pressure measurement, diagnosis and assessment of risk. Canadian Journal of Cardiology, 2008, 24, 455-463.	0.8	38
185	The epidemiology of atrial fibrillation in adults depends on locale of diagnosis. American Heart Journal, 2011, 161, 986-992.e1.	1.2	38
186	Cost-effectiveness of a multifaceted intervention to improve quality of osteoporosis care after wrist fracture. Osteoporosis International, 2011, 22, 1799-1808.	1.3	38
187	The safety of combining angiotensin-converting-enzyme inhibitors with angiotensin-receptor blockers in elderly patients: a population-based longitudinal analysis. Cmaj, 2011, 183, 655-662.	0.9	38
188	Warfarin Initiation, Atrial Fibrillation, and Kidney Function:ÂComparative Effectiveness and Safety ofÂWarfarinÂinÂOlderÂAdultsÂWith Newly Diagnosed AtrialÂFibrillation. American Journal of Kidney Diseases, 2017, 69, 734-743.	2.1	38
189	The 2004 Canadian Hypertension Education Program recommendations for the management of hypertension: Part I-Blood pressure measurement, diagnosis and assessment of risk. Canadian Journal of Cardiology, 2004, 20, 31-40.	0.8	38
190	Patient-Reported Discharge Readiness and 30-Day Risk of Readmission or Death: AÂProspective Cohort Study. American Journal of Medicine, 2016, 129, 89-95.	0.6	37
191	2010 Canadian Hypertension Education Program (CHEP) recommendations: The scientific summary – an update of the 2010 theme and the science behind new CHEP recommendations. Canadian Journal of Cardiology, 2010, 26, 236-240.	0.8	36
192	What is the quality of drug therapy clinical practice guidelines in Canada?. Cmaj, 2001, 165, 157-63.	0.9	36
193	Risk of Heart Failure in Patients With Recent-Onset Type 2 Diabetes: Population-Based Cohort Study. Journal of Cardiac Failure, 2009, 15, 152-157.	0.7	35
194	2009 Canadian Hypertension Education Program recommendations: The scientific summary – an annual update. Canadian Journal of Cardiology, 2009, 25, 271-277.	0.8	35
195	Patient Outcomes in Teaching Versus Nonteaching General Internal Medicine Services. Academic Medicine, 2014, 89, 517-523.	0.8	35
196	Cardiovascular medication utilization and adherence among adults living in rural and urban areas: a systematic review and meta-analysis. BMC Public Health, 2014, 14, 544.	1.2	35
197	Antiarrhythmic Therapies for the Prevention of Sudden Cardiac Death. Drugs, 1997, 54, 235-252.	4.9	34
198	WHAT SHOULD BE INCLUDED IN META-ANALYSES? An Exploration of Methodological Issues Using the ISPOT Meta-Analyses. International Journal of Technology Assessment in Health Care, 2000, 16, 1109-1119.	0.2	34

#	Article	IF	Citations
199	Impact of opinion leader–endorsed evidence summaries on the quality of prescribing for patients with cardiovascular disease: A randomized controlled trial. American Heart Journal, 2007, 153, 22.e1-22.e8.	1.2	34
200	Treatment Deintensification Is Uncommon in Adults With Type 2 Diabetes Mellitus. Circulation: Cardiovascular Quality and Outcomes, 2017, 10, .	0.9	34
201	The hospital frailty risk score in patients with heart failure is strongly associated with outcomes but less so with pharmacotherapy. Journal of Internal Medicine, 2020, 287, 322-332.	2.7	34
202	Interventions to Increase Osteoporosis Treatment in Patients with †Incidentally' Detected Vertebral Fractures. American Journal of Medicine, 2012, 125, 929-936.	0.6	33
203	Heart Failure Re-Admission: Measuring the Ever Shortening Gap between Repeat Heart Failure Hospitalizations. PLoS ONE, 2014, 9, e106494.	1.1	33
204	Assessing the Use of International Classification of Diseases-10th Revision Codes From the Emergency Department for the Identification of Acute Heart Failure. JACC: Heart Failure, 2015, 3, 386-391.	1.9	33
205	Comparing three different measures of frailty in medical inpatients: Multicenter prospective cohort study examining 30â€day risk of readmission or death. Journal of Hospital Medicine, 2016, 11, 556-562.	0.7	33
206	Patients With Heart Failure Readmitted to the Original Hospital Have Better Outcomes Than Those Readmitted Elsewhere. Journal of the American Heart Association, 2017, 6, .	1.6	33
207	Cost-effectiveness of the use of low- and high-potency statins in people at low cardiovascular risk. Cmaj, 2011, 183, E1180-E1188.	0.9	32
208	Random error in cardiovascular meta-analyses: How common are false positive and false negative results?. International Journal of Cardiology, 2013, 168, 1102-1107.	0.8	32
209	Persistence and adherence to parenteral osteoporosis therapies: a systematic review. Osteoporosis International, 2020, 31, 2093-2102.	1.3	32
210	Do stable non–ST-segment elevation acute coronary syndromes require admission to coronary care units?. American Heart Journal, 2016, 175, 184-192.	1.2	31
211	The effect of provider affiliation with a primary care network on emergency department visits and hospital admissions. Cmaj, 2018, 190, E276-E284.	0.9	29
212	When should hypertension be treated? The different perspectives of Canadian family physicians and patients. Cmaj, 2000, 163, 403-8.	0.9	29
213	Usefulness of spironolactone in a specialized heart failure clinic. American Journal of Cardiology, 2004, 94, 443-447.	0.7	28
214	Antihypertensive Medication Prescribing in 27,822 Elderly Canadians With Diabetes Over the Past Decade. Diabetes Care, 2006, 29, 836-841.	4.3	28
215	The Enhancing Secondary Prevention in Coronary Artery Disease trial. Cmaj, 2009, 181, 897-904.	0.9	28
216	Known and missing left ventricular ejection fraction and survival in patients with heart failure: a MAGGIC metaâ€analysis report. European Journal of Heart Failure, 2013, 15, 1220-1227.	2.9	28

#	Article	IF	CITATIONS
217	Changes in Heart Failure Outcomes After a Province-Wide Change in Health Service Provision A Natural Experiment in Alberta, Canada. Circulation: Heart Failure, 2013, 6, 76-82.	1.6	28
218	Safely and effectively reducing inpatient length of stay: a controlled study of the General Internal Medicine Care Transformation Initiative. BMJ Quality and Safety, 2014, 23, 446-456.	1.8	28
219	Physician experience and outcomes among patients admitted to general internal medicine teaching wards. Cmaj, 2015, 187, 1041-1048.	0.9	28
220	Prognostic significance of anaemia in patients with heart failure with preserved and reduced ejection fraction: results from the MAGGIC individual patient data meta-analysis. QJM - Monthly Journal of the Association of Physicians, 2016, 109, 377-382.	0.2	28
221	Heart Failure in Young Adults Is Associated With High Mortality: A Contemporary Population-Level Analysis. Canadian Journal of Cardiology, 2017, 33, 1472-1477.	0.8	28
222	<p>Sensitivity, specificity, positive and negative predictive values of identifying atrial fibrillation using administrative data: a systematic review and meta-analysis</p> . Clinical Epidemiology, 2019, Volume 11, 753-767.	1.5	28
223	New Evidence for Stroke Prevention. JAMA - Journal of the American Medical Association, 2002, 288, 1396.	3.8	27
224	Postdischarge Outcomes in Heart Failure Are Better for Teaching Hospitals and Weekday Discharges. Circulation: Heart Failure, 2013, 6, 922-929.	1.6	27
225	The Alberta Heart Failure Etiology and Analysis Research Team (HEART) study. BMC Cardiovascular Disorders, 2014, 14, 91.	0.7	27
226	Time in therapeutic range and stability over time for warfarin users in clinical practice: a retrospective cohort study using linked routinely collected health data in Alberta, Canada. BMJ Open, 2018, 8, e016980.	0.8	27
227	The 2000 Canadian recommendations for the management of hypertension: Part one-therapy. Canadian Journal of Cardiology, 2001, 17, 543-59.	0.8	27
228	Statin use in Type 2 diabetes mellitus is associated with a delay in starting insulin. Diabetic Medicine, 2004, 21, 962-967.	1.2	26
229	Comparison of Direct Body Composition Assessment Methods in Patients With Chronic Heart Failure. Journal of Cardiac Failure, 2010, 16, 867-872.	0.7	26
230	Impact of Electrical Cardioversion on Quality of Life for the Treatment of Atrial Fibrillation. Canadian Journal of Cardiology, 2017, 33, 450-455.	0.8	26
231	Primary hyperaldosteronism and adrenal incidentaloma: an argument for physiologic testing before adrenalectomy. Canadian Journal of Surgery, 1998, 41, 299-305.	0.5	26
232	Association Between Self-reported Adherence to a Low-Sodium Diet and Dietary Habits Related to Sodium Intake in Heart Failure Patients. Journal of Cardiovascular Nursing, 2015, 30, 58-65.	0.6	25
233	Defining and validating comorbidities and procedures in ICD-10 health data in ST-elevation myocardial infarction patients. Medicine (United States), 2016, 95, e4554.	0.4	25
234	Enhanced Recovery After Surgery (ERAS < sup > \hat{A}^{\otimes} < /sup >) in Individuals with Diabetes: A Systematic Review. World Journal of Surgery, 2017, 41, 1927-1934.	0.8	25

#	Article	IF	CITATIONS
235	Temporal trends in stroke incidence in South Asian, Chinese and white patients: A population based analysis. PLoS ONE, 2017, 12, e0175556.	1.1	25
236	The 2001 Canadian recommendations for the management of hypertension: Part one-Assessment for diagnosis, cardiovascular risk, causes and lifestyle modification. Canadian Journal of Cardiology, 2002, 18, 604-24.	0.8	25
237	A survey of clinician attitudes and management practices in hypertension. Journal of Human Hypertension, 1997, 11, 413-419.	1.0	24
238	Improving hypertension management through pharmacist prescribing; the rural alberta clinical trial in optimizing hypertension (Rural RxACTION): trial design and methods. Implementation Science, 2011, 6, 94.	2.5	24
239	Changes in dietary intake and nutritional status associated with a significant reduction in sodium intake in patients with heart failure. A sub-analysis of the SODIUM-HF pilot study. Clinical Nutrition ESPEN, 2016, 11, e26-e32.	0.5	24
240	Are Existing Risk Scores for Nonvalvular Atrial Fibrillation Useful for Prediction or Risk Adjustment in Patients With Chronic Kidney Disease?. Canadian Journal of Cardiology, 2017, 33, 243-252.	0.8	24
241	The Impact of the Implementation of the Enhanced Recovery After Surgery (ERAS [®]) Program in an Entire Health System: A Natural Experiment in Alberta, Canada. World Journal of Surgery, 2018, 42, 2691-2700.	0.8	24
242	The SPARK Study: a phase II randomized blinded controlled trial of the effect of furosemide in critically ill patients with early acute kidney injury. Trials, 2010, 11, 50.	0.7	23
243	Do Anthropometric Indices Accurately Reflect Directly Measured Body Composition in Men and Women With Chronic Heart Failure?. Congestive Heart Failure, 2011, 17, 89-91.	2.0	23
244	Ethnic differences in 1-year mortality among patients hospitalised with heart failure. Heart, 2011, 97, 1048-1053.	1.2	23
245	Prevalence, Awareness, Treatment, and Control of Hypertension Among Canadian Adults With Diabetes, 2007 to 2009. Canadian Journal of Cardiology, 2012, 28, 367-374.	0.8	23
246	The Impact of Cardiovascular Risk-Factor Profiles on Blood Pressure Control Rates in Adults From Canada and the United States. Canadian Journal of Cardiology, 2013, 29, 598-605.	0.8	23
247	Physician Continuity Improves Outcomes for Heart Failure Patients Treated and Released From the Emergency Department. JACC: Heart Failure, 2014, 2, 368-376.	1.9	23
248	The prediction of postoperative stroke or death in patients with preoperative atrial fibrillation undergoing nonâ€cardiac surgery: a VISION subâ€study. Journal of Thrombosis and Haemostasis, 2015, 13, 1768-1775.	1.9	23
249	The impact of multimorbidity on short-term events in patients with community-acquired pneumonia: prospective cohort study. Clinical Microbiology and Infection, 2015, 21, 264.e7-264.e13.	2.8	23
250	Finding the right balance between precision medicine and personalized care. Cmaj, 2017, 189, E1065-E1068.	0.9	23
251	Comparing Strategies Targeting Osteoporosis to Prevent Fractures After an Upper Extremity Fracture (C-STOP Trial): A Randomized Controlled Trial. Journal of Bone and Mineral Research, 2018, 33, 2114-2121.	3.1	23
252	Costâ€effectiveness of home blood pressure telemonitoring and case management in the secondary prevention of cerebrovascular disease in Canada. Journal of Clinical Hypertension, 2019, 21, 159-168.	1.0	23

#	Article	IF	CITATIONS
253	Change of Healthâ€Related Quality of Life Over Time and Its Association With Patient Outcomes in Patients With Heart Failure. Journal of the American Heart Association, 2020, 9, e017278.	1.6	23
254	Resistant hypertension: an overview. Canadian Journal of Cardiology, 1996, 12, 822-8.	0.8	23
255	Bedtime versus morning use of antihypertensives for cardiovascular risk reduction (BedMed): protocol for a prospective, randomised, open-label, blinded end-point pragmatic trial. BMJ Open, 2022, 12, e059711.	0.8	23
256	Do evidence-based treatments provide incremental benefits to patients with congestive heart failure already receiving angiotensin-converting enzyme inhibitors? A secondary analysis of one-year outcomes from the assessment of treatment with lisinopril and survival (ATLAS) study. Clinical Therapeutics, 2004, 26, 694-703.	1.1	22
257	Monitoring and Evaluating Efforts to Control Hypertension in Canada: Why, How, and What It Tells Us Needs to Be Done About Current Care Gaps. Canadian Journal of Cardiology, 2013, 29, 564-570.	0.8	22
258	Insights into the importance of the electrocardiogram in patients with acute heart failure. European Journal of Heart Failure, 2016, 18, 1032-1040.	2.9	22
259	Impact of cardiology follow-up care on treatment and outcomes of patients with new atrial fibrillation discharged from the emergency department. Europace, 2020, 22, 695-703.	0.7	22
260	Chloride in HeartÂFailure. JACC: Heart Failure, 2021, 9, 904-915.	1.9	22
261	Comparison of One-Year Outcome (Death and Rehospitalization) in Hospitalized Heart Failure Patients With Left Ventricular Ejection Fraction >50% Versus Those With Ejection Fraction <50%. American Journal of Cardiology, 2008, 102, 79-83.	0.7	21
262	Hospitalization for Uncomplicated Hypertension: An Ambulatory Care Sensitive Condition. Canadian Journal of Cardiology, 2013, 29, 1462-1469.	0.8	21
263	Antihypertensive Drug Prescribing and Persistence Among New Elderly Users: Implications for Persistence Improvement Interventions. Canadian Journal of Cardiology, 2014, 30, 647-652.	0.8	21
264	Which risk score best predicts perioperative outcomes in nonvalvular atrial fibrillation patients undergoing noncardiac surgery?. American Heart Journal, 2014, 168, 60-67.e5.	1.2	21
265	Cardiovascular Medication Utilization and Adherence Among Heart Failure Patients in Rural and Urban Areas: A Retrospective Cohort Study. Canadian Journal of Cardiology, 2015, 31, 341-347.	0.8	21
266	Understanding fragility fracture patients' decision-making process regarding bisphosphonate treatment. Osteoporosis International, 2017, 28, 219-229.	1.3	21
267	Statin use and the risk of acute kidney injury in older adults. BMC Nephrology, 2019, 20, 103.	0.8	21
268	Adherence to osteoporosis therapy after an upper extremity fracture: a pre-specified substudy of the C-STOP randomized controlled trial. Osteoporosis International, 2019, 30, 127-134.	1.3	21
269	Applying Evidence to Patient Care: From Black and White to Shades of Grey. Annals of Internal Medicine, 2003, 138, 938.	2.0	20
270	Polytherapy with two or more antihypertensive drugs to lower blood pressure in elderly Ontarians. Room for improvement. Canadian Journal of Cardiology, 2007, 23, 783-787.	0.8	20

#	Article	IF	Citations
271	Preoperative Statin Use and Infection after Cardiac Surgery: A Cohort Study. Clinical Infectious Diseases, 2009, 48, e66-e72.	2.9	20
272	Canadian Provincial Trends in Antihypertensive Drug Prescriptions Between 1996 and 2006. Canadian Journal of Cardiology, 2011, 27, 461-467.	0.8	20
273	Critical impact of patient knowledge and bone density testing on starting osteoporosis treatment after fragility fracture: secondary analyses from two controlled trials. Osteoporosis International, 2014, 25, 2173-2179.	1.3	20
274	Control of glycemia and blood pressure in British adults with diabetes mellitus and subsequent therapy choices: a comparison across health states. Cardiovascular Diabetology, 2018, 17, 27.	2.7	20
275	Predictors of mortality among <scp>longâ€term</scp> care residents with <scp>SARSâ€CoV</scp> â€2 infection. Journal of the American Geriatrics Society, 2021, 69, 3377-3388.	1.3	20
276	Influence of Using Different Databases and †Look Back†Intervals to Define Comorbidity Profiles for Patients with Newly Diagnosed Hypertension: Implications for Health Services Researchers. PLoS ONE, 2016, 11, e0162074.	1.1	20
277	Physicians' perceptions of the benefits and risks of warfarin for patients with nonvalvular atrial fibrillation. Cmaj, 2001, 165, 301-2.	0.9	20
278	Contemporary practice patterns in the management of newly diagnosed hypertension. Cmaj, 1997, 157, 23-30.	0.9	20
279	The interaction among sex, hemoglobin and outcomes in a specialty heart failure clinic. Canadian Journal of Cardiology, 2005, 21, 165-71.	0.8	20
280	The high cost of critical care unit over-utilization for patients with NSTE ACS. American Heart Journal, 2018, 202, 84-88.	1.2	19
281	Rhabdomyolysis Complicating Unrecognized Hypophosphatemia in an Alcoholic Patient. Canadian Journal of Gastroenterology & Hepatology, 1999, 13, 165-167.	1.8	18
282	Proportion of Patients Followed in a Specialized Heart Failure Clinic Needing an Implantable Cardioverter Defibrillator as Determined by Applying Different Trial Eligibility Criteria. American Journal of Cardiology, 2006, 97, 882-885.	0.7	18
283	Does silent myocardial infarction add prognostic value in ST-elevation myocardial infarction patients without a history of prior myocardial infarction? Insights from the Assessment of Pexelizumab in Acute Myocardial Infarction (APEX-AMI) Trial. American Heart Journal, 2010, 160, 671-677.	1.2	18
284	Association between glycated haemoglobin levels and cardiovascular outcomes in patients with type 2 diabetes and cardiovascular disease: a secondary analysis of the <scp>TECOS</scp> randomized clinical trial. European Journal of Heart Failure, 2020, 22, 2026-2034.	2.9	18
285	Prevalence and Postdischarge Outcomes Associated with Frailty in Medical Inpatients: Impact of Different Frailty Definitions. Journal of Hospital Medicine, 2019, 14, 407.	0.7	18
286	The management of hypertension in Canada: a review of current guidelines, their shortcomings and implications for the future. Cmaj, 2001, 164, 517-22.	0.9	18
287	The Introduction of Direct Oral Anticoagulants Has Not Resolved Treatment Gaps for Frail Patients With Nonvalvular Atrial Fibrillation. Canadian Journal of Cardiology, 2022, 38, 77-84.	0.8	18
288	The Utilization of Antithrombotic Prophylaxis for Atrial Fibrillation in a Geriatric Rehabilitation Hospital. Journal of the American Geriatrics Society, 1996, 44, 708-711.	1.3	17

#	Article	IF	CITATIONS
289	A randomized trial to assess the impact of opinion leader endorsed evidence summaries on the use of secondary prevention strategies in patients with coronary artery disease: the ESP-CAD trial protocol [NCT00175240]. Implementation Science, 2006, 1, 11.	2.5	17
290	Quantifying the Impact of Drug Exposure Misclassification due to Restrictive Drug Coverage in Administrative Databases: A Simulation Cohort Study. Value in Health, 2012, 15, 191-197.	0.1	17
291	Outcomes Among 3.5 Million Newly Diagnosed HypertensiveÂCanadians. Canadian Journal of Cardiology, 2013, 29, 592-597.	0.8	17
292	Influence of Patient Goals of Care on Performance Measures in Patients Hospitalized for Heart Failure. Circulation: Heart Failure, 2015, 8, 481-488.	1.6	17
293	Use of Direct Oral Anticoagulants in Canadian Primary Care Practice 2010–2015: A Cohort Study From the Canadian Primary Care Sentinel Surveillance Network. Journal of the American Heart Association, 2018, 7, .	1.6	17
294	Influence of hospital volume on outcomes for patients with heart failure: Evidence from a Canadian national cohort study. American Heart Journal, 2018, 202, 148-150.	1.2	17
295	The 2000 Canadian recommendations for the management of hypertension: part two-diagnosis and assessment of people with high blood pressure. Canadian Journal of Cardiology, 2001, 17, 1249-63.	0.8	17
296	Case management reduces global vascular risk after stroke: Secondary results from the The preventing recurrent vascular events and neurological worsening through intensive organized case-management randomized controlled trial. American Heart Journal, 2014, 168, 924-930.	1.2	16
297	Medication Discrepancies Associated With a Medication Reconciliation Program and Clinical Outcomes After Hospital Discharge. Pharmacotherapy, 2016, 36, 415-421.	1.2	16
298	Current depressive symptoms but not history of depression predict hospital readmission or death after discharge from medical wards: a multisite prospective cohort study. General Hospital Psychiatry, 2016, 39, 80-85.	1.2	16
299	High vs. low oxygen therapy in patients with acute heart failure: <scp>HiLoâ€HF</scp> pilot trial. ESC Heart Failure, 2019, 6, 667-677.	1.4	16
300	The impact of shifting demographics, variants of concern and vaccination on outcomes during the first 3 COVID-19 waves in Alberta and Ontario: a retrospective cohort study. CMAJ Open, 2022, 10, E400-E408.	1.1	16
301	The End of the Risk–Treatment Paradox?. Journal of the American College of Cardiology, 2011, 58, 1766-1767.	1.2	15
302	Are users of sulphonylureas at the time of an acute coronary syndrome at risk of poorer outcomes?. Diabetes, Obesity and Metabolism, 2013, 15, 1022-1028.	2.2	15
303	Similar outcomes among general medicine patients discharged on weekends. Journal of Hospital Medicine, 2015, 10, 69-74.	0.7	15
304	Usability and Acceptability of a Home Blood Pressure Telemonitoring Device Among Community-Dwelling Senior Citizens With Hypertension: Qualitative Study. JMIR Aging, 2018, 1, e10975.	1.4	15
305	Stroke: strategies for primary prevention. American Family Physician, 2003, 68, 2379-86.	0.1	15
306	Intraclass Differences Among Antihypertensive Drugs. Annual Review of Pharmacology and Toxicology, 2015, 55, 333-352.	4.2	14

#	Article	IF	Citations
307	Titration and Tolerability of Sacubitril/Valsartan for Patients With Heart Failure in Clinical Practice. Journal of Cardiovascular Pharmacology, 2019, 73, 149-154.	0.8	14
308	Telemonitoring and Protocolized Case Management for Hypertensive Community-Dwelling Seniors With Diabetes: Protocol of the TECHNOMED Randomized Controlled Trial. JMIR Research Protocols, 2016, 5, e107.	0.5	14
309	Assessment and reporting of perioperative cardiac risk by canadian general internists. Journal of General Internal Medicine, 2002, 17, 933-936.	1.3	13
310	Preoperative Thienopyridine Use and Outcomes after Surgery: A Systematic Review. American Journal of Medicine, 2012, 125, 87-99.e1.	0.6	13
311	Clinical implications of the CKD epidemiology collaboration (CKD-EPI) equation compared with the modification of diet in renal disease (MDRD) study equation for the estimation of renal dysfunction in patients with cardiovascular disease. Internal and Emergency Medicine, 2015, 10, 955-963.	1.0	13
312	Treated glycosylated hemoglobin levels in individuals with diabetes mellitus vary little by health status. Medicine (United States), 2016, 95, e3894.	0.4	13
313	Interprovincial Differences in Canadian Coronary Care Unit Resource Use and Outcomes. Canadian Journal of Cardiology, 2017, 33, 166-169.	0.8	13
314	Cost-Effectiveness of Osteoporosis Interventions to Improve Quality of Care After Upper Extremity Fracture: Results From a Randomized Trial (C-STOP Trial). Journal of Bone and Mineral Research, 2019, 34, 1220-1228.	3.1	13
315	Lipid Testing, Lipid-Modifying Therapy, and PCSK9 (Proprotein Convertase Subtilisin-Kexin Type 9) Inhibitor Eligibility in 27 979 Patients With Incident Acute Coronary Syndrome. Circulation: Cardiovascular Quality and Outcomes, 2021, 14, e006646.	0.9	13
316	Predicting 30-Day Readmissions in Patients With Heart Failure Using Administrative Data: A Machine Learning Approach. Journal of Cardiac Failure, 2022, 28, 710-722.	0.7	13
317	??-Blockers For Congestive Heart Failure. Drugs and Aging, 2000, 16, 1-7.	1.3	12
318	Thiazide diuretics for hypertension: Prescribing practices and predictors of use in 194,761 elderly patients with hypertension. American Journal of Geriatric Pharmacotherapy, 2006, 4, 161-167.	3.0	12
319	Cost-Effectiveness of Osteoporosis Interventions for 'Incidental' Vertebral Fractures. American Journal of Medicine, 2013, 126, 169.e9-169.e17.	0.6	12
320	Relationship Between Primary Care Physician Visits and Hospital/Emergency Use for Uncomplicated Hypertension, an Ambulatory Care-Sensitive Condition. Canadian Journal of Cardiology, 2014, 30, 1640-1648.	0.8	12
321	The Prognostic Importance of Changes in Renal Function during Treatment for Acute Heart Failure Depends on Admission Renal Function. PLoS ONE, 2015, 10, e0138579.	1.1	12
322	Searching for Adherence. Journal of the American College of Cardiology, 2016, 68, 802-804.	1.2	12
323	Pay-for-performance remuneration for pharmacist prescribers' management of hypertension. Canadian Pharmacists Journal, 2016, 149, 345-351.	0.4	12
324	Non-pharmacologic interventions to improve sleep of medicine inpatients: a controlled study. Journal of Community Hospital Internal Medicine Perspectives, 2017, 7, 287-295.	0.4	12

#	Article	IF	CITATIONS
325	Empirical Insights When Defining the Population Burden of Atrial Fibrillation and Oral Anticoagulation Utilization Using Administrative Data. Canadian Journal of Cardiology, 2019, 35, 1412-1415.	0.8	12
326	Contemporary Utilization of Digoxin in Patients with Atrial Fibrillation. Annals of Pharmacotherapy, 1999, 33, 289-293.	0.9	11
327	A randomized trial to assess the impact of an antithrombotic decision aid in patients with nonvalvular atrial fibrillation: the DAAFI trial protocol [ISRCTN14429643]. BMC Cardiovascular Disorders, 2004, 4, 5.	0.7	11
328	The Ankle-to-Arm Blood Pressure Index Predicts Risk of Cardiac Complications After Noncardiac Surgery. Anesthesia and Analgesia, 2008, 107, 149-154.	1.1	11
329	Statins and SARSâ€CoVâ€⊋ Infection: Results of a Populationâ€Based Prospective Cohort Study of 469Â749 Adults From 2 Canadian Provinces. Journal of the American Heart Association, 2021, 10, e022330.	1.6	11
330	Quality of warfarin management in primary care: Determining the stability of international normalized ratios using a nationally representative prospective cohort. Canadian Family Physician, 2019, 65, 416-425.	0.1	11
331	Changes in ischemic stroke presentations, management and outcomes during the first year of the COVID-19 pandemic in Alberta: a population study. Cmaj, 2022, 194, E444-E455.	0.9	11
332	The management of congestive heart failure Postgraduate Medical Journal, 1997, 73, 194-200.	0.9	10
333	The Canadian Hypertension Education Program (CHEP) recommendations: launching a new series. Cmaj, 2005, 173, 508-509.	0.9	10
334	Management of hypertension in elderly long-term care residents. Canadian Journal of Cardiology, 2008, 24, 912-914.	0.8	10
335	Identification of factors driving differences in cost effectiveness of first-line pharmacological therapy for uncomplicated hypertension. Canadian Journal of Cardiology, 2010, 26, e158-e163.	0.8	10
336	CANadian Network and Centre for Trials INternationally (CANNeCTIN): A national network for Canadian-led trials in cardiovascular diseases and diabetes mellitus. Canadian Journal of Cardiology, 2010, 26, 353-358.	0.8	10
337	Evaluating Research in Cardiovascular Medicine. Circulation, 2011, 123, 1038-1043.	1.6	10
338	Restrictive Drug Coverage Policies can Induce Substantial Drug Exposure Misclassification in Pharmacoepidemiologic Studies. Clinical Therapeutics, 2012, 34, 1379-1386.e3.	1,1	10
339	Impact of Rural Residence on Warfarin Use and Clinical Events in Patients with Non-Valvular Atrial Fibrillation: A Canadian Population Based Study. PLoS ONE, 2015, 10, e0140607.	1.1	10
340	Chronic kidney disease and prognosis in elderly patients with cardiovascular disease: Comparison between CKD-EPI and Berlin Initiative Study-1 formulas. European Journal of Preventive Cardiology, 2016, 23, 1504-1513.	0.8	10
341	A prospective evaluation of the established criteria for heart failure with preserved ejection fraction using the Alberta HEART cohort. ESC Heart Failure, 2018, 5, 19-26.	1.4	10
342	Total and Cause-Specific Mortality After Percutaneous Coronary Intervention: Observations From the Alberta Provincial Project for Outcome Assessment in Coronary Heart Disease Registry. CJC Open, 2019, 1, 182-189.	0.7	10

#	Article	IF	CITATIONS
343	The History of Hypertension Guidelines in Canada. Canadian Journal of Cardiology, 2019, 35, 582-589.	0.8	10
344	Cardiac reverse remodelling and health status in patients with chronic heart failure. ESC Heart Failure, 2021, 8, 3106-3118.	1.4	10
345	The preventing recurrent vascular events and neurological worsening through intensive organized case-management (PREVENTION) trial protocol [clinicaltrials.gov identifier: NCT00931788]. Implementation Science, 2010, 5, 27.	2.5	9
346	Neither Diabetes nor Glucose-Lowering Drugs Are Associated With Mortality After Noncardiac Surgery in Patients With Coronary Artery Disease or Heart Failure. Canadian Journal of Cardiology, 2013, 29, 423-428.	0.8	9
347	Mortality Outcomes Among Status Aboriginals and Whites With Heart Failure. Canadian Journal of Cardiology, 2014, 30, 619-626.	0.8	9
348	Risk of newâ€onset heart failure in patients using sitagliptin: a populationâ€based cohort study. Diabetic Medicine, 2016, 33, 621-630.	1,2	9
349	Factors Associated With Natriuretic Peptide Testing in Patients Presenting to Emergency Departments With Suspected Heart Failure. Canadian Journal of Cardiology, 2016, 32, 986.e1-986.e8.	0.8	9
350	Comparing Canadian health care to that in other countries: looking beyond the headlines. Cmaj, 2018, 190, E207-E208.	0.9	9
351	Informing COVID-19 vaccination priorities based on the prevalence of risk factors among adults in Canada. Cmaj, 2021, 193, E617-E621.	0.9	9
352	Use of beta-blockers for uncomplicated hypertension in the elderly: a cause for concern. Journal of Human Hypertension, 2007, 21, 271-275.	1.0	8
353	Use of oral proton pump inhibitors is not associated with harm in patients with chronic heart failure in an ambulatory setting. European Journal of Heart Failure, 2011, 13, 1211-1215.	2.9	8
354	Primary Care Physician Visits by Patients With Incident Hypertension. Canadian Journal of Cardiology, 2014, 30, 653-660.	0.8	8
355	A comparison of four risk models for the prediction of cardiovascular complications in patients with a history of atrial fibrillation undergoing non ardiac surgery. Anaesthesia, 2020, 75, 27-36.	1.8	8
356	Machine Learning, Predictive Analytics, and the Emperor's New Clothes: Why Artificial Intelligence Has Not Yet Replaced Conventional Approaches. Canadian Journal of Cardiology, 2021, 37, 1156-1158.	0.8	8
357	Cholesterol lowering for secondary prevention: what statin dose should we use?. Vascular Health and Risk Management, 2007, 3, 615-27.	1.0	8
358	Towards a better yardstick: the choice of treatment thresholds in hypertension. Canadian Journal of Cardiology, 1998, 14, 47-51.	0.8	8
359	Epidemiology of Worsening Heart Failure in a Population-based Cohort from Alberta, Canada: Evaluating Eligibility for Treatment With Vericiguat. Journal of Cardiac Failure, 2022, 28, 1298-1308.	0.7	8
360	The risk of death or unplanned readmission after discharge from a COVID-19 hospitalization in Alberta and Ontario. Cmaj, 2022, 194, E666-E673.	0.9	8

#	Article	IF	CITATIONS
361	Comparison of Mortality and Hospital Readmissions Among Patients Receiving Virtual Ward Transitional Care vs Usual Postdischarge Care. JAMA Network Open, 2022, 5, e2219113.	2.8	8
362	A cluster randomized trial to assess the impact of opinion leader endorsed evidence summaries on improving quality of prescribing for patients with chronic cardiovascular disease: rationale and design [ISRCTN26365328]. BMC Cardiovascular Disorders, 2005, 5, 17.	0.7	7
363	Does Reducing Inpatient Length of Stay Have Upstream Effects on the Emergency Room: Exploring the Impact of the General Internal Medicine Care Transformation Initiative. Academic Emergency Medicine, 2016, 23, 711-717.	0.8	7
364	What happens when healthcare innovations collide?: TableÂ1. BMJ Quality and Safety, 2016, 25, 9-13.	1.8	7
365	The Care Transitions Measure-3 Is Only Weakly Associated with Post-discharge Outcomes: a Retrospective Cohort Study in 48,384 Albertans. Journal of General Internal Medicine, 2019, 34, 2497-2504.	1.3	7
366	External Validation and Refinement of Emergency Heart Failure Mortality Risk Grade Risk Model in Patients With Heart Failure in the Emergency Department. CJC Open, 2019, 1, 123-130.	0.7	7
367	Impact of the Generic Valsartan Recall in Alberta, Canada. Journal of the American College of Cardiology, 2020, 75, 1860-1862.	1.2	7
368	Refining Hypertension Surveillance to Account for Potentially Misclassified Cases. PLoS ONE, 2015, 10, e0119186.	1.1	7
369	Factors associated with hypertension control among older Canadians. Health Reports, 2018, 29, 3-10.	0.6	7
370	A Survey of Management Practices for Isolated Systolic Hypertension. Journal of the American Geriatrics Society, 1997, 45, 1219-1222.	1.3	6
371	Cardiac Resynchronization Therapy for Heart Failure. Circulation, 2008, 118, 901-903.	1.6	6
372	Patient isolation precautions and 30-day risk of readmission or death after hospital discharge: a prospective cohort study. International Journal of Infectious Diseases, 2016, 43, 74-76.	1.5	6
373	Applicability of the S ystolic Blood Pr essure In tervention T rial (SPRINT) to the Canadian Population. Canadian Journal of Cardiology, 2018, 34, 670-675.	0.8	6
374	Parental Atrial Fibrillation and Stroke or Atrial Fibrillation in Young Adults. Stroke, 2019, 50, 2322-2328.	1.0	6
375	Elevated Blood Pressures Are Common in the Emergency Department but Are They Important? A Retrospective Cohort Study of 30,278 Adults. Annals of Emergency Medicine, 2021, 77, 425-432.	0.3	6
376	Association between blood lead and blood pressure: Results from the Canadian Health Measures Survey (2007 to 2011). Health Reports, 2014, 25, 12-22.	0.6	6
377	Identifying subgroups of adult high-cost health care users: a retrospective analysis. CMAJ Open, 2022, 10, E390-E399.	1.1	6
378	Lipid-Lowering Therapy and Outcomes in Heart Failure. Journal of Cardiovascular Pharmacology and Therapeutics, 2007, 12, 27-35.	1.0	5

#	Article	IF	Citations
379	Postgame Wrap of the Ultimate Blood Pressure Megatrial. Hypertension, 2009, 53, 595-597.	1.3	5
380	Evaluating the introduction of a computerized prior-authorization system on the completeness of drug exposure data. Pharmacoepidemiology and Drug Safety, 2013, 22, 551-555.	0.9	5
381	Variations in the emergency department management of atrial fibrillation: Lessons to be learned. American Heart Journal, 2016, 173, 159-160.	1.2	5
382	Characterization of hemodynamically stable acute heart failure patients requiring a critical care unit admission: Derivation, validation, and refinement of a risk score. American Heart Journal, 2017, 188, 127-135.	1.2	5
383	Secondary prevention treatment after acute stroke in older South Asian, Chinese and other Canadians: a retrospective data analysis. CMAJ Open, 2017, 5, E702-E709.	1.1	5
384	Inpatient bedspacing: could a common response to hospital crowding cause increased patient mortality?. BMJ Quality and Safety, 2018, 27, 1-3.	1.8	5
385	Evaluating the potential for pharmacists to prescribe oral anticoagulants for atrial fibrillation. Canadian Pharmacists Journal, 2018, 151, 51-61.	0.4	5
386	Although non-stroke outcomes are more common, stroke risk scores can be used for prediction in patients with atrial fibrillation. International Journal of Cardiology, 2018, 269, 145-151.	0.8	5
387	Heart failure treatment and the art of medical decision making. European Journal of Heart Failure, 2019, 21, 1510-1514.	2.9	5
388	Preoperative levels of natriuretic peptides and the incidence of postoperative atrial fibrillation after noncardiac surgery: a prospective cohort study. Cmaj, 2020, 192, E1715-E1722.	0.9	5
389	The Incidence and Prevalence of Cardiac Amyloidosis in a Large Community-Based Cohort in Alberta, Canada. Journal of Cardiac Failure, 2022, 28, 237-246.	0.7	5
390	Concurrent use of P-glycoprotein or Cytochrome 3A4 drugs and non-vitamin K antagonist oral anticoagulants in non-valvular atrial fibrillation. European Heart Journal Quality of Care & Clinical Outcomes, 2022, 8, 195-201.	1.8	5
391	Implementation of Guidelines for Diagnosing and Treating Hypertension. Disease Management and Health Outcomes, 2001, 9, 361-369.	0.3	4
392	Levels of Evidence Needed for Changing Indications, Contraindications, and Food and Drug Administration Labeling: The Case of Metformin. Archives of Internal Medicine, 2011, 171, 1042.	4.3	4
393	Decreasing readmissions: it can be done but one size does not fit all. BMJ Quality and Safety, 2013, 22, 975-976.	1.8	4
394	The many faces of hypertension in Canada. Current Opinion in Cardiology, 2014, 29, 354-359.	0.8	4
395	Incremental costs of high intensive care utilisation in patients hospitalised with heart failure. European Heart Journal: Acute Cardiovascular Care, 2019, 8, 660-666.	0.4	4
396	Low Prevalence of Transcatheter Mitral Valve Repair Eligibility in a Community Heart Failure Population. Circulation: Heart Failure, 2020, 13, e006952.	1.6	4

#	Article	IF	CITATIONS
397	The ecology of medical care for adults in Alberta, 2002/03 to 2016/17: a retrospective cohort study. CMAJ Open, 2020, 8, E169-E177.	1.1	4
398	Visit-to-visit blood pressure variability is common in primary care patients: Retrospective cohort study of 221,803 adults. PLoS ONE, 2021, 16, e0248362.	1.1	4
399	Atrial fibrillation, shared decision making, and the prevention of stroke. Stroke, 2002, 33, 243-4.	1.0	4
400	Recent advances in the drug treatment of heart failure Postgraduate Medical Journal, 1998, 74, 658-661.	0.9	3
401	Device therapy in heart failure. BMJ: British Medical Journal, 2007, 335, 895-896.	2.4	3
402	Cholesterol End Points Predict Outcome in Patients With Coronary Disease: Quality Improvement Metrics from The Enhancing Secondary Prevention in Coronary Artery Disease (ESP-CAD) Trial. Canadian Journal of Cardiology, 2014, 30, 1627-1632.	0.8	3
403	Changes in Thiazolidinedione Use and Outcomes Following Removal of a Prior-authorization Policy. Medical Care, 2014, 52, 47-55.	1.1	3
404	Patients' Experiences of Nurse Case-Managed Osteoporosis Care: A Qualitative Study. Journal of Patient Experience, 2020, 7, 251-257.	0.4	3
405	Impact of Atrial Fibrillation Case Volume in the Emergency Department on Early and Late Outcomes of Patients With New Atrial Fibrillation. Annals of Emergency Medicine, 2021, 78, 242-252.	0.3	3
406	The treatment of hypertension in Canada: are we making progress?. Cmaj, 1999, 161, 713-4.	0.9	3
407	Changes in labelling for metformin use in patients with type 2 diabetes and heart failure: documented safety outweighs theoretical risks. Open Medicine, 2011, 5, e33-4.	1.5	3
408	Factors associated with SARS-CoV-2 test positivity in long-term care homes: A population-based cohort analysis using machine learning. The Lancet Regional Health Americas, 2022, 6, 100146.	1.5	3
409	Heart failure with mildly reduced ejection fraction: retrospective study of ejection fraction trajectory risk. ESC Heart Failure, 2022, 9, 1564-1573.	1.4	3
410	Putting ACCOMPLISH into context: management of hypertension in 2010. Cmaj, 2010, 182, 1600-1601.	0.9	2
411	Wrongfully accused: metformin use in heart failure. Expert Review of Cardiovascular Therapy, 2011, 9, 147-150.	0.6	2
412	Stroke prevention for patients with atrial fibrillation: improving but not perfect yet. Heart, 2013, 99, 1141-1142.	1.2	2
413	Overtreatment of Low-Risk Patients With Atrial Fibrillation—The Quality Coin Has 2 Sides. JAMA Cardiology, 2016, 1, 848.	3.0	2
414	Geographic clustering of emergency department presentations for acute coronary syndromes and heart failure in Alberta: a population-based study. CMAJ Open, 2017, 5, E402-E410.	1.1	2

#	Article	IF	Citations
415	Acute Coronary Syndromes and Heart Failure Critical Care Units Utilization and Outcomes in Teaching and Community Hospitals: A National Population-Based Analysis. Canadian Journal of Cardiology, 2018, 34, 1365-1368.	0.8	2
416	Frequency of laboratory testing and associated abnormalities in patients with hypertension. Journal of Clinical Hypertension, 2020, 22, 2077-2083.	1.0	2
417	Cardiovascular risk factor control in British adults with diabetes mellitus: Retrospective cohort study. Endocrinology, Diabetes and Metabolism, 2020, 3, e00114.	1.0	2
418	Which Adults Presenting for Severe Acute Respiratory Syndrome Coronavirus 2 Testing Are Most Likely to Produce a Positive Swab Result?. Chest, 2021, 159, 1803-1806.	0.4	2
419	The predictive ability of EQ-5D-3L compared to the LACE index and its association with 30-day post-hospitalization outcomes. Quality of Life Research, 2021, 30, 2583-2590.	1.5	2
420	Validity of different dose reduction criteria for apixaban. American Heart Journal, 2021, 238, 12-15.	1.2	2
421	Prevalence of Cardiovascular Disease in a Population-Based Cohort of High-Cost Healthcare Services Users. CJC Open, 2022, 4, 180-188.	0.7	2
422	Health Resource Implications of Heart Failure Hospitalizations in Younger Patients Compared With Older Patients. Circulation, 2017, 136, 424-427.	1.6	2
423	The timing of computed tomography in acute stroke: a practice audit. Canadian Association of Radiologists Journal, 1997, 48, 123-9.	1.1	2
424	Relationship of frailty with excess mortality during the COVID-19 pandemic: a population-level study in Ontario, Canada. Aging Clinical and Experimental Research, 2022, 34, 2557-2565.	1.4	2
425	Postpulmonary Embolism Pericarditis: A Case Report and Review of the Literature. Canadian Respiratory Journal, 1996, 3, 13-16.	0.8	1
426	Best evidence in anesthetic practice. Canadian Journal of Anaesthesia, 2002, 49, 655-658.	0.7	1
427	Management of Chronic Obstructive Pulmonary Diseaseâ€"Reply. JAMA - Journal of the American Medical Association, 2004, 291, 1066.	3.8	1
428	Cardiac Resynchronization Therapy in Heart Failure. Annals of Internal Medicine, 2005, 142, 307.	2.0	1
429	Response to Letter Regarding Article, "Mortality and Readmission of Patients With Heart Failure, Atrial Fibrillation, or Coronary Artery Disease Undergoing Noncardiac Surgery: An Analysis of 38 047 Patients― Circulation, 2012, 125, .	1.6	1
430	ICDs, Guidelines, and National Registries: Opportunities to Enhance Quality of Patient Care. PACE - Pacing and Clinical Electrophysiology, 2012, 35, 253-258.	0.5	1
431	Effects of longitudinal changes in Charlson comorbidity on prognostic survival model performance among newly diagnosed patients with hypertension. BMC Health Services Research, 2016, 16, 671.	0.9	1
432	Hypertension prevalence but not control varies across the spectrum of risk in patients with atrial fibrillation: A RE-LY atrial fibrillation registry sub-study. PLoS ONE, 2020, 15, e0226259.	1,1	1

#	Article	IF	CITATIONS
433	Trauma of Hospitalization Is Common in Medical Inpatients But Is Not Associated with Post-Discharge Outcomes. Journal of General Internal Medicine, 2021, 36, 2579-2584.	1.3	1
434	Prior adherence to statins is a predictor of subsequent adherence and persistence to oral, but not parenteral, osteoporosis medications. Journal of Bone and Mineral Metabolism, 2021, 39, 712-718.	1.3	1
435	Controlling the Ischemic Heart Disease Epidemic: Strategies for the 21st Century. Canadian Journal of Public Health, 2001, 92, 9-10.	1.1	0
436	Can a network meta-analysis be used to determine the effect of antihypertensive drugs on the risk of incident diabetes?. Nature Clinical Practice Endocrinology and Metabolism, 2007, 3, 516-517.	2.9	0
437	Response to Letter Regarding Article, "Aspirin Use and Outcomes in a Community-Based Cohort of 7352 Patients Discharged After First Hospitalization for Heart Failure― Circulation, 2007, 115, .	1.6	0
438	Response to Letter Regarding Article, "Heart Failure Is a Risk Factor for Orthopedic Fracture: A Population-Based Analysis of 16 294 Patients― Circulation, 2009, 120, .	1.6	0
439	A strategy to improve hypertension control: The Canadian experience. CVD Prevention and Control, 2010, 5, 107-113.	0.7	0
440	Limited Impact of Drug Exposure Misclassification From Non-Benefit Thiazolidinedione Drug Use on Mortality and Hospitalizations From Saskatchewan, Canada: A Cohort Study. Clinical Therapeutics, 2015, 37, 629-642.	1.1	0
441	Letter by McAlister and Ezekowitz Regarding Article, "Temporal Trends and Variation in Early Scheduled Follow-Up After a Hospitalization for Heart Failure: Findings From Get With the Guidelines-Heart Failure― Circulation: Heart Failure, 2016, 9, .	1.6	0
442	Letter by Kaul et al Regarding Article, "Age-Specific Trends in Incidence, Mortality, and Comorbidities of Heart Failure in Denmark, 1995 to 2012― Circulation, 2017, 136, 884-885.	1.6	0
443	Concerns Regarding Resource Use and Outcomes in Subsets of Clinicians. JAMA Internal Medicine, 2018, 178, 580.	2.6	0
444	Substantial Differences Between Cohorts of Patients Hospitalized With Heart Failure in Canada and the United Statesâ€"Reply. JAMA Cardiology, 2019, 4, 1179.	3.0	0
445	Effects of early physician follow-up. Cmaj, 2019, 191, E509-E509.	0.9	0
446	Improving Outcomes for Patients with Heart Failure After Discharge: Mind the Gap. Journal of Cardiac Failure, 2019, 25, 340-342.	0.7	0
447	The "1-year-death number needed to treat―for comparing the impact of distinct interventions on patient outcomes. Cmaj, 2019, 191, E1242-E1249.	0.9	0
448	Capsule Commentary on Woodfine et. al., Criteria for Hyponatremic Overcorrection: Systematic Review and Cohort Study of Emergently Ill Patients. Journal of General Internal Medicine, 2020, 35, 405-405.	1.3	0
449	Despite Having Worse Risk Profiles, Northern Albertans Wait Longer for Specialist Follow-up After Emergency Department Visits for Atrial Fibrillation. CJC Open, 2020, 2, 610-618.	0.7	0
450	RE: Patient-Reported Quality of Hospital Discharge Transitions. Journal of General Internal Medicine, 2021, 36, 537-537.	1.3	0

#	Article	IF	CITATIONS
451	Is There Any Interaction Between Sex and Renal Function Change During Hospital Stay in Patients Hospitalized With Acute Heart Failure?. Journal of Cardiac Failure, 2021, 27, 934-941.	0.7	0
452	274 Telemonitoring or structured telephone support programs for patients with heart failure: a systematic review and meta-analysis. European Journal of Heart Failure, Supplement, 2007, 6, 56-56.	0.2	0
453	Higher medication doses in heart failure?. Canadian Family Physician, 2017, 63, e20.	0.1	O
454	Review: Commonly used antihypertensive therapies and targeted blood pressure–lowering regimens reduce cardiovascular events. ACP Journal Club, 2004, 140, 72.	0.1	0