

Michael L Johnson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11669654/publications.pdf>

Version: 2024-02-01

90
papers

2,503
citations

257450

24
h-index

206112

48
g-index

90
all docs

90
docs citations

90
times ranked

3731
citing authors

#	ARTICLE	IF	CITATIONS
1	Risk of overactive bladder associated with cholinesterase inhibitors in dementia. <i>Journal of the American Geriatrics Society</i> , 2022, 70, 820-830.	2.6	1
2	Racial and ethnic differences in capecitabine toxicity in patients with gastrointestinal tract cancers. <i>Annals of Gastroenterology</i> , 2022, 35, 182-186.	0.6	3
3	Adherence to concomitant diabetes, hypertension, and hyperlipidemia treatments among older patients. <i>Journal of the American Pharmacists Association: JAPhA</i> , 2022, 62, 1351-1358.	1.5	2
4	Evaluating adherence to concomitant diabetes, hypertension, and hyperlipidemia treatments and intermediate outcomes among elderly patients using marginal structural modeling. <i>Pharmacotherapy</i> , 2022, 42, 518-528.	2.6	1
5	Risk of Serious Adverse Events Associated With Individual Cholinesterase Inhibitors Use in Older Adults With Dementia: A Population-Based Cohort Study. <i>Drugs and Aging</i> , 2022, 39, 453-465.	2.7	4
6	Comparative risk of adverse outcomes associated with nonselective and selective antimuscarinic medications in older adults with dementia and overactive bladder. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 684-696.	2.7	8
7	Patient-reported barriers to statin adherence: Excerpts from a motivational interviewing intervention in older adults. <i>Journal of the American Pharmacists Association: JAPhA</i> , 2021, 61, 60-67.e1.	1.5	2
8	Antipsychotic Initiation Among Older Dementia Patients Using Cholinesterase Inhibitors: A National Retrospective Cohort Study. <i>Drugs and Aging</i> , 2021, 38, 493-502.	2.7	2
9	Comparative treatment effectiveness of oral fingolimod and conventional injectable disease-modifying agents in multiple sclerosis. <i>Pharmacotherapy</i> , 2021, 41, 440-450.	2.6	1
10	Chemoprotective effect of metformin against HR+/HER2- breast cancer among women with type-2 diabetes. <i>Journal of Clinical Oncology</i> , 2021, 39, 10518-10518.	1.6	0
11	Antimuscarinic use among older adults with dementia and overactive bladder: a Medicare beneficiaries study. <i>Current Medical Research and Opinion</i> , 2021, 37, 1303-1313.	1.9	3
12	Factors associated with oral fingolimod use over injectable disease-modifying agent use in multiple sclerosis. <i>Exploratory Research in Clinical and Social Pharmacy</i> , 2021, 2, 100021.	1.0	0
13	Outcomes of Real-World Insulin Strategies in the Management of Hospital Hyperglycemia. <i>Journal of the Endocrine Society</i> , 2021, 5, bvab101.	0.2	9
14	Anticholinergic burden and risk of cognitive impairment in elderly nursing home residents with depression. <i>Research in Social and Administrative Pharmacy</i> , 2020, 16, 329-335.	3.0	16
15	Patient-reported outcomes in light of supportive medications in treatment-naïve lung cancer patients. <i>Supportive Care in Cancer</i> , 2020, 28, 1809-1816.	2.2	2
16	Examination of physicians' adherence to the 2013 ACC/AHA statin/cholesterol guidelines using a framework of awareness to adherence: A cross-sectional study. <i>JRSM Cardiovascular Disease</i> , 2020, 9, 204800402094729.	0.7	2
17	Comparative Adherence Trajectories of Oral Fingolimod and Injectable Disease Modifying Agents in Multiple Sclerosis. <i>Patient Preference and Adherence</i> , 2020, Volume 14, 2187-2199.	1.8	12
18	Comment on Arshad et al.: Treatment with Hydroxychloroquine, Azithromycin, and Combination in Patients Hospitalized with COVID-19. <i>International Journal of Infectious Diseases</i> , 2020, 99, 373.	3.3	5

#	ARTICLE	IF	CITATIONS
19	<p>Group-Based Trajectory Modeling to Identify Patterns of Adherence and Its Predictors Among Older Adults on Angiotensin-Converting Enzyme Inhibitors (ACEIs)/Angiotensin Receptor Blockers (ARBs)</p>. Patient Preference and Adherence, 2020, Volume 14, 1935-1947.	1.8	11
20	Concordance Between Electronic Health Record Data and Medicare Part D Claims Data for Oral Anticancer Drug Use. JAMA Network Open, 2020, 3, e203821.	5.9	1
21	Risk of Mortality Associated with Non-selective Antimuscarinic medications in Older Adults with Dementia: a Retrospective Study. Journal of General Internal Medicine, 2020, 35, 2084-2093.	2.6	13
22	<p>Use of Atypical Antipsychotics in Long-Term Care Residents with Parkinson&€™s Disease and Comorbid Depression</p>. Drug, Healthcare and Patient Safety, 2020, Volume 12, 23-30.	2.5	8
23	Impact of Chlorhexidine Bathing on Antimicrobial Utilization in Surgical Intensive Care Unit. Journal of Surgical Research, 2020, 250, 161-171.	1.6	1
24	Risk of Mortality Associated With Atypical Antipsychotic use: A National Cohort Study of Older Adults With Depression and Parkinson's Disease. American Journal of Geriatric Psychiatry, 2020, 28, 1079-1088.	1.2	5
25	Risk of pneumonia associated with atypical antipsychotic use in nursing home residents with Parkinson&€™s disease. Journal of Psychiatric Research, 2019, 117, 116-121.	3.1	8
26	Enhancing Statin Adherence Using a Motivational Interviewing Intervention and Past Adherence Trajectories in Patients with Suboptimal Adherence. Journal of Managed Care & Specialty Pharmacy, 2019, 25, 1053-1062.	0.9	22
27	Physician Care Coordination and the Use of Psychotropic Polypharmacy in the Management of Pediatric Mental Disorders. Journal of Managed Care & Specialty Pharmacy, 2019, 25, 29-38.	0.9	6
28	Group-Based Trajectory Models to Identify Sociodemographic and Clinical Predictors of Adherence Patterns to Statin Therapy Among Older Adults. American Health and Drug Benefits, 2019, 12, 202-211.	0.5	11
29	The impact of concomitant use of tyrosine kinase inhibitors and proton pump inhibitors on survival in older adults with cancer.. Journal of Clinical Oncology, 2018, 36, e18732-e18732.	1.6	0
30	Risk of Mortality in Elderly Nursing Home Patients with Depression Using Paroxetine. Pharmacotherapy, 2017, 37, 287-296.	2.6	9
31	Risk of Mortality Associated with Anticholinergic Use in Elderly Nursing Home Residents with Depression. Drugs and Aging, 2017, 34, 691-700.	2.7	21
32	Discharge medication complexity and 30-day heart failure readmissions. Research in Social and Administrative Pharmacy, 2017, 13, 857-863.	3.0	25
33	Comparative Performance of Diagnosis-based and Prescription-based Comorbidity Scores to Predict Health-related Quality of Life. Medical Care, 2016, 54, 519-527.	2.4	10
34	Anticholinergic Medication Use and Risk of Fracture in Elderly Adults with Depression. Journal of the American Geriatrics Society, 2016, 64, 1492-1497.	2.6	28
35	Anticholinergic Medication Use and Risk of Pneumonia in Elderly Adults: A Nested Case&€“Control Study. Journal of the American Geriatrics Society, 2016, 64, 394-400.	2.6	41
36	Effect of Chlorhexidine Bathing Every Other Day on Prevention of Hospital-Acquired Infections in the Surgical ICU: A Single-Center, Randomized Controlled Trial*. Critical Care Medicine, 2016, 44, 1822-1832.	0.9	46

#	ARTICLE	IF	CITATIONS
37	Regression coefficientâ€‘based scoring system should be used to assign weights to the risk index. <i>Journal of Clinical Epidemiology</i> , 2016, 79, 22-28.	5.0	141
38	Use of Angiotensin-Converting Enzyme Inhibitors, Angiotensin Receptor Blockers, and Risk of Dementia in Heart Failure. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2016, 31, 395-404.	1.9	8
39	Comparative Effectiveness of Smoking Cessation Medications to Attenuate Weight Gain Following Cessation. <i>Substance Use and Misuse</i> , 2016, 51, 586-597.	1.4	9
40	A multi-center study of fidaxomicin use for <i>Clostridium difficile</i> infection. <i>SpringerPlus</i> , 2016, 5, 1224.	1.2	10
41	Comparative Effectiveness of Second-Generation Antidepressants in Reducing the Risk of Dementia in Elderly Nursing Home Residents with Depression. <i>Pharmacotherapy</i> , 2016, 36, 38-48.	2.6	7
42	Comparative risk of hip fractures in elderly nursing home patients with depression using paroxetine and other selective serotonin reuptake inhibitors. <i>Journal of Comparative Effectiveness Research</i> , 2016, 5, 461-473.	1.4	6
43	Prevalence and Factors Associated with Multiple Provider Episodes in Texas: An Epidemiological Analysis of Prescription Drug Monitoring Program Data. <i>Pain Medicine</i> , 2016, 18, pnw250.	1.9	3
44	Anticholinergic Medication Use and Risk of Dementia Among Elderly Nursing Home Residents with Depression. <i>American Journal of Geriatric Psychiatry</i> , 2016, 24, 485-495.	1.2	24
45	Comparative Cognitive Profile of Second-Generation Antidepressants in Elderly Nursing Home Residents With Depression. <i>Annals of Pharmacotherapy</i> , 2016, 50, 96-105.	1.9	3
46	Risk of Cognitive Decline Associated With Paroxetine Use in Elderly Nursing Home Patients With Depression. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2016, 31, 678-686.	1.9	10
47	Potentially inappropriate anticholinergic medication use in older adults with dementia. <i>Journal of the American Pharmacists Association: JAPhA</i> , 2015, 55, 603-612.	1.5	24
48	Development and Validation of the RxDx-Dementia Risk Index to Predict Dementia in Patients with Type 2 Diabetes and Hypertension. <i>Journal of Alzheimer's Disease</i> , 2015, 49, 423-432.	2.6	23
49	Concurrent Use of Stimulants and Second-Generation Antipsychotics Among Children With ADHD Enrolled in Medicaid. <i>Psychiatric Services</i> , 2015, 66, 404-410.	2.0	22
50	Risk of Dementia Among Elderly Nursing Home Patients Using Paroxetine and Other Selective Serotonin Reuptake Inhibitors. <i>Psychiatric Services</i> , 2015, 66, 1333-1340.	2.0	18
51	Parentsâ€™ Expectations to Receive Antibiotic Prescriptions for Children. <i>Journal of Human Behavior in the Social Environment</i> , 2015, 25, 530-551.	1.9	2
52	Potentially Inappropriate Anticholinergic Medication Use in Community-Dwelling Older Adults: A National Cross-Sectional Study. <i>Drugs and Aging</i> , 2015, 32, 379-389.	2.7	36
53	Use of Statins and Risk of Dementia in Heart Failure: A Retrospective Cohort Study. <i>Drugs and Aging</i> , 2015, 32, 743-754.	2.7	11
54	Comparison of Diabetes Risk Following Smoking Cessation Treatment Using Varenicline Versus Bupropion Among Obese Smokers. <i>Substance Use and Misuse</i> , 2015, 50, 1628-1637.	1.4	2

#	ARTICLE	IF	CITATIONS
55	Potentially inappropriate medication use in elderly breast cancer patients.. Journal of Clinical Oncology, 2015, 33, 6588-6588.	1.6	1
56	Hepatopancreaticobiliary Values after Thoracoabdominal Aneurysm Repair. Aorta, 2014, 2, 135-142.	0.5	4
57	Validation of a Model To Predict the Risk of Nephrotoxicity in Patients Receiving Colistin. Antimicrobial Agents and Chemotherapy, 2014, 58, 6946-6948.	3.2	15
58	Comparative effectiveness of different angiotensin-converting enzyme inhibitors on the risk of hospitalization in patients with heart failure. Journal of Comparative Effectiveness Research, 2012, 1, 195-206.	1.4	8
59	Consumers' intention to use generic-drug discount programmes. Journal of Pharmaceutical Health Services Research, 2012, 3, 205-212.	0.6	2
60	Antihypertensive drug use and the risk of dementia in patients with diabetes mellitus. Alzheimer's and Dementia, 2012, 8, 437-444.	0.8	61
61	Risk of Falls and Fractures in Older Adults Using Atypical Antipsychotic Agents: A Propensity Score-Adjusted, Retrospective Cohort Study. American Journal of Geriatric Pharmacotherapy, 2012, 10, 83-94.	3.0	33
62	Comparative Risk of Cerebrovascular Adverse Events in Community-Dwelling Older Adults using Risperidone, Olanzapine and Quetiapine. Drugs and Aging, 2012, 29, 807-817.	2.7	24
63	Bedside Barcode Technology: Impact on Medication Administration Tasks in an Intensive Care Unit. Hospital Pharmacy, 2012, 47, 360-366.	1.0	3
64	Comparative effectiveness of individual angiotensin receptor blockers on risk of mortality in patients with chronic heart failure. Pharmacoepidemiology and Drug Safety, 2012, 21, 233-240.	1.9	15
65	Effect of certain angiotensin-converting enzyme inhibitors on mortality in heart failure: A multiple-propensity analysis. Research in Social and Administrative Pharmacy, 2012, 8, 145-156.	3.0	7
66	Risk factors for dementia in patients over 65 with diabetes. International Journal of Geriatric Psychiatry, 2011, 26, 749-757.	2.7	49
67	Comparative effectiveness research: guidelines for good practices are just the beginning. Expert Review of Pharmacoeconomics and Outcomes Research, 2011, 11, 51-57.	1.4	6
68	Risk of Cerebrovascular Adverse Events in Older Adults Using Antipsychotic Agents. Journal of Clinical Psychiatry, 2010, 71, 689-698.	2.2	23
69	Does Diabetes Mellitus Alter the Onset and Clinical Course of Vascular Dementia?. Behavioural Neurology, 2010, 23, 145-151.	2.1	13
70	Risk of Falls and Fractures in Older Adults Using Antipsychotic Agents. Drugs and Aging, 2010, 27, 815-829.	2.7	29
71	The Association of Medicare Drug Coverage with Use of Evidence-Based Medications in the Veterans Health Administration. Annals of Pharmacotherapy, 2009, 43, 1565-1575.	1.9	8
72	Good Research Practices for Comparative Effectiveness Research: Defining, Reporting and Interpreting Nonrandomized Studies of Treatment Effects Using Secondary Data Sources: The ISPOR Good Research Practices for Retrospective Database Analysis Task Force Report-Part I. Value in Health, 2009, 12, 1044-1052.	0.3	305

#	ARTICLE	IF	CITATIONS
73	Good Research Practices for Comparative Effectiveness Research: Approaches to Mitigate Bias and Confounding in the Design of Nonrandomized Studies of Treatment Effects Using Secondary Data Sources: The International Society for Pharmacoeconomics and Outcomes Research Good Research Practices for Retrospective Database Analysis Task Force Reportâ€”Part II. Value in Health, 2009, 12, 1053-1061.	0.3	246
74	Good Research Practices for Comparative Effectiveness Research: Analytic Methods to Improve Causal Inference from Nonrandomized Studies of Treatment Effects Using Secondary Data Sources: The ISPOR Good Research Practices for Retrospective Database Analysis Task Force Reportâ€”Part III. Value in Health, 2009, 12, 1062-1073.	0.3	234
75	VHA pharmacy use in veterans with Medicare drug coverage. American Journal of Managed Care, 2009, 15, e1-8.	1.1	37
76	Hospitalization risk associated with typical and atypical antipsychotic use in community-dwelling elderly patients. American Journal of Geriatric Pharmacotherapy, 2008, 6, 198-204.	3.0	30
77	Datapoints: Antipsychotic Utilization and Expenditure Trends Among Elderly Persons. Psychiatric Services, 2007, 58, 1400-1400.	2.0	7
78	Performance of endovascular aortic aneurysm repair in high-risk patients: Results from the Veterans Affairs National Surgical Quality Improvement Program. Journal of Vascular Surgery, 2007, 45, 227-235.e1.	1.1	88
79	A quasi-experimental test of an intervention to increase the use of thiazide-based treatment regimens for people with hypertension. Implementation Science, 2007, 2, 5.	6.9	9
80	Propensity score analysis in observational studies: outcomes after abdominal aortic aneurysm repair. American Journal of Surgery, 2006, 192, 336-343.	1.8	28
81	Adapting the Rx-Risk-V for Mortality Prediction in Outpatient Populations. Medical Care, 2006, 44, 793-797.	2.4	53
82	Therapeutic Goal Attainment in Patients With Hypertension and Dyslipidemia. Medical Care, 2006, 44, 39-46.	2.4	90
83	Open Versus Endovascular Abdominal Aortic Aneurysm Repair in VA Hospitals. Journal of the American College of Surgeons, 2006, 202, 577-587.	0.5	89
84	Patterns of antihypertensive therapy among patients with diabetes. Journal of General Internal Medicine, 2005, 20, 842-846.	2.6	32
85	Prescribing Patterns of Diuretics in Multiâ€Drug Antihypertensive Regimens. Journal of Clinical Hypertension, 2005, 7, 81-89.	2.0	5
86	Prevalence of comorbid hypertension and dyslipidemia and associated cardiovascular disease. American Journal of Managed Care, 2004, 10, 926-32.	1.1	82
87	Effect of Definition of Mortality on Hospital Profiles. Medical Care, 2002, 40, 7-16.	2.4	55
88	The Association of Quality of Care and Occurrence of In-Hospital, Treatment-Related Complications. Medical Care, 1999, 37, 140-148.	2.4	20
89	International Classification of Diseases, 9th Revision, Clinical Modification Codes in Discharge Abstracts Are Poor Measures of Complication Occurrence in Medical Inpatients. Medical Care, 1997, 35, 589-602.	2.4	73
90	In-hospital complications among survivors of admission for congestive heart failure, chronic obstructive pulmonary disease, or diabetes mellitus. Journal of General Internal Medicine, 1995, 10, 307-314.	2.6	21