

# Kamlesh Khunti

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11671712/publications.pdf>

Version: 2024-02-01

351  
papers

32,199  
citations

7096

78  
h-index

5255

165  
g-index

373  
all docs

373  
docs citations

373  
times ranked

36861  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | 2019 ESC Guidelines on diabetes, pre-diabetes, and cardiovascular diseases developed in collaboration with the EASD. <i>European Heart Journal</i> , 2020, 41, 255-323.  | 2.2  | 2,811     |
| 2  | Type 2 diabetes. <i>Lancet</i> , The, 2017, 389, 2239-2251.  | 13.7 | 1,691     |
| 3  | Pharmacological and lifestyle interventions to prevent or delay type 2 diabetes in people with impaired glucose tolerance: systematic review and meta-analysis. <i>BMJ: British Medical Journal</i> , 2007, 334, 299.                  | 2.3  | 930       |
| 4  | Associations of type 1 and type 2 diabetes with COVID-19-related mortality in England: a whole-population study. <i>Lancet Diabetes and Endocrinology</i> , the, 2020, 8, 813-822.   | 11.4 | 733       |
| 5  | KDIGO 2020 Clinical Practice Guideline for Diabetes Management in Chronic Kidney Disease. <i>Kidney International</i> , 2020, 98, S1-S115.   | 5.2  | 692       |
| 6  | Practical recommendations for the management of diabetes in patients with COVID-19. <i>Lancet Diabetes and Endocrinology</i> , the, 2020, 8, 546-550.  | 11.4 | 680       |
| 7  | Risk factors for COVID-19-related mortality in people with type 1 and type 2 diabetes in England: a population-based cohort study. <i>Lancet Diabetes and Endocrinology</i> , the, 2020, 8, 823-833.                                   | 11.4 | 677       |
| 8  | Lower Risk of Heart Failure and Death in Patients Initiated on Sodium-Glucose Cotransporter-2 Inhibitors Versus Other Glucose-Lowering Drugs. <i>Circulation</i> , 2017, 136, 249-259.   | 1.6  | 672       |
| 9  | Cholesterol Lowering in Intermediate-Risk Persons without Cardiovascular Disease. <i>New England Journal of Medicine</i> , 2016, 374, 2021-2031.   | 27.0 | 641       |
| 10 | New-Onset Diabetes in Covid-19. <i>New England Journal of Medicine</i> , 2020, 383, 789-790.   | 27.0 | 624       |
| 11 | Fruit and vegetable intake and incidence of type 2 diabetes mellitus: systematic review and meta-analysis. <i>BMJ: British Medical Journal</i> , 2010, 341, c4229-c4229.   | 2.3  | 584       |
| 12 | Blood-Pressure Lowering in Intermediate-Risk Persons without Cardiovascular Disease. <i>New England Journal of Medicine</i> , 2016, 374, 2009-2020.  | 27.0 | 526       |
| 13 | Clinical Inertia in People With Type 2 Diabetes. <i>Diabetes Care</i> , 2013, 36, 3411-3417.   | 8.6  | 508       |
| 14 | Post-covid syndrome in individuals admitted to hospital with covid-19: retrospective cohort study. <i>BMJ</i> , The, 2021, 372, n693.  | 6.0  | 494       |
| 15 | Living risk prediction algorithm (QCOVID) for risk of hospital admission and mortality from coronavirus 19 in adults: national derivation and validation cohort study. <i>BMJ</i> , The, 2020, 371, m3731.                             | 6.0  | 471       |
| 16 | Ethnicity and clinical outcomes in COVID-19: A systematic review and meta-analysis. <i>EClinicalMedicine</i> , 2020, 29-30, 100630.  | 7.1  | 454       |
| 17 | Diabetes Prevention in the Real World: Effectiveness of Pragmatic Lifestyle Interventions for the Prevention of Type 2 Diabetes and of the Impact of Adherence to Guideline Recommendations. <i>Diabetes Care</i> , 2014, 37, 922-933. | 8.6  | 448       |
| 18 | The impact of ethnicity on clinical outcomes in COVID-19: A systematic review. <i>EClinicalMedicine</i> , 2020, 23, 100404.  | 7.1  | 442       |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Interpretation and Impact of Real-World Clinical Data for the Practicing Clinician. <i>Advances in Therapy</i> , 2018, 35, 1763-1774.  | 2.9  | 424       |
| 20 | Is ethnicity linked to incidence or outcomes of covid-19?. <i>BMJ, The</i> , 2020, 369, m1548.   | 6.0  | 408       |
| 21 | Effect of early intensive multifactorial therapy on 5-year cardiovascular outcomes in individuals with type 2 diabetes detected by screening (ADDITION-Europe): a cluster-randomised trial. <i>Lancet, The</i> , 2011, 378, 156-167.                                 | 13.7 | 406       |
| 22 | Impact of COVID-19 on routine care for chronic diseases: A global survey of views from healthcare professionals. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2020, 14, 965-967.  | 3.6  | 390       |
| 23 | Association of Sedentary Behaviour with Metabolic Syndrome: A Meta-Analysis. <i>PLoS ONE</i> , 2012, 7, e34916.  | 2.5  | 388       |
| 24 | Ethnicity and COVID-19: an urgent public health research priority. <i>Lancet, The</i> , 2020, 395, 1421-1422.  | 13.7 | 388       |
| 25 | Risk of cardiovascular disease and all cause mortality among patients with type 2 diabetes prescribed oral antidiabetes drugs: retrospective cohort study using UK general practice research database. <i>BMJ: British Medical Journal</i> , 2009, 339, b4731-b4731. | 2.3  | 374       |
| 26 | Cardiovascular Events Associated With SGLT-2 Inhibitors Versus Other Glucose-Lowering Drugs. <i>Journal of the American College of Cardiology</i> , 2018, 71, 2628-2639.   | 2.8  | 370       |
| 27 | Ethnic differences in SARS-CoV-2 infection and COVID-19-related hospitalisation, intensive care unit admission, and death in 17 million adults in England: an observational cohort study using the OpenSAFELY platform. <i>Lancet, The</i> , 2021, 397, 1711-1724.   | 13.7 | 332       |
| 28 | Prevalence of comorbidities and their association with mortality in patients with COVID-19: A systematic review and meta-analysis. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 1915-1924.  | 4.4  | 320       |
| 29 | Efficacy and safety of glucagon-like peptide-1 receptor agonists in type 2 diabetes: a systematic review and mixed-treatment comparison analysis. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 524-536.   | 4.4  | 305       |
| 30 | Blood-Pressure and Cholesterol Lowering in Persons without Cardiovascular Disease. <i>New England Journal of Medicine</i> , 2016, 374, 2032-2043.  | 27.0 | 299       |
| 31 | Hypoglycaemia, cardiovascular disease, and mortality in diabetes: epidemiology, pathogenesis, and management. <i>Lancet Diabetes and Endocrinology,the</i> , 2019, 7, 385-396.   | 11.4 | 298       |
| 32 | Hypoglycemia and Risk of Cardiovascular Disease and All-Cause Mortality in Insulin-Treated People With Type 1 and Type 2 Diabetes: A Cohort Study. <i>Diabetes Care</i> , 2015, 38, 316-322.   | 8.6  | 276       |
| 33 | Effectiveness of a diabetes education and self management programme (DESMOND) for people with newly diagnosed type 2 diabetes mellitus: three year follow-up of a cluster randomised controlled trial in primary care. <i>BMJ, The</i> , 2012, 344, e2333-e2333.     | 6.0  | 268       |
| 34 | Therapeutic inertia in the treatment of hyperglycaemia in patients with type 2 diabetes: A systematic review. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 427-437.   | 4.4  | 247       |
| 35 | Different strategies for screening and prevention of type 2 diabetes in adults: cost effectiveness analysis. <i>BMJ: British Medical Journal</i> , 2008, 336, 1180-1185.   | 2.3  | 239       |
| 36 | Diabetes structured self-management education programmes: a narrative review and current innovations. <i>Lancet Diabetes and Endocrinology,the</i> , 2018, 6, 130-142.   | 11.4 | 233       |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Breaking Up Prolonged Sitting With Standing or Walking Attenuates the Postprandial Metabolic Response in Postmenopausal Women: A Randomized Acute Study. <i>Diabetes Care</i> , 2016, 39, 130-138.  | 8.6  | 229       |
| 38 | Quality of Care of People With Type 2 Diabetes in Eight European Countries. <i>Diabetes Care</i> , 2013, 36, 2628-2638.   | 8.6  | 215       |
| 39 | Kidney outcomes associated with use of SGLT2 inhibitors in real-world clinical practice (CVD-REAL 3): a multinational observational cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2020, 8, 27-35.  | 11.4 | 215       |
| 40 | Early Detection and Treatment of Type 2 Diabetes Reduce Cardiovascular Morbidity and Mortality: A Simulation of the Results of the Anglo-Danish-Dutch Study of Intensive Treatment in People With Screen-Detected Diabetes in Primary Care (ADDITION-Europe). <i>Diabetes Care</i> , 2015, 38, 1449-1455. | 8.6  | 214       |
| 41 | Delay in treatment intensification increases the risks of cardiovascular events in patients with type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2015, 14, 100.  | 6.8  | 206       |
| 42 | Epidemiology and determinants of type 2 diabetes in south Asia. <i>Lancet Diabetes and Endocrinology</i> , 2018, 6, 966-978.  | 11.4 | 171       |
| 43 | Clinical inertia to insulin initiation and intensification in the UK: A focused literature review. <i>Primary Care Diabetes</i> , 2017, 11, 3-12.   | 1.8  | 170       |
| 44 | Effectiveness of a Pragmatic Education Program Designed to Promote Walking Activity in Individuals With Impaired Glucose Tolerance. <i>Diabetes Care</i> , 2009, 32, 1404-1410.   | 8.6  | 169       |
| 45 | Association of walking pace and handgrip strength with all-cause, cardiovascular, and cancer mortality: a UK Biobank observational study. <i>European Heart Journal</i> , 2017, 38, 3232-3240.  | 2.2  | 168       |
| 46 | Identification of barriers to insulin therapy and approaches to overcoming them. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 488-496.   | 4.4  | 167       |
| 47 | COVID-19, Hyperglycemia, and New-Onset Diabetes. <i>Diabetes Care</i> , 2021, 44, 2645-2655.  | 8.6  | 164       |
| 48 | Prevalence and Incidence of Hypoglycaemia in 532,542 People with Type 2 Diabetes on Oral Therapies and Insulin: A Systematic Review and Meta-Analysis of Population Based Studies. <i>PLoS ONE</i> , 2015, 10, e0126427.  | 2.5  | 161       |
| 49 | Diabetes and cardiovascular events in women with polycystic ovary syndrome: a 20-year retrospective cohort study. <i>Clinical Endocrinology</i> , 2013, 78, 926-934.  | 2.4  | 156       |
| 50 | COVID-19 and metabolic disease: mechanisms and clinical management. <i>Lancet Diabetes and Endocrinology</i> , 2021, 9, 786-798.  | 11.4 | 155       |
| 51 | Vascular complications in patients with type 2 diabetes: prevalence and associated factors in 38 countries (the DISCOVER study program). <i>Cardiovascular Diabetology</i> , 2018, 17, 150.   | 6.8  | 149       |
| 52 | Sedentary Time and Markers of Chronic Low-Grade Inflammation in a High Risk Population. <i>PLoS ONE</i> , 2013, 8, e78350.  | 2.5  | 148       |
| 53 | Diabetes and COVID-19: Risks, Management, and Learnings From Other National Disasters. <i>Diabetes Care</i> , 2020, 43, 1695-1703.  | 8.6  | 147       |
| 54 | Association Between Adherence to Pharmacotherapy and Outcomes in Type 2 Diabetes: A Meta-analysis. <i>Diabetes Care</i> , 2017, 40, 1588-1596.  | 8.6  | 143       |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 55 | Health-related quality of life associated with daytime and nocturnal hypoglycaemic events: a time trade-off survey in five countries. <i>Health and Quality of Life Outcomes</i> , 2013, 11, 90.  | 2.4  | 142       |
| 56 | Prescription of glucose-lowering therapies and risk of COVID-19 mortality in people with type 2 diabetes: a nationwide observational study in England. <i>Lancet Diabetes and Endocrinology</i> , 2021, 9, 293-303.   | 11.4 | 140       |
| 57 | The association between depression and health-related quality of life in people with type 2 diabetes: a systematic literature review. <i>Diabetes/Metabolism Research and Reviews</i> , 2010, 26, 75-89.  | 4.0  | 138       |
| 58 | Socio-demographic heterogeneity in the prevalence of COVID-19 during lockdown is associated with ethnicity and household size: Results from an observational cohort study. <i>EClinicalMedicine</i> , 2020, 25, 100466.                                     | 7.1  | 129       |
| 59 | The Effect of Glucagon-Like Peptide 1 Receptor Agonists on Weight Loss in Type 2 Diabetes: A Systematic Review and Mixed Treatment Comparison Meta-Analysis. <i>PLoS ONE</i> , 2015, 10, e0126769.  | 2.5  | 127       |
| 60 | Diabetes education and self-management for ongoing and newly diagnosed (DESMOND): Process modelling of pilot study. <i>Patient Education and Counseling</i> , 2006, 64, 369-377.  | 2.2  | 122       |
| 61 | Ethnic Disparities in Diabetes Management and Pay-for-Performance in the UK: The Wandsworth Prospective Diabetes Study. <i>PLoS Medicine</i> , 2007, 4, e191.   | 8.4  | 117       |
| 62 | Educational Interventions in Kidney Disease Care: A Systematic Review of Randomized Trials. <i>American Journal of Kidney Diseases</i> , 2008, 51, 933-951.   | 1.9  | 116       |
| 63 | Self-Reported Sitting Time and Markers of Inflammation, Insulin Resistance, and Adiposity. <i>American Journal of Preventive Medicine</i> , 2012, 42, 1-7.  | 3.0  | 116       |
| 64 | Early Outcomes From the English National Health Service Diabetes Prevention Programme. <i>Diabetes Care</i> , 2020, 43, 152-160.  | 8.6  | 116       |
| 65 | Ethnic differences in SARS-CoV-2 vaccine hesitancy in United Kingdom healthcare workers: Results from the UK-REACH prospective nationwide cohort study. <i>Lancet Regional Health - Europe</i> , 2021, 9, 100180.   | 5.6  | 116       |
| 66 | Achievement of guideline targets for blood pressure, lipid, and glycaemic control in type 2 diabetes: A meta-analysis. <i>Diabetes Research and Clinical Practice</i> , 2018, 137, 137-148.   | 2.8  | 114       |
| 67 | SGLT-2 Inhibitors and Cardiovascular Risk. <i>Journal of the American College of Cardiology</i> , 2018, 71, 2497-2506.  | 2.8  | 113       |
| 68 | Preventing the progression to Type 2 diabetes mellitus in adults at high risk: A systematic review and network meta-analysis of lifestyle, pharmacological and surgical interventions. <i>Diabetes Research and Clinical Practice</i> , 2015, 107, 320-331. | 2.8  | 112       |
| 69 | Diabetes Management in Chronic Kidney Disease: Synopsis of the 2020 KDIGO Clinical Practice Guideline. <i>Annals of Internal Medicine</i> , 2021, 174, 385-394.   | 3.9  | 110       |
| 70 | Patterns of Multimorbidity in Middle-Aged and Older Adults: An Analysis of the UK Biobank Data. <i>Mayo Clinic Proceedings</i> , 2018, 93, 857-866.   | 3.0  | 105       |
| 71 | Cardiovascular events and all-cause mortality associated with sulphonylureas compared with other antihyperglycaemic drugs: A Bayesian meta-analysis of survival data. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 329-335.                          | 4.4  | 104       |
| 72 | Glycaemic control and hypoglycaemia burden in patients with type 2 diabetes initiating basal insulin in Europe and the USA. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 1155-1164.  | 4.4  | 100       |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 73 | Therapeutic inertia in type 2 diabetes: prevalence, causes, consequences and methods to overcome inertia. <i>Therapeutic Advances in Endocrinology and Metabolism</i> , 2019, 10, 204201881984469.   | 3.2  | 100       |
| 74 | Unequal impact of the COVID-19 crisis on minority ethnic groups: a framework for understanding and addressing inequalities. <i>Journal of Epidemiology and Community Health</i> , 2021, 75, 970-974.   | 3.7  | 100       |
| 75 | Intensity Thresholds on Raw Acceleration Data: Euclidean Norm Minus One (ENMO) and Mean Amplitude Deviation (MAD) Approaches. <i>PLoS ONE</i> , 2016, 11, e0164045.  | 2.5  | 96        |
| 76 | Screening, evaluation and management of depression in people with diabetes in primary care. <i>Primary Care Diabetes</i> , 2013, 7, 1-10.  | 1.8  | 91        |
| 77 | Risk identification and interventions to prevent type 2 diabetes in adults at high risk: summary of NICE guidance. <i>BMJ, The</i> , 2012, 345, e4624-e4624.   | 6.0  | 87        |
| 78 | Empowering patients with diabetes: a qualitative primary care study focusing on South Asians in Leicester, UK. <i>Family Practice</i> , 2005, 22, 647-652.   | 1.9  | 84        |
| 79 | A community based primary prevention programme for type 2 diabetes integrating identification and lifestyle intervention for prevention: the Let's Prevent Diabetes cluster randomised controlled trial. <i>Preventive Medicine</i> , 2016, 84, 48-56. | 3.4  | 83        |
| 80 | Do sulphonylureas still have a place in clinical practice?. <i>Lancet Diabetes and Endocrinology,the</i> , 2018, 6, 821-832.   | 11.4 | 83        |
| 81 | Associations of mutually exclusive categories of physical activity and sedentary time with markers of cardiometabolic health in English adults: a cross-sectional analysis of the Health Survey for England. <i>BMC Public Health</i> , 2015, 16, 25.  | 2.9  | 81        |
| 82 | Accuracy of Posture Allocation Algorithms for Thigh- and Waist-Worn Accelerometers. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 1085-1090.  | 0.4  | 80        |
| 83 | Clinical inertia in management of T2DM. <i>Primary Care Diabetes</i> , 2010, 4, 203-207.   | 1.8  | 79        |
| 84 | Clinical inertia—Time to reappraise the terminology?. <i>Primary Care Diabetes</i> , 2017, 11, 105-106.  | 1.8  | 79        |
| 85 | Benefits and Harms of Once-Weekly Glucagon-like Peptide-1 Receptor Agonist Treatments. <i>Annals of Internal Medicine</i> , 2016, 164, 102.  | 3.9  | 70        |
| 86 | Legacy benefits of blood glucose, blood pressure and lipid control in individuals with diabetes and cardiovascular disease: Time to overcome multifactorial therapeutic inertia?. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 1337-1341.       | 4.4  | 69        |
| 87 | Ethnicity, household composition and COVID-19 mortality: a national linked data study. <i>Journal of the Royal Society of Medicine</i> , 2021, 114, 182-211.   | 2.0  | 69        |
| 88 | Risk of cardiovascular events and death associated with initiation of SGLT2 inhibitors compared with DPP-4 inhibitors: an analysis from the CVD-REAL 2 multinational cohort study. <i>Lancet Diabetes and Endocrinology,the</i> , 2020, 8, 606-615.    | 11.4 | 67        |
| 89 | COVID-19 and ethnicity: who will research results apply to?. <i>Lancet, The</i> , 2020, 395, 1955-1957.  | 13.7 | 66        |
| 90 | Ethnic differences in COVID-19 mortality during the first two waves of the Coronavirus Pandemic: a nationwide cohort study of 29 million adults in England. <i>European Journal of Epidemiology</i> , 2021, 36, 605-617.                               | 5.7  | 66        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 91  | Rates of myocardial infarction and stroke in patients initiating treatment with SGLT2 inhibitors versus other glucose-lowering agents in real-world clinical practice: Results from the CVD-REAL study. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 1983-1987. | 4.4  | 65        |
| 92  | Therapeutic inertia in patients treated with two or more antidiabetics in primary care: Factors predicting intensification of treatment. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 103-112.  | 4.4  | 65        |
| 93  | Promoting inclusion in clinical trials—a rapid review of the literature and recommendations for action. <i>Trials</i> , 2021, 22, 880.   | 1.6  | 65        |
| 94  | Associations Between Sedentary Behaviors and Cognitive Function: Cross-Sectional and Prospective Findings From the UK Biobank. <i>American Journal of Epidemiology</i> , 2018, 187, 441-454.   | 3.4  | 64        |
| 95  | Treatment of type 2 diabetes mellitus worldwide: Baseline patient characteristics in the global DISCOVER study. <i>Diabetes Research and Clinical Practice</i> , 2019, 151, 20-32.   | 2.8  | 63        |
| 96  | SGLT2 inhibitors and renal outcomes in type 2 diabetes with or without renal impairment: A systematic review and meta-analysis. <i>Primary Care Diabetes</i> , 2018, 12, 265-283.  | 1.8  | 62        |
| 97  | Causality between non-alcoholic fatty liver disease and risk of cardiovascular disease and type 2 diabetes: A meta-analysis with bias analysis. <i>Liver International</i> , 2019, 39, 557-567.  | 3.9  | 62        |
| 98  | Assessment of risk, severity, mortality, glycemic control and antidiabetic agents in patients with diabetes and COVID-19: A narrative review. <i>Diabetes Research and Clinical Practice</i> , 2020, 165, 108266.  | 2.8  | 62        |
| 99  | A comparison of cost per case detected of screening strategies for Type 2 diabetes and impaired glucose regulation: Modelling study. <i>Diabetes Research and Clinical Practice</i> , 2012, 97, 505-513.   | 2.8  | 60        |
| 100 | Demographic and occupational determinants of anti-SARS-CoV-2 IgG seropositivity in hospital staff. <i>Journal of Public Health</i> , 2022, 44, 234-245.  | 1.8  | 60        |
| 101 | Effect of Early Multifactorial Therapy Compared With Routine Care on Microvascular Outcomes at 5 Years in People With Screen-Detected Diabetes: A Randomized Controlled Trial. <i>Diabetes Care</i> , 2014, 37, 2015-2023.   | 8.6  | 56        |
| 102 | A Randomised Controlled Trial to Reduce Sedentary Time in Young Adults at Risk of Type 2 Diabetes Mellitus: Project STAND (Sedentary Time AND Diabetes). <i>PLoS ONE</i> , 2015, 10, e0143398.   | 2.5  | 56        |
| 103 | Sedentary Sphere. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 748-754.  | 0.4  | 55        |
| 104 | Effects of blood pressure and lipid lowering on cognition. <i>Neurology</i> , 2019, 92, e1435-e1446.   | 1.1  | 54        |
| 105 | Impact of hypoglycaemia on patient-reported outcomes from a global, 24-country study of 27,585 people with type 1 and insulin-treated type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2017, 130, 121-129.  | 2.8  | 53        |
| 106 | Uses and Limitations of the Restricted Mean Survival Time: Illustrative Examples From Cardiovascular Outcomes and Mortality Trials in Type 2 Diabetes. <i>Annals of Internal Medicine</i> , 2020, 172, 541.  | 3.9  | 53        |
| 107 | COVID-19 and Diabetes. <i>Annual Review of Medicine</i> , 2022, 73, 129-147.   | 12.2 | 52        |
| 108 | Association between pre-diabetes and microvascular and macrovascular disease in newly diagnosed type 2 diabetes. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001061.  | 2.8  | 50        |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 109 | Clinical management of type 2 diabetes in south Asia. <i>Lancet Diabetes and Endocrinology</i> , 2018, 6, 979-991.   | 11.4 | 49        |
| 110 | Addressing Therapeutic Inertia in 2020 and Beyond: A 3-Year Initiative of the American Diabetes Association. <i>Clinical Diabetes</i> , 2020, 38, 371-381.   | 2.2  | 49        |
| 111 | Walking away from type 2 diabetes: trial protocol of a cluster randomised controlled trial evaluating a structured education programme in those at high risk of developing type 2 diabetes. <i>BMC Family Practice</i> , 2012, 13, 46.   | 2.9  | 48        |
| 112 | Association of Sitting Time and Physical Activity With CKD: A Cross-sectional Study in Family Practices. <i>American Journal of Kidney Diseases</i> , 2012, 60, 583-590.   | 1.9  | 48        |
| 113 | COVID-19 and ethnicity: A novel pathophysiological role for inflammation. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2020, 14, 1043-1051.   | 3.6  | 48        |
| 114 | SARS-CoV-2 vaccine uptake in a multi-ethnic UK healthcare workforce: A cross-sectional study. <i>PLoS Medicine</i> , 2021, 18, e1003823.   | 8.4  | 48        |
| 115 | Barriers and Facilitators to Healthy Lifestyle Changes in Minority Ethnic Populations in the UK: a Narrative Review. <i>Journal of Racial and Ethnic Health Disparities</i> , 2017, 4, 1107-1119.  | 3.2  | 47        |
| 116 | Ethnicity and Quality of Diabetes Care in a Health System with Universal Coverage: Population-Based Cross-sectional Survey in Primary Care. <i>Journal of General Internal Medicine</i> , 2007, 22, 1317-1320.   | 2.6  | 46        |
| 117 | Efficacy and tolerability of sodium-glucose co-transporter-2 inhibitors and glucagon-like peptide-1 receptor agonists: A systematic review and network meta-analysis. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 1035-1046.   | 4.4  | 46        |
| 118 | Diabetes-specific quality of life but not health status is independently associated with glycaemic control among patients with type 2 diabetes: A cross-sectional analysis of the ADDITION-Europe trial cohort. <i>Diabetes Research and Clinical Practice</i> , 2014, 104, 281-287. | 2.8  | 45        |
| 119 | Health Economic Evaluation of Type 2 Diabetes Mellitus: A Clinical Practice Focused Review. <i>Clinical Medicine Insights: Endocrinology and Diabetes</i> , 2015, 8, CMED.S20906.  | 1.9  | 45        |
| 120 | Comparison of body mass index at diagnosis of diabetes in a multi-ethnic population: A case-control study with matched non-diabetic controls. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 1014-1023.   | 4.4  | 45        |
| 121 | Temporal trends in emergency admissions for diabetic ketoacidosis in people with diabetes in England before and during the COVID-19 pandemic: a population-based study. <i>Lancet Diabetes and Endocrinology</i> , 2021, 9, 671-680.   | 11.4 | 45        |
| 122 | Rationale, design and baseline data from the Pre-diabetes Risk Education and Physical Activity Recommendation and Encouragement (PREPARE) programme study: A randomized controlled trial. <i>Patient Education and Counseling</i> , 2008, 73, 264-271.                               | 2.2  | 44        |
| 123 | Public health and health systems: implications for the prevention and management of type 2 diabetes in south Asia. <i>Lancet Diabetes and Endocrinology</i> , 2018, 6, 992-1002.   | 11.4 | 43        |
| 124 | Obesity, walking pace and risk of severe COVID-19 and mortality: analysis of UK Biobank. <i>International Journal of Obesity</i> , 2021, 45, 1155-1159.  | 3.4  | 43        |
| 125 | Comparative Relevance of Physical Fitness and Adiposity on Life Expectancy. <i>Mayo Clinic Proceedings</i> , 2019, 94, 985-994.  | 3.0  | 42        |
| 126 | Patterns of multimorbidity and risk of severe SARS-CoV-2 infection: an observational study in the U.K.. <i>BMC Infectious Diseases</i> , 2021, 21, 908.  | 2.9  | 41        |



| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 127 | Ethnic-minority groups in England and Wales—factors associated with the size and timing of elevated COVID-19 mortality: a retrospective cohort study linking census and death records. <i>International Journal of Epidemiology</i> , 2021, 49, 1951-1962.                      | 1.9  | 41        |
| 128 | Risks of and From SARS-CoV-2 Infection and COVID-19 in People With Diabetes: A Systematic Review of Reviews. <i>Diabetes Care</i> , 2021, 44, 2790-2811.  | 8.6  | 41        |
| 129 | Association of hypoglycaemia and risk of cardiac arrhythmia in patients with diabetes mellitus: A systematic review and meta-analysis. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 2169-2178.   | 4.4  | 40        |
| 130 | Time to Treatment Intensification After Monotherapy Failure and Its Association With Subsequent Glycemic Control Among 93,515 Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2018, 41, 2096-2104.  | 8.6  | 40        |
| 131 | Rationale and study design for a randomised controlled trial to reduce sedentary time in adults at risk of type 2 diabetes mellitus: project stand (Sedentary Time ANd diabetes). <i>BMC Public Health</i> , 2011, 11, 908.   | 2.9  | 39        |
| 132 | Long-term effects of intensive multifactorial therapy in individuals with screen-detected type 2 diabetes in primary care: 10-year follow-up of the ADDITION-Europe cluster-randomised trial. <i>Lancet Diabetes and Endocrinology</i> , 2019, 7, 925-937.                      | 11.4 | 39        |
| 133 | Structured lifestyle education to support weight loss for people with schizophrenia, schizoaffective disorder and first episode psychosis: the STEPWISE RCT. <i>Health Technology Assessment</i> , 2018, 22, 1-160.   | 2.8  | 39        |
| 134 | Is there evidence of potential overtreatment of glycaemia in elderly people with type 2 diabetes? Data from the GUIDANCE study. <i>Acta Diabetologica</i> , 2017, 54, 209-214.  | 2.5  | 38        |
| 135 | Patterns of glycaemic control in patients with type 2 diabetes mellitus initiating second-line therapy after metformin monotherapy: retrospective data for 10%256 individuals from the United Kingdom and Germany. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 389-399. | 4.4  | 38        |
| 136 | Long COVID—metabolic risk factors and novel therapeutic management. <i>Nature Reviews Endocrinology</i> , 2021, 17, 379-380.  | 9.6  | 38        |
| 137 | Associations of reallocating sitting time into standing or stepping with glucose, insulin and insulin sensitivity: a cross-sectional analysis of adults at risk of type 2 diabetes. <i>BMJ Open</i> , 2017, 7, e014267.   | 1.9  | 37        |
| 138 | Changes in HbA1c and weight, and treatment persistence, over the 18 months following initiation of second-line therapy in patients with type 2 diabetes: results from the United Kingdom Clinical Practice Research Datalink. <i>BMC Medicine</i> , 2018, 16, 116.              | 5.5  | 36        |
| 139 | Treatment patterns and associated factors in 14 668 people with type 2 diabetes initiating a second-line therapy: Results from the global DISCOVER study programme. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 2474-2485.  | 4.4  | 36        |
| 140 | Who should be prioritised for COVID-19 vaccines?. <i>Lancet</i> , 2020, 396, 1732-1733.   | 13.7 | 36        |
| 141 | What have we learnt from cereal world-data, observational studies and meta-analyses. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 47-58.   | 4.4  | 35        |
| 142 | Assessing risk for healthcare workers during the covid-19 pandemic. <i>BMJ</i> , 2021, 372, n602.   | 6.0  | 35        |
| 143 | Understanding and supporting women with polycystic ovary syndrome: a qualitative study in an ethnically diverse UK sample. <i>Endocrine Connections</i> , 2017, 6, 323-330.   | 1.9  | 34        |
| 144 | Obesity, Ethnicity, and Risk of Critical Care, Mechanical Ventilation, and Mortality in Patients Admitted to Hospital with COVID-19: Analysis of the ISARIC CCP-UK Cohort. <i>Obesity</i> , 2021, 29, 1223-1230.  | 3.0  | 34        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 145 | Letâ€™s prevent diabetes: study protocol for a cluster randomised controlled trial of an educational intervention in a multi-ethnic UK population with screen detected impaired glucose regulation. <i>Cardiovascular Diabetology</i> , 2012, 11, 56.                | 6.8  | 33        |
| 146 | Fitness Moderates Glycemic Responses to Sitting and Light Activity Breaks. <i>Medicine and Science in Sports and Exercise</i> , 2017, 49, 2216-2222.   | 0.4  | 33        |
| 147 | Assessing the cost-effectiveness of sodium-glucose cotransporter-2 inhibitors in type 2 diabetes mellitus: A comprehensive economic evaluation using clinical trial and real-world evidence. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 2364-2374.          | 4.4  | 33        |
| 148 | Consequences of the COVID-19 pandemic for patients with metabolic diseases. <i>Nature Metabolism</i> , 2021, 3, 289-292.   | 11.9 | 33        |
| 149 | Clinical characteristics of polycystic ovary syndrome: investigating differences in White and South Asian women. <i>Clinical Endocrinology</i> , 2015, 83, 542-549.  | 2.4  | 32        |
| 150 | Addition of or switch to insulin therapy in people treated with glucagon-like peptide-1 receptor agonists: A real-world study in 66 583 patients. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 108-117.   | 4.4  | 32        |
| 151 | Addressing cardiovascular risk in type 2 diabetes mellitus: a report from the European Society of Cardiology Cardiovascular Roundtable. <i>European Heart Journal</i> , 2019, 40, 2907-2919.   | 2.2  | 32        |
| 152 | Associations between reductions in routine care delivery and non-COVID-19-related mortality in people with diabetes in England during the COVID-19 pandemic: a population-based parallel cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2022, 10, 561-570. | 11.4 | 32        |
| 153 | Has pay for performance improved the management of diabetes in the United Kingdom?. <i>Primary Care Diabetes</i> , 2010, 4, 73-78.   | 1.8  | 31        |
| 154 | Strategies to record and use ethnicity information in routine health data. <i>Nature Medicine</i> , 2022, 28, 1338-1342.   | 30.7 | 31        |
| 155 | Associations of Sedentary Time with Fat Distribution in a High-Risk Population. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 1727-1734.  | 0.4  | 30        |
| 156 | The language of ethnicity. <i>BMJ</i> , 2020, 371, m4493.  | 6.0  | 30        |
| 157 | The need for improved collection and coding of ethnicity in health research. <i>Journal of Public Health</i> , 2021, 43, e270-e272.  | 1.8  | 30        |
| 158 | Therapeutic Inertia and the Legacy of Dysglycemia on the Microvascular and Macrovascular Complications of Diabetes. <i>Diabetes Care</i> , 2019, 42, 349-351.  | 8.6  | 29        |
| 159 | Walking pace improves all-cause and cardiovascular mortality risk prediction: A UK Biobank prognostic study. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 1036-1044.   | 1.8  | 29        |
| 160 | A population-based cohort study of obesity, ethnicity and COVID-19 mortality in 12.6 million adults in England. <i>Nature Communications</i> , 2022, 13, 624.  | 12.8 | 29        |
| 161 | What determines treatment satisfaction of patients with type 2 diabetes on insulin therapy? An observational study in eight European countries. <i>BMJ Open</i> , 2017, 7, e016180.  | 1.9  | 28        |
| 162 | The Diabetes Unmet Need with Basal Insulin Evaluation (DUNE) study in type 2 diabetes: Achieving HbA1c targets with basal insulin in a real-world setting. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 1429-1436.  | 4.4  | 28        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 163 | Metformin in non-diabetic hyperglycaemia: the GLINT feasibility RCT. <i>Health Technology Assessment</i> , 2018, 22, 1-64.  | 2.8  | 28        |
| 164 | Healthcare workers's views on mandatory SARS-CoV-2 vaccination in the UK: A cross-sectional, mixed-methods analysis from the UK-REACH study. <i>EClinicalMedicine</i> , 2022, 46, 101346.   | 7.1  | 27        |
| 165 | Joint Prevalence of Diabetes, Impaired Glucose Regulation, Cardiovascular Disease Risk and Chronic Kidney Disease in South Asians and White Europeans. <i>PLoS ONE</i> , 2013, 8, e55580.   | 2.5  | 26        |
| 166 | Global burden of hypoglycaemia-related mortality in 109 countries, from 2000 to 2014: an analysis of death certificates. <i>Diabetologia</i> , 2018, 61, 1592-1602.   | 6.3  | 26        |
| 167 | Clinical inertia versus overtreatment in glycaemic management. <i>Lancet Diabetes and Endocrinology</i> , 2018, 6, 266-268.   | 11.4 | 26        |
| 168 | The United Kingdom Research study into Ethnicity And COVID-19 outcomes in Healthcare workers (UK-REACH): protocol for a prospective longitudinal cohort study of healthcare and ancillary workers in UK healthcare settings. <i>BMJ Open</i> , 2021, 11, e050647. | 1.9  | 26        |
| 169 | COVID-19 vaccination uptake amongst ethnic minority communities in England: a linked study exploring the drivers of differential vaccination rates. <i>Journal of Public Health</i> , 2023, 45, e65-e74.  | 1.8  | 26        |
| 170 | Mortality risk comparing walking pace to handgrip strength and a healthy lifestyle: A UK Biobank study. <i>European Journal of Preventive Cardiology</i> , 2021, 28, 704-712.   | 1.8  | 25        |
| 171 | The cost-effectiveness of testing strategies for type 2 diabetes: a modelling study. <i>Health Technology Assessment</i> , 2015, 19, 1-80.  | 2.8  | 24        |
| 172 | Breaking up sedentary time with seated upper body activity can regulate metabolic health in obese high-risk adults: A randomized crossover trial. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 1732-1739.  | 4.4  | 24        |
| 173 | The importance of the initial period of basal insulin titration in people with diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 722-733.   | 4.4  | 24        |
| 174 | Temporal Trend in Young-Onset Type 2 Diabetes's Macrovascular and Mortality Risk: Study of U.K. Primary Care Electronic Medical Records. <i>Diabetes Care</i> , 2020, 43, 2208-2216.  | 8.6  | 24        |
| 175 | Early lessons from a second COVID-19 lockdown in Leicester, UK. <i>Lancet</i> , 2020, 396, e4-e5.   | 13.7 | 24        |
| 176 | The impact of the COVID-19 pandemic on glycaemic control in people with diabetes: A systematic review and meta-analysis. <i>Diabetes, Obesity and Metabolism</i> , 2022, 24, 1850-1860.   | 4.4  | 24        |
| 177 | Development of a lifestyle intervention using the MRC framework for diabetes prevention in people with impaired glucose regulation. <i>Journal of Public Health</i> , 2016, 38, 493-501.  | 1.8  | 23        |
| 178 | The right place for Sulphonylureas today: Part of 'Review the Series: Implications of recent CVOTs in Type 2 diabetes mellitus'. <i>Diabetes Research and Clinical Practice</i> , 2019, 157, 107836.  | 2.8  | 23        |
| 179 | Association of Metformin with Susceptibility to COVID-19 in People with Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, 1255-1268.  | 3.6  | 23        |
| 180 | Comparison of glucose-lowering agents after dual therapy failure in type 2 diabetes: A systematic review and network meta-analysis of randomized controlled trials. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 985-997.                                  | 4.4  | 23        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 181 | Promotion Of Physical activity through structured Education with differing Levels of ongoing Support for people at high risk of type 2 diabetes (PROPELS): study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 289.  | 1.6  | 22        |
| 182 | Rationale and design of a cross-sectional study to investigate and describe the chronotype of patients with type 2 diabetes and the effect on glycaemic control: the CODEC study. <i>BMJ Open</i> , 2019, 9, e027773.  | 1.9  | 22        |
| 183 | First-line treatment for type 2 diabetes: is it too early to abandon metformin?. <i>Lancet</i> , The, 2020, 396, 1705-1707.  | 13.7 | 22        |
| 184 | Cardiovascular Benefit of Empagliflozin Across the Spectrum of Cardiovascular Risk Factor Control in the EMPA-REG OUTCOME Trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 3025-3035.   | 3.6  | 22        |
| 185 | Lower risk of hospitalization for heart failure, kidney disease and death with sodium-glucose co-transporter inhibitors compared with dipeptidyl peptidase-4 inhibitors in type 2 diabetes regardless of prior cardiovascular or kidney disease: A retrospective cohort study in UK primary care. <i>Diabetes, Obesity and Metabolism</i> . 2021, 23, 2207-2214. | 4.4  | 22        |
| 186 | Management of lipid-lowering therapy in patients with cardiovascular events in the UK: a retrospective cohort study. <i>BMJ Open</i> , 2017, 7, e013851.   | 1.9  | 21        |
| 187 | Self-knowledge of HbA1c in people with Type 2 Diabetes Mellitus and its association with glycaemic control. <i>Primary Care Diabetes</i> , 2017, 11, 414-420.  | 1.8  | 21        |
| 188 | Cohort profile: National Diabetes Audit for England and Wales. <i>Diabetic Medicine</i> , 2021, 38, e14616.  | 2.3  | 21        |
| 189 | Engagement, Retention, and Progression to Type 2 Diabetes: A Retrospective Analysis of the Cluster-Randomised "Let's Prevent Diabetes" Trial. <i>PLoS Medicine</i> , 2016, 13, e1002078.   | 8.4  | 21        |
| 190 | Evaluation of the Clinical and Cost Effectiveness of Intermediate Care Clinics for Diabetes (ICCD): A Multicentre Cluster Randomised Controlled Trial. <i>PLoS ONE</i> , 2014, 9, e93964.  | 2.5  | 21        |
| 191 | Reallocating sitting time to standing or stepping through isothermal analysis: associations with markers of chronic low-grade inflammation. <i>Journal of Sports Sciences</i> , 2018, 36, 1586-1593.   | 2.0  | 20        |
| 192 | Glycaemic control in patients with type 2 diabetes initiating second-line therapy: Results from the global DISCOVER study programme. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 66-78.  | 4.4  | 20        |
| 193 | Ethnic minorities and COVID-19: examining whether excess risk is mediated through deprivation. <i>European Journal of Public Health</i> , 2021, 31, 630-634.   | 0.3  | 20        |
| 194 | Direct and indirect health economic impact of hypoglycaemia in a global population of patients with insulin-treated diabetes. <i>Diabetes Research and Clinical Practice</i> , 2018, 138, 35-43.   | 2.8  | 19        |
| 195 | Incidence and severity of hypoglycaemia in type 2 diabetes by treatment regimen: A UK multisite 12-month prospective observational study. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 1585-1595.   | 4.4  | 19        |
| 196 | Obesity, chronic disease, age, and in-hospital mortality in patients with covid-19: analysis of ISARIC clinical characterisation protocol UK cohort. <i>BMC Infectious Diseases</i> , 2021, 21, 717.   | 2.9  | 19        |
| 197 | Effect of early intensive multifactorial therapy compared with routine care on self-reported health status, general well-being, diabetes-specific quality of life and treatment satisfaction in screen-detected type 2 diabetes mellitus patients (ADDITION-Europe): a cluster-randomised trial. <i>Diabetologia</i> . 2013, 56, 2367-2377.                      | 6.3  | 18        |
| 198 | Cardiovascular events and mortality in people with and without type 2 diabetes: An observational study in a contemporary multi-ethnic population. <i>Journal of Diabetes Investigation</i> , 2021, 12, 1175-1182.  | 2.4  | 18        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 199 | Temporal Trends in Lower-Limb Major and Minor Amputation and Revascularization Procedures in People With Diabetes in England During the COVID-19 Pandemic. <i>Diabetes Care</i> , 2021, 44, e133-e135.                                      | 8.6  | 18        |
| 200 | Lowering cholesterol, blood pressure, or both to prevent cardiovascular events: results of 8.7 years of follow-up of Heart Outcomes Evaluation Prevention (HOPE)-3 study participants. <i>European Heart Journal</i> , 2021, 42, 2995-3007. | 2.2  | 18        |
| 201 | A UK nationwide study of people with type 1 diabetes admitted to hospital with COVID-19 infection. <i>Diabetologia</i> , 2021, 64, 1717-1724.   | 6.3  | 18        |
| 202 | Association Between Accelerometer-Assessed Physical Activity and Severity of COVID-19 in UK Biobank. <i>Mayo Clinic Proceedings Innovations, Quality &amp; Outcomes</i> , 2021, 5, 997-1007.  | 2.4  | 18        |
| 203 | Sedentary Time and MRI-Derived Measures of Adiposity in Active Versus Inactive Individuals. <i>Obesity</i> , 2018, 26, 29-36.   | 3.0  | 17        |
| 204 | Alogliptin in Patients with Type 2 Diabetes Receiving Metformin and Sulfonylurea Therapies in the EXAMINE Trial. <i>American Journal of Medicine</i> , 2018, 131, 813-819.e5.   | 1.5  | 17        |
| 205 | Use of MyDesmond digital education programme to support self-management in people with type 2 diabetes during the COVID-19 pandemic. <i>Diabetic Medicine</i> , 2021, 38, e14469.   | 2.3  | 17        |
| 206 | Clustering of comorbidities. <i>Future Healthcare Journal</i> , 2021, 8, e224-e229.   | 1.4  | 17        |
| 207 | Effect of the COVID-19 pandemic on body weight in people at high risk of type 2 diabetes referred to the English NHS Diabetes Prevention Programme. <i>Lancet Diabetes and Endocrinology</i> , 2021, 9, 649-651.                            | 11.4 | 17        |
| 208 | Role of Gliclazide MR in the Management of Type 2 Diabetes: Report of a Symposium on Real-World Evidence and New Perspectives. <i>Diabetes Therapy</i> , 2020, 11, 33-48.   | 2.5  | 17        |
| 209 | Expert Panel Guidance and Narrative Review of Treatment Simplification of Complex Insulin Regimens to Improve Outcomes in Type 2 Diabetes. <i>Diabetes Therapy</i> , 2022, 13, 619-634.   | 2.5  | 17        |
| 210 | Investigation of a UK biobank cohort reveals causal associations of self-reported walking pace with telomere length. <i>Communications Biology</i> , 2022, 5, 381.  | 4.4  | 17        |
| 211 | Biochemical Urine Testing of Adherence to Cardiovascular Medications Reveals High Rates of Nonadherence in People Attending Their Annual Review for Type 2 Diabetes. <i>Diabetes Care</i> , 2019, 42, 1132-1135.                            | 8.6  | 16        |
| 212 | The present and future scope of real-world evidence research in diabetes: What questions can and cannot be answered and what might be possible in the future?. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 21-34.                   | 4.4  | 16        |
| 213 | Glucose Control, Sulfonylureas, and Insulin Treatment in Elderly People With Type 2 Diabetes and Risk of Severe Hypoglycemia and Death: An Observational Study. <i>Diabetes Care</i> , 2021, 44, 915-924.                                   | 8.6  | 16        |
| 214 | Risk factors for severe outcomes in people with diabetes hospitalised for COVID-19: a cross-sectional database study. <i>BMJ Open</i> , 2021, 11, e051237.  | 1.9  | 16        |
| 215 | The impact of the COVID pandemic on primary care diabetes services in the UK: A cross-sectional national survey of views of health professionals delivering diabetes care. <i>Primary Care Diabetes</i> , 2022, 16, 257-263.                | 1.8  | 16        |
| 216 | A Decision Support Tool for Appropriate Glucose-Lowering Therapy in Patients with Type 2 Diabetes. <i>Diabetes Technology and Therapeutics</i> , 2015, 17, 194-202.   | 4.4  | 15        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 217 | Structured education programme for women with polycystic ovary syndrome: a randomised controlled trial. <i>Endocrine Connections</i> , 2018, 7, 26-35.   | 1.9 | 15        |
| 218 | The Standard of Care in Type 2 Diabetes: Re-evaluating the Treatment Paradigm. <i>Diabetes Therapy</i> , 2019, 10, 1-13.   | 2.5 | 15        |
| 219 | Comparison of the HAT study, the largest global hypoglycaemia study to date, with similar large real-world studies. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 844-853.   | 4.4 | 15        |
| 220 | Severe hypoglycaemia and absolute risk of cause-specific mortality in individuals with type 2 diabetes: a UK primary care observational study. <i>Diabetologia</i> , 2020, 63, 2129-2139.  | 6.3 | 15        |
| 221 | Cardiovascular outcomes with sodium-glucose cotransporter-2 inhibitors vs other glucose-lowering drugs in 13 countries across three continents: analysis of CVD-REAL data. <i>Cardiovascular Diabetology</i> , 2021, 20, 159.  | 6.8 | 15        |
| 222 | The development and validation of the Portuguese risk score for detecting type 2 diabetes and impaired fasting glucose. <i>Primary Care Diabetes</i> , 2013, 7, 11-18.   | 1.8 | 14        |
| 223 | Association of smoking and concomitant metformin use with cardiovascular events and mortality in people newly diagnosed with type 2 diabetes. <i>Journal of Diabetes</i> , 2016, 8, 354-362.   | 1.8 | 14        |
| 224 | Risk factors and outcome differences in hypoglycaemia-related hospital admissions: a case-control study in England. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 1371-1378.   | 4.4 | 14        |
| 225 | Associations of Physical Activity Intensities with Markers of Insulin Sensitivity. <i>Medicine and Science in Sports and Exercise</i> , 2017, 49, 2451-2458.   | 0.4 | 14        |
| 226 | Therapeutic inertia amongst general practitioners with interest in diabetes. <i>Primary Care Diabetes</i> , 2018, 12, 87-91.   | 1.8 | 14        |
| 227 | Eligibility of patients with type 2 diabetes for sodium-glucose cotransporter 2 inhibitor cardiovascular outcomes trials: a global perspective from the DISCOVER study. <i>BMJ Open Diabetes Research and Care</i> , 2019, 7, e000627.   | 2.8 | 14        |
| 228 | Where Does Metformin Stand in Modern Day Management of Type 2 Diabetes?. <i>Pharmaceuticals</i> , 2020, 13, 427.   | 3.8 | 14        |
| 229 | Evaluation of the Diabetes Screening Component of a National Cardiovascular Risk Assessment Programme in England: a Retrospective Cohort Study. <i>Scientific Reports</i> , 2020, 10, 1231.  | 3.3 | 14        |
| 230 | Promoting physical activity in a multi-ethnic population at high risk of diabetes: the 48-month PROPELS randomised controlled trial. <i>BMC Medicine</i> , 2021, 19, 130.  | 5.5 | 14        |
| 231 | Association between household size and COVID-19: A UK Biobank observational study. <i>Journal of the Royal Society of Medicine</i> , 2022, 115, 138-144.   | 2.0 | 14        |
| 232 | Feasibility of a structured group education session to improve self-management of blood pressure in people with chronic kidney disease: an open randomised pilot trial. <i>BMJ Open</i> , 2011, 1, e000381-e000381.  | 1.9 | 13        |
| 233 | Long-term Effects of Statins, Blood Pressure-Lowering, and Both on Erectile Function in Persons at Intermediate Risk for Cardiovascular Disease: A Substudy of the Heart Outcomes Prevention Evaluation-3 (HOPE-3) Randomized Controlled Trial. <i>Canadian Journal of Cardiology</i> , 2018, 34, 38-44. | 1.7 | 13        |
| 234 | The Berlin Declaration: A call to action to improve early actions related to type 2 diabetes. How can specialist care help?. <i>Diabetes Research and Clinical Practice</i> , 2018, 139, 392-399.  | 2.8 | 13        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 235 | Predictors of the Acute Postprandial Response to Breaking Up Prolonged Sitting. <i>Medicine and Science in Sports and Exercise</i> , 2020, 52, 1385-1393.   | 0.4 | 13        |
| 236 | Comparative effectiveness of gliclazide modified release versus sitagliptin as second-line treatment after metformin monotherapy in patients with uncontrolled type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 2417-2426.  | 4.4 | 13        |
| 237 | Missed Opportunities for Timely Recognition of Chronic Limb Threatening Ischaemia in Patients Undergoing a Major Amputation: A Population Based Cohort Study Using the UK's Clinical Practice Research Datalink. <i>European Journal of Vascular and Endovascular Surgery</i> , 2020, 60, 703-710.  | 1.5 | 13        |
| 238 | A randomized, open-label, active comparator trial assessing the effects of 26-weeks of liraglutide or sitagliptin on cardiovascular function in young obese adults with type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 1187-1196.   | 4.4 | 13        |
| 239 | Change in Sedentary Time, Physical Activity, Bodyweight, and HbA1c in High-Risk Adults. <i>Medicine and Science in Sports and Exercise</i> , 2017, 49, 1120-1125.   | 0.4 | 13        |
| 240 | The impact of COVID-19 on primary care: Insights from the National Health Service (NHS) and future recommendations. <i>Journal of Family Medicine and Primary Care</i> , 2021, 10, 4345.  | 0.9 | 13        |
| 241 | The European EUCCLID pilot study on care and complications in an unselected sample of people with type 2 diabetes in primary care. <i>Primary Care Diabetes</i> , 2010, 4, 17-23.   | 1.8 | 12        |
| 242 | Adverse Responses and Physical Activity. <i>Medicine and Science in Sports and Exercise</i> , 2014, 46, 1617-1623.  | 0.4 | 12        |
| 243 | Results from the UK cohort of SOLVE: Providing insights into the timing of insulin initiation in people with poorly controlled type 2 diabetes in routine clinical practice. <i>Primary Care Diabetes</i> , 2014, 8, 57-63.   | 1.8 | 12        |
| 244 | Effects of intensive interventions compared to standard care in people with type 2 diabetes and microalbuminuria on risk factors control and cardiovascular outcomes: A systematic review and meta-analysis of randomised controlled trials. <i>Diabetes Research and Clinical Practice</i> , 2018, 146, 76-84.   | 2.8 | 12        |
| 245 | <p>&lt;p>Objective measures of non-adherence in cardiometabolic diseases: a review focused on urine biochemical screening&lt;p>. <i>Patient Preference and Adherence</i> , 2019, Volume 13, 537-547.  | 1.8 | 12        |
| 246 | Conceptualizing multiple drug use in patients with comorbidity and multimorbidity: proposal for standard definitions beyond the term polypharmacy. <i>Journal of Clinical Epidemiology</i> , 2019, 106, 98-107.   | 5.0 | 12        |
| 247 | Use of Metformin and Cardiovascular Effects of New Classes of Glucose-Lowering Agents: A Meta-analysis of Cardiovascular Outcome Trials in Type 2 Diabetes. <i>Diabetes Care</i> , 2021, 44, e32-e34.   | 8.6 | 12        |
| 248 | A randomised trial of the effect and cost-effectiveness of early intensive multifactorial therapy on 5-year cardiovascular outcomes in individuals with screen-detected type 2 diabetes: the Anglo-Danish-Dutch Study of Intensive Treatment in People with Screen-Detected Diabetes in Primary Care (ADDITION-Europe) study. <i>Health Technology Assessment</i> , 2016, 20, 1-86. | 2.8 | 12        |
| 249 | A community-based primary prevention programme for type 2 diabetes mellitus integrating identification and lifestyle intervention for prevention: a cluster randomised controlled trial. <i>Programme Grants for Applied Research</i> , 2017, 5, 1-290.   | 1.0 | 12        |
| 250 | Open science communication: The first year of the UK's Independent Scientific Advisory Group for Emergencies. <i>Health Policy</i> , 2022, 126, 234-244.  | 3.0 | 12        |
| 251 | Validating the QCOVID risk prediction algorithm for risk of mortality from COVID-19 in the adult population in Wales, UK.. <i>International Journal of Population Data Science</i> , 2020, 5, 1697.   | 0.1 | 12        |
| 252 | Sodium-glucose co-transporter-2 inhibitors in patients with type 2 diabetes: Barriers and solutions for improving uptake in routine clinical practice. <i>Diabetes, Obesity and Metabolism</i> , 2022, 24, 1187-1196.   | 4.4 | 12        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 253 | Prevention of diabetes: A reality in primary care?. Primary Care Diabetes, 2007, 1, 119-121.  | 1.8 | 11        |
| 254 | Change in cardiovascular risk factors following early diagnosis of type 2 diabetes: a cohort analysis of a cluster-randomised trial. British Journal of General Practice, 2014, 64, e208-e216.  | 1.4 | 11        |
| 255 | Using an interactive DVD about type 2 diabetes and insulin therapy in a UK South Asian community and in patient education and healthcare provider training. Patient Education and Counseling, 2015, 98, 1123-1130.  | 2.2 | 11        |
| 256 | Relevance of physical function in the association of red and processed meat intake with all-cause, cardiovascular, and cancer mortality. Nutrition, Metabolism and Cardiovascular Diseases, 2019, 29, 1308-1315.  | 2.6 | 11        |
| 257 | Glycaemic control after treatment intensification in patients with type 2 diabetes uncontrolled on two or more non-insulin antidiabetic drugs in a real-world setting. Diabetes, Obesity and Metabolism, 2019, 21, 1373-1380.                                     | 4.4 | 11        |
| 258 | Glycated Hemoglobin Level Goal Achievement in Adults With Type 2 Diabetes in Canada: Still Room for Improvement. Canadian Journal of Diabetes, 2019, 43, 384-391.   | 0.8 | 11        |
| 259 | Intensive versus standard multifactorial cardiovascular risk factor control in screen-detected type 2 diabetes: 5-year and longer-term modelled outcomes of the ADDITION-Leicester study. Diabetes/Metabolism Research and Reviews, 2019, 35, e3111.              | 4.0 | 11        |
| 260 | Biochemical Urine Testing of Medication Adherence and Its Association With Clinical Markers in an Outpatient Population of Type 2 Diabetes Patients: Analysis in the DIAbetes and LifEstyle Cohort Twente (DIALECT). Diabetes Care, 2021, 44, 1419-1425.          | 8.6 | 11        |
| 261 | Screening for glucose intolerance and development of a lifestyle education programme for prevention of type 2 diabetes in a population with intellectual disabilities: the STOP Diabetes research project. Programme Grants for Applied Research, 2017, 5, 1-316. | 1.0 | 11        |
| 262 | Indirect effects of the COVID-19 pandemic on people with type 2 diabetes: time to urgently move into a recovery phase. BMJ Quality and Safety, 2022, 31, 483-485.   | 3.7 | 11        |
| 263 | The Reversal Intervention for Metabolic Syndrome (TRIMS) study: rationale, design, and baseline data. Trials, 2011, 12, 107.  | 1.6 | 10        |
| 264 | Optimizing management of glycaemia. Best Practice and Research in Clinical Endocrinology and Metabolism, 2016, 30, 397-411.   | 4.7 | 10        |
| 265 | The Berlin Declaration: A call to improve early actions related to type 2 diabetes. Why is primary care important?. Primary Care Diabetes, 2018, 12, 383-392.   | 1.8 | 10        |
| 266 | Cardiovascular events and mortality in people with type 2 diabetes and multimorbidity: A real-world study of patients followed for up to 19 years. Diabetes, Obesity and Metabolism, 2021, 23, 218-227.   | 4.4 | 10        |
| 267 | Temporal trends in comorbidities and cardiometabolic risk factors at the time of type 2 diabetes diagnosis in the UK. Diabetes, Obesity and Metabolism, 2021, 23, 1150-1161.  | 4.4 | 10        |
| 268 | Therapeutic inertia in the management of dyslipidaemia and hypertension in incident type 2 diabetes and the resulting risk factor burden: Real-world evidence from primary care. Diabetes, Obesity and Metabolism, 2021, 23, 1518-1531.                           | 4.4 | 10        |
| 269 | Antihypertensives and Statin Therapy for Primary Stroke Prevention: A Secondary Analysis of the HOPE-3 Trial. Stroke, 2021, 52, 2494-2501.  | 2.0 | 10        |
| 270 | Individual, healthcare professional and system-level barriers and facilitators to initiation and adherence to injectable therapies for type 2 diabetes: A systematic review and meta-ethnography. Diabetic Medicine, 2022, 39, e14678.                            | 2.3 | 10        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 271 | Framework to aid analysis and interpretation of ongoing COVID-19 research. Wellcome Open Research, 0, 5, 208.  | 1.8  | 10        |
| 272 | Covid-19 and ethnicity: we must seek to understand the drivers of higher transmission. BMJ, The, 2021, 375, n2709.   | 6.0  | 10        |
| 273 | Impact of cardiometabolic multimorbidity and ethnicity on cardiovascular/renal complications in patients with COVID-19. Heart, 2022, 108, 1200-1208.   | 2.9  | 10        |
| 274 | New Digital Health Technologies for Insulin Initiation and Optimization for People With Type 2 Diabetes. Endocrine Practice, 2022, 28, 811-821.  | 2.1  | 10        |
| 275 | Reducing sedentary time in adults at risk of type 2 diabetes: process evaluation of the STAND (Sedentary Time AND Diabetes) RCT. BMC Public Health, 2017, 17, 80.  | 2.9  | 9         |
| 276 | Therapeutic uncertainties in people with cardiometabolic diseases and severe acute respiratory syndrome coronavirus 2 (<sc>SARS-CoV-2 or <sc>COVID-19). Diabetes, Obesity and Metabolism, 2020, 22, 1942-1945.           | 4.4  | 9         |
| 277 | Will oral semaglutide be a game-changer in the management of type 2 diabetes in primary care?. Primary Care Diabetes, 2021, 15, 59-68.   | 1.8  | 9         |
| 278 | United Kingdom Research study into Ethnicity And COVID-19 outcomes in Healthcare workers (UK-REACH): a retrospective cohort study using linked routinely collected data, study protocol. BMJ Open, 2021, 11, e046392.    | 1.9  | 9         |
| 279 | A cluster randomized controlled trial of the effectiveness and cost-effectiveness of Intermediate Care Clinics for Diabetes (ICCD): study protocol for a randomized controlled trial. Trials, 2012, 13, 164.             | 1.6  | 8         |
| 280 | Medication burden in the first 5 years following diagnosis of type 2 diabetes: findings from the ADDITION-UK trial cohort. BMJ Open Diabetes Research and Care, 2015, 3, e000075.  | 2.8  | 8         |
| 281 | Comment on Suissa. Lower Risk of Death With SGLT2 Inhibitors in Observational Studies: Real or Bias? Diabetes Care 2018;41:6-10. Diabetes Care, 2018, 41, e106-e108.   | 8.6  | 8         |
| 282 | Metformin adherence and discontinuation among patients with type 2 diabetes: A retrospective cohort study. Journal of Clinical and Translational Endocrinology, 2020, 20, 100225.  | 1.4  | 8         |
| 283 | Dose distribution and up-titration patterns of metformin monotherapy in patients with type 2 diabetes. Endocrinology, Diabetes and Metabolism, 2020, 3, e00107.  | 2.4  | 8         |
| 284 | Comparing 24 h physical activity profiles: Office workers, women with a history of gestational diabetes and people with chronic disease condition(s). Journal of Sports Sciences, 2021, 39, 219-226.                     | 2.0  | 8         |
| 285 | Focused action is required to protect ethnic minority populations from COVID-19 post-lockdown. British Journal of General Practice, 2021, 71, 37-40.   | 1.4  | 8         |
| 286 | Diabetes prevention: A call to action. Indian Journal of Medical Research, 2011, 134, 579.   | 1.0  | 8         |
| 287 | New drug treatments versus structured education programmes for type 2 diabetes: comparing cost-effectiveness. Lancet Diabetes and Endocrinology, the, 2016, 4, 557-559.  | 11.4 | 7         |
| 288 | Exploring the characteristics of suboptimally controlled patients after 24 weeks of basal insulin treatment: An individualized approach to intensification. Diabetes Research and Clinical Practice, 2017, 123, 209-217. | 2.8  | 7         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 289 | Does the presence of diabetes mellitus confer an increased risk of stroke in patients with atrial fibrillation on direct oral anticoagulants? A systematic review and meta-analysis. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2020, 14, 1725-1733.  | 3.6 | 7         |
| 290 | Analysis of the Adherence and Safety of Second Oral Glucose-Lowering Therapy in Routine Practice From the Mediterranean Area: A Retrospective Cohort Study. <i>Frontiers in Endocrinology</i> , 2021, 12, 708372.  | 3.5 | 7         |
| 291 | Ethnic, social and multimorbidity disparities in therapeutic inertia: A <sc>UK</sc> primary care observational study in patients newly diagnosed with type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 2437-2445.  | 4.4 | 7         |
| 292 | Behavioural interventions to promote physical activity in a multiethnic population at high risk of diabetes: PROPELS three-arm RCT. <i>Health Technology Assessment</i> , 2021, 25, 1-190.   | 2.8 | 7         |
| 293 | Response by Kosiborod et al to Letters Regarding Article, "Lower Risk of Heart Failure and Death in Patients Initiated on Sodium-Glucose Cotransporter-2 Inhibitors Versus Other Glucose-Lowering Drugs: The CVD-REAL Study (Comparative Effectiveness of Cardiovascular Outcomes in New Users of) Tj ETQq1 1 0.784314 rgBT /Overl | 1.6 | 6         |
| 294 | Glucose dysregulation phenotypes " time to improve outcomes. <i>Nature Reviews Endocrinology</i> , 2018, 14, 632-633.  | 9.6 | 6         |
| 295 | Association of weight loss and weight loss maintenance following diabetes diagnosis by screening and incidence of cardiovascular disease and all-cause mortality: An observational analysis of the ADDITION-Europe trial. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 730-741.   | 4.4 | 6         |
| 296 | Gait Speed as a Predictor for Diabetes Incidence in People with or at Risk of Knee Osteoarthritis: A Longitudinal Analysis from the Osteoarthritis Initiative. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4414.  | 2.6 | 6         |
| 297 | Association of statin and/or renin-angiotensin-aldosterone system modulating therapy with mortality in adults with diabetes admitted to hospital with COVID-19: A retrospective multicentre European study. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2022, 16, 102484.                              | 3.6 | 6         |
| 298 | Efficacy of COVID-19 vaccines by race and ethnicity. <i>Public Health</i> , 2022, , .  | 2.9 | 6         |
| 299 | Screening for diabetes: what do the results of the ADDITION trial mean for clinical practice?. <i>Diabetes Management</i> , 2013, 3, 367-378.  | 0.5 | 5         |
| 300 | COVID-19, ethnicity and cardiometabolic disease self-management in UK primary care. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2020, 14, 2241-2243.   | 3.6 | 5         |
| 301 | Cardiovascular outcome trials of glucose-lowering therapies. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2020, 20, 237-249.  | 1.4 | 5         |
| 302 | Association and relative importance of multiple risk factor control on cardiovascular disease, end-stage renal disease and mortality in people with type 2 diabetes: A population-based retrospective cohort study. <i>Primary Care Diabetes</i> , 2021, 15, 218-226.  | 1.8 | 5         |
| 303 | COVID-19 and the new variant strain in England " What are the implications for those from ethnic minority groups?. <i>EClinicalMedicine</i> , 2021, 33, 100805.  | 7.1 | 5         |
| 304 | Glycemic Control and Prevention of Diabetic Complications in Low- and Middle-Income Countries: An Expert Opinion. <i>Diabetes Therapy</i> , 2021, 12, 1491-1501.   | 2.5 | 5         |
| 305 | The effectiveness of a structured group education programme for people with established type 2 diabetes in a multi-ethnic population in primary care: A cluster randomised trial. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 1549-1559.  | 2.6 | 5         |
| 306 | Relevance of positive cardiovascular outcome trial results in clinical practice: perspectives from the Academy for Cardiovascular Risk, Outcomes and Safety Studies in Type 2 Diabetes (ACROSS T2D). <i>Therapeutics and Clinical Risk Management</i> , 2017, Volume 13, 1569-1576.  | 2.0 | 4         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 307 | Pharmaceutical Interventions for Diabetes Prevention in Patients at Risk. American Journal of Cardiovascular Drugs, 2018, 18, 13-24.   | 2.2  | 4         |
| 308 | Efficacy and safety of sodium-glucose cotransporter 2 inhibitors (SGLT-2is) and glucagon-like peptide-1 receptor agonists (GLP-1RAs) in patients with type 2 diabetes: a systematic review and network meta-analysis study protocol. BMJ Open, 2018, 8, e023206.   | 1.9  | 4         |
| 309 | Trends in Cause-Specific Outcomes Among Individuals With Type 2 Diabetes and Heart Failure in the United Kingdom, 1998-2017. JAMA Network Open, 2019, 2, e1916447.   | 5.9  | 4         |
| 310 | Should sodium-glucose cotransporter 2 inhibitors be considered as first-line oral therapy for people with type 2 diabetes?. Diabetes, Obesity and Metabolism, 2019, 21, 207-209.   | 4.4  | 4         |
| 311 | Draft FDA guidance for assessing the safety of glucose lowering therapies: a missed opportunity?. Lancet Diabetes and Endocrinology, 2020, 8, 810-811.   | 11.4 | 4         |
| 312 | Socioeconomic factors associated with hypoglycaemia in patients starting second-line glucose-lowering therapy: The DISCOVER study. Diabetes Research and Clinical Practice, 2020, 165, 108250.   | 2.8  | 4         |
| 313 | Cardiovascular risk factors early in the course of treatment in people with type 2 diabetes without established cardiovascular disease: A population-based observational retrospective cohort study. Diabetic Medicine, 2022, 39, e14697.  | 2.3  | 4         |
| 314 | Normative wrist-worn accelerometer values for self-paced walking and running: a walk in the park. Journal of Sports Sciences, 2021, , 1-8.   | 2.0  | 4         |
| 315 | Admission Blood Glucose Level and Its Association With Cardiovascular and Renal Complications in Patients Hospitalized With COVID-19. Diabetes Care, 2022, 45, 1132-1140.  | 8.6  | 4         |
| 316 | Significant reduction in chronic kidney disease progression with sodium-glucose cotransporter 2 inhibitors compared to dipeptidyl peptidase 4 inhibitors in adults with type 2 diabetes in a UK clinical setting: An observational outcomes study based on international guidelines for kidney disease. Diabetes, Obesity and Metabolism, 2022, 24, 2138-2147. | 4.4  | 4         |
| 317 | Predictors and determinants of albuminuria in people with prediabetes and diabetes based on smoking status: A cross-sectional study using the UK Biobank data. EClinicalMedicine, 2022, 51, 101544.  | 7.1  | 4         |
| 318 | Diabetes advice for women with polycystic ovary syndrome: prevention, prevention, prevention. Diabetes Management, 2013, 3, 467-480.   | 0.5  | 3         |
| 319 | Individualised targets for insulin initiation in type 2 diabetes mellitus—the influence of physician and practice: a cross-sectional study in eight European countries. BMJ Open, 2019, 9, e032040.  | 1.9  | 3         |
| 320 | Development, content validation, and reliability of the Assessment of Real-World Observational Studies (ArRoWS) critical appraisal tool. Annals of Epidemiology, 2021, 55, 57-63.e15.  | 1.9  | 3         |
| 321 | EXTending availability of self-management structured Education programmes for people with type 2 Diabetes in low-to-middle income countries (EXTEND)—a feasibility study in Mozambique and Malawi. BMJ Open, 2021, 11, e047425.  | 1.9  | 3         |
| 322 | Health-related quality of life in patients with type 2 diabetes initiating a second-line glucose-lowering therapy: The DISCOVER study. Diabetes Research and Clinical Practice, 2021, 180, 108974.   | 2.8  | 3         |
| 323 | Design and rationale of DISCOVER global registry in type 2 diabetes: Real-world insights of treatment patterns and its relationship with cardiovascular, renal, and metabolic multimorbidities. Journal of Diabetes and Its Complications, 2021, 35, 108077.   | 2.3  | 3         |
| 324 | Life expectancy by ethnic group in England. BMJ, The, 2021, 375, e068537.  | 6.0  | 3         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 325 | Type 2 diabetes: lifetime risk of advancing from prediabetes. <i>Lancet Diabetes and Endocrinology</i> , 2016, 4, 5-6.  | 11.4 | 2         |
| 326 | Let's Prevent Diabetes: from idea to implementation. <i>Practical Diabetes</i> , 2017, 34, 55-57.   | 0.3  | 2         |
| 327 | Screening for Diabetes and Prediabetes. <i>Endocrinology</i> , 2018, , 369-400.   | 0.1  | 2         |
| 328 | Effects of an Electronic Software "Prompt" With Health Care Professional Training on Cardiovascular and Renal Complications in a Multiethnic Population With Type 2 Diabetes and Microalbuminuria (the GP-Prompt Study): Results of a Pragmatic Cluster-Randomized Trial. <i>Diabetes Care</i> , 2020, 43, 1893-1901. | 8.6  | 2         |
| 329 | Analysis of the effectiveness of second oral glucose-lowering therapy in routine clinical practice from the mediterranean area: A retrospective cohort study. <i>Diabetes Research and Clinical Practice</i> , 2021, 171, 108616.   | 2.8  | 2         |
| 330 | Dashboards to reduce inappropriate prescribing of metformin and aspirin: A quality assurance programme in a primary care sentinel network. <i>Primary Care Diabetes</i> , 2021, 15, 1075-1079.  | 1.8  | 2         |
| 331 | Metformin for Preventing Type 2 Diabetes Mellitus in Women with a Previous Diagnosis of Gestational Diabetes: A Narrative Review. <i>Seminars in Reproductive Medicine</i> , 2020, 38, 366-376.   | 1.1  | 2         |
| 332 | Ethnicity and prognosis following a cardiovascular event in people with and without type 2 diabetes: Observational analysis in over 5 million subjects in England. <i>Diabetes Research and Clinical Practice</i> , 2022, 189, 109967.  | 2.8  | 2         |
| 333 | Response to Comment on Khunti et al. Clinical Inertia in People With Type 2 Diabetes: A Retrospective Cohort Study of More Than 80,000 People. <i>Diabetes Care</i> 2013;36:3411-3417. <i>Diabetes Care</i> , 2014, 37, e114-e114.  | 8.6  | 1         |
| 334 | Insulin degludec " The impact of a new basal insulin on care in type 2 diabetes. <i>Primary Care Diabetes</i> , 2014, 8, 119-125.   | 1.8  | 1         |
| 335 | Screening for Diabetes and Prediabetes. <i>Endocrinology</i> , 2018, , 1-33.  | 0.1  | 1         |
| 336 | Polycystic ovary syndrome: An underestimated problem in primary care. <i>International Journal of Clinical Practice</i> , 2018, 72, e13081.   | 1.7  | 1         |
| 337 | Statin Use in Primary Prevention: A Simple Trial-Based Approach Compared With Guideline-Recommended Risk Algorithms for Selection of Eligible Patients. <i>Canadian Journal of Cardiology</i> , 2019, 35, 644-652.  | 1.7  | 1         |
| 338 | Editorial: Studies in young adults with type 2 diabetes to inform evidence-based guidelines specifically for early-onset type 2 diabetes are urgently required. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2020, 14, 1905-1906.  | 3.6  | 1         |
| 339 | Durability of glycaemic control in patients with type 2 diabetes after metformin failure: Prognostic model derivation and validation using the DISCOVER study. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 828-837.   | 4.4  | 1         |
| 340 | The General Practitioner Prompt Study to Reduce Cardiovascular and Renal Complications in Patients With Type 2 Diabetes and Renal Complications: Protocol and Baseline Characteristics for a Cluster Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2018, 7, e152.                                     | 1.0  | 1         |
| 341 | Introduction: Real-World Evidence in Type 2 Diabetes. <i>Diabetes Therapy</i> , 2020, 11, 29-32.  | 2.5  | 1         |
| 342 | From the United Kingdom to Australia"Adapting a Web-Based Self-management Education Program to Support the Management of Type 2 Diabetes: Tutorial. <i>Journal of Medical Internet Research</i> , 2022, 24, e26339.   | 4.3  | 1         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 343 | Predictors of adverse outcome in the first and second waves of the COVID-19 pandemic: results from a UK centre. <i>Therapeutic Advances in Infectious Disease</i> , 2022, 9, 204993612210745.   | 1.8 | 1         |
| 344 | The authors reply:. <i>Kidney International</i> , 2022, 101, 420-421.   | 5.2 | 1         |
| 345 | Association of Ethnicity and Socioeconomic Status With COVID-19 Hospitalization and Mortality in Those With and Without Chronic Kidney Disease. <i>Kidney International Reports</i> , 2022, 7, 334-338.   | 0.8 | 1         |
| 346 | Standing up to diabetes: sedentary behavior matters. <i>Diabetes Management</i> , 2012, 2, 261-263.   | 0.5 | 0         |
| 347 | Sodium-glucose co-transporter <sup>2</sup> inhibitors and cardiovascular outcome studies in people with type 2 diabetes: From efficacy to effectiveness. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 763-765.   | 4.4 | 0         |
| 348 | Quantifying the association between ethnicity and COVID-19 mortality: a national cohort study protocol. <i>BMJ Open</i> , 2021, 11, e045286.  | 1.9 | 0         |
| 349 | Ethnic differences in the relationship between step cadence and physical function in older adults. <i>Journal of Sports Sciences</i> , 2022, 40, 1183-1190.   | 2.0 | 0         |
| 350 | Cardiovascular and renal outcomes of initial combination therapy with glucose-lowering agents versus a stepwise approach in newly diagnosed or treatment-naïve type 2 diabetes: A systematic review and meta-analysis. <i>Diabetes, Obesity and Metabolism</i> , 2022, 24, 1469-1482. | 4.4 | 0         |
| 351 | Factors associated with weight loss in people with overweight or obesity living with type 2 diabetes mellitus: Insights from the global DISCOVER study. <i>Diabetes, Obesity and Metabolism</i> , 2022, 24, 1734-1740.  | 4.4 | 0         |