

Ian Milsom

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11673024/publications.pdf>

Version: 2024-02-01

62
papers

10,612
citations

66343

42
h-index

123424

61
g-index

63
all docs

63
docs citations

63
times ranked

5775
citing authors

#	ARTICLE	IF	CITATIONS
1	Population-Based Survey of Urinary Incontinence, Overactive Bladder, and Other Lower Urinary Tract Symptoms in Five Countries: Results of the EPIC Study. <i>European Urology</i> , 2006, 50, 1306-1315.	1.9	2,119
2	Worldwide prevalence estimates of lower urinary tract symptoms, overactive bladder, urinary incontinence and bladder outlet obstruction. <i>BJU International</i> , 2011, 108, 1132-1138.	2.5	790
3	The impact of overactive bladder, incontinence and other lower urinary tract symptoms on quality of life, work productivity, sexuality and emotional well-being in men and women: results from the EPIC study. <i>BJU International</i> , 2008, 101, 1388-1395.	2.5	700
4	The prevalence of lower urinary tract symptoms (LUTS) in the USA, the UK and Sweden: results from the Epidemiology of LUTS (EpiLUTS) study. <i>BJU International</i> , 2009, 104, 352-360.	2.5	601
5	An epidemiologic study of young women with dysmenorrhea. <i>American Journal of Obstetrics and Gynecology</i> , 1982, 144, 655-660.	1.3	447
6	Efficacy and Tolerability of Mirabegron, a β_3 -Adrenoceptor Agonist, in Patients with Overactive Bladder: Results from a Randomised European and Australian Phase 3 Trial. <i>European Urology</i> , 2013, 63, 283-295.	1.9	370
7	The Influence of Urinary Incontinence on the Quality of Life of Elderly Women. <i>Age and Ageing</i> , 1993, 22, 82-89.	1.6	360
8	Factors influencing the prevalence and severity of dysmenorrhoea in young women. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1990, 97, 588-594.	2.3	314
9	Global Prevalence and Economic Burden of Urgency Urinary Incontinence: A Systematic Review. <i>European Urology</i> , 2014, 65, 79-95.	1.9	306
10	National Community Prevalence of Overactive Bladder in the United States Stratified by Sex and Age. <i>Urology</i> , 2011, 77, 1081-1087.	1.0	289
11	Impact of overactive bladder symptoms on employment, social interactions and emotional well-being in six European countries. <i>BJU International</i> , 2006, 97, 96-100.	2.5	269
12	Urinary Incontinence and its Relationship to Mental Health and Health-Related Quality of Life in Men and Women in Sweden, the United Kingdom, and the United States. <i>European Urology</i> , 2012, 61, 88-95.	1.9	253
13	Effect of Bothersome Overactive Bladder Symptoms on Health-related Quality of Life, Anxiety, Depression, and Treatment Seeking in the United States: Results From EpiLUTS. <i>Urology</i> , 2012, 80, 90-96.	1.0	217
14	The impact of overactive bladder on mental health, work productivity and health-related quality of life in the UK and Sweden: results from EpiLUTS. <i>BJU International</i> , 2011, 108, 1459-1471.	2.5	210
15	Economic Burden of Urgency Urinary Incontinence in the United States: A Systematic Review. <i>Journal of Managed Care Pharmacy</i> , 2014, 20, 130-140.	2.2	202
16	The economic impact of overactive bladder syndrome in six Western countries. <i>BJU International</i> , 2009, 103, 202-209.	2.5	183
17	URINARY INCONTINENCE AND LOWER URINARY TRACT SYMPTOMS: AN EPIDEMIOLOGICAL STUDY OF MEN AGED 45 TO 99 YEARS. <i>Journal of Urology</i> , 1997, 158, 1733-1737.	0.4	178
18	Prevalence, Severity, and Symptom Bother of Lower Urinary Tract Symptoms among Men in the EPIC Study: Impact of Overactive Bladder. <i>European Urology</i> , 2009, 56, 14-20.	1.9	169

#	ARTICLE	IF	CITATIONS
19	The overlap of storage, voiding and postmicturition symptoms and implications for treatment seeking in the USA, UK and Sweden: EpiLUTS. <i>BJU International</i> , 2009, 103, 12-23.	2.5	163
20	The prevalence of urinary incontinence and its influence on the quality of life in women from an urban Swedish population. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1999, 78, 546-551.	2.8	158
21	A review of adherence to drug therapy in patients with overactive bladder. <i>BJU International</i> , 2008, 102, 774-779.	2.5	143
22	A Longitudinal Population-based Survey of Urinary Incontinence, Overactive Bladder, and Other Lower Urinary Tract Symptoms in Women. <i>European Urology</i> , 2009, 55, 783-791.	1.9	141
23	The Current and Future Burden and Cost of Overactive Bladder in Five European Countries. <i>European Urology</i> , 2006, 50, 1050-1057.	1.9	139
24	Urinary Incontinence, Overactive Bladder, and Other Lower Urinary Tract Symptoms: A Longitudinal Population-Based Survey in Men Aged 45-103 Years. <i>European Urology</i> , 2010, 58, 149-156.	1.9	128
25	Symptom Bother and Health Care-Seeking Behavior among Individuals with Overactive Bladder. <i>European Urology</i> , 2008, 53, 1029-1039.	1.9	126
26	Understanding the elements of overactive bladder: questions raised by the EPIC study. <i>BJU International</i> , 2008, 101, 1381-1387.	2.5	102
27	The Prevalence of Urinary Incontinence and Use of Incontinence Aids in 85-year-old Men and Women. <i>Age and Ageing</i> , 1990, 19, 383-389.	1.6	90
28	The prevalence of chronic constipation and faecal incontinence among men and women with symptoms of overactive bladder. <i>BJU International</i> , 2011, 107, 254-261.	2.5	89
29	Dynamic Progression of Overactive Bladder and Urinary Incontinence Symptoms: A Systematic Review. <i>European Urology</i> , 2010, 58, 532-543.	1.9	87
30	The influence of different combined oral contraceptives on the prevalence and severity of dysmenorrhea. <i>Contraception</i> , 1990, 42, 497-506.	1.5	85
31	Lower urinary tract symptoms in women. <i>Current Opinion in Urology</i> , 2009, 19, 337-341.	1.8	83
32	Comparison of the efficacy and safety of nonprescription doses of naproxen and naproxen sodium with ibuprofen, acetaminophen, and placebo in the treatment of primary dysmenorrhea: a pooled analysis of five studies. <i>Clinical Therapeutics</i> , 2002, 24, 1384-1400.	2.5	77
33	The relationship between BMI and urinary incontinence subgroups: Results from EpiLUTS. <i>Neurourology and Urodynamics</i> , 2014, 33, 392-399.	1.5	72
34	Overactive Bladder Is Associated with Erectile Dysfunction and Reduced Sexual Quality of Life in Men. <i>Journal of Sexual Medicine</i> , 2008, 5, 2904-2910.	0.6	71
35	Can incontinence be cured? A systematic review of cure rates. <i>BMC Medicine</i> , 2017, 15, 63.	5.5	68
36	The prevalence of urinary incontinence and its influence on the quality of life in women from an urban Swedish population. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1999, 78, 546-551.	2.8	60

#	ARTICLE	IF	CITATIONS
37	A comparative study of the effect of high-intensity transcutaneous nerve stimulation and oral naproxen on intrauterine pressure and menstrual pain in patients with primary dysmenorrhea. <i>American Journal of Obstetrics and Gynecology</i> , 1994, 170, 123-129.	1.3	54
38	Moving towards a comprehensive assessment of lower urinary tract symptoms (LUTS). <i>Neurourology and Urodynamics</i> , 2012, 31, 448-454.	1.5	54
39	Genetic Influences Are Important for Most But Not All Lower Urinary Tract Symptoms: A Population-Based Survey in a Cohort of Adult Swedish Twins. <i>European Urology</i> , 2011, 59, 1032-1038.	1.9	53
40	A comparative study of the effect of high-intensity transcutaneous nerve stimulation and oral naproxen on intrauterine pressure and menstrual pain in patients with primary dysmenorrhea. <i>American Journal of Obstetrics and Gynecology</i> , 1994, 170, 123-129.	1.3	51
41	Urinary incontinence in nulliparous women aged 25-64 years: a national survey. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 216, 149.e1-149.e11.	1.3	50
42	Effect of Various Oral Contraceptive Combinations on Dysmenorrhea. <i>Gynecologic and Obstetric Investigation</i> , 1984, 17, 284-292.	1.6	47
43	The influence of intrauterine contraception on the prevalence and severity of dysmenorrhea: a longitudinal population study. <i>Human Reproduction</i> , 2013, 28, 1953-1960.	0.9	44
44	The effect of combined oral contraceptives and age on dysmenorrhoea: an epidemiological study. <i>Human Reproduction</i> , 2012, 27, 676-682.	0.9	42
45	Effect of ibuprofen, naproxen sodium and paracetamol on intrauterine pressure and menstrual pain in dysmenorrhoea. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1984, 91, 1129-1135.	2.3	40
46	A Cross-Sectional, Population-Based, Multinational Study of the Prevalence of Overactive Bladder and Lower Urinary Tract Symptoms: Results from the EPIC Study. <i>European Urology Supplements</i> , 2007, 6, 4-9.	0.1	39
47	Rationale for the study methods and design of the epidemiology of lower urinary tract symptoms (EpiLUTS) study. <i>BJU International</i> , 2009, 104, 348-351.	2.5	39
48	Lower urinary tract symptoms: lack of change in prevalence and help-seeking behaviour in two population-based surveys of women in 1991 and 2007. <i>BJU International</i> , 2009, 104, 954-959.	2.5	37
49	Examining lower urinary tract symptom constellations using cluster analysis. <i>BJU International</i> , 2008, 101, 1267-1273.	2.5	34
50	The prevalence of urinary incontinence. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2000, 79, 1056-1059.	2.8	33
51	Breaking news in the prediction of pelvic floor disorders. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2019, 54, 41-48.	2.8	25
52	A longitudinal cohort study of elderly women with urinary tract infections. <i>Maturitas</i> , 2000, 34, 127-131.	2.4	23
53	Low persistence of anticholinergic drug use in Sweden. <i>European Journal of Clinical Pharmacology</i> , 2011, 67, 535-536.	1.9	19
54	Development of a core set of outcome measures for OAB treatment. <i>International Urogynecology Journal</i> , 2017, 28, 1785-1793.	1.4	18

#	ARTICLE	IF	CITATIONS
55	Somatic Comorbidity in Women with Overactive Bladder Syndrome. <i>Journal of Urology</i> , 2016, 196, 473-477.	0.4	17
56	Ibuprofen and naproxen-sodium in the treatment of primary dysmenorrhea: A double-blind cross-over study. <i>International Journal of Gynecology and Obstetrics</i> , 1985, 23, 305-310.	2.3	13
57	Rational Prescribing for Postmenopausal Urogenital Complaints. <i>Drugs and Aging</i> , 1996, 9, 78-86.	2.7	6
58	Urogenital Ageing. <i>The Journal of the British Menopause Society</i> , 1998, 4, 151-156.	1.3	6
59	A Double-blind Cross-over Study Comparing Flurbiprofen With Naproxen-sodium For The Treatment Of Primary Dysmenorrhea. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1989, 68, 555-558.	2.8	3
60	Prevalence and predictors of overactive bladder in nonpregnant nulliparous women below 65 years of age. <i>International Urogynecology Journal</i> , 2018, 29, 531-537.	1.4	3
61	A Nordic registry-based study of drug treatment patterns in overactive bladder patients. <i>Scandinavian Journal of Urology</i> , 2019, 53, 246-254.	1.0	3
62	Overview: Epidemiology and Etiology of Urinary Incontinence and Voiding Dysfunction. , 2021, , 239-248.		0