

Dong Roman Xu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1167405/publications.pdf>

Version: 2024-02-01

56
papers

1,772
citations

567281

15
h-index

315739

38
g-index

71
all docs

71
docs citations

71
times ranked

2415
citing authors

#	ARTICLE	IF	CITATIONS
1	The primary health-care system in China. <i>Lancet, The</i> , 2017, 390, 2584-2594.	13.7	609
2	Quality of primary health care in China: challenges and recommendations. <i>Lancet, The</i> , 2020, 395, 1802-1812.	13.7	391
3	Reformation of medical education in China. <i>Lancet, The</i> , 2010, 375, 1502-1504.	13.7	71
4	Cross-Talk Between the Toll-Like Receptor 4 and Notch1 Pathways Augments the Inflammatory Response in the Interstitial Cells of Stenotic Human Aortic Valves. <i>Circulation</i> , 2012, 126, S222-30.	1.6	66
5	Challenges arising from China's two-child policy. <i>Lancet, The</i> , 2016, 387, 1274.	13.7	54
6	Lay health supporters aided by mobile text messaging to improve adherence, symptoms, and functioning among people with schizophrenia in a resource-poor community in rural China (LEAN): A randomized controlled trial. <i>PLoS Medicine</i> , 2019, 16, e1002785.	8.4	45
7	Working conditions and health status of 6,317 front line public health workers across five provinces in China during the COVID-19 epidemic: a cross-sectional study. <i>BMC Public Health</i> , 2021, 21, 106.	2.9	37
8	mHealth Interventions for Health System Strengthening in China: A Systematic Review. <i>JMIR MHealth and UHealth</i> , 2017, 5, e32.	3.7	29
9	Prevalence of hypertension and prehypertension in Nepal: a systematic review and meta-analysis. <i>Global Health Research and Policy</i> , 2019, 4, 11.	3.6	28
10	Geographical heterogeneity and inequality of access to improved drinking water supply and sanitation in Nepal. <i>International Journal for Equity in Health</i> , 2018, 17, 40.	3.5	27
11	Loneliness, depression, anxiety, and post-traumatic stress disorder among Chinese adults during COVID-19: A cross-sectional online survey. <i>PLoS ONE</i> , 2021, 16, e0259012.	2.5	25
12	The Association Between the Use of Antenatal Care Smartphone Apps in Pregnant Women and Antenatal Depression: Cross-Sectional Study. <i>JMIR MHealth and UHealth</i> , 2018, 6, e11508.	3.7	21
13	Lay health supporters aided by a mobile phone messaging system to improve care of villagers with schizophrenia in Liuyang, China: protocol for a randomised control trial. <i>BMJ Open</i> , 2016, 6, e010120.	1.9	20
14	Uptake of referrals for women with positive perinatal depression screening results and the effectiveness of interventions to increase uptake: a systematic review and meta-analysis. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e143.	3.9	20
15	Trajectories of perinatal depressive symptoms from early pregnancy to six weeks postpartum and their risk factors—a longitudinal study. <i>Journal of Affective Disorders</i> , 2020, 275, 149-156.	4.1	20
16	Equity of geographical access to public health facilities in Nepal. <i>BMJ Global Health</i> , 2021, 6, e006786.	4.7	20
17	Using unannounced standardised patients to obtain data on quality of care in low-income and middle-income countries: key challenges and opportunities. <i>BMJ Global Health</i> , 2019, 4, e001908.	4.7	18
18	Chinese Women's Acceptance and Uptake of Referral after Screening for Perinatal Depression. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8686.	2.6	18

#	ARTICLE	IF	CITATIONS
19	Measuring adherence to antipsychotic medications for schizophrenia: Concordance and validity among a community sample in rural China. <i>Schizophrenia Research</i> , 2018, 201, 307-314.	2.0	16
20	Assessing the quality of primary healthcare in seven Chinese provinces with unannounced standardised patients: protocol of a cross-sectional survey. <i>BMJ Open</i> , 2019, 9, e023997.	1.9	14
21	Coping Styles in Pregnancy, Their Demographic and Psychological Influences, and Their Association with Postpartum Depression: A Longitudinal Study of Women in China. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3654.	2.6	14
22	A Social Group-Based Information-Motivation-Behavior Skill Intervention to Promote Acceptability and Adoption of Wearable Activity Trackers Among Middle-Aged and Older Adults: Cluster Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , 2020, 8, e14969.	3.7	13
23	Couple-based collaborative management model of type 2 diabetes mellitus for community-dwelling older adults in China: protocol for a hybrid type 1 randomized controlled trial. <i>BMC Geriatrics</i> , 2020, 20, 123.	2.7	12
24	Village doctor-assisted case management of rural patients with schizophrenia: protocol for a cluster randomized control trial. <i>Implementation Science</i> , 2014, 9, 13.	6.9	11
25	The role of implementation science training in global health: from the perspective of graduates of the field's first dedicated doctoral program. <i>Global Health Action</i> , 2016, 9, 31899.	1.9	10
26	Continuous IV infusion of MESNA can prevent hemorrhagic cystitis in HSCT and retain MESNA concentration in urine. <i>Bone Marrow Transplantation</i> , 2015, 50, 1490-1492.	2.4	9
27	Harnessing China's universities for global health. <i>Lancet, The</i> , 2016, 388, 1860-1862.	13.7	9
28	Dyadic appraisal and coping with illness among older Chinese adults with type 2 diabetes mellitus: a qualitative study. <i>Age and Ageing</i> , 2021, 50, 928-935.	1.6	9
29	Mobile Texting and Lay Health Supporters to Improve Schizophrenia Care in a Resource-Poor Community in Rural China (LEAN Trial): Randomized Controlled Trial Extended Implementation. <i>Journal of Medical Internet Research</i> , 2020, 22, e22631.	4.3	9
30	Trends in China's reforms: the Rashomon effect. <i>Lancet, The</i> , 2012, 379, 782-783.	13.7	8
31	Stakeholder Engagement in Planning the Design of a National Needs Assessment for Cardiovascular Disease Prevention and Management in Nepal. <i>Global Heart</i> , 2019, 14, 181.	2.3	8
32	Estimation of the Epidemic Properties of the 2019 Novel Coronavirus: A Mathematical Modeling Study. <i>SSRN Electronic Journal</i> , 0, , .	0.4	8
33	Using smartphone-based virtual patients to assess the quality of primary healthcare in rural China: protocol for a prospective multicentre study. <i>BMJ Open</i> , 2018, 8, e020943.	1.9	7
34	A comparison of the biomechanical stability of pedicle-lengthening screws and traditional pedicle screws. <i>Bone and Joint Journal</i> , 2018, 100-B, 516-521.	4.4	7
35	The new face of China's foreign aid: where do we go from here?. <i>Lancet, The</i> , 2018, 392, 636.	13.7	7
36	Adherence to Traditional Chinese Postpartum Practices and Postpartum Depression: A Cross-Sectional Study in Hunan, China. <i>Frontiers in Psychiatry</i> , 2021, 12, 649972.	2.6	7

#	ARTICLE	IF	CITATIONS
37	The Relationship Between Images Posted by New Mothers on WeChat Moments and Postpartum Depression: Cohort Study. <i>Journal of Medical Internet Research</i> , 2020, 22, e23575.	4.3	7
38	Global health education in Chinese universities and potential for collaboration with schools of nursing: A qualitative study. <i>International Journal of Nursing Sciences</i> , 2017, 4, 12-18.	1.3	6
39	Comparing quality of primary healthcare between public and private providers in China: study protocol of a cross-sectional study using unannounced standardised patients in seven provinces of China. <i>BMJ Open</i> , 2021, 11, e040792.	1.9	6
40	Experiences and perceptions of perinatal depression among new immigrant Chinese parents: a qualitative study. <i>BMC Health Services Research</i> , 2021, 21, 739.	2.2	6
41	Multiyear Square Dancing Is Associated With Superior Mental Processing Capacity But Not Memory in Middle-Aged and Older Chinese Women: A Cross-Sectional Propensity Score Matching Analysis. <i>Journal of Physical Activity and Health</i> , 2020, 17, 736-743.	2.0	6
42	The association between a free medicine program and functioning in people with schizophrenia: a cross-sectional study in Liuyang, China. <i>PeerJ</i> , 2020, 8, e8929.	2.0	6
43	Research capacity of global health institutions in China: a gap analysis focusing on their collaboration with other low-income and middle-income countries. <i>BMJ Global Health</i> , 2021, 6, e005607.	4.7	5
44	Physical and mental health outcomes including behavior and attitudes in people having social contacts with COVID-19 patients. <i>PLoS ONE</i> , 2021, 16, e0245945.	2.5	4
45	Development and Implementation of Couple-Based Collaborative Management Model of Type 2 Diabetes Mellitus for Community-Dwelling Chinese Older Adults: A Pilot Randomized Trial. <i>Frontiers in Public Health</i> , 2021, 9, 686282.	2.7	4
46	Authorized, clear and timely communication of risk to guide public perception and action: lessons of COVID-19 from China. <i>BMC Public Health</i> , 2021, 21, 1545.	2.9	4
47	The segment-dependent changes in lumbar intervertebral space height during flexion-extension motion. <i>Bone and Joint Research</i> , 2017, 6, 245-252.	3.6	3
48	Reproductive health in Southeast Asian women: current situation and the influence factors. <i>Global Health Journal (Amsterdam, Netherlands)</i> , 2018, 2, 32-41.	3.6	3
49	NURse-led COntinuum of care for people with Diabetes and prediabetes (NUCOD) in Nepal: study protocol for a cluster randomized controlled trial. <i>Trials</i> , 2020, 21, 442.	1.6	3
50	An economic evaluation of a mobile text messaging intervention to improve mental health care in resource-poor communities in China: a cost-effectiveness study. <i>BMC Health Services Research</i> , 2020, 20, 989.	2.2	2
51	Long-Term Impact of Grandchild Caregiving Trajectories on Depression in Middle-Aged and Older Chinese People: A Longitudinal Study. <i>International Journal of Aging and Human Development</i> , 2022, 95, 493-515.	1.6	2
52	Symptomatology in 1,112 women screened positive and negative using the Edinburgh postnatal depression scale (EPDS): longitudinal observations from the first trimester to 6 weeks postpartum of a Chinese cohort. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2022, 43, 453-463.	2.1	2
53	Impact of the gate-keeping policies of China's primary healthcare model on the future burden of tuberculosis in China: a protocol for a mathematical modelling study. <i>BMJ Open</i> , 2021, 11, e048449.	1.9	1
54	Residual Effect of Texting to Promote Medication Adherence for Villagers with Schizophrenia in China: 18-Month Follow-up Survey After the Randomized Controlled Trial Discontinuation. <i>JMIR MHealth and UHealth</i> , 2022, 10, e33628.	3.7	1

#	ARTICLE	IF	CITATIONS
55	Developing evidenced-based quality assessment checklist for real practice in primary health care using standardized patients: a systematic review. <i>Annals of Palliative Medicine</i> , 2021, 10, 0-0.	1.2	0
56	Using virtual patient to assess primary health workers competence to detect postpartum depression in Hunan, China.. <i>Journal of Central South University (Medical Sciences)</i> , 2021, 46, 1129-1137.	0.1	0