

Erik Hessen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11679952/publications.pdf>

Version: 2024-02-01

53
papers

1,414
citations

304743

22
h-index

345221

36
g-index

56
all docs

56
docs citations

56
times ranked

2347
citing authors

#	ARTICLE	IF	CITATIONS
1	Consequences of antiepileptic drug withdrawal: A randomized, double-blind study (Akershus Study). <i>Epilepsia</i> , 2008, 49, 455-463.	5.1	166
2	Neuropsychological function 23 years after mild traumatic brain injury: A comparison of outcome after paediatric and adult head injuries. <i>Brain Injury</i> , 2007, 21, 963-979.	1.2	140
3	Influence of Major Antiepileptic Drugs on Attention, Reaction Time, and Speed of Information Processing: Results from a Randomized, Double-blind, Placebo-controlled Withdrawal Study of Seizure-free Epilepsy Patients Receiving Monotherapy. <i>Epilepsia</i> , 2006, 47, 2038-2045.	5.1	97
4	Diffusion Tensor Imaging Surpasses Cerebrospinal Fluid as Predictor of Cognitive Decline and Medial Temporal Lobe Atrophy in Subjective Cognitive Impairment and Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2013, 33, 723-736.	2.6	95
5	Amyloid- β and α -synuclein cerebrospinal fluid biomarkers and cognition in early Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2015, 21, 758-764.	2.2	59
6	Executive Dysfunction in Mild Cognitive Impairment is Associated with Changes in Frontal and Cingulate White Matter Tracts. <i>Journal of Alzheimer's Disease</i> , 2011, 27, 453-462.	2.6	58
7	Subjective Cognitive Impairment Is a Predominantly Benign Condition in Memory Clinic Patients Followed for 6 Years: The Gothenburg-Oslo MCI Study. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2017, 7, 1-14.	1.3	51
8	Detecting At-Risk Alzheimer's Disease Cases. <i>Journal of Alzheimer's Disease</i> , 2017, 60, 97-105.	2.6	42
9	Neuropsychological function in a group of patients 25 years after sustaining minor head injuries as children and adolescents. <i>Scandinavian Journal of Psychology</i> , 2006, 47, 245-251.	1.5	41
10	White matter integrity and cognition in Parkinson's disease: a cross-sectional study. <i>BMJ Open</i> , 2014, 4, e003976.	1.9	41
11	Correlates of Subjective and Mild Cognitive Impairment: Depressive Symptoms and CSF Biomarkers. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2013, 3, 291-300.	1.3	38
12	Psychiatric comorbidity in children and youth with epilepsy: An association with executive dysfunction?. <i>Epilepsy and Behavior</i> , 2016, 56, 88-94.	1.7	37
13	Biomarkers in subtypes of mild cognitive impairment and subjective cognitive decline. <i>Brain and Behavior</i> , 2017, 7, e00776.	2.2	34
14	Core competencies in clinical neuropsychology training across the world. <i>Clinical Neuropsychologist</i> , 2018, 32, 642-656.	2.3	31
15	Addressing neuropsychological diagnostics in adults with epilepsy: Introducing the International Classification of Cognitive Disorders in Epilepsy: The IC CODE Initiative. <i>Epilepsia Open</i> , 2021, 6, 266-275.	2.4	31
16	MMPI-2 profiles 23 years after paediatric mild traumatic brain injury. <i>Brain Injury</i> , 2008, 22, 39-50.	1.2	29
17	Longitudinal evaluation of criteria for subjective cognitive decline and preclinical Alzheimer's disease in a memory clinic sample. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2017, 8, 96-107.	2.4	29
18	Slight improvement in mood and irritability after antiepileptic drug withdrawal: A controlled study in patients on monotherapy. <i>Epilepsy and Behavior</i> , 2007, 10, 449-455.	1.7	28

#	ARTICLE	IF	CITATIONS
19	Indicators of complicated mild TBI predict MMPI-2 scores after 23 years. <i>Brain Injury</i> , 2009, 23, 234-242.	1.2	27
20	Influence of major antiepileptic drugs on neuropsychological function: Results from a randomized, double-blind, placebo-controlled withdrawal study of seizure-free epilepsy patients on monotherapy. <i>Journal of the International Neuropsychological Society</i> , 2007, 13, 393-400.	1.8	25
21	Hippocampal subfield atrophy in relation to cerebrospinal fluid biomarkers and cognition in early Parkinson's disease: a cross-sectional study. <i>Npj Parkinson's Disease</i> , 2016, 2, 15030.	5.3	24
22	Cerebrospinal fluid neurogranin site APP-cleaving enzyme 1 predicts cognitive decline in preclinical Alzheimer's disease. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2018, 4, 617-627.	3.7	24
23	Impaired synaptic function is linked to cognition in Parkinson's disease. <i>Annals of Clinical and Translational Neurology</i> , 2017, 4, 700-713.	3.7	23
24	Predictors of Neuropsychological Impairment in Seizure-free Epilepsy Patients. <i>Epilepsia</i> , 2006, 47, 1870-1878.	5.1	22
25	Training models and status of clinical neuropsychologists in Europe: Results of a survey on 30 countries. <i>Clinical Neuropsychologist</i> , 2019, 33, 32-56.	2.3	22
26	Demographically adjusted CERAD wordlist test norms in a Norwegian sample from 40 to 80 years. <i>Clinical Neuropsychologist</i> , 2019, 33, 27-39.	2.3	20
27	T-Tau is Associated with Objective Memory Decline Over Two Years in Persons Seeking Help for Subjective Cognitive Decline: A Report from the Gothenburg-Oslo MCI Study. <i>Journal of Alzheimer's Disease</i> , 2015, 47, 619-628.	2.6	19
28	Hippocampal Complex Atrophy in Poststroke and Mild Cognitive Impairment. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2015, 35, 1729-1737.	4.3	17
29	Demographically adjusted trail making test norms in a Scandinavian sample from 41 to 84 years. <i>Clinical Neuropsychologist</i> , 2020, 34, 110-126.	2.3	15
30	The Combination of Dysexecutive and Amnesic Deficits Strongly Predicts Conversion to Dementia in Young Mild Cognitive Impairment Patients: A Report from the Gothenburg-Oslo MCI Study. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2014, 4, 76-85.	1.3	14
31	Tested and reported executive problems in children and youth epilepsy. <i>Brain and Behavior</i> , 2018, 8, e00971.	2.2	12
32	Health concerns predicts poor quality of life in well-controlled epilepsy. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2009, 18, 487-491.	2.0	10
33	Neuropsychological Profiles in Mild Cognitive Impairment due to Alzheimer's and Parkinson's Diseases. <i>Journal of Parkinson's Disease</i> , 2016, 6, 413-421.	2.8	10
34	Clinical Neuropsychology as a Specialist Profession in European Health Care: Developing a Benchmark for Training Standards and Competencies Using the Europsy Model?. <i>Frontiers in Psychology</i> , 2020, 11, 559134.	2.1	9
35	Cerebrospinal fluid markers for synaptic function and Alzheimer type changes in late life depression. <i>Scientific Reports</i> , 2021, 11, 20375.	3.3	9
36	Behavioural adjustment in seizure-free epilepsy patients on monotherapy. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2008, 17, 422-430.	2.0	8

#	ARTICLE	IF	CITATIONS
37	Screening for Alzheimer's Disease: Cognitive Impairment in Self-Referred and Memory Clinic-Referred Patients. <i>Journal of Alzheimer's Disease</i> , 2017, 60, 1621-1631.	2.6	8
38	European Clinical Neuropsychology: Role in Healthcare and Access to Neuropsychological Services. <i>Healthcare (Switzerland)</i> , 2021, 9, 734.	2.0	8
39	Hippocampal Subfield Atrophy in Multi-Domain but Not Amnesic Mild Cognitive Impairment. <i>Dementia and Geriatric Cognitive Disorders</i> , 2015, 40, 44-53.	1.5	7
40	Amyloid Plaques and Symptoms of Depression Links to Medical Help-Seeking due to Subjective Cognitive Decline. <i>Journal of Alzheimer's Disease</i> , 2020, 75, 879-890.	2.6	7
41	Regression-based norms for the FAS phonemic fluency test for ages 40-84 based on a Norwegian sample. <i>Applied Neuropsychology Adult</i> , 2023, 30, 159-168.	1.2	6
42	In Brief Neuropsychological Assessment, Amnesic Mild Cognitive Impairment (MCI) Is associated with Cerebrospinal Fluid Biomarkers for Cognitive Decline in Contrast to the Prevailing NIA-AA MCI Criterion. <i>Journal of Alzheimer's Disease</i> , 2019, 67, 715-723.	2.6	5
43	Predictive and diagnostic utility of brief neuropsychological assessment in detecting Alzheimer's pathology and progression to dementia.. <i>Neuropsychology</i> , 2020, 34, 851-861.	1.3	5
44	Improvement in Speeded Cognitive Processing After Anti-epileptic Drug Withdrawal - A Controlled Study in Mono-therapy Patients. , 0, , 199-210.		4
45	Rehearsal Significantly Improves Immediate and Delayed Recall on the Rey Auditory Verbal Learning Test. <i>Applied Neuropsychology</i> , 2011, 18, 263-268.	1.5	3
46	Very long-term neuropsychological and behavioral consequences of mild and complicated mild TBI: increased impact of pediatric versus adult TBI. , 2010, , 118-144.		2
47	Improvement in Speeded Cognitive Processing After Anti-epileptic Drug Withdrawal - A Controlled Study in Mono-therapy Patients. <i>Progress in Neurotherapeutics and Neuropsychopharmacology</i> , 2008, 3, .	0.0	1
48	Core Competencies in Clinical Neuropsychology as a Training Model in Europe. <i>Frontiers in Psychology</i> , 2022, 13, 849151.	2.1	1
49	[P3-452]: SCREENING FOR ALZHEIMER'S DISEASE: COGNITIVE IMPAIRMENT IN SELF-REFERRED AND MEMORY CLINIC-REFERRED PATIENTS. <i>Alzheimer's and Dementia</i> , 2017, 13, P1145.	0.8	0
50	[P4-154]: DETECTING AT-RISK CASES FOR ALZHEIMER'S DISEASE. <i>Alzheimer's and Dementia</i> , 2017, 13, P13170.8		0
51	F4-08-03: INCREASED CSF NEUROGRANIN/BACE1 RATIO IN AMYLOID POSITIVE SUBJECTS WITH SUBJECTIVE COGNITIVE DECLINE. <i>Alzheimer's and Dementia</i> , 2018, 14, P1395.	0.8	0
52	P3-477: MEMORY INTRUSIONS AND CSF BIOMARKERS IN SUBJECTIVE AND MILD COGNITIVE IMPAIRMENT. <i>Alzheimer's and Dementia</i> , 2018, 14, P1303.	0.8	0
53	Regression-based normative data for the Rey Auditory Verbal Learning Test in Norwegian and Swedish adults ages 40 to 80. <i>Alzheimer's and Dementia</i> , 2020, 16, e044431.	0.8	0