

# Robert S Haltiwanger

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1168014/publications.pdf>

Version: 2024-02-01

87  
papers

6,259  
citations

57758

44  
h-index

69250

77  
g-index

89  
all docs

89  
docs citations

89  
times ranked

4681  
citing authors

#	ARTICLE	IF	CITATIONS
1	Glycans, Notch Signaling and Development. , 2022, , .		1
2	O-fucosylation of thrombospondin type 1 repeats is essential for ECM remodeling and signaling during bone development. Matrix Biology, 2022, 107, 77-96.	3.6	8
3	Lfng and Dll3 cooperate to modulate protein interactions in cis and coordinate oscillatory Notch pathway activation in the segmentation clock. Developmental Biology, 2022, 487, 42-56.	2.0	3
4	Identification, function, and biological relevance of POGLUT2 and POGLUT3. Biochemical Society Transactions, 2022, 50, 1003-1012.	3.4	2
5	O-fucosylation stabilizes the TSR3 motif in thrombospondin-1 by interacting with nearby amino acids and protecting a disulfide bond. Journal of Biological Chemistry, 2022, 298, 102047.	3.4	3
6	Fringe GlcNAc-transferases differentially extend O-fucose on endogenous NOTCH1 in mouse activated T cells. Journal of Biological Chemistry, 2022, 298, 102064.	3.4	9
7	Diseases related to Notch glycosylation. Molecular Aspects of Medicine, 2021, 79, 100938.	6.4	22
8	Hydrocephalus in mouse <i>B3glct</i> mutants is likely caused by defects in multiple B3GLCT substrates in ependymal cells and subcommissural organ. Glycobiology, 2021, 31, 988-1004.	2.5	7
9	Peters plus syndrome mutations affect the function and stability of human $\beta$ 1,3-glycosyltransferase. Journal of Biological Chemistry, 2021, 297, 100843.	3.4	6
10	Asparagine Tautomerization in Glycosyltransferase Catalysis. The Molecular Mechanism of Protein <i>O</i> -Fucosyltransferase 1. ACS Catalysis, 2021, 11, 9926-9932.	11.2	12
11	POGLUT2 and POGLUT3 O-glycosylate multiple EGF repeats in fibrillin-1, -2, and LTBP1 and promote secretion of fibrillin-1. Journal of Biological Chemistry, 2021, 297, 101055.	3.4	6
12	O-Fucosylation of Proteins. , 2021, , 182-203.		0
13	Modulation of the NOTCH1 Pathway by LUNATIC FRINGE Is Dominant over That of MANIC or RADICAL FRINGE. Molecules, 2021, 26, 5942.	3.8	10
14	O-Fucose and Fringe-modified NOTCH1 extracellular domain fragments as decoys to release niche-lodged hematopoietic progenitor cells. Glycobiology, 2021, 31, 582-592.	2.5	1
15	Differential Labeling of Glycoproteins with Alkynyl Fucose Analogs. International Journal of Molecular Sciences, 2020, 21, 6007.	4.1	10
16	O-Fucosylation of ADAMTSL2 is required for secretion and is impacted by geleophysic dysplasia-causing mutations. Journal of Biological Chemistry, 2020, 295, 15742-15753.	3.4	15
17	Canonical Notch ligands and Fringes have distinct effects on NOTCH1 and NOTCH2. Journal of Biological Chemistry, 2020, 295, 14710-14722.	3.4	36
18	Isolation and characterization of new human carrier peptides from two important vaccine immunogens. Vaccine, 2020, 38, 2315-2325.	3.8	8

#	ARTICLE	IF	CITATIONS
19	Analyzing the Effects of O-Fucosylation on Secretion of ADAMTS Proteins Using Cell-Based Assays. <i>Methods in Molecular Biology</i> , 2020, 2043, 25-43.	0.9	1
20	Emerging structural insights into glycosyltransferase-mediated synthesis of glycans. <i>Nature Chemical Biology</i> , 2019, 15, 853-864.	8.0	123
21	ADAMTS9 and ADAMTS20 are differentially affected by loss of B3GLCT in mouse model of Peters plus syndrome. <i>Human Molecular Genetics</i> , 2019, 28, 4053-4066.	2.9	23
22	Glycosylation of Specific Notch EGF Repeats by O-Fut1 and Fringe Regulates Notch Signaling in <i>Drosophila</i> . <i>Cell Reports</i> , 2019, 29, 2054-2066.e6.	6.4	27
23	Protein O-fucosylation: structure and function. <i>Current Opinion in Structural Biology</i> , 2019, 56, 78-86.	5.7	104
24	Altered Notch Signaling in Dowling-Degos Disease: Additional Mutations in POGLUT1 and Further Insights into Disease Pathogenesis. <i>Journal of Investigative Dermatology</i> , 2019, 139, 960-964.	0.7	15
25	Variant in human POFUT1 reduces enzymatic activity and likely causes a recessive microcephaly, global developmental delay with cardiac and vascular features. <i>Glycobiology</i> , 2018, 28, 276-283.	2.5	24
26	Inhibition of Delta-induced Notch signaling using fucose analogs. <i>Nature Chemical Biology</i> , 2018, 14, 65-71.	8.0	46
27	Regulation of Notch Function by O-Glycosylation. <i>Advances in Experimental Medicine and Biology</i> , 2018, 1066, 59-78.	1.6	47
28	Two novel protein <i>O</i> -glucosyltransferases that modify sites distinct from POGLUT1 and affect Notch trafficking and signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E8395-E8402.	7.1	68
29	What are the Real Functions of <i>O</i> -Glycan Modifications of Notch?. <i>Trends in Glycoscience and Glycotechnology</i> , 2018, 30, J103-J111.	0.1	1
30	Analyzing the Stabilizing Effects of <i>O</i> -Fucose Glycans on Thrombospondin Type 1 Repeats. <i>FASEB Journal</i> , 2018, 32, .	0.5	0
31	Deciphering the Fringe-Mediated Notch Code: Identification of Activating and Inhibiting Sites Allowing Discrimination between Ligands. <i>Developmental Cell</i> , 2017, 40, 193-201.	7.0	137
32	Notch-Jagged complex structure implicates a catch bond in tuning ligand sensitivity. <i>Science</i> , 2017, 355, 1320-1324.	12.6	232
33	Unusual life cycle and impact on microfibril assembly of ADAMTS17, a secreted metalloprotease mutated in genetic eye disease. <i>Scientific Reports</i> , 2017, 7, 41871.	3.3	56
34	Biological functions of fucose in mammals. <i>Glycobiology</i> , 2017, 27, 601-618.	2.5	282
35	<i>O</i> -Glycosylation modulates the stability of epidermal growth factor-like repeats and thereby regulates Notch trafficking. <i>Journal of Biological Chemistry</i> , 2017, 292, 15964-15973.	3.4	82
36	Functional characterization of zebrafish orthologs of the human Beta 3-Glucosyltransferase B3GLCT gene mutated in Peters Plus Syndrome. <i>PLoS ONE</i> , 2017, 12, e0184903.	2.5	12

#	ARTICLE	IF	CITATIONS
37	A <i>POGLUT1</i> mutation causes a muscular dystrophy with reduced Notch signaling and satellite cell loss. <i>EMBO Molecular Medicine</i> , 2016, 8, 1289-1309.	6.9	84
38	Structural analysis of Notch-regulating Rumi reveals basis for pathogenic mutations. <i>Nature Chemical Biology</i> , 2016, 12, 735-740.	8.0	27
39	Impaired ADAMTS9 secretion: A potential mechanism for eye defects in Peters Plus Syndrome. <i>Scientific Reports</i> , 2016, 6, 33974.	3.3	28
40	Genetic and biochemical evidence that gastrulation defects in <i>Pofut2</i> mutants result from defects in ADAMTS9 secretion. <i>Developmental Biology</i> , 2016, 416, 111-122.	2.0	39
41	Mapping Sites of O-Glycosylation and Fringe Elongation on <i>Drosophila</i> Notch. <i>Journal of Biological Chemistry</i> , 2016, 291, 16348-16360.	3.4	61
42	Jagged1 heterozygosity in mice results in a congenital cholangiopathy which is reversed by concomitant deletion of one copy of <i>Poglut1</i> (Rumi). <i>Hepatology</i> , 2016, 63, 550-565.	7.3	83
43	A proactive role of water molecules in acceptor recognition by protein O-fucosyltransferase 2. <i>Nature Chemical Biology</i> , 2016, 12, 240-246.	8.0	58
44	Regulation of Notch signaling by O-glucosylation: Notch-modifying xylosyltransferase substrate complexes support an SNi-like retaining mechanism. <i>FASEB Journal</i> , 2016, 30, 624.3.	0.5	1
45	Protein O-Glucosyltransferase 1 (POGLUT1) Promotes Mouse Gastrulation through Modification of the Apical Polarity Protein CRUMBS2. <i>PLoS Genetics</i> , 2015, 11, e1005551.	3.5	34
46	Peters Plus Syndrome Mutations Disrupt a Noncanonical ER Quality-Control Mechanism. <i>Current Biology</i> , 2015, 25, 286-295.	3.9	75
47	Notch-modifying xylosyltransferase structures support an SNi-like retaining mechanism. <i>Nature Chemical Biology</i> , 2015, 11, 847-854.	8.0	60
48	Novel roles for O-linked glycans in protein folding. <i>Glycoconjugate Journal</i> , 2014, 31, 417-426.	2.7	59
49	The Protein O-glucosyltransferase Rumi Modifies Eyes Shut to Promote Rhabdomere Separation in <i>Drosophila</i> . <i>PLoS Genetics</i> , 2014, 10, e1004795.	3.5	29
50	Fringe-mediated extension of O-linked fucose in the ligand-binding region of Notch1 increases binding to mammalian Notch ligands. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 7290-7295.	7.1	94
51	Significance of glycosylation in Notch signaling. <i>Biochemical and Biophysical Research Communications</i> , 2014, 453, 235-242.	2.1	141
52	Analyzing the Posttranslational Modification Status of Notch Using Mass Spectrometry. <i>Methods in Molecular Biology</i> , 2014, 1187, 209-221.	0.9	13
53	O-fucosylation of the Notch Ligand mDLL1 by POFUT1 Is Dispensable for Ligand Function. <i>PLoS ONE</i> , 2014, 9, e88571.	2.5	32
54	6-Alkynyl fucose is a bioorthogonal analog for O-fucosylation of epidermal growth factor-like repeats and thrombospondin Type-1 repeats by protein O-fucosyltransferases 1 and 2. <i>Glycobiology</i> , 2013, 23, 188-198.	2.5	24

#	ARTICLE	IF	CITATIONS
55	Site-specific Analysis of O-Fucose and O-Glucose Glycans on Notch. <i>FASEB Journal</i> , 2013, 27, 335.3.	0.5	0
56	Molecular Cloning of a Xylosyltransferase That Transfers the Second Xylose to O-Glucosylated Epidermal Growth Factor Repeats of Notch. <i>Journal of Biological Chemistry</i> , 2012, 287, 2739-2748.	3.4	76
57	Site-specific O-Glucosylation of the Epidermal Growth Factor-like (EGF) Repeats of Notch. <i>Journal of Biological Chemistry</i> , 2012, 287, 33934-33944.	3.4	68
58	A Mutation in EGF Repeat-8 of Notch Discriminates Between Serrate/Jagged and Delta Family Ligands. <i>Science</i> , 2012, 338, 1229-1232.	12.6	92
59	Rumi functions as both a protein <i>O</i> -glucosyltransferase and a protein <i>O</i> -xylosyltransferase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 16600-16605.	7.1	72
60	Fringe benefits: Functional and structural impacts of O-glycosylation on the extracellular domain of Notch receptors. <i>Current Opinion in Structural Biology</i> , 2011, 21, 583-589.	5.7	129
61	O-Glucose Trisaccharide Is Present at High but Variable Stoichiometry at Multiple Sites on Mouse Notch1. <i>Journal of Biological Chemistry</i> , 2011, 286, 31623-31637.	3.4	86
62	Regulation of mammalian Notch signaling and embryonic development by the protein <i>O</i> -glucosyltransferase Rumi. <i>Development (Cambridge)</i> , 2011, 138, 1925-1934.	2.5	155
63	O-Fucosylation of Thrombospondin Type 1 Repeats. <i>Methods in Enzymology</i> , 2010, 480, 401-416.	1.0	34
64	Identification of Glycosyltransferase 8 Family Members as Xylosyltransferases Acting on O-Glucosylated Notch Epidermal Growth Factor Repeats. <i>Journal of Biological Chemistry</i> , 2010, 285, 1582-1586.	3.4	112
65	O-fucosylation of thrombospondin type 1 repeats restricts epithelial to mesenchymal transition (EMT) and maintains epiblast pluripotency during mouse gastrulation. <i>Developmental Biology</i> , 2010, 346, 25-38.	2.0	72
66	Post-translational Modification of Thrombospondin Type-1 Repeats in ADAMTS-like 1/Punctin-1 by C-Mannosylation of Tryptophan. <i>Journal of Biological Chemistry</i> , 2009, 284, 30004-30015.	3.4	85
67	Structural and Mechanistic Insights into Lunatic Fringe from a Kinetic Analysis of Enzyme Mutants. <i>Journal of Biological Chemistry</i> , 2009, 284, 3294-3305.	3.4	18
68	Rumi Is a CAP10 Domain Glycosyltransferase that Modifies Notch and Is Required for Notch Signaling. <i>Cell</i> , 2008, 132, 247-258.	28.9	272
69	O-Fucosylation Is Required for ADAMTS13 Secretion. <i>Journal of Biological Chemistry</i> , 2007, 282, 17014-17023.	3.4	100
70	O-Fucosylation of Thrombospondin Type 1 Repeats in ADAMTS-like-1/Punctin-1 Regulates Secretion. <i>Journal of Biological Chemistry</i> , 2007, 282, 17024-17031.	3.4	74
71	Protein O-Fucosyltransferase 2 Adds O-Fucose to Thrombospondin Type 1 Repeats. <i>Journal of Biological Chemistry</i> , 2006, 281, 9393-9399.	3.4	122
72	Identification and Characterization of a $\alpha^{1,3}$ -Glucosyltransferase That Synthesizes the Glc- $\alpha^{1,3}$ -Fuc Disaccharide on Thrombospondin Type 1 Repeats. <i>Journal of Biological Chemistry</i> , 2006, 281, 36742-36751.	3.4	82

#	ARTICLE	IF	CITATIONS
73	Two Distinct Pathways for O-Fucosylation of Epidermal Growth Factor-like or Thrombospondin Type 1 Repeats. <i>Journal of Biological Chemistry</i> , 2006, 281, 9385-9392.	3.4	104
74	O-Glycosylation of Notch1 and its influence on Notch signaling. <i>FASEB Journal</i> , 2006, 20, .	0.5	0
75	O-Fucosylation of Notch Occurs in the Endoplasmic Reticulum. <i>Journal of Biological Chemistry</i> , 2005, 280, 11289-11294.	3.4	133
76	Lunatic Fringe, Manic Fringe, and Radical Fringe Recognize Similar Specificity Determinants in O-Fucosylated Epidermal Growth Factor-like Repeats. <i>Journal of Biological Chemistry</i> , 2005, 280, 42454-42463.	3.4	92
77	Regulation of signal transduction by glycosylation. <i>International Journal of Experimental Pathology</i> , 2004, 85, A49-A50.	1.3	2
78	Fringe Modifies O-Fucose on Mouse Notch1 at Epidermal Growth Factor-like Repeats within the Ligand-binding Site and the Abruption Region. <i>Journal of Biological Chemistry</i> , 2003, 278, 7775-7782.	3.4	123
79	Notch Ligands Are Substrates for Protein O-Fucosyltransferase-1 and Fringe. <i>Journal of Biological Chemistry</i> , 2002, 277, 29945-29952.	3.4	151
80	O-Glycosylation of EGF repeats: identification and initial characterization of a UDP-glucose: protein O-glycosyltransferase. <i>Glycobiology</i> , 2002, 12, 763-770.	2.5	67
81	Modulation of receptor signaling by glycosylation: fringe is an O-fucose-1,3-N-acetylglucosaminyltransferase. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2002, 1573, 328-335.	2.4	94
82	Regulation of signal transduction pathways in development by glycosylation. <i>Current Opinion in Structural Biology</i> , 2002, 12, 593-598.	5.7	123
83	Modification of Epidermal Growth Factor-like Repeats with O-Fucose. <i>Journal of Biological Chemistry</i> , 2001, 276, 40338-40345.	3.4	220
84	Fringe: A Glycosyltransferase That Modulates Notch Signaling. <i>Trends in Glycoscience and Glycotechnology</i> , 2001, 13, 157-165.	0.1	1
85	Fringe is a glycosyltransferase that modifies Notch. <i>Nature</i> , 2000, 406, 369-375.	27.8	792
86	Mammalian Notch1 Is Modified with Two Unusual Forms of O-Linked Glycosylation Found on Epidermal Growth Factor-like Modules. <i>Journal of Biological Chemistry</i> , 2000, 275, 9604-9611.	3.4	310
87	Calf thymus high mobility group proteins are nonenzymatically glycosylated but not significantly glycosylated. <i>Glycobiology</i> , 1998, 8, 191-198.	2.5	16