Juwon Park

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11683140/publications.pdf Version: 2024-02-01



IUNION DADK

#	Article	IF	CITATIONS
1	Cancer cells induce metastasis-supporting neutrophil extracellular DNA traps. Science Translational Medicine, 2016, 8, 361ra138.	12.4	656
2	Establishment and characterization of bortezomib-resistant U266 cell line: Constitutive activation of NF-κB-mediated cell signals and/or alterations of ubiquitylation-related genes reduce bortezomib-induced apoptosis. BMB Reports, 2014, 47, 274-279.	2.4	20
3	Imaging Tumor-Stroma Interactions during Chemotherapy Reveals Contributions of the Microenvironment to Resistance. Cancer Cell, 2012, 21, 488-503.	16.8	419
4	RNA interference-directed caveolin-1 knockdown sensitizes SN12CPM6 cells to doxorubicin-induced apoptosis and reduces lung metastasis. Tumor Biology, 2010, 31, 643-650.	1.8	20
5	Molecular characterization and prognostic significance of FLT3 in CML progression. Leukemia Research, 2010, 34, 995-1001.	0.8	10
6	TNFα Mediated IL-6 Secretion Was Regulated by JAK/STAT Pathway but Not by MEK Phosphorylation and AKT Phopshorylaton In U266 Multiple Myeloma Cells. Blood, 2010, 116, 1930-1930.	1.4	0
7	Non-A type nucleophosmin 1 gene mutation predicts poor clinical outcome in de novo adult acute myeloid leukemia: differential clinical importance of NPM1 mutation according to subtype. International Journal of Hematology, 2009, 90, 1-5.	1.6	25
8	Bortezomib Resistant Multiple Myeloma Cells Are Tumor Initiating Cells That Have a Stem Cell-Like Genetic Signature Blood, 2009, 114, 2805-2805.	1.4	0
9	Curcumin in combination with bortezomib synergistically induced apoptosis in human multiple myeloma U266 cells. Molecular Oncology, 2008, 2, 317-326.	4.6	69
10	Blockage of interleukin-6 signaling with 6-amino-4-quinazoline synergistically induces the inhibitory effect of bortezomib in human U266 cells. Anti-Cancer Drugs, 2008, 19, 777-782.	1.4	11
11	Abrogation of U266 Multiple Myeloma Cell Proliferation Via Inhibition of NF-κB Activation by Curcumin. The Korean Journal of Hematology, 2008, 43, 19.	0.7	0
12	Inactivation of JAK/STAT Cell Signaling by SK-7041, a Novel HDAC Inhibitor, Effectively Inhibits Growth of Acute Myeloid Leukemia Cells. Blood, 2008, 112, 4005-4005.	1.4	0
13	FLT3, CD32, PU.1, ERG, uPAR, and TAP2 Are Strongly Associated with the Progression of Chronic Myeloid Leukemia and Combination of Small Interference RNA of FLT3 and STI571 Synergistically Induced Apoptosis of K562 Cells. Blood, 2008, 112, 4237-4237.	1.4	0
14	Combination of SK-7041, one of novel histone deacetylase inhibitors, and STI571-induced synergistic apoptosis in chronic myeloid leukemia. Anti-Cancer Drugs, 2007, 18, 641-647.	1.4	7
15	Combined Treatment of STI571 (Glivec) and Curcumin Synergistically Suppresses the Growth of K562 Cells Via Inhibition of Bcr-Abl Pathway Blood, 2007, 110, 4537-4537.	1.4	0
16	Whole Genome Association Study in Acute Myeloid Leukemia with a Normal Karyotype, Using a Single-Nucleotide Polymorphism (SNP) Analysis Blood, 2007, 110, 4253-4253.	1.4	5
17	Novel Synthetic Histone Deacetylase Inhibitor, SK-7041, Has Potent Anti-Proliferative Activity in Acute Myeloid Leukemia Cell Lines Blood, 2007, 110, 2854-2854.	1.4	0