

# Kathleen Bennett

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11692300/publications.pdf>

Version: 2024-02-01

200  
papers

7,544  
citations

66343

42  
h-index

71685

76  
g-index

204  
all docs

204  
docs citations

204  
times ranked

11011  
citing authors

#	ARTICLE	IF	CITATIONS
1	Beta Blockers and Breast Cancer Mortality: A Population- Based Study. Journal of Clinical Oncology, 2011, 29, 2635-2644.	1.6	446
2	Potentially inappropriate prescribing and cost outcomes for older people: a national population study. British Journal of Clinical Pharmacology, 2010, 69, 543-552.	2.4	326
3	Anticholinergic drugs and risk of dementia: case-control study. BMJ: British Medical Journal, 2018, 361, k1315.	2.3	314
4	Early discontinuation of tamoxifen. Cancer, 2007, 109, 832-839.	4.1	254
5	Modelling the decreasing coronary heart disease mortality in Sweden between 1986 and 2002. European Heart Journal, 2009, 30, 1046-1056.	2.2	218
6	Trends and interaction of polypharmacy and potentially inappropriate prescribing in primary care over 15 years in Ireland: a repeated cross-sectional study. BMJ Open, 2015, 5, e008656.	1.9	180
7	Potentially inappropriate prescribing and adverse health outcomes in community dwelling older patients. British Journal of Clinical Pharmacology, 2014, 77, 201-210.	2.4	172
8	Sputum Candida albicans Presages FEV 1 Decline and Hospital-Treated Exacerbations in Cystic Fibrosis. Chest, 2010, 138, 1186-1195.	0.8	165
9	Risk Prediction Models to Predict Emergency Hospital Admission in Community-dwelling Adults. Medical Care, 2014, 52, 751-765.	2.4	153
10	Potentially inappropriate prescribing and cost outcomes for older people: a cross-sectional study using the Northern Ireland Enhanced Prescribing Database. European Journal of Clinical Pharmacology, 2012, 68, 1425-1433.	1.9	144
11	Polypharmacy including falls risk-increasing medications and subsequent falls in community-dwelling middle-aged and older adults. Age and Ageing, 2015, 44, 90-96.	1.6	138
12	Systematic review and meta-analysis of the prevalence of cognitive impairment no dementia in the first year post-stroke. European Stroke Journal, 2019, 4, 160-171.	5.5	129
13	Decline in mortality from coronary heart disease in Poland after socioeconomic transformation: modelling study. BMJ: British Medical Journal, 2012, 344, d8136-d8136.	2.3	115
14	Impact of Potentially Inappropriate Prescribing on Adverse Drug Events, Health Related Quality of Life and Emergency Hospital Attendance in Older People Attending General Practice: A Prospective Cohort Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2017, 72, 271-277.	3.6	112
15	Modification of acute cardiovascular homeostatic responses to hemorrhage following mild to moderate traumatic brain injury. Critical Care Medicine, 2008, 36, 216-224.	0.9	108
16	Explaining the recent decrease in coronary heart disease mortality rates in Ireland, 1985-2000. Journal of Epidemiology and Community Health, 2006, 60, 322-327.	3.7	107
17	The Effect of <i>Aspergillus fumigatus</i> Infection on Vitamin D Receptor Expression in Cystic Fibrosis. American Journal of Respiratory and Critical Care Medicine, 2012, 186, 999-1007.	5.6	98
18	Opt-out as an acceptable method of obtaining consent in medical research: a short report. BMC Medical Research Methodology, 2011, 11, 40.	3.1	93

#	ARTICLE	IF	CITATIONS
19	Explaining the Decrease in Coronary Heart Disease Mortality in Italy Between 1980 and 2000. <i>American Journal of Public Health</i> , 2010, 100, 684-692.	2.7	90
20	Evidence for an age and gender bias in the secondary prevention of ischaemic heart disease in primary care. <i>British Journal of Clinical Pharmacology</i> , 2003, 55, 604-608.	2.4	87
21	Agreement between patient interview data on prescription medication use and pharmacy records in those aged older than 50 years varied by therapeutic group and reporting of indicated health conditions. <i>Journal of Clinical Epidemiology</i> , 2013, 66, 1308-1316.	5.0	87
22	Prevalence of potentially inappropriate prescribing and prescribing omissions in older Irish adults: findings from The Irish Longitudinal Study on Ageing study (TILDA). <i>European Journal of Clinical Pharmacology</i> , 2014, 70, 599-606.	1.9	78
23	Analysing the Large Decline in Coronary Heart Disease Mortality in the Icelandic Population Aged 25-74 between the Years 1981 and 2006. <i>PLoS ONE</i> , 2010, 5, e13957.	2.5	73
24	Prevalence of chronic disease in the elderly based on a national pharmacy claims database. <i>Age and Ageing</i> , 2006, 35, 633-636.	1.6	71
25	Use of Medications with Anticholinergic Activity and Self-Reported Injurious Falls in Older Community-Dwelling Adults. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 1561-1569.	2.6	66
26	Serum albumin as an outcome predictor in hospital emergency medical admissions. <i>European Journal of Internal Medicine</i> , 2010, 21, 17-20.	2.2	64
27	Identifying the determinants of adjuvant hormonal therapy medication taking behaviour in women with stages I-III breast cancer: A systematic review and meta-analysis. <i>Patient Education and Counseling</i> , 2015, 98, 1524-1539.	2.2	60
28	Self-management interventions for cancer survivors: a systematic review. <i>Supportive Care in Cancer</i> , 2018, 26, 1585-1595.	2.2	59
29	Influence of socioeconomic status on the quality of prescribing in the elderly - a population based study. <i>British Journal of Clinical Pharmacology</i> , 2004, 58, 496-502.	2.4	57
30	Intervention to improve the quality of antimicrobial prescribing for urinary tract infection: a cluster randomized trial. <i>Cmaj</i> , 2016, 188, 108-115.	2.0	57
31	Inappropriate prescribing in older fallers presenting to an Irish emergency department. <i>Age and Ageing</i> , 2014, 43, 44-50.	1.6	56
32	Exercise, orthoses and splinting for treating Achilles tendinopathy: a systematic review with meta-analysis. <i>British Journal of Sports Medicine</i> , 2018, 52, 1564-1574.	6.7	54
33	Longitudinal prevalence of potentially inappropriate medicines and potential prescribing omissions in a cohort of community-dwelling older people. <i>European Journal of Clinical Pharmacology</i> , 2015, 71, 473-482.	1.9	53
34	Potentially inappropriate prescribing according to STOPP and START and adverse outcomes in community-dwelling older people: a prospective cohort study. <i>British Journal of Clinical Pharmacology</i> , 2016, 82, 849-857.	2.4	53
35	The Clinical and Economic Burden of Poor Adherence and Persistence with Osteoporosis Medications in Ireland. <i>Value in Health</i> , 2012, 15, 604-612.	0.3	52
36	DYNAMO-HIA - A Dynamic Modeling Tool for Generic Health Impact Assessments. <i>PLoS ONE</i> , 2012, 7, e33317.	2.5	51

#	ARTICLE	IF	CITATIONS
37	Explaining the decline in coronary heart disease mortality in Turkey between 1995 and 2008. <i>BMC Public Health</i> , 2013, 13, 1135.	2.9	51
38	Long-term cardiac monitoring in older adults with unexplained falls and syncope. <i>Heart</i> , 2016, 102, 681-686.	2.9	51
39	Benzodiazepine and drug prescribing in Ireland: analysis of national prescribing trends from 2005 to 2015. <i>British Journal of Clinical Pharmacology</i> , 2018, 84, 1354-1363.	2.4	51
40	Pharmacoepidemiology resources in Ireland—an introduction to pharmacy claims data. <i>European Journal of Clinical Pharmacology</i> , 2017, 73, 1449-1455.	1.9	50
41	Different initiatives across Europe to enhance losartan utilization post generics: impact and implications. <i>Frontiers in Pharmacology</i> , 2014, 5, 219.	3.5	48
42	Explaining the Decline in Coronary Heart Disease Mortality in Portugal Between 1995 and 2008. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2013, 6, 634-642.	2.2	47
43	Women's experiences of hormonal therapy for breast cancer: exploring influences on medication-taking behaviour. <i>Supportive Care in Cancer</i> , 2015, 23, 3115-3130.	2.2	47
44	Health impacts of increasing alcohol prices in the European Union: A dynamic projection. <i>Preventive Medicine</i> , 2012, 55, 237-243.	3.4	45
45	Using qualitative insights to change practice: exploring the culture of antibiotic prescribing and consumption for urinary tract infections. <i>BMJ Open</i> , 2016, 6, e008894.	1.9	45
46	A review of studies of adherence with antihypertensive drugs using prescription databases. <i>Therapeutics and Clinical Risk Management</i> , 2005, 1, 93-106.	2.0	45
47	Trimethoprim and ciprofloxacin resistance and prescribing in urinary tract infection associated with <i>Escherichia coli</i> : a multilevel model. <i>Journal of Antimicrobial Chemotherapy</i> , 2012, 67, 2523-2530.	3.0	44
48	Potentially Inappropriate Prescribing and Vulnerability and Hospitalization in Older Community-Dwelling Patients. <i>Annals of Pharmacotherapy</i> , 2014, 48, 1546-1554.	1.9	44
49	Trends in hospitalisation for acute myocardial infarction in Ireland, 1997–2008. <i>Heart</i> , 2012, 98, 1285-1289.	2.9	43
50	Anticholinergic and sedative drug burden in community-dwelling older people: a national database study. <i>BMJ Open</i> , 2018, 8, e022500.	1.9	42
51	A RCT evaluating the effectiveness and cost-effectiveness of academic detailing versus postal prescribing feedback in changing GP antibiotic prescribing. <i>Journal of Evaluation in Clinical Practice</i> , 2009, 15, 807-812.	1.8	40
52	Proton pump inhibitors: potential cost reductions by applying prescribing guidelines. <i>BMC Health Services Research</i> , 2012, 12, 408.	2.2	40
53	Association of anticholinergic burden with adverse effects in older people with intellectual disabilities: an observational cross-sectional study. <i>British Journal of Psychiatry</i> , 2016, 209, 504-510.	2.8	40
54	Propranolol and survival from breast cancer: a pooled analysis of European breast cancer cohorts. <i>Breast Cancer Research</i> , 2016, 18, 119.	5.0	40

#	ARTICLE	IF	CITATIONS
55	Prescribing trends for sodium valproate in Ireland. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2016, 36, 44-48.	2.0	40
56	The prevalence and ingredient cost of chronic comorbidity in the Irish elderly population with medication treated type 2 diabetes: A retrospective cross-sectional study using a national pharmacy claims database. <i>BMC Health Services Research</i> , 2013, 13, 23.	2.2	38
57	A multilevel analysis of trimethoprim and ciprofloxacin prescribing and resistance of uropathogenic <i>Escherichia coli</i> in general practice. <i>Journal of Antimicrobial Chemotherapy</i> , 2010, 65, 1514-1520.	3.0	36
58	A population-based study of dosing and persistence with anti-dementia medications. <i>European Journal of Clinical Pharmacology</i> , 2013, 69, 1467-1475.	1.9	36
59	The Clinical Impact of Different Adherence Behaviors in Patients with Severe Chronic Obstructive Pulmonary Disease. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2018, 197, 1630-1633.	5.6	36
60	Comparison of Tobacco Control Scenarios: Quantifying Estimates of Long-Term Health Impact Using the DYNAMO-HIA Modeling Tool. <i>PLoS ONE</i> , 2012, 7, e32363.	2.5	36
61	The development of the PROMPT (PRescribing Optimally in Middle-aged People's Treatments) criteria. <i>BMC Health Services Research</i> , 2014, 14, 484.	2.2	35
62	A national survey of prevalence of cardiopulmonary resuscitation training and knowledge of the emergency number in Ireland. <i>Resuscitation</i> , 2009, 80, 1039-1042.	3.0	34
63	Recent Prediagnostic Aspirin Use, Lymph Node Involvement, and 5-Year Mortality in Women with Stage III Breast Cancer: A Nationwide Population-Based Cohort Study. <i>Cancer Research</i> , 2014, 74, 4065-4077.	0.9	34
64	Measuring medication adherence in older community-dwelling patients with multimorbidity. <i>European Journal of Clinical Pharmacology</i> , 2018, 74, 357-364.	1.9	34
65	The Impact of Cognitive Impairment on Poststroke Outcomes: A 5-Year Follow-Up. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2019, 32, 275-281.	2.3	34
66	Comparison of count-based multimorbidity measures in predicting emergency admission and functional decline in older community-dwelling adults: a prospective cohort study. <i>BMJ Open</i> , 2016, 6, e013089.	1.9	33
67	Potentially inappropriate prescribing in two populations with differing socio-economic profiles: a cross-sectional database study using the PROMPT criteria. <i>European Journal of Clinical Pharmacology</i> , 2016, 72, 583-591.	1.9	32
68	Counting the time lived, the time left or illness? Age, proximity to death, morbidity and prescribing expenditures. <i>Social Science and Medicine</i> , 2017, 184, 1-14.	3.8	32
69	A cohort study of digoxin exposure and mortality in men with prostate cancer. <i>BJU International</i> , 2014, 113, 236-245.	2.5	31
70	A Systematic Review of the Probability of Repeated Admission Score in Community-Dwelling Adults. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 357-364.	2.6	30
71	Characterizing Potentially Inappropriate Prescribing of Proton Pump Inhibitors in Older People in Primary Care in Ireland from 1997 to 2012. <i>Journal of the American Geriatrics Society</i> , 2016, 64, e291-e296.	2.6	30
72	Personalising adherence-enhancing interventions using a smart inhaler in patients with COPD: an exploratory cost-effectiveness analysis. <i>Npj Primary Care Respiratory Medicine</i> , 2018, 28, 24.	2.6	30

#	ARTICLE	IF	CITATIONS
73	Antimicrobial management and appropriateness of treatment of urinary tract infection in general practice in Ireland. <i>BMC Family Practice</i> , 2011, 12, 108.	2.9	29
74	Modelling coronary heart disease mortality in Northern Ireland between 1987 and 2007: broader lessons for prevention. <i>European Journal of Preventive Cardiology</i> , 2013, 20, 310-321.	1.8	29
75	Fixed-dose combination antihypertensives and risk of medication errors. <i>Heart</i> , 2019, 105, 204-209.	2.9	29
76	Economic impact of potentially inappropriate prescribing and related adverse events in older people: a cost-utility analysis using Markov models. <i>BMJ Open</i> , 2019, 9, e021832.	1.9	29
77	History of Benzodiazepine Prescriptions and Risk of Dementia: Possible Bias Due to Prevalent Users and Covariate Measurement Timing in a Nested Case-Control Study. <i>American Journal of Epidemiology</i> , 2019, 188, 1228-1236.	3.4	28
78	"Selective" switching from non-selective to selective non-steroidal anti-inflammatory drugs. <i>European Journal of Clinical Pharmacology</i> , 2003, 59, 645-649.	1.9	27
79	Effect of an acute medical admission unit on key quality indicators assessed by funnel plots. <i>Postgraduate Medical Journal</i> , 2007, 83, 659-663.	1.8	27
80	Modelling Coronary Heart Disease Mortality declines in the Republic of Ireland, 1985â€“2006. <i>International Journal of Cardiology</i> , 2013, 168, 2462-2467.	1.7	26
81	Psychostimulant prescribing trends in a paediatric population in Ireland: a national cohort study. <i>BMC Pediatrics</i> , 2015, 15, 118.	1.7	26
82	Initial therapy, persistence and regimen change in a cohort of newly treated type 2 diabetes patients. <i>British Journal of Clinical Pharmacology</i> , 2015, 79, 1000-1009.	2.4	26
83	Comparing primary prevention with secondary prevention to explain decreasing Coronary Heart Disease death rates in Ireland, 1985â€“2000. <i>BMC Public Health</i> , 2007, 7, 117.	2.9	25
84	PIPC study: development of indicators of potentially inappropriate prescribing in children (PIPC) in primary care using a modified Delphi technique. <i>BMJ Open</i> , 2016, 6, e012079.	1.9	25
85	Does cognitive impairment impact adherence? A systematic review and meta-analysis of the association between cognitive impairment and medication non-adherence in stroke. <i>PLoS ONE</i> , 2017, 12, e0189339.	2.5	25
86	A clustered randomized trial of the effects of feedback using academic detailing compared to postal bulletin on prescribing of preventative cardiovascular therapy. <i>Family Practice</i> , 2007, 24, 475-480.	1.9	24
87	Age and outcome in acute emergency medical admissions. <i>Age and Ageing</i> , 2010, 39, 694-698.	1.6	24
88	An observational study examining the effect of comorbidity on the rates of persistence and adherence to newly initiated oral anti-hyperglycaemic agents. <i>Pharmacoepidemiology and Drug Safety</i> , 2013, 22, 1336-1344.	1.9	24
89	De Novo Post-Diagnosis Aspirin Use and Mortality in Women with Stage III Breast Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 898-904.	2.5	24
90	Potential health gains and health losses in eleven EU countries attainable through feasible prevalences of the life-style related risk factors alcohol, BMI, and smoking: a quantitative health impact assessment. <i>BMC Public Health</i> , 2016, 16, 734.	2.9	24

#	ARTICLE	IF	CITATIONS
91	Prevalence of postpartum venous thromboembolism risk factors in an Irish urban obstetric population. <i>Journal of Thrombosis and Haemostasis</i> , 2019, 17, 1875-1885.	3.8	24
92	Repeatability of the measurement of aortic pulse wave velocity (aPWV) in the clinical assessment of arterial stiffness in community-dwelling older patients using the Vicorder device. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2013, 73, 269-273.	1.2	23
93	Age and sex inequalities in the prescription of evidence-based pharmacological therapy following an acute coronary syndrome in Portugal: the EURHOBOP study. <i>European Journal of Preventive Cardiology</i> , 2014, 21, 1401-1408.	1.8	23
94	The effect of vitamin D supplementation on arterial stiffness in an elderly community-based population. <i>Journal of the American Society of Hypertension</i> , 2015, 9, 176-183.	2.3	23
95	Prescriber variation in potentially inappropriate prescribing in older populations in Ireland. <i>BMC Family Practice</i> , 2014, 15, 59.	2.9	22
96	Decline in Coronary Mortality in Sweden between 1986 and 2002: Comparing Contributions from Primary and Secondary Prevention. <i>PLoS ONE</i> , 2015, 10, e0124769.	2.5	22
97	Impact of drug burden index on adverse health outcomes in Irish community-dwelling older people: a cohort study. <i>BMC Geriatrics</i> , 2019, 19, 121.	2.7	22
98	Effect of Acute Traumatic Brain Injury on Baroreflex Function. <i>Shock</i> , 2011, 35, 53-58.	2.1	21
99	Cardiovascular risk factor trends in the Eastern Mediterranean region: evidence from four countries is alarming. <i>International Journal of Public Health</i> , 2015, 60, 3-11.	2.3	21
100	Statin use in adults at high risk of cardiovascular disease mortality: cross-sectional analysis of baseline data from The Irish Longitudinal Study on Ageing (TILDA). <i>BMJ Open</i> , 2015, 5, e008017.	1.9	20
101	Urban-Rural Variations in Quality-of-Life in Breast Cancer Survivors Prescribed Endocrine Therapy. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 394.	2.6	20
102	Stroke survivor cognitive decline and psychological wellbeing of family caregivers five years post-stroke: a cross-sectional analysis. <i>Topics in Stroke Rehabilitation</i> , 2019, 26, 180-186.	1.9	20
103	Mediterranean studies of cardiovascular disease and hyperglycemia: analytical modeling of population socio-economic transitions (MedCHAMPS) rationale and methods. <i>International Journal of Public Health</i> , 2013, 58, 547-553.	2.3	19
104	The effect of free health care on polypharmacy: a comparison of propensity score methods and multivariable regression to account for confounding. <i>Pharmacoepidemiology and Drug Safety</i> , 2014, 23, 656-665.	1.9	19
105	J-shaped relationship between supervised methadone consumption and retention in methadone maintenance treatment (MMT) in primary care: National cohort study. <i>Drug and Alcohol Dependence</i> , 2017, 173, 126-131.	3.2	19
106	Cognitive Impairment, Vulnerability, and Mortality Post Ischemic Stroke: A Five-Year Follow-Up of the Action on Secondary Prevention Interventions and Rehabilitation in Stroke (ASPIRE-S) Cohort. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2018, 27, 2466-2473.	1.6	19
107	Regional variation in the prescribing for diabetes and use of secondary preventative therapies in Ireland. <i>Pharmacoepidemiology and Drug Safety</i> , 2005, 14, 537-544.	1.9	18
108	Life-years-gained from population risk factor changes and modern cardiology treatments in Ireland. <i>European Journal of Public Health</i> , 2007, 17, 193-198.	0.3	18

#	ARTICLE	IF	CITATIONS
109	Metformin exposure and disseminated disease in patients with colorectal cancer. <i>Cancer Epidemiology</i> , 2014, 38, 79-84.	1.9	18
110	Cognitive impairment and medication adherence post-stroke: A five-year follow-up of the ASPIRE-S cohort. <i>PLoS ONE</i> , 2019, 14, e0223997.	2.5	18
111	General practitioners' ranking of evidence-based prescribing quality indicators: a comparative study with a prescription database. <i>British Journal of Clinical Pharmacology</i> , 2006, 62, 218-224.	2.4	17
112	National underuse of anti-thrombotic therapy in chronic atrial fibrillation identified from digoxin prescribing. <i>British Journal of Clinical Pharmacology</i> , 2007, 64, 706-709.	2.4	17
113	Changing patterns of cardiovascular diseases and cancer mortality in Portugal, 1980â€“2010. <i>BMC Public Health</i> , 2012, 12, 1126.	2.9	17
114	Barriers and facilitators to accessing insulin pump therapy by adults with type 1 diabetes mellitus: a qualitative study. <i>Acta Diabetologica</i> , 2021, 58, 93-105.	2.5	17
115	Factors associated with early and later dropout from methadone maintenance treatment in specialist addiction clinics: a six-year cohort study using proportional hazards frailty models for recurrent treatment episodes. <i>Drug and Alcohol Dependence</i> , 2021, 219, 108466.	3.2	17
116	Have COX-2 inhibitors influenced the co-prescription of anti-ulcer drugs with NSAIDs?. <i>British Journal of Clinical Pharmacology</i> , 2003, 57, 337-343.	2.4	16
117	De novo post-diagnosis statin use, breast cancer-specific and overall mortality in women with stage Iâ€“III breast cancer. <i>British Journal of Cancer</i> , 2016, 115, 592-598.	6.4	16
118	Can demographic, clinical and treatment-related factors available at hormonal therapy initiation predict non-persistence in women with stage Iâ€“III breast cancer?. <i>Cancer Causes and Control</i> , 2017, 28, 215-225.	1.8	16
119	Cancer survivors' experience of OptiMal, a 6-week, occupation-based, self-management intervention. <i>British Journal of Occupational Therapy</i> , 2019, 82, 90-100.	0.9	16
120	The prevalence of unexplained falls and syncope in older adults presenting to an Irish urban emergency department. <i>European Journal of Emergency Medicine</i> , 2019, 26, 100-104.	1.1	16
121	Comparing Potentially Inappropriate Prescribing Tools and Their Association With Patient Outcomes. <i>Journal of the American Geriatrics Society</i> , 2020, 68, 526-534.	2.6	16
122	Low uptake of continuous subcutaneous insulin infusion therapy in people with type 1 diabetes in Ireland: a retrospective cross-sectional study. <i>BMC Endocrine Disorders</i> , 2020, 20, 92.	2.2	16
123	Primary care prescribing patterns in Ireland after the publication of large hypertension trials. <i>British Journal of Clinical Pharmacology</i> , 2007, 64, 381-385.	2.4	15
124	Identifying Adverse Drug Events in Older Community-Dwelling Patients. <i>Annals of Family Medicine</i> , 2019, 17, 133-140.	1.9	15
125	Cognitive decline associated with anticholinergics, benzodiazepines and Zâ€drugs: Findings from The Irish Longitudinal Study on Ageing (TILDA). <i>British Journal of Clinical Pharmacology</i> , 2021, 87, 2818-2829.	2.4	15
126	Do interruptions to the continuity of methadone maintenance treatment in specialist addiction settings increase the risk of drugâ€related poisoning deaths? A retrospective cohort study. <i>Addiction</i> , 2020, 115, 1867-1877.	3.3	15



#	ARTICLE	IF	CITATIONS
127	Factors influencing the costs of emergency medical admissions to an Irish teaching hospital. <i>European Journal of Health Economics</i> , 2006, 7, 123-128.	2.8	14
128	Glucose as a risk predictor in acute medical emergency admissions. <i>Diabetes Research and Clinical Practice</i> , 2014, 103, 119-126.	2.8	14
129	Pre-diagnostic statin use, lymph node status and mortality in women with stages Iâ€“III breast cancer. <i>British Journal of Cancer</i> , 2017, 117, 588-596.	6.4	14
130	Diurnal variation in mortality in older nocturnal fallers. <i>Age and Ageing</i> , 2012, 41, 29-35.	1.6	13
131	Explaining the fall in Coronary Heart Disease mortality in the Republic of Ireland between 2000 and 2015 - IMPACT modelling study. <i>International Journal of Cardiology</i> , 2020, 310, 159-161.	1.7	13
132	Heartwatch: a secondary prevention programme in primary care in Ireland. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2008, 15, 651-656.	2.8	12
133	Patterns of statin initiation and continuation in patients with breast or colorectal cancer, towards end-of-life. <i>Supportive Care in Cancer</i> , 2017, 25, 1629-1637.	2.2	12
134	Potentially inappropriate prescribing and its association with health outcomes in middle-aged people: a prospective cohort study in Ireland. <i>BMJ Open</i> , 2017, 7, e016562.	1.9	12
135	Prevalence and Factors Associated with Potential Drug-Drug Interactions in Older Community-Dwelling Adults: A Prospective Cohort Study. <i>Drugs and Aging</i> , 2021, 38, 1025-1037.	2.7	12
136	Can small changes in cardiovascular risk factors predict large future reductions in coronary heart disease mortality in Ireland?. <i>European Journal of Epidemiology</i> , 2007, 22, 83-89.	5.7	11
137	Cost-Effectiveness of Treatments Reducing Coronary Heart Disease Mortality in Ireland, 2000 to 2010. <i>Value in Health</i> , 2009, 12, 10-15.	0.3	11
138	Supporting the improvement and management of prescribing for urinary tract infections (SIMPLE): protocol for a cluster randomized trial. <i>Trials</i> , 2013, 14, 441.	1.6	11
139	Contrasting cardiovascular mortality trends in Eastern Mediterranean populations: Contributions from risk factor changes and treatments. <i>International Journal of Cardiology</i> , 2016, 208, 150-161.	1.7	11
140	Highâ€“risk prescribing in an Irish primary care population: trends and variation. <i>British Journal of Clinical Pharmacology</i> , 2017, 83, 2821-2830.	2.4	11
141	Evidence for a gender and age inequality in the prescribing of preventative cardiovascular therapies to the elderly in primary care. <i>Age and Ageing</i> , 2004, 33, 500-502.	1.6	10
142	Characterizing new users of NSAIDs before and after rofecoxib withdrawal. <i>British Journal of Clinical Pharmacology</i> , 2007, 63, 494-497.	2.4	10
143	What therapies have replaced rofecoxib in Ireland?. <i>British Journal of Clinical Pharmacology</i> , 2007, 64, 536-541.	2.4	10
144	Identifying Incomplete Atypical Femoral Fractures With Single-Energy Absorptiometry: Declining Prevalence. <i>Journal of the Endocrine Society</i> , 2017, 1, 211-220.	0.2	10

#	ARTICLE	IF	CITATIONS
145	External validation of the Vulnerable Elder™s Survey for predicting mortality and emergency admission in older community-dwelling people: a prospective cohort study. <i>BMC Geriatrics</i> , 2017, 17, 69.	2.7	10
146	An evaluation of prescribing trends and patterns of claims within the Preferred Drugs Initiative in Ireland (2011–2016): an interrupted time-series study. <i>BMJ Open</i> , 2018, 8, e019315.	1.9	10
147	Rates of reported codeine-related poisonings and codeine prescribing following new national guidance in Ireland. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 106-111.	1.9	10
148	Usage of paracetamol-containing combination analgesics remains high in primary care. <i>British Journal of Clinical Pharmacology</i> , 2005, 60, 050913044129001.	2.4	9
149	Pace of change in coronary heart disease mortality in Finland, Ireland and the United Kingdom from 1985 to 2006. <i>European Journal of Public Health</i> , 2008, 18, 581-585.	0.3	9
150	Trends in co-prescribing of angiotensin converting enzyme inhibitors and angiotensin receptor blockers in Ireland. <i>British Journal of Clinical Pharmacology</i> , 2011, 71, 458-466.	2.4	9
151	Hormonal contraceptive use in Ireland: trends and co-prescribing practices. <i>British Journal of Clinical Pharmacology</i> , 2015, 80, 1315-1323.	2.4	9
152	Modelling Future Coronary Heart Disease Mortality to 2030 in the British Isles. <i>PLoS ONE</i> , 2015, 10, e0138044.	2.5	9
153	Secondary prevention and cognitive function after stroke: a study protocol for a 5-year follow-up of the ASPIRE-S cohort. <i>BMJ Open</i> , 2017, 7, e014819.	1.9	9
154	Cognitive impairment and cardiovascular medication use: Results from wave 1 of The Irish Longitudinal Study on Ageing. <i>Cardiovascular Therapeutics</i> , 2017, 35, e12300.	2.5	9
155	Adverse Drug reactions in an Ageing Population (ADAPT) study protocol: a cross-sectional and prospective cohort study of hospital admissions related to adverse drug reactions in older patients. <i>BMJ Open</i> , 2017, 7, e017322.	1.9	9
156	Geographical variation in anti-diabetic prescribing in Ireland in 2013 and 2014: a cross-sectional analysis. <i>Family Practice</i> , 2017, 34, 587-592.	1.9	8
157	The PIPc Study: application of indicators of potentially inappropriate prescribing in children (PIPc) to a national prescribing database in Ireland: a cross-sectional prevalence study. <i>BMJ Open</i> , 2018, 8, e022876.	1.9	8
158	Context-led capacity building in time of crisis: fostering non-communicable diseases (NCD) research skills in the Mediterranean Middle East and North Africa. <i>Global Health Action</i> , 2019, 12, 1569838.	1.9	8
159	Direct oral anticoagulants uptake and an oral anticoagulation paradox. <i>British Journal of Clinical Pharmacology</i> , 2020, 86, 392-397.	2.4	8
160	Impact of changes in controlled drugs legislation on benzodiazepine receptor agonist prescribing in Ireland: a repeated cross-sectional study. <i>European Journal of Clinical Pharmacology</i> , 2021, 77, 903-912.	1.9	8
161	Choice of first antihypertensive – are existing guidelines ignored?. <i>British Journal of Clinical Pharmacology</i> , 2007, 64, 071024001427007-???	2.4	7
162	External validation of the Probability of repeated admission (Pra) risk prediction tool in older community-dwelling people attending general practice: a prospective cohort study. <i>BMJ Open</i> , 2016, 6, e012336.	1.9	7

#	ARTICLE	IF	CITATIONS
163	Regional variation in coronary heart disease mortality trends in Portugal, 1981–2012. <i>International Journal of Cardiology</i> , 2016, 224, 279-285.	1.7	7
164	Disability-adjusted life years lost due to ischemic heart disease in mainland Portugal, 2013. <i>Revista Portuguesa De Cardiologia</i> , 2017, 36, 273-281.	0.5	7
165	Does the EQ-5D capture the effects of physical and mental health status on life satisfaction among older people? A path analysis approach. <i>Quality of Life Research</i> , 2017, 26, 1177-1186.	3.1	7
166	Developing a model of the determinants of medication nonadherence in older community-dwelling patients. <i>Annals of Behavioral Medicine</i> , 2019, 53, 942-954.	2.9	7
167	A systematic scoping review of interventions to optimise medication prescribing and adherence in older adults with cancer. <i>Research in Social and Administrative Pharmacy</i> , 2022, 18, 2392-2402.	3.0	7
168	Explaining structural change in cardiovascular mortality in Ireland 1995-2005: a time series analysis. <i>European Journal of Public Health</i> , 2011, 21, 597-602.	0.3	6
169	Principles of multilevel analysis and its relevance to studies of antimicrobial resistance. <i>Journal of Antimicrobial Chemotherapy</i> , 2012, 67, 2316-2322.	3.0	6
170	Prescribing patterns of glucosamine in an older population: a national cohort study. <i>BMC Complementary and Alternative Medicine</i> , 2013, 13, 316.	3.7	6
171	The Importance of Proximity to Death in Modelling Community Medication Expenditures for Older People: Evidence From New Zealand. <i>Applied Health Economics and Health Policy</i> , 2014, 12, 623-633.	2.1	6
172	Prostate specific antigen testing is associated with men's psychological and physical health and their healthcare utilisation in a nationally representative sample: a cross-sectional study. <i>BMC Family Practice</i> , 2014, 15, 121.	2.9	6
173	Developing and validating a theoretical measure of modifiable influences on hormonal therapy medication taking behaviour in women with breast cancer. <i>Psychology and Health</i> , 2017, 32, 1308-1326.	2.2	6
174	Cardiovascular risk factors—using repeated cross-sectional surveys to assess time trends in socioeconomic inequalities in neighbouring countries. <i>BMJ Open</i> , 2017, 7, e013442.	1.9	6
175	Thrombocalc: implementation and uptake of personalized postpartum venous thromboembolism risk assessment in a high-throughput obstetric environment. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017, 96, 1382-1390.	2.8	6
176	End-of-life prescribing of aspirin in patients with breast or colorectal cancer. <i>BMJ Supportive and Palliative Care</i> , 2019, 9, e6-e6.	1.6	5
177	Fitting Marginal Structural and G-Estimation Models Under Complex Treatment Patterns: Investigating the Association Between De Novo Vitamin D Supplement Use After Breast Cancer Diagnosis and All-Cause Mortality Using Linked Pharmacy Claim and Registry Data. <i>American Journal of Epidemiology</i> , 2020, 189, 224-234.	3.4	5
178	Prevalence and incidence of type 1 diabetes in Ireland: a retrospective cross-sectional study using a national pharmacy claims data from 2016. <i>BMJ Open</i> , 2020, 10, e032916.	1.9	5
179	Availability of and access to continuous subcutaneous insulin infusion therapy for adults with type 1 diabetes in Ireland. <i>Acta Diabetologica</i> , 2020, 57, 875-882.	2.5	5
180	The high cost of medicines in Ireland. <i>European Journal of Health Economics</i> , 2004, 5, 341-344.	2.8	4

#	ARTICLE	IF	CITATIONS
181	Agreement between self-reported morbidity and pharmacy claims data for prescribed medications in an older community based population. <i>BMC Geriatrics</i> , 2020, 20, 283.	2.7	4
182	Introduction of generic substitution and reference pricing in Ireland: early effects on state pharmaceutical expenditure and generic penetration, and associated success factors. <i>Journal of Pharmaceutical Policy and Practice</i> , 2015, 8, .	2.4	3
183	Trends in pharmacological therapy following an acute coronary syndrome in Portugal. <i>Journal of Cardiovascular Medicine</i> , 2016, 17, 639-646.	1.5	3
184	High prevalence of frequent attendance in the over 65s. <i>European Journal of Emergency Medicine</i> , 2018, 25, 53-57.	1.1	3
185	Psychological interventions for managing cognitive impairment after stroke. <i>The Cochrane Library</i> , 0, , .	2.8	3
186	The Health Service Executiveâ€™s Primary Care Reimbursement Services Database (HSE-PCRS) in Ireland. <i>Springer Series on Epidemiology and Public Health</i> , 2021, , 77-90.	0.5	3
187	Development of criteria for identifying potentially inappropriate prescribing in older adults with cancer receiving palliative care (PIP-CPC). <i>Journal of Geriatric Oncology</i> , 2021, 12, 1193-1199.	1.0	3
188	Associations between obesity, smoking and lymph node status at breast cancer diagnosis in the Prostate, Lung, Colorectal and Ovarian (PLCO) Cancer Screening Trial. <i>PLoS ONE</i> , 2018, 13, e0202291.	2.5	2
189	The Impact of Risk Factors for Coronary Heart Disease on Related Disability in Older Irish Adults. <i>Journal of Aging and Health</i> , 2019, 31, 165-184.	1.7	2
190	StrokeCog Markov Model: Projected Prevalent and Incident Cases of Stroke and Poststroke Cognitive Impairment to 2035 in Ireland. <i>Stroke</i> , 2021, 52, 3961-3969.	2.0	2
191	Identifying priority interventions for stroke in Ireland through stakeholder engagement to inform population-based modelling: a mixed methods protocol. <i>HRB Open Research</i> , 0, 4, 109.	0.6	2
192	Systematic review and meta-analysis of the effect of cognitive impairment on the risk of admission to long-term care after stroke. <i>HRB Open Research</i> , 0, 3, 28.	0.6	2
193	Valproate utilisation trends among women of childbearing potential in Ireland between 2014 and 2019: A drug utilisation study using interrupted time series. <i>Pharmacoepidemiology and Drug Safety</i> , 2022, 31, 661-669.	1.9	2
194	Opioid and analgesic utilization in Ireland in 2000 and 2015: A repeated cross-sectional study. <i>Pharmacology Research and Perspectives</i> , 2022, 10, e00899.	2.4	2
195	Choice of first antihypertensive â€™ are existing guidelines ignored? Response to Vegter & de Jongâ€™van den Berg.. <i>British Journal of Clinical Pharmacology</i> , 2008, 66, 561-561.	2.4	1
196	Disability-adjusted life years lost due to ischemic heart disease in mainland Portugal, 2013. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2017, 36, 273-281.	0.2	1
197	Interventions to optimise medication prescribing and adherence in older people with cancer: A systematic scoping review. <i>Research in Social and Administrative Pharmacy</i> , 2020, 16, 1627-1631.	3.0	1
198	Implementing subtype-specific pre-clinical models of breast cancer to study pre-treatment aspirin effects. <i>Cancer Medicine</i> , 2022, , .	2.8	1

#	ARTICLE	IF	CITATIONS
199	Use of cardiovascular medicines in newly treated type 2 diabetes patients: A retrospective cohort study in general practice. <i>Primary Care Diabetes</i> , 2016, 10, 237-243.	1.8	0
200	Prescriber Variation in Relation to Prescribing Trends within the Preferred Drugs Initiative in Ireland (2012â€“2015): An Interrupted Time-Series Study Using Latent Curve Models. <i>Medical Decision Making</i> , 2019, 39, 278-293.	2.4	0