
Kathleen Bennett

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11692300/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A systematic scoping review of interventions to optimise medication prescribing and adherence in older adults with cancer. Research in Social and Administrative Pharmacy, 2022, 18, 2392-2402.	3.0	7
2	Valproate utilisation trends among women of childbearing potential in Ireland between 2014 and 2019: A drug utilisation study using interrupted time series. Pharmacoepidemiology and Drug Safety, 2022, 31, 661-669.	1.9	2
3	Opioid and analgesic utilization in Ireland in 2000 and 2015: A repeated crossâ€sectional study. Pharmacology Research and Perspectives, 2022, 10, e00899.	2.4	2
4	Implementing subtypeâ€specific preâ€clinical models of breast cancer to study preâ€treatment aspirin effects. Cancer Medicine, 2022, , .	2.8	1
5	Cognitive decline associated with anticholinergics, benzodiazepines and Zâ€drugs: Findings from The Irish Longitudinal Study on Ageing (TILDA). British Journal of Clinical Pharmacology, 2021, 87, 2818-2829.	2.4	15
6	Barriers and facilitators to accessing insulin pump therapy by adults with type 1 diabetes mellitus: a qualitative study. Acta Diabetologica, 2021, 58, 93-105.	2.5	17
7	The Health Service Executive—Primary Care Reimbursement Services Database (HSE-PCRS) in Ireland. Springer Series on Epidemiology and Public Health, 2021, , 77-90.	0.5	3
8	Impact of changes in controlled drugs legislation on benzodiazepine receptor agonist prescribing in Ireland: a repeated cross-sectional study. European Journal of Clinical Pharmacology, 2021, 77, 903-912.	1.9	8
9	Factors associated with early and later dropout from methadone maintenance treatment in specialist addiction clinics: a six-year cohort study using proportional hazards frailty models for recurrent treatment episodes. Drug and Alcohol Dependence, 2021, 219, 108466.	3.2	17
10	Development of criteria for identifying potentially inappropriate prescribing in older adults with cancer receiving palliative care (PIP-CPC). Journal of Geriatric Oncology, 2021, 12, 1193-1199.	1.0	3
11	StrokeCog Markov Model: Projected Prevalent and Incident Cases of Stroke and Poststroke Cognitive Impairment to 2035 in Ireland. Stroke, 2021, 52, 3961-3969.	2.0	2
12	Prevalence and Factors Associated with Potential Drug-Drug Interactions in Older Community-Dwelling Adults: A Prospective Cohort Study. Drugs and Aging, 2021, 38, 1025-1037.	2.7	12
13	Comparing Potentially Inappropriate Prescribing Tools and Their Association With Patient Outcomes. Journal of the American Geriatrics Society, 2020, 68, 526-534.	2.6	16
14	Direct oral anticoagulants uptake and an oral anticoagulation paradox. British Journal of Clinical Pharmacology, 2020, 86, 392-397.	2.4	8
15	Agreement between self-reported morbidity and pharmacy claims data for prescribed medications in an older community based population. BMC Geriatrics, 2020, 20, 283.	2.7	4
16	Fitting Marginal Structural and G-Estimation Models Under Complex Treatment Patterns: Investigating the Association Between De Novo Vitamin D Supplement Use After Breast Cancer Diagnosis and All-Cause Mortality Using Linked Pharmacy Claim and Registry Data. American Journal of Epidemiology, 2020, 189, 224-234.	3.4	5
17	Prevalence and incidence of type 1 diabetes in Ireland: a retrospective cross-sectional study using a national pharmacy claims data from 2016. BMJ Open, 2020, 10, e032916.	1.9	5
18	Interventions to optimise medication prescribing and adherence in older people with cancer: A systematic scoping review. Research in Social and Administrative Pharmacy, 2020, 16, 1627-1631.	3.0	1

#	Article	IF	CITATIONS
19	Low uptake of continuous subcutaneous insulin infusion therapy in people with type 1 diabetes in Ireland: a retrospective cross-sectional study. BMC Endocrine Disorders, 2020, 20, 92.	2.2	16
20	Do interruptions to the continuity of methadone maintenance treatment in specialist addiction settings increase the risk of drugâ€related poisoning deaths? A retrospective cohort study. Addiction, 2020, 115, 1867-1877.	3.3	15
21	Availability of and access to continuous subcutaneous insulin infusion therapy for adults with type 1 diabetes in Ireland. Acta Diabetologica, 2020, 57, 875-882.	2.5	5
22	Explaining the fall in Coronary Heart Disease mortality in the Republic of Ireland between 2000 and 2015 - IMPACT modelling study. International Journal of Cardiology, 2020, 310, 159-161.	1.7	13
23	Fixed-dose combination antihypertensives and risk of medication errors. Heart, 2019, 105, 204-209.	2.9	29
24	Prevalence of postpartum venous thromboembolism risk factors in an Irish urban obstetric population. Journal of Thrombosis and Haemostasis, 2019, 17, 1875-1885.	3.8	24
25	Cognitive impairment and medication adherence post-stroke: A five-year follow-up of the ASPIRE-S cohort. PLoS ONE, 2019, 14, e0223997.	2.5	18
26	Systematic review and meta-analysis of the prevalence of cognitive impairment no dementia in the first year post-stroke. European Stroke Journal, 2019, 4, 160-171.	5.5	129
27	The Impact of Cognitive Impairment on Poststroke Outcomes: A 5-Year Follow-Up. Journal of Geriatric Psychiatry and Neurology, 2019, 32, 275-281.	2.3	34
28	Impact of drug burden index on adverse health outcomes in Irish community-dwelling older people: a cohort study. BMC Geriatrics, 2019, 19, 121.	2.7	22
29	Stroke survivor cognitive decline and psychological wellbeing of family caregivers five years post-stroke: a cross-sectional analysis. Topics in Stroke Rehabilitation, 2019, 26, 180-186.	1.9	20
30	Developing a model of the determinants of medication nonadherence in older community-dwelling patients. Annals of Behavioral Medicine, 2019, 53, 942-954.	2.9	7
31	Identifying Adverse Drug Events in Older Community-Dwelling Patients. Annals of Family Medicine, 2019, 17, 133-140.	1.9	15
32	History of Benzodiazepine Prescriptions and Risk of Dementia: Possible Bias Due to Prevalent Users and Covariate Measurement Timing in a Nested Case-Control Study. American Journal of Epidemiology, 2019, 188, 1228-1236.	3.4	28
33	Context-led capacity building in time of crisis: fostering non-communicable diseases (NCD) research skills in the Mediterranean Middle East and North Africa. Global Health Action, 2019, 12, 1569838.	1.9	8
34	Economic impact of potentially inappropriate prescribing and related adverse events in older people: a cost-utility analysis using Markov models. BMJ Open, 2019, 9, e021832.	1.9	29
35	Prescriber Variation in Relation to Prescribing Trends within the Preferred Drugs Initiative in Ireland (2012–2015): An Interrupted Time-Series Study Using Latent Curve Models. Medical Decision Making, 2019, 39, 278-293.	2.4	0
36	Cancer survivors' experience of OptiMal, a 6-week, occupation-based, self-management intervention. British Journal of Occupational Therapy, 2019, 82, 90-100.	0.9	16

#	Article	IF	CITATIONS
37	Rates of reported codeineâ€related poisonings and codeine prescribing following new national guidance in Ireland. Pharmacoepidemiology and Drug Safety, 2019, 28, 106-111.	1.9	10
38	The Impact of Risk Factors for Coronary Heart Disease on Related Disability in Older Irish Adults. Journal of Aging and Health, 2019, 31, 165-184.	1.7	2
39	End-of-life prescribing of aspirin in patients with breast or colorectal cancer. BMJ Supportive and Palliative Care, 2019, 9, e6-e6.	1.6	5
40	The prevalence of unexplained falls and syncope in older adults presenting to an Irish urban emergency department. European Journal of Emergency Medicine, 2019, 26, 100-104.	1.1	16
41	Self-management interventions for cancer survivors: a systematic review. Supportive Care in Cancer, 2018, 26, 1585-1595.	2.2	59
42	Benzodiazepine and Zâ€drug prescribing in Ireland: analysis of national prescribing trends from 2005 to 2015. British Journal of Clinical Pharmacology, 2018, 84, 1354-1363.	2.4	51
43	The Clinical Impact of Different Adherence Behaviors in Patients with Severe Chronic Obstructive Pulmonary Disease. American Journal of Respiratory and Critical Care Medicine, 2018, 197, 1630-1633.	5.6	36
44	Measuring medication adherence in older community-dwelling patients with multimorbidity. European Journal of Clinical Pharmacology, 2018, 74, 357-364.	1.9	34
45	Anticholinergic drugs and risk of dementia: case-control study. BMJ: British Medical Journal, 2018, 361, k1315.	2.3	314
46	High prevalence of frequent attendance in the over 65s. European Journal of Emergency Medicine, 2018, 25, 53-57.	1.1	3
47	The PIPc Study—application of indicators of potentially inappropriate prescribing in children (PIPc) to a national prescribing database in Ireland: a cross-sectional prevalence study. BMJ Open, 2018, 8, e022876.	1.9	8
48	An evaluation of prescribing trends and patterns of claims within the Preferred Drugs Initiative in Ireland (2011 – 2016): an interrupted time-series study. BMJ Open, 2018, 8, e019315.	1.9	10
49	Anticholinergic and sedative drug burden in community-dwelling older people: a national database study. BMJ Open, 2018, 8, e022500.	1.9	42
50	Exercise, orthoses and splinting for treating Achilles tendinopathy: a systematic review with meta-analysis. British Journal of Sports Medicine, 2018, 52, 1564-1574.	6.7	54
51	Associations between obesity, smoking and lymph node status at breast cancer diagnosis in the Prostate, Lung, Colorectal and Ovarian (PLCO) Cancer Screening Trial. PLoS ONE, 2018, 13, e0202291.	2.5	2
52	Cognitive Impairment, Vulnerability, and Mortality Post Ischemic Stroke: A Five-Year Follow-Up of the Action on Secondary Prevention Interventions and Rehabilitation in Stroke (ASPIRE-S) Cohort. Journal of Stroke and Cerebrovascular Diseases, 2018, 27, 2466-2473.	1.6	19
53	Personalising adherence-enhancing interventions using a smart inhaler in patients with COPD: an exploratory cost-effectiveness analysis. Npj Primary Care Respiratory Medicine, 2018, 28, 24.	2.6	30
54	Patterns of statin initiation and continuation in patients with breast or colorectal cancer, towards end-of-life. Supportive Care in Cancer, 2017, 25, 1629-1637.	2.2	12

#	Article	IF	CITATIONS
55	Can demographic, clinical and treatment-related factors available at hormonal therapy initiation predict non-persistence in women with stage l–III breast cancer?. Cancer Causes and Control, 2017, 28, 215-225.	1.8	16
56	Developing and validating a theoretical measure of modifiable influences on hormonal therapy medication taking behaviour in women with breast cancer. Psychology and Health, 2017, 32, 1308-1326.	2.2	6
57	Identifying Incomplete Atypical Femoral Fractures With Single-Energy Absorptiometry: Declining Prevalence. Journal of the Endocrine Society, 2017, 1, 211-220.	0.2	10
58	Secondary prevention and cognitive function after stroke: a study protocol for a 5-year follow-up of the ASPIRE-S cohort. BMJ Open, 2017, 7, e014819.	1.9	9
59	Geographical variation in anti-diabetic prescribing in Ireland in 2013 and 2014: a cross-sectional analysis. Family Practice, 2017, 34, 587-592.	1.9	8
60	Cardiovascular risk factors—using repeated cross-sectional surveys to assess time trends in socioeconomic inequalities in neighbouring countries. BMJ Open, 2017, 7, e013442.	1.9	6
61	J-shaped relationship between supervised methadone consumption and retention in methadone maintenance treatment (MMT) in primary care: National cohort study. Drug and Alcohol Dependence, 2017, 173, 126-131.	3.2	19
62	Disability-adjusted life years lost due to ischemic heart disease in mainland Portugal, 2013. Revista Portuguesa De Cardiologia, 2017, 36, 273-281.	0.5	7
63	Cognitive impairment and cardiovascular medication use: Results from wave 1 of The Irish Longitudinal Study on Ageing. Cardiovascular Therapeutics, 2017, 35, e12300.	2.5	9
64	Thrombocalc: implementation and uptake of personalized postpartum venous thromboembolism risk assessment in a highâ€ŧhroughput obstetric environment. Acta Obstetricia Et Gynecologica Scandinavica, 2017, 96, 1382-1390.	2.8	6
65	Pharmacoepidemiology resources in Ireland—an introduction to pharmacy claims data. European Journal of Clinical Pharmacology, 2017, 73, 1449-1455.	1.9	50
66	Pre-diagnostic statin use, lymph node status and mortality in women with stages l–III breast cancer. British Journal of Cancer, 2017, 117, 588-596.	6.4	14
67	Highâ€risk prescribing in an Irish primary care population: trends and variation. British Journal of Clinical Pharmacology, 2017, 83, 2821-2830.	2.4	11
68	Counting the time lived, the time left or illness? Age, proximity to death, morbidity and prescribing expenditures. Social Science and Medicine, 2017, 184, 1-14.	3.8	32
69	Disability-adjusted life years lost due to ischemic heart disease in mainland Portugal, 2013. Revista Portuguesa De Cardiologia (English Edition), 2017, 36, 273-281.	0.2	1
70	Potentially inappropriate prescribing and its association with health outcomes in middle-aged people: a prospective cohort study in Ireland. BMJ Open, 2017, 7, e016562.	1.9	12
71	Adverse Drug reactions in an Ageing PopulaTion (ADAPT) study protocol: a cross-sectional and prospective cohort study of hospital admissions related to adverse drug reactions in older patients. BMJ Open, 2017, 7, e017322.	1.9	9
72	External validation of the Vulnerable Elder's Survey for predicting mortality and emergency admission in older community-dwelling people: a prospective cohort study. BMC Geriatrics, 2017, 17, 69.	2.7	10

#	Article	IF	CITATIONS
73	Impact of Potentially Inappropriate Prescribing on Adverse Drug Events, Health Related Quality of Life and Emergency Hospital Attendance in Older People Attending General Practice: A Prospective Cohort Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2017, 72, 271-277.	3.6	112
74	Does the EQ-5D capture the effects of physical and mental health status on life satisfaction among older people? A path analysis approach. Quality of Life Research, 2017, 26, 1177-1186.	3.1	7
75	Urban–Rural Variations in Quality-of-Life in Breast Cancer Survivors Prescribed Endocrine Therapy. International Journal of Environmental Research and Public Health, 2017, 14, 394.	2.6	20
76	Does cognitive impairment impact adherence? A systematic review and meta-analysis of the association between cognitive impairment and medication non-adherence in stroke. PLoS ONE, 2017, 12, e0189339.	2.5	25
77	Potential health gains and health losses in eleven EU countries attainable through feasible prevalences of the life-style related risk factors alcohol, BMI, and smoking: a quantitative health impact assessment. BMC Public Health, 2016, 16, 734.	2.9	24
78	Trends in pharmacological therapy following an acute coronary syndrome in Portugal. Journal of Cardiovascular Medicine, 2016, 17, 639-646.	1.5	3
79	Potentially inappropriate prescribing according to STOPP and START and adverse outcomes in communityâ€dwelling older people: a prospective cohort study. British Journal of Clinical Pharmacology, 2016, 82, 849-857.	2.4	53
80	Using qualitative insights to change practice: exploring the culture of antibiotic prescribing and consumption for urinary tract infections. BMJ Open, 2016, 6, e008894.	1.9	45
81	Association of anticholinergic burden with adverse effects in older people with intellectual disabilities: an observational cross-sectional study. British Journal of Psychiatry, 2016, 209, 504-510.	2.8	40
82	PIPc study: development of indicators of potentially inappropriate prescribing in children (PIPc) in primary care using a modified Delphi technique. BMJ Open, 2016, 6, e012079.	1.9	25
83	Propranolol and survival from breast cancer: a pooled analysis of European breast cancer cohorts. Breast Cancer Research, 2016, 18, 119.	5.0	40
84	External validation of the Probability of repeated admission (Pra) risk prediction tool in older community-dwelling people attending general practice: a prospective cohort study. BMJ Open, 2016, 6, e012336.	1.9	7
85	Prescribing trends for sodium valproate in Ireland. Seizure: the Journal of the British Epilepsy Association, 2016, 36, 44-48.	2.0	40
86	De novo post-diagnosis statin use, breast cancer-specific and overall mortality in women with stage I–III breast cancer. British Journal of Cancer, 2016, 115, 592-598.	6.4	16
87	Regional variation in coronary heart disease mortality trends in Portugal, 1981–2012. International Journal of Cardiology, 2016, 224, 279-285.	1.7	7
88	Characterizing Potentially Inappropriate Prescribing of Proton Pump Inhibitors in Older People in Primary Care in Ireland from 1997 to 2012. Journal of the American Geriatrics Society, 2016, 64, e291-e296.	2.6	30
89	Comparison of count-based multimorbidity measures in predicting emergency admission and functional decline in older community-dwelling adults: a prospective cohort study. BMJ Open, 2016, 6, e013089.	1.9	33
90	Potentially inappropriate prescribing in two populations with differing socio-economic profiles: a cross-sectional database study using the PROMPT criteria. European Journal of Clinical Pharmacology, 2016, 72, 583-591.	1.9	32

#	Article	IF	CITATIONS
91	Contrasting cardiovascular mortality trends in Eastern Mediterranean populations: Contributions from risk factor changes and treatments. International Journal of Cardiology, 2016, 208, 150-161.	1.7	11
92	Intervention to improve the quality of antimicrobial prescribing for urinary tract infection: a cluster randomized trial. Cmaj, 2016, 188, 108-115.	2.0	57
93	Long-term cardiac monitoring in older adults with unexplained falls and syncope. Heart, 2016, 102, 681-686.	2.9	51
94	Use of cardiovascular medicines in newly treated type 2 diabetes patients: A retrospective cohort study in general practice. Primary Care Diabetes, 2016, 10, 237-243.	1.8	0
95	Introduction of generic substitution and reference pricing in Ireland: early effects on state pharmaceutical expenditure and generic penetration, and associated success factors. Journal of Pharmaceutical Policy and Practice, 2015, 8, .	2.4	3
96	Psychostimulant prescribing trends in a paediatric population in Ireland: a national cohort study. BMC Pediatrics, 2015, 15, 118.	1.7	26
97	Hormonal contraceptive use in <scp>Ireland</scp> : trends and coâ€prescribing practices. British Journal of Clinical Pharmacology, 2015, 80, 1315-1323.	2.4	9
98	Use of Medications with Anticholinergic Activity and Selfâ€Reported Injurious Falls in Older Communityâ€Dwelling Adults. Journal of the American Geriatrics Society, 2015, 63, 1561-1569.	2.6	66
99	Decline in Coronary Mortality in Sweden between 1986 and 2002: Comparing Contributions from Primary and Secondary Prevention. PLoS ONE, 2015, 10, e0124769.	2.5	22
100	Modelling Future Coronary Heart Disease Mortality to 2030 in the British Isles. PLoS ONE, 2015, 10, e0138044.	2.5	9
101	The effect of vitamin D supplementation on arterial stiffness in an elderly community–based population. Journal of the American Society of Hypertension, 2015, 9, 176-183.	2.3	23
102	Polypharmacy including falls risk-increasing medications and subsequent falls in community-dwelling middle-aged and older adults. Age and Ageing, 2015, 44, 90-96.	1.6	138
103	Longitudinal prevalence of potentially inappropriate medicines and potential prescribing omissions in a cohort of community-dwelling older people. European Journal of Clinical Pharmacology, 2015, 71, 473-482.	1.9	53
104	Identifying the determinants of adjuvant hormonal therapy medication taking behaviour in women with stages l–III breast cancer: A systematic review and meta-analysis. Patient Education and Counseling, 2015, 98, 1524-1539.	2.2	60
105	Statin use in adults at high risk of cardiovascular disease mortality: cross-sectional analysis of baseline data from The Irish Longitudinal Study on Ageing (TILDA). BMJ Open, 2015, 5, e008017.	1.9	20
106	Women's experiences of hormonal therapy for breast cancer: exploring influences on medication-taking behaviour. Supportive Care in Cancer, 2015, 23, 3115-3130.	2.2	47
107	Initial therapy, persistence and regimen change in a cohort of newly treated type 2 diabetes patients. British Journal of Clinical Pharmacology, 2015, 79, 1000-1009.	2.4	26
108	<i>De Novo</i> Post-Diagnosis Aspirin Use and Mortality in Women with Stage l–III Breast Cancer. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 898-904.	2.5	24

#	Article	IF	CITATIONS
109	Trends and interaction of polypharmacy and potentially inappropriate prescribing in primary care over 15â€years in Ireland: a repeated cross-sectional study. BMJ Open, 2015, 5, e008656.	1.9	180
110	Cardiovascular risk factor trends in the Eastern Mediterranean region: evidence from four countries is alarming. International Journal of Public Health, 2015, 60, 3-11.	2.3	21
111	The development of the PROMPT (PRescribing Optimally in Middle-aged People's Treatments) criteria. BMC Health Services Research, 2014, 14, 484.	2.2	35
112	Different initiatives across Europe to enhance losartan utilization post generics: impact and implications. Frontiers in Pharmacology, 2014, 5, 219.	3.5	48
113	A cohort study of digoxin exposure and mortality in men with prostate cancer. BJU International, 2014, 113, 236-245.	2.5	31
114	Age and sex inequalities in the prescription of evidence-based pharmacological therapy following an acute coronary syndrome in Portugal: the EURHOBOP study. European Journal of Preventive Cardiology, 2014, 21, 1401-1408.	1.8	23
115	The effect of free health care on polypharmacy: a comparison of propensity score methods and multivariable regression to account for confounding. Pharmacoepidemiology and Drug Safety, 2014, 23, 656-665.	1.9	19
116	Risk Prediction Models to Predict Emergency Hospital Admission in Community-dwelling Adults. Medical Care, 2014, 52, 751-765.	2.4	153
117	The Importance of Proximity to Death in Modelling Community Medication Expenditures for Older People: Evidence From New Zealand. Applied Health Economics and Health Policy, 2014, 12, 623-633.	2.1	6
118	Prevalence of potentially inappropriate prescribing and prescribing omissions in older Irish adults: findings from The Irish LongituDinal Study on Ageing study (TILDA). European Journal of Clinical Pharmacology, 2014, 70, 599-606.	1.9	78
119	Metformin exposure and disseminated disease in patients with colorectal cancer. Cancer Epidemiology, 2014, 38, 79-84.	1.9	18
120	Inappropriate prescribing in older fallers presenting to an Irish emergency department. Age and Ageing, 2014, 43, 44-50.	1.6	56
121	Prostate specific antigen testing is associated with men's psychological and physical health and their healthcare utilisation in a nationally representative sample: a cross-sectional study. BMC Family Practice, 2014, 15, 121.	2.9	6
122	Prescriber variation in potentially inappropriate prescribing in older populations in Ireland. BMC Family Practice, 2014, 15, 59.	2.9	22
123	Potentially Inappropriate Prescribing and Vulnerability and Hospitalization in Older Community-Dwelling Patients. Annals of Pharmacotherapy, 2014, 48, 1546-1554.	1.9	44
124	Recent Prediagnostic Aspirin Use, Lymph Node Involvement, and 5-Year Mortality in Women with Stage I–III Breast Cancer: A Nationwide Population-Based Cohort Study. Cancer Research, 2014, 74, 4065-4077.	0.9	34
125	Glucose as a risk predictor in acute medical emergency admissions. Diabetes Research and Clinical Practice, 2014, 103, 119-126.	2.8	14
126	Potentially inappropriate prescribing and adverse health outcomes in community dwelling older patients. British Journal of Clinical Pharmacology, 2014, 77, 201-210.	2.4	172

#	Article	IF	CITATIONS
127	A Systematic Review of the Probability of Repeated Admission Score in Communityâ€Dwelling Adults. Journal of the American Geriatrics Society, 2013, 61, 357-364.	2.6	30
128	Mediterranean studies of cardiovascular disease and hyperglycemia: analytical modeling of population socio-economic transitions (MedCHAMPS)—rationale and methods. International Journal of Public Health, 2013, 58, 547-553.	2.3	19
129	Supporting the improvement and management of prescribing for urinary tract infections (SIMPle): protocol for a cluster randomized trial. Trials, 2013, 14, 441.	1.6	11
130	Explaining the decline in coronary heart disease mortality in Turkey between 1995 and 2008. BMC Public Health, 2013, 13, 1135.	2.9	51
131	Prescribing patterns of glucosamine in an older population: a national cohort study. BMC Complementary and Alternative Medicine, 2013, 13, 316.	3.7	6
132	Modelling Coronary Heart Disease Mortality declines in the Republic of Ireland, 1985–2006. International Journal of Cardiology, 2013, 168, 2462-2467.	1.7	26
133	The prevalence and ingredient cost of chronic comorbidity in the Irish elderly population with medication treated type 2 diabetes: A retrospective cross-sectional study using a national pharmacy claims database. BMC Health Services Research, 2013, 13, 23.	2.2	38
134	A population-based study of dosing and persistence with anti-dementia medications. European Journal of Clinical Pharmacology, 2013, 69, 1467-1475.	1.9	36
135	Agreement between patient interview data on prescription medication use and pharmacy records in those aged older than 50 years varied by therapeutic group and reporting of indicated health conditions. Journal of Clinical Epidemiology, 2013, 66, 1308-1316.	5.0	87
136	Explaining the Decline in Coronary Heart Disease Mortality in Portugal Between 1995 and 2008. Circulation: Cardiovascular Quality and Outcomes, 2013, 6, 634-642.	2.2	47
137	Repeatability of the measurement of aortic pulse wave velocity (aPWV) in the clinical assessment of arterial stiffness in community-dwelling older patients using the Vicorder [®] device. Scandinavian Journal of Clinical and Laboratory Investigation, 2013, 73, 269-273.	1.2	23
138	Modelling coronary heart disease mortality in Northern Ireland between 1987 and 2007: broader lessons for prevention. European Journal of Preventive Cardiology, 2013, 20, 310-321.	1.8	29
139	An observational study examining the effect of comorbidity on the rates of persistence and adherence to newly initiated oral antiâ€hyperglycaemic agents. Pharmacoepidemiology and Drug Safety, 2013, 22, 1336-1344.	1.9	24
140	Diurnal variation in mortality in older nocturnal fallers. Age and Ageing, 2012, 41, 29-35.	1.6	13
141	Principles of multilevel analysis and its relevance to studies of antimicrobial resistance. Journal of Antimicrobial Chemotherapy, 2012, 67, 2316-2322.	3.0	6
142	Decline in mortality from coronary heart disease in Poland after socioeconomic transformation: modelling study. BMJ: British Medical Journal, 2012, 344, d8136-d8136.	2.3	115
143	Trends in hospitalisation for acute myocardial infarction in Ireland, 1997–2008. Heart, 2012, 98, 1285-1289.	2.9	43
144	Health impacts of increasing alcohol prices in the European Union: A dynamic projection. Preventive Medicine, 2012, 55, 237-243.	3.4	45

#	Article	IF	CITATIONS
145	Trimethoprim and ciprofloxacin resistance and prescribing in urinary tract infection associated with Escherichia coli: a multilevel model. Journal of Antimicrobial Chemotherapy, 2012, 67, 2523-2530.	3.0	44
146	Proton pump inhibitors: potential cost reductions by applying prescribing guidelines. BMC Health Services Research, 2012, 12, 408.	2.2	40
147	The Clinical and Economic Burden of Poor Adherence and Persistence with Osteoporosis Medications in Ireland. Value in Health, 2012, 15, 604-612.	0.3	52
148	The Effect of <i>Aspergillus fumigatus</i> Infection on Vitamin D Receptor Expression in Cystic Fibrosis. American Journal of Respiratory and Critical Care Medicine, 2012, 186, 999-1007.	5.6	98
149	Potentially inappropriate prescribing and cost outcomes for older people: a cross-sectional study using the Northern Ireland Enhanced Prescribing Database. European Journal of Clinical Pharmacology, 2012, 68, 1425-1433.	1.9	144
150	Changing patterns of cardiovascular diseases and cancer mortality in Portugal, 1980–2010. BMC Public Health, 2012, 12, 1126.	2.9	17
151	DYNAMO-HIA–A Dynamic Modeling Tool for Generic Health Impact Assessments. PLoS ONE, 2012, 7, e33317.	2.5	51
152	Comparison of Tobacco Control Scenarios: Quantifying Estimates of Long-Term Health Impact Using the DYNAMO-HIA Modeling Tool. PLoS ONE, 2012, 7, e32363.	2.5	36
153	Effect of Acute Traumatic Brain Injury on Baroreflex Function. Shock, 2011, 35, 53-58.	2.1	21
154	Trends in coâ€prescribing of angiotensin converting enzyme inhibitors and angiotensin receptor blockers in Ireland. British Journal of Clinical Pharmacology, 2011, 71, 458-466.	2.4	9
155	Opt-out as an acceptable method of obtaining consent in medical research: a short report. BMC Medical Research Methodology, 2011, 11, 40.	3.1	93
156	Antimicrobial management and appropriateness of treatment of urinary tract infection in general practice in Ireland. BMC Family Practice, 2011, 12, 108.	2.9	29
157	Beta Blockers and Breast Cancer Mortality: A Population- Based Study. Journal of Clinical Oncology, 2011, 29, 2635-2644.	1.6	446
158	Explaining structural change in cardiovascular mortality in Ireland 1995-2005: a time series analysis. European Journal of Public Health, 2011, 21, 597-602.	0.3	6
159	Explaining the Decrease in Coronary Heart Disease Mortality in Italy Between 1980 and 2000. American Journal of Public Health, 2010, 100, 684-692.	2.7	90
160	Potentially inappropriate prescribing and cost outcomes for older people: a national population study. British Journal of Clinical Pharmacology, 2010, 69, 543-552.	2.4	326
161	A multilevel analysis of trimethoprim and ciprofloxacin prescribing and resistance of uropathogenic Escherichia coli in general practice. Journal of Antimicrobial Chemotherapy, 2010, 65, 1514-1520.	3.0	36
162	Age and outcome in acute emergency medical admissions. Age and Ageing, 2010, 39, 694-698.	1.6	24

#	Article	IF	CITATIONS
163	Sputum Candida albicans Presages FEV 1 Decline and Hospital-Treated Exacerbations in Cystic Fibrosis. Chest, 2010, 138, 1186-1195.	0.8	165
164	Serum albumin as an outcome predictor in hospital emergency medical admissions. European Journal of Internal Medicine, 2010, 21, 17-20.	2.2	64
165	Analysing the Large Decline in Coronary Heart Disease Mortality in the Icelandic Population Aged 25-74 between the Years 1981 and 2006. PLoS ONE, 2010, 5, e13957.	2.5	73
166	Modelling the decreasing coronary heart disease mortality in Sweden between 1986 and 2002. European Heart Journal, 2009, 30, 1046-1056.	2.2	218
167	A RCT evaluating the effectiveness and costâ€effectiveness of academic detailing versus postal prescribing feedback in changing GP antibiotic prescribing. Journal of Evaluation in Clinical Practice, 2009, 15, 807-812.	1.8	40
168	Cost-Effectiveness of Treatments Reducing Coronary Heart Disease Mortality in Ireland, 2000 to 2010. Value in Health, 2009, 12, 10-15.	0.3	11
169	A national survey of prevalence of cardiopulmonary resuscitation training and knowledge of the emergency number in Ireland. Resuscitation, 2009, 80, 1039-1042.	3.0	34
170	Choice of first antihypertensive – are existing guidelines ignored? Response to Vegter & de Jongâ€van den Berg British Journal of Clinical Pharmacology, 2008, 66, 561-561.	2.4	1
171	Pace of change in coronary heart disease mortality in Finland, Ireland and the United Kingdom from 1985 to 2006. European Journal of Public Health, 2008, 18, 581-585.	0.3	9
172	Heartwatch: a secondary prevention programme in primary care in Ireland. European Journal of Cardiovascular Prevention and Rehabilitation, 2008, 15, 651-656.	2.8	12
173	Modification of acute cardiovascular homeostatic responses to hemorrhage following mild to moderate traumatic brain injury. Critical Care Medicine, 2008, 36, 216-224.	0.9	108
174	Effect of an acute medical admission unit on key quality indicators assessed by funnel plots. Postgraduate Medical Journal, 2007, 83, 659-663.	1.8	27
175	Life-years-gained from population risk factor changes and modern cardiology treatments in Ireland. European Journal of Public Health, 2007, 17, 193-198.	0.3	18
176	A clustered randomized trial of the effects of feedback using academic detailing compared to postal bulletin on prescribing of preventative cardiovascular therapy. Family Practice, 2007, 24, 475-480.	1.9	24
177	Early discontinuation of tamoxifen. Cancer, 2007, 109, 832-839.	4.1	254
178	Characterizing new users of NSAIDs before and after rofecoxib withdrawal. British Journal of Clinical Pharmacology, 2007, 63, 494-497.	2.4	10
179	Primary care prescribing patterns in Ireland after the publication of large hypertension trials. British Journal of Clinical Pharmacology, 2007, 64, 381-385.	2.4	15
180	What therapies have replaced rofecoxib in Ireland?. British Journal of Clinical Pharmacology, 2007, 64, 536-541.	2.4	10

#	Article	IF	CITATIONS
181	National underuse of anti-thrombotic therapy in chronic atrial fibrillation identified from digoxin prescribing. British Journal of Clinical Pharmacology, 2007, 64, 706-709.	2.4	17
182	Choice of first antihypertensive – are existing guidelines ignored?. British Journal of Clinical Pharmacology, 2007, 64, 071024001427007-???.	2.4	7
183	Comparing primary prevention with secondary prevention to explain decreasing Coronary Heart Disease death rates in Ireland, 1985–2000. BMC Public Health, 2007, 7, 117.	2.9	25
184	Can small changes in cardiovascular risk factors predict large future reductions in coronary heart disease mortality in Ireland?. European Journal of Epidemiology, 2007, 22, 83-89.	5.7	11
185	General practitioners' ranking of evidence-based prescribing quality indicators: a comparative study with a prescription database. British Journal of Clinical Pharmacology, 2006, 62, 218-224.	2.4	17
186	Factors influencing the costs of emergency medical admissions to an Irish teaching hospital. European Journal of Health Economics, 2006, 7, 123-128.	2.8	14
187	Prevalence of chronic disease in the elderly based on a national pharmacy claims database. Age and Ageing, 2006, 35, 633-636.	1.6	71
188	Explaining the recent decrease in coronary heart disease mortality rates in Ireland, 1985-2000. Journal of Epidemiology and Community Health, 2006, 60, 322-327.	3.7	107
189	Usage of paracetamol-containing combination analgesics remains high in primary care. British Journal of Clinical Pharmacology, 2005, 60, 050913044129001.	2.4	9
190	Regional variation in the prescribing for diabetes and use of secondary preventative therapies in Ireland. Pharmacoepidemiology and Drug Safety, 2005, 14, 537-544.	1.9	18
191	A review of studies of adherence with antihypertensive drugs using prescription databases. Therapeutics and Clinical Risk Management, 2005, 1, 93-106.	2.0	45
192	Evidence for a gender and age inequality in the prescribing of preventative cardiovascular therapies to the elderly in primary care. Age and Ageing, 2004, 33, 500-502.	1.6	10
193	Influence of socioeconomic status on the quality of prescribing in the elderly - a population based study. British Journal of Clinical Pharmacology, 2004, 58, 496-502.	2.4	57
194	The high cost of medicines in Ireland. European Journal of Health Economics, 2004, 5, 341-344.	2.8	4
195	"Selective" switching from non-selective to selective non-steroidal anti-inflammatory drugs. European Journal of Clinical Pharmacology, 2003, 59, 645-649.	1.9	27
196	Evidence for an age and gender bias in the secondary prevention of ischaemic heart disease in primary care. British Journal of Clinical Pharmacology, 2003, 55, 604-608.	2.4	87
197	Have COX-2 inhibitors influenced the co-prescription of anti-ulcer drugs with NSAIDs?. British Journal of Clinical Pharmacology, 2003, 57, 337-343.	2.4	16
198	Psychological interventions for managing cognitive impairment after stroke. The Cochrane Library, 0,	2.8	3

#	Article	IF	CITATIONS
199	Identifying priority interventions for stroke in Ireland through stakeholder engagement to inform population-based modelling: a mixed methods protocol. HRB Open Research, 0, 4, 109.	0.6	2
200	Systematic review and meta-analysis of the effect of cognitive impairment on the risk of admission to long-term care after stroke. HRB Open Research, 0, 3, 28.	0.6	2