Yasuhiro Kishi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11693102/publications.pdf

Version: 2024-02-01

394421 377865 1,369 36 19 34 citations h-index g-index papers 37 37 37 1466 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	JPOS/JASCC clinical guidelines for delirium in adult cancer patients: a summary of recommendation statements. Japanese Journal of Clinical Oncology, 2020, 50, 586-593.	1.3	10
2	Delirium Phenotype by Age and Sex in a Pooled Data Set of Adult Patients. Journal of Neuropsychiatry and Clinical Neurosciences, 2018, 30, 294-301.	1.8	22
3	Expert opinions on the first-line pharmacological treatment for delirium in Japan: a conjoint analysis. International Psychogeriatrics, 2016, 28, 1041-1050.	1.0	11
4	Confirmatory Factor Analysis of the Delirium Rating Scale Revised-98 (DRS-R98). Journal of Neuropsychiatry and Clinical Neurosciences, 2015, 27, e122-e127.	1.8	18
5	What is integrated care?. International Review of Psychiatry, 2014, 26, 620-628.	2.8	15
6	Antipsychotics for delirium in the general hospital setting in consecutive 2453 inpatients: a prospective observational study. International Journal of Geriatric Psychiatry, 2014, 29, 253-262.	2.7	58
7	Outcomes after delirium in a Japanese intensive care unit. General Hospital Psychiatry, 2014, 36, 634-636.	2.4	20
8	Preventive Effects of Ramelteon on Delirium. JAMA Psychiatry, 2014, 71, 397.	11.0	302
9	Diagnoses of Psychiatric Disorders in Hypothetical Patients by Non-Psychiatric Physicians in Japan. International Journal of Psychiatry in Medicine, 2014, 47, 65-74.	1.8	2
10	Effects of a Training Workshop on Suicide Prevention Among Emergency Room Nurses. Crisis, 2014, 35, 357-361.	1.2	21
11	Three Core Domains of Delirium Validated Using Exploratory and Confirmatory Factor Analyses. Psychosomatics, 2013, 54, 227-238.	2.5	52
12	Training workshop on caring for suicide attempters implemented by the <scp>M</scp> inistry of <scp>H</scp> ealth, <scp>L</scp> abour and <scp>W</scp> elfare, <scp>J</scp> apan. Psychiatry and Clinical Neurosciences, 2013, 67, 64-64.	1.8	4
13	Phenotype of subsyndromal delirium using pooled multicultural Delirium Rating Scale—Revised-98 data. Journal of Psychosomatic Research, 2012, 73, 10-17.	2.6	47
14	Treatment of delirium with risperidone in cancer patients. Psychiatry and Clinical Neurosciences, 2012, 66, 411-417.	1.8	23
15	Attitudes of Japanese nursing personnel toward patients who have attempted suicide. General Hospital Psychiatry, 2011, 33, 393-397.	2.4	33
16	The INTERMED Japanese version: Inter-rater reliability and internal consistency. Journal of Psychosomatic Research, 2010, 69, 583-586.	2.6	11
17	Japanese Version of the Delirium Rating Scale, Revised–98 (DRS-R98–J): Reliability and Validity. Psychosomatics, 2010, 51, 425-431.	2.5	7
18	Japanese Version of the Delirium Rating Scale, Revised-98 (DRS-R98-J): Reliability and Validity. Psychosomatics, 2010, 51, 425-431.	2.5	38

#	Article	IF	Citations
19	Consultation liaison psychiatry and emergency medicine in Japan. Nihon Kyukyu Igakukai Zasshi, 2010, 21, 147-158.	0.0	0
20	Misdiagnosed Delirium in Patient Referrals to a University-Based Hospital Psychiatry Department. Psychosomatics, 2008, 49, 104-108.	2.5	41
21	Letter. Psychiatric Services, 2007, 58, 413-413.	2.0	7
22	A Comparison of Psychiatric Consultation–Liaison Services Between Hospitals in the United States and Japan. Psychosomatics, 2007, 48, 517-522.	2.5	11
23	Delirium: patient characteristics that predict a missed diagnosis at psychiatric consultation. General Hospital Psychiatry, 2007, 29, 442-445.	2.4	57
24	What should non-US behavioral health systems learn from the USA?: US behavior health services trends in the 1980s and 1990s. Psychiatry and Clinical Neurosciences, 2006, 60, 261-270.	1.8	3
25	General medical and pharmacy claims expenditures in users of behavioral health services. Journal of General Internal Medicine, 2005, 20, 160-167.	2.6	53
26	Are the patients with post-transplant psychiatric consultation different from other medical-surgical consultation inpatients?. Psychiatry and Clinical Neurosciences, 2005, 59, 19-24.	1.8	5
27	Schizophrenia and narcolepsy: A review with a case report. Psychiatry and Clinical Neurosciences, 2004, 58, 117-124.	1.8	53
28	Factors Affecting the Relationship Between the Timing of Psychiatric Consultation and General Hospital Length of Stay. Psychosomatics, 2004, 45, 470-476.	2.5	76
29	Current status of general hospital psychiatry in Japan. Psychiatria Et Neurologia Japonica - Seishin Shinkeigaku Zasshi, 2003, 105, 296-306.	0.1	0
30	Assessment of Patients Who Attempt Suicide. Primary Care Companion To the Journal of Clinical Psychiatry, 2002, 4, 132-136.	0.6	6
31	Suicidal Ideation Among Patients With Acute Life-Threatening Physical Illness: Patients With Stroke, Traumatic Brain Injury, Myocardial Infarction, and Spinal Cord Injury. Psychosomatics, 2001, 42, 382-390.	2.5	110
32	Integrating Medical and Psychiatric Treatment in an Inpatient Medical Setting: The Type IV Program. Psychosomatics, 1999, 40, 345-355.	2.5	53
33	Suicidal Plans in Patients with Acute Stroke. Journal of Nervous and Mental Disease, 1996, 184, 274-280.	1.0	62
34	Suicidal Plans in Patients With Stroke: Comparison Between Acute-Onset and Delayed-Onset Suicidal Plans. International Psychogeriatrics, 1996, 8, 623-634.	1.0	51
35	Delirium in critical care unit patients admitted through an emergency room. General Hospital Psychiatry, 1995, 17, 371-379.	2.4	76
36	The practice of consultation-liaison psychiatry in Japan. General Hospital Psychiatry, 1993, 15, 160-165.	2.4	11

3