## Martin Härter

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1169934/publications.pdf

Version: 2024-02-01

255 papers 12,400 citations

26567 56 h-index 98 g-index

302 all docs 302 docs citations

302 times ranked

13184 citing authors

#	Article	IF	CITATIONS
1	The 9-item Shared Decision Making Questionnaire (SDM-Q-9). Development and psychometric properties in a primary care sample. Patient Education and Counseling, 2010, 80, 94-99.	1.0	587
2	Four-Week Prevalence of Mental Disorders in Patients With Cancer Across Major Tumor Entities. Journal of Clinical Oncology, 2014, 32, 3540-3546.	0.8	514
3	A three-talk model for shared decision making: multistage consultation process. BMJ: British Medical Journal, 2017, 359, j4891.	2.4	495
4	An Integrative Model of Patient-Centeredness – A Systematic Review and Concept Analysis. PLoS ONE, 2014, 9, e107828.	1.1	491
5	Assessing the Quality of Decision Support Technologies Using the International Patient Decision Aid Standards instrument (IPDASi). PLoS ONE, 2009, 4, e4705.	1.1	374
6	The effects of a shared decision-making intervention in primary care of depression: A cluster-randomized controlled trial. Patient Education and Counseling, 2007, 67, 324-332.	1.0	327
7	Social support in the general population: standardization of the Oslo social support scale (OSSS-3). BMC Psychology, 2018, 6, 31.	0.9	298
8	The prevalence of mental disorders in older people in Western countries – a meta-analysis. Ageing Research Reviews, 2013, 12, 339-353.	5.0	270
9	Prevalence of mental disorders in elderly people: The European MentDis_ICF65+ study. British Journal of Psychiatry, 2017, 210, 125-131.	1.7	261
10	Sensitivity to change and minimal clinically important difference of the 7-item Generalized Anxiety Disorder Questionnaire (GAD-7). Journal of Affective Disorders, 2020, 265, 395-401.	2.0	253
11	Measurement of shared decision making – a review of instruments. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2011, 105, 313-324.	0.7	247
12	Increased 12-Month Prevalence Rates of Mental Disorders in Patients with Chronic Somatic Diseases. Psychotherapy and Psychosomatics, 2007, 76, 354-360.	4.0	220
13	The impact of patient participation on adherence and clinical outcome in primary care of depression. Patient Education and Counseling, 2007, 65, 69-78.	1.0	208
14	Risk factors for chronic depression â€" A systematic review. Journal of Affective Disorders, 2011, 129, 1-13.	2.0	203
15	Development and psychometric properties of the Shared Decision Making Questionnaire – physician version (SDM-Q-Doc). Patient Education and Counseling, 2012, 88, 284-290.	1.0	195
16	Satisfaction with information and unmet information needs in men and women with cancer. Journal of Cancer Survivorship, 2016, 10, 62-70.	1.5	175
17	Equivalency of the diagnostic accuracy of the PHQ-8 and PHQ-9: a systematic review and individual participant data meta-analysis. Psychological Medicine, 2020, 50, 1368-1380.	2.7	175
18	Quality of Life in Medically Ill Persons with Comorbid Mental Disorders: A Systematic Review and Meta-Analysis. Psychotherapy and Psychosomatics, 2011, 80, 275-286.	4.0	155

#	Article	IF	CITATIONS
19	Participation preferences of patients with acute and chronic conditions. Health Expectations, 2007, 10, 358-363.	1.1	127
20	Policy and practice developments in the implementation of shared decision making: an international perspective. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2011, 105, 229-233.	0.7	124
21	The Alcohol Use Disorders Identification Test for Detecting At-Risk Drinking: A Systematic Review and Meta-Analysis. Journal of Studies on Alcohol and Drugs, 2007, 68, 461-473.	0.6	122
22	Shared decision making in 2017: International accomplishments in policy, research and implementation. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2017, 123-124, 1-5.	0.7	119
23	Perceived need for psychosocial support depending on emotional distress and mental comorbidity in men and women with cancer. Journal of Psychosomatic Research, 2016, 81, 24-30.	1.2	116
24	Assessing Communication Skills of Medical Students in Objective Structured Clinical Examinations (OSCE) - A Systematic Review of Rating Scales. PLoS ONE, 2016, 11, e0152717.	1.1	112
25	Twelve-Month and Lifetime Prevalence of Mental Disorders in Cancer Patients. Psychotherapy and Psychosomatics, 2016, 85, 289-296.	4.0	111
26	Confirmatory factor analysis and recommendations for improvement of the Autonomyâ€Preferenceâ€Index (API). Health Expectations, 2010, 13, 234-243.	1.1	104
27	The <scp>Generalized Anxiety Disorder Screener (GADâ€₹</scp> ) and the anxiety module of the <scp>Hospital and Depression Scale (HADSâ€A</scp> ) as screening tools for generalized anxiety disorder among cancer patients. Psycho-Oncology, 2018, 27, 1509-1516.	1.0	104
28	Patient Preferences and Shared Decision Making in the Treatment of Substance Use Disorders: A Systematic Review of the Literature. PLoS ONE, 2016, 11, e0145817.	1.1	103
29	Anxiety Disorders in Old Age: Psychiatric Comorbidities, Quality of Life, and Prevalence According to Age, Gender, and Country. American Journal of Geriatric Psychiatry, 2018, 26, 174-185.	0.6	99
30	Measurement of Physician-Patient Communicationâ€"A Systematic Review. PLoS ONE, 2014, 9, e112637.	1.1	94
31	EFFICACY AND ACCEPTABILITY OF ACUTE TREATMENTS FOR PERSISTENT DEPRESSIVE DISORDER: A NETWORK META-ANALYSIS. Depression and Anxiety, 2014, 31, 621-630.	2.0	93
32	The Hospital Anxiety and Depression Scale (HADS) and the 9â€item Patient Health Questionnaire (PHQâ€9) as screening instruments for depression in patients with cancer. Cancer, 2017, 123, 4236-4243.	2.0	92
33	Core Competencies for Shared Decision Making Training Programs: Insights From an International, Interdisciplinary Working Group. Journal of Continuing Education in the Health Professions, 2013, 33, 267-273.	0.4	89
34	Effect of Disorder-Specific vs Nonspecific Psychotherapy for Chronic Depression. JAMA Psychiatry, 2017, 74, 233.	6.0	87
35	Use of the 9-item Shared Decision Making Questionnaire (SDM-Q-9 and SDM-Q-Doc) in intervention studies—A systematic review. PLoS ONE, 2017, 12, e0173904.	1.1	85
36	Utilization of professional psychological care in a large German sample of cancer patients. Psycho-Oncology, 2017, 26, 537-543.	1.0	84

#	Article	IF	Citations
37	Assessment of Trust in Physician: A Systematic Review of Measures. PLoS ONE, 2014, 9, e106844.	1.1	84
38	Which Dimensions of Patient-Centeredness Matter? - Results of a Web-Based Expert Delphi Survey. PLoS ONE, 2015, 10, e0141978.	1.1	80
39	The assessment of depressive patients' involvement in decision making in audio-taped primary care consultations. Patient Education and Counseling, 2006, 63, 314-318.	1.0	77
40	German translation, cultural adaptation, and validation of the Health Literacy Questionnaire (HLQ). PLoS ONE, 2017, 12, e0172340.	1.1	75
41	Prevalence of mental disorders, psychosocial distress and need for psychosocial support in cancer patients – study protocol of an epidemiological multi-center study. BMC Psychiatry, 2012, 12, 70.	1.1	72
42	Age and gender differences in anxiety and depression in cancer patients compared with the general population. European Journal of Cancer Care, 2019, 28, e13129.	0.7	71
43	Efficacy of Interpersonal Psychotherapy plus pharmacotherapy in chronically depressed inpatients. Journal of Affective Disorders, 2008, 109, 65-73.	2.0	70
44	Process quality of decision-making in multidisciplinary cancer team meetings: a structured observational study. BMC Cancer, 2017, 17, 772.	1.1	69
45	The Accuracy of the Patient Health Questionnaire-9 Algorithm for Screening to Detect Major Depression: An Individual Participant Data Meta-Analysis. Psychotherapy and Psychosomatics, 2020, 89, 25-37.	4.0	67
46	Effectiveness of metacognitive interventions for mental disorders in adultsâ€"A systematic review and metaâ€analysis (METACOG). Clinical Psychology and Psychotherapy, 2019, 26, 227-240.	1.4	66
47	Training physicians in shared decision-making—Who can be reached and what is achieved?. Patient Education and Counseling, 2009, 77, 48-54.	1.0	65
48	Rationale and content of psychenet: the Hamburg Network for Mental Health. European Archives of Psychiatry and Clinical Neuroscience, 2012, 262, 57-63.	1.8	64
49	Reliability and Validity of the German Version of the Young Schema Questionnaire – Short Form 3 (YSQ-S3). European Journal of Psychological Assessment, 2013, 29, 205-212.	1.7	64
50	Shared Decision Making and the Use of Decision Aids. Deutsches Ärzteblatt International, 2015, 112, 672-9.	0.6	64
51	When do cancer patients regret their treatment decision? A path analysis of the influence of clinicians' communication styles and the match of decision-making styles on decision regret. Patient Education and Counseling, 2016, 99, 739-746.	1.0	62
52	Unmet needs for information and psychosocial support in relation to quality of life and emotional distress: A comparison between gynecological and breast cancer patients. Patient Education and Counseling, 2017, 100, 1934-1942.	1.0	62
53	Prevalence of mental disorders and psychosocial distress in German adolescent and young adult cancer patients (AYA). Psycho-Oncology, 2018, 27, 1802-1809.	1.0	61
54	Effectiveness of a Web-Based Tailored Interactive Health Communication Application for Patients With Type 2 Diabetes or Chronic Low Back Pain: Randomized Controlled Trial. Journal of Medical Internet Research, 2015, 17, e53.	2.1	61

#	Article	IF	Citations
55	Comparing the nineâ€item Shared Decisionâ€Making Questionnaire to the OPTION Scale – an attempt to establish convergent validity. Health Expectations, 2015, 18, 137-150.	1.1	59
56	Patient participation and shared decision making in Germany – history, agents and current transfer to practice. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2011, 105, 263-270.	0.7	58
57	Information and decisionâ€making needs among people with mental disorders: a systematic review of the literature. Health Expectations, 2015, 18, 1856-1872.	1.1	58
58	Depression and anxiety in patients with different rare chronic diseases: A cross-sectional study. PLoS ONE, 2019, 14, e0211343.	1.1	55
59	Patient preference for involvement, experienced involvement, decisional conflict, and satisfaction with physician: a structural equation model test. BMC Health Services Research, 2013, 13, 231.	0.9	54
60	Unipolar Depression. Deutsches Ärzteblatt International, 2010, 107, 700-8.	0.6	54
61	In Absentia: An Exploratory Study of How Patients Are Considered in Multidisciplinary Cancer Team Meetings. PLoS ONE, 2015, 10, e0139921.	1.1	52
62	Cost-Effectiveness of Collaborative Care for the Treatment of Depressive Disorders in Primary Care: A Systematic Review. PLoS ONE, 2015, 10, e0123078.	1.1	51
63	Measuring (shared) decision-making – a review of psychometric instruments. Zeitschrift Fýr ĀÞtliche Fortbildung Und QualitĀ₺sicherung, 2007, 101, 259-267.	0.2	50
64	Combination of pharmacotherapy and psychotherapy in the treatment of chronic depression: A systematic review and meta-analysis. BMC Psychiatry, 2012, 12, 61.	1.1	50
65	Early detection of comorbidity in psoriasis: recommendations of the National Conference on Healthcare in Psoriasis. JDDG - Journal of the German Society of Dermatology, 2015, 13, 674-689.	0.4	50
66	The long way of implementing patient-centered care and shared decision making in Germany. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2017, 123-124, 46-51.	0.7	49
67	Adherence to guidelines for treatment of depression in in-patients. British Journal of Psychiatry, 2005, 187, 462-469.	1.7	48
68	Effectiveness of Telephone-Based Health Coaching for Patients with Chronic Conditions: A Randomised Controlled Trial. PLoS ONE, 2016, 11, e0161269.	1.1	48
69	Guideline-based stepped and collaborative care for patients with depression in a cluster-randomised trial. Scientific Reports, 2018, 8, 9389.	1.6	48
70	A Systematic Literature Review of Self-Reported Smoking Cessation Counseling by Primary Care Physicians. PLoS ONE, 2016, 11, e0168482.	1.1	48
71	Validation of the <scp>S</scp> panish version of the 9â€item <scp>S</scp> hared <scp>D</scp> ecisionâ€ <scp>M</scp> aking <scp>Q</scp> uestionnaire. Health Expectations, 2015, 18, 2143-2153.	1.1	46
72	Recommendations for detection of individual risk for comorbidities in patients with psoriasis. Archives of Dermatological Research, 2013, 305, 91-98.	1.1	44

#	Article	IF	CITATIONS
73	Efficacy of a brief manualized intervention Managing Cancer and Living Meaningfully (CALM) adapted to German cancer care settings: study protocol for a randomized controlled trial. BMC Cancer, 2015, 15, 592.	1.1	42
74	Strategies to evaluate healthcare provider trainings in shared decision-making (SDM): a systematic review of evaluation studies. BMJ Open, 2019, 9, e026488.	0.8	42
75	STRESSORS, SYMPTOM PROFILE, AND PREDICTORS OF ADJUSTMENT DISORDER IN CANCER PATIENTS. RESULTS FROM AN EPIDEMIOLOGICAL STUDY WITH THE COMPOSITE INTERNATIONAL DIAGNOSTIC INTERVIEW, ADAPTATION FOR ONCOLOGY (CIDI-O). Depression and Anxiety, 2016, 33, 153-161.	2.0	40
76	Effectiveness of a web-based, individually tailored decision aid for depression or acute low back pain: A randomized controlled trial. Patient Education and Counseling, 2012, 87, 360-368.	1.0	39
77	Cancer patients' preferred and perceived level of involvement in treatment decision-making: an epidemiological study. Acta Oncol³gica, 2020, 59, 967-974.	0.8	39
78	Comparative efficacy of the Cognitive Behavioral Analysis System of Psychotherapy versus Supportive Psychotherapy for early onset chronic depression: design and rationale of a multisite randomized controlled trial. BMC Psychiatry, 2011, 11, 134.	1.1	38
79	Quality of life in cancer patientsâ€"a comparison of inpatient, outpatient, and rehabilitation settings. Supportive Care in Cancer, 2018, 26, 3533-3541.	1.0	38
80	Measuring symptoms and diagnosing mental disorders in the elderly community: the test–retest reliability of the CIDI65+. International Journal of Methods in Psychiatric Research, 2015, 24, 116-129.	1.1	35
81	Comparative Safety of Pharmacologic Treatments for Persistent Depressive Disorder: A Systematic Review and Network Meta-Analysis. PLoS ONE, 2016, 11, e0153380.	1.1	35
82	Adverse event methods were heterogeneous and insufficiently reported inÂrandomized trials on persistent depressive disorder. Journal of Clinical Epidemiology, 2016, 71, 97-108.	2.4	35
83	Telephone-based health coaching for chronically ill patients: study protocol for a randomized controlled trial. Trials, 2013, 14, 337.	0.7	34
84	Therapeutic Alliance in Technology-Based Interventions for the Treatment of Depression: Systematic Review. Journal of Medical Internet Research, 2020, 22, e17195.	2.1	34
85	The MentDis_ICF65+ study protocol: prevalence, 1-year incidence and symptom severity of mental disorders in the elderly and their relationship to impairment, functioning (ICF) and service utilisation. BMC Psychiatry, 2013, 13, 62.	1.1	31
86	Placebo and nocebo reactions in randomized trials of pharmacological treatments for persistent depressive disorder. A meta-regression analysis. Journal of Affective Disorders, 2017, 215, 288-298.	2.0	31
87	How are decisions made in cancer care? A qualitative study using participant observation of current practice. BMJ Open, 2017, 7, e016360.	0.8	31
88	Improving quality of care for depression: the German Action Programme for the implementation of evidence-based guidelines. International Journal for Quality in Health Care, 2006, 18, 113-119.	0.9	30
89	Effectiveness and cost-effectiveness of a guideline-based stepped care model for patients with depression: study protocol of a cluster-randomized controlled trial in routine care. BMC Psychiatry, 2014, 14, 230.	1.1	30
90	Information and decision-making needs among people with affective disorders & amp; ndash; results of an online survey. Patient Preference and Adherence, 2015, 9, 627.	0.8	29

#	Article	IF	Citations
91	Indicators of outcome quality in peripheral arterial disease revascularisations – a Delphi expert consensus. Vasa - European Journal of Vascular Medicine, 2018, 47, 491-497.	0.6	29
92	Changes in beliefs and attitudes toward people with depression and schizophrenia – results of a public campaign in Germany. Psychiatry Research, 2016, 237, 271-278.	1.7	28
93	Quality of life, level of functioning, and its relationship with mental and physical disorders in the elderly: results from the MentDis_ICF65+ study. Health and Quality of Life Outcomes, 2020, 18, 61.	1.0	28
94	Assessment of patient centredness through patient-reported experience measures (ASPIRED): protocol of a mixed-methods study. BMJ Open, 2018, 8, e025896.	0.8	27
95	Assessing the relevance and implementation of patient-centredness from the patients' perspective in Germany: results of a Delphi study. BMJ Open, 2019, 9, e031741.	0.8	27
96	Does Childhood Maltreatment Moderate the Effect of the Cognitive Behavioral Analysis System of Psychotherapy versus Supportive Psychotherapy in Persistent Depressive Disorder?. Psychotherapy and Psychosomatics, 2018, 87, 46-48.	4.0	26
97	Two-Year Follow-Up after Treatment with the Cognitive Behavioral Analysis System of Psychotherapy versus Supportive Psychotherapy for Early-Onset Chronic Depression. Psychotherapy and Psychosomatics, 2019, 88, 154-164.	4.0	26
98	Which criteria characterize a health literate health care organization? – a scoping review on organizational health literacy. BMC Health Services Research, 2021, 21, 664.	0.9	26
99	"Learning how to ask― Effectiveness of a training for trauma inquiry and response in substance use disorder healthcare professionals Psychological Trauma: Theory, Research, Practice, and Policy, 2018, 10, 229-238.	1.4	26
100	Collaborative treatment of late-life depression in primary care (GermanIMPACT): study protocol of a cluster-randomized controlled trial. Trials, 2014, 15, 351.	0.7	25
101	Effectiveness of a Stepped, Collaborative, and Coordinated Health Care Network for Somatoform Disorders (Sofu-Net): A Controlled Cluster Cohort Study. Psychosomatic Medicine, 2017, 79, 1016-1024.	1.3	25
102	Insecure attachment predicts depression and death anxiety in advanced cancer patients. Palliative and Supportive Care, 2018, 16, 308-316.	0.6	25
103	How Does a Shared Decision-Making (SDM) Intervention for Oncologists Affect Participation Style and Preference Matching in Patients with Breast and Colon Cancer?. Journal of Cancer Education, 2018, 33, 708-715.	0.6	25
104	Evaluation of a program for routine implementation of shared decision-making in cancer care: study protocol of a stepped wedge cluster randomized trial. Implementation Science, 2018, 13, 51.	2.5	25
105	Fatigue in cancer patients: comparison with the general population and prognostic factors. Supportive Care in Cancer, 2020, 28, 4517-4526.	1.0	25
106	Psychometric Evaluation of the Japanese 9-Item Shared Decision-Making Questionnaire and Its Association with Decision Conflict and Patient Factors in Japanese Primary Care. JMA Journal, 2020, 3, 208-215.	0.6	25
107	Performance status and depressive symptoms as predictors of quality of life in cancer patients. A structural equation modeling analysis. Psycho-Oncology, 2015, 24, 1456-1462.	1.0	24
108	Effects of culture-sensitive adaptation of patient information material on usefulness in migrants: a multicentre, blinded randomised controlled trial. BMJ Open, 2016, 6, e012008.	0.8	24

#	Article	IF	CITATIONS
109	Alcohol use, abuse and dependence in an older European population: Results from the MentDis_ICF65+ study. PLoS ONE, 2018, 13, e0196574.	1.1	24
110	The Effectiveness of an Internet Intervention Aimed at Reducing Alcohol Consumption in Adults. Deutsches Ärzteblatt International, 2019, 116, 127-133.	0.6	24
111	Quality of online information on type 2 diabetes: a cross-sectional study. Health Promotion International, 2015, 30, 821-831.	0.9	23
112	Usefulness scale for patient information material (USE) - development and psychometric properties. BMC Medical Informatics and Decision Making, 2015, 15, 34.	1.5	23
113	Information and decision support needs in patients with type 2 diabetes. Health Informatics Journal, 2016, 22, 46-59.	1.1	23
114	Understanding the role of childhood abuse and neglect as a cause and consequence of substance abuse: the German CANSAS network. Högre Utbildning, 2017, 8, 1304114.	1.4	22
115	Assessment of patient information needs: A systematic review of measures. PLoS ONE, 2019, 14, e0209165.	1.1	22
116	Psychometric properties of the German version of Observer OPTION5. BMC Health Services Research, 2018, 18, 74.	0.9	21
117	Translation and validation of a multidimensional instrument to assess health literacy. Health Expectations, 2015, 18, 2776-2786.	1.1	20
118	Drinking patterns of alcohol intoxicated adolescents in the emergency department: A latent class analysis. Addictive Behaviors, 2015, 50, 51-59.	1.7	20
119	Long-term effectiveness of telephone-based health coaching for heart failure patients: A post-only randomised controlled trial. Journal of Telemedicine and Telecare, 2017, 23, 716-724.	1.4	20
120	Doctor's recommendations for psychosocial care: Frequency and predictors of recommendations and referrals. PLoS ONE, 2018, 13, e0205160.	1.1	20
121	Perceived doctorâ€patient relationship and its association with demoralization in patients with advanced cancer. Psycho-Oncology, 2018, 27, 2587-2593.	1.0	20
122	How do health services researchers understand the concept of patient-centeredness? Results from an expert survey. Patient Preference and Adherence, 2014, 8, 1153.	0.8	19
123	Potentially inappropriate use of benzodiazepines and z-drugs in the older population—analysis of associations between long-term use and patient-related factors. PeerJ, 2018, 6, e4614.	0.9	19
124	Health information, behavior change, and decision support for patients with type 2 diabetes: development of a tailored, preference-sensitive health communication application. Patient Preference and Adherence, 2013, 7, 1091.	0.8	18
125	The German version of the Four Habits Coding Scheme – Association between physicians' communication and shared decision making skills in the medical encounter. Patient Education and Counseling, 2014, 94, 224-229.	1.0	18
126	Conceptual decomposition of complex health care interventions for evidence synthesis: a literature review. Journal of Evaluation in Clinical Practice, 2015, 21, 817-823.	0.9	18

#	Article	IF	CITATIONS
127	Prevalence and correlates of somatoform disorders in the elderly: Results of a European study. International Journal of Methods in Psychiatric Research, 2017, 26, .	1.1	18
128	Guideline adherence of antidepressant treatment in outpatients with major depressive disorder: a naturalistic study. European Archives of Psychiatry and Clinical Neuroscience, 2017, 267, 711-721.	1.8	18
129	Efficacy of the Managing Cancer and Living Meaningfully ( <scp>CALM</scp> ) individual psychotherapy for patients with advanced cancer: A singleâ€blind randomized controlled trial. Psycho-Oncology, 2020, 29, 1895-1904.	1.0	18
130	Suicide literacy and suicide stigma – results of a population survey from Germany. Journal of Mental Health, 2022, 31, 517-523.	1.0	18
131	Patient involvement in developing a patientâ€targeted feedback intervention after depression screening in primary care within the randomized controlled trial GET.FEEDBACK.GP. Health Expectations, 2021, 24, 95-112.	1.1	17
132	A latent variable framework for modeling dyadic measures in research on shared decision-making. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2012, 106, 253-263.	0.7	16
133	A tailored, interactive health communication application for patients with type 2 diabetes: study protocol of a randomised controlled trial. BMC Medical Informatics and Decision Making, 2013, 13, 24.	1.5	16
134	Effectiveness and cost-effectiveness of telephone-based cognitive-behavioural therapy in primary care: study protocol of TIDe – telephone intervention for depression. BMC Psychiatry, 2017, 17, 263.	1.1	16
135	Evaluation of a shared decision-making communication skills training for physicians treating patients with asthma: a mixed methods study using simulated patients. BMC Health Services Research, 2019, 19, 612.	0.9	16
136	Development and evaluation of e-mental health interventions to reduce stigmatization of suicidality $\hat{a} \in \text{``assumption}$ a study protocol. BMC Psychiatry, 2019, 19, 152.	1.1	16
137	Outcome evaluation by patient reported outcome measures in stroke clinical practice (EPOS) protocol for a prospective observation and implementation study. Neurological Research and Practice, $2019, 1, 28$ .	1.0	16
138	Effects of telephone-based health coaching on patient-reported outcomes and health behavior change: A randomized controlled trial. PLoS ONE, 2020, 15, e0236861.	1.1	16
139	Association between physicians' and patients' perspectives of shared decision making in primary care settings in Japan: The impact of environmental factors. PLoS ONE, 2021, 16, e0246518.	1.1	16
140	Acceptance of the German e-mental health portal www.psychenet.de: an online survey. PeerJ, 2016, 4, e2093.	0.9	16
141	Incomplete medication adherence of chronically ill patients in German primary care. Patient Preference and Adherence, 2013, 7, 237.	0.8	15
142	Information and Decision-Making Needs Among People with Anxiety Disorders: Results of an Online Survey. Patient, 2015, 8, 531-539.	1.1	15
143	Association of comorbid personality disorders with clinical characteristics and outcome in a randomized controlled trial comparing two psychotherapies for early-onset persistent depressive disorder. Journal of Affective Disorders, 2018, 229, 262-268.	2.0	15
144	Study protocol for a randomised controlled trial evaluating an evidence-based, stepped and coordinated care service model for mental disorders (RECOVER). BMJ Open, 2020, 10, e036021.	0.8	15

#	Article	IF	CITATIONS
145	What do patients expect? Assessing patient-centredness from the patients' perspective: an interview study. BMJ Open, 2021, 11, e047810.	0.8	15
146	Moderating effect of comorbid anxiety disorders on treatment outcome in a randomized controlled psychotherapy trial in early-onset persistently depressed outpatients. Depression and Anxiety, 2018, 35, 1001-1008.	2.0	14
147	Public Stigma Toward Persons with Suicidal Thoughtsâ€"Do Age, Sex, and Medical Condition of Affected Persons Matter?. Suicide and Life-Threatening Behavior, 2020, 50, 631-642.	0.9	14
148	Evidence on Technology-Based Psychological Interventions in Diagnosed Depression: Systematic Review. JMIR Mental Health, 2021, 8, e21700.	1.7	14
149	How can continuing professional development better promote shared decision-making? Perspectives from an international collaboration. Implementation Science, 2011, 6, 68.	2.5	13
150	Patient involvement in a systematic review: Development and pilot evaluation of a patient workshop. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2017, 127-128, 56-61.	0.7	13
151	Concepts of Metacognition in the Treatment of Patients with Mental Disorders. Journal of Rational - Emotive and Cognitive - Behavior Therapy, 2020, 38, 173-183.	1.0	13
152	Predicting the preferences for involvement in medical decision making among patients with mental disorders. PLoS ONE, 2017, 12, e0182203.	1.1	13
153	Insufficient depression treatment in outpatient settings. GMS German Medical Science, 2004, 2, Doc01.	2.7	13
154	Evaluation of a program for routine implementation of shared decision-making in cancer care: results of a stepped wedge cluster randomized trial. Implementation Science, 2021, 16, 106.	2.5	13
155	Development and testing of culturally sensitive patient information material for Turkish, Polish, Russian and Italian migrants with depression or chronic low back pain (KULTINFO): study protocol for a double-blind randomized controlled trial. Trials, 2014, 15, 265.	0.7	12
156	Psychenet.de: development and process evaluation of an e-mental health portal. Informatics for Health and Social Care, 2016, 41, 1-19.	1.4	12
157	DOVER and QUVER?New Marker Combinations to Detect and Monitor At-risk Drinking. Alcoholism: Clinical and Experimental Research, 2006, 30, 1372-1380.	1.4	11
158	A tailored, dialogue-based health communication application for patients with chronic low back pain: study protocol of a randomised controlled trial. BMC Medical Informatics and Decision Making, 2013, 13, 66.	1.5	11
159	Evaluation of telephone health coaching of German health insurants with chronic conditions. Health Education Journal, 2013, 72, 622-634.	0.6	11
160	Generalizability of Findings From Efficacy Trials for Chronic Depression: An Analysis of Eligibility Criteria. Psychiatric Services, 2014, 65, 897-904.	1.1	11
161	Vorvida: study protocol of a randomized controlled trial testing the effectiveness of Internet-based self-help program for the reduction of alcohol consumption for adults. BMC Psychiatry, 2016, 16, 19.	1.1	11
162	Attachment Insecurity in Advanced Cancer Patients: Psychometric Properties of the German Version of the Brief Experiences in Close Relationships Scale (ECR-M16-G). Journal of Pain and Symptom Management, 2017, 54, 555-562.	0.6	11

#	Article	IF	CITATIONS
163	Study approach and field work procedures of the MentDis_ICF65+ project on the prevalence of mental disorders in the older adult European population. BMC Psychiatry, 2017, 17, 366.	1.1	11
164	Study protocol for the COMET study: a cluster-randomised, prospective, parallel-group, superiority trial to compare the effectiveness of a collaborative and stepped care model versus treatment as usual in patients with mental disorders in primary care. BMJ Open, 2019, 9, e032408.	0.8	11
165	Thoughts of death and suicidality among patients with cancer: Examining subtypes and their association with mental disorders. Psycho-Oncology, 2021, 30, 2023-2031.	1.0	11
166	Psychosocial Distress of Patients with Psoriasis: Protocol for an Assessment of Care Needs and the Development of a Supportive Intervention. JMIR Research Protocols, 2018, 7, e22.	0.5	11
167	Long-term use of benzodiazepines and Z drugs: a qualitative study of patients' and healthcare professionals' perceptions and possible levers for change. BJGP Open, 2019, 3, bjgpopen18X101626.	0.9	11
168	Moving towards patient-centered care and shared decision-making in Germany. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2022, 171, 49-57.	0.7	11
169	Cost-effectiveness analysis of collaborative treatment of late-life depression in primary care (GermanIMPACT). European Psychiatry, 2019, 57, 10-18.	0.1	10
170	Management of comorbid mental and somatic disorders in stepped care approaches in primary care: a systematic review. Family Practice, 2019, 36, 38-52.	0.8	10
171	Depression screening using patient-targeted feedback in general practices: study protocol of the German multicentre GET.FEEDBACK.GP randomised controlled trial. BMJ Open, 2020, 10, e035973.	0.8	10
172	Changes in Therapeutic Alliance and in Social Inhibition as Mediators of the Effect of the Cognitive Behavioral Analysis System of Psychotherapy: A Secondary Analysis from a Randomized Clinical Trial. Psychotherapy and Psychosomatics, 2020, 89, 261-262.	4.0	10
173	Existential distress in patients with advanced cancer and their caregivers: study protocol of a longitudinal cohort study. BMJ Open, 2021, 11, e046351.	0.8	10
174	Development of an online suicide prevention program involving people with lived experience: ideas and challenges. Research Involvement and Engagement, 2021, 7, 60.	1.1	10
175	Prevalence of mental disorders in patients with cancer compared to matched controls – secondary analysis of two nationally representative surveys. Acta Oncológica, 2022, 61, 7-13.	0.8	10
176	How does a German audience appraise an American decision aid on early stage breast cancer?. Patient Education and Counseling, 2011, 83, 58-63.	1.0	9
177	Telefongestützte Verhaltenstherapie als niedrigschwellige Intervention bei Depression: Ein Behandlungsprogramm für den deutschen Sprachraum. Verhaltenstherapie, 2016, 26, 244-253.	0.3	9
178	Measuring the Psychosocial Dimensions of Quality of LifeÂin Patients With Advanced Cancer: Psychometrics ofÂthe German Quality of Life at the End of Life-Cancer-Psychosocial Questionnaire. Journal of Pain and Symptom Management, 2018, 55, 985-991.e1.	0.6	9
179	Patient-centered care interventions to reduce the inappropriate prescription and use of benzodiazepines and z-drugs: a systematic review. PeerJ, 2018, 6, e5535.	0.9	9
180	Treatment selection and treatment initialization in guideline-based stepped and collaborative care for depression. PLoS ONE, 2018, 13, e0208882.	1.1	9

#	Article	IF	CITATIONS
181	Collaborative mental health care program versus a general practitioner program and usual care for treatment of patients with mental or neurological disorders in Germany: protocol of a multiperspective evaluation study. BMC Psychiatry, 2018, 18, 347.	1.1	9
182	Adverse events during a disorderâ€specific psychotherapy compared to a nonspecific psychotherapy in patients with chronic depression. Journal of Clinical Psychology, 2020, 76, 7-19.	1.0	9
183	Combining baseline characteristics to disentangle response differences to disorder-specific versus supportive psychotherapy in patients with persistent depressive disorder. Behaviour Research and Therapy, 2020, 124, 103512.	1.6	9
184	Results of a randomized trial of treatment modalities in patients with low or early-intermediate risk prostate cancer (PREFERE trial). Journal of Cancer Research and Clinical Oncology, 2021, 147, 235-242.	1.2	9
185	Depressive symptom complexes of community-dwelling older adults: a latent network model. Molecular Psychiatry, 2022, 27, 1075-1082.	4.1	9
186	Adapting the patient and physician versions of the 9-item shared decision making questionnaire for other healthcare providers in Japan. BMC Medical Informatics and Decision Making, 2021, 21, 314.	1.5	9
187	Affective disorders in the elderly in different European countries: Results from the MentDis_ICF65+ study. PLoS ONE, 2019, 14, e0224871.	1.1	8
188	Quality Indicators in Peripheral Arterial Occlusive Disease Treatment: A Systematic Review. European Journal of Vascular and Endovascular Surgery, 2019, 58, 738-745.	0.8	8
189	Spiritual well-being mediates the association between attachment insecurity and psychological distress in advanced cancer patients. Supportive Care in Cancer, 2019, 27, 4317-4325.	1.0	8
190	Psychotherapists' perspectives on collaboration and stepped care in outpatient psychotherapyâ€"A qualitative study. PLoS ONE, 2020, 15, e0228748.	1.1	8
191	Efficacy of a Brief, Peer-Delivered Self-management Intervention for Patients With Rare Chronic Diseases. JAMA Psychiatry, 2021, 78, 607.	6.0	8
192	Effectiveness of telephone-based aftercare case management for adult patients with unipolar depression compared to usual care: A randomized controlled trial. PLoS ONE, 2017, 12, e0186967.	1.1	8
193	Shared decision-making in diverse health care systemsâ€"Translating research into practice. Patient Education and Counseling, 2008, 73, 399-401.	1.0	7
194	Choosing the appropriate treatment setting: which information and decision-making needs do adult inpatients with mental disorders have? A qualitative interview study. Patient Preference and Adherence, 2018, Volume 12, 823-833.	0.8	7
195	Reducing barriers to trauma inquiry in substance use disorder treatment $\hat{a}\in$ a cluster-randomized controlled trial. Substance Abuse Treatment, Prevention, and Policy, 2019, 14, 23.	1.0	7
196	Posttraumatic stress disorder among cancer patientsâ€"Findings from a large and representative interviewâ€based study in Germany. Psycho-Oncology, 2019, 28, 1278-1285.	1.0	7
197	Rationale and design of a systematic review: effectiveness and acceptance of technology-based psychological interventions in different clinical phases of depression management. BMJ Open, 2019, 9, e028042.	0.8	7
198	Risk and associated factors of depression and anxiety in men with prostate cancer: Results from a German multicenter study. Psycho-Oncology, 2020, 29, 1604-1612.	1.0	7

#	Article	IF	CITATIONS
199	Cost-effectiveness of guideline-based stepped and collaborative care versus treatment as usual for patients with depression – a cluster-randomized trial. BMC Psychiatry, 2020, 20, 427.	1.1	7
200	Telephone health coaching with exercise monitoring using wearable activity trackers (TeGeCoach) for improving walking impairment in peripheral artery disease: study protocol for a randomised controlled trial and economic evaluation. BMJ Open, 2020, 10, e032146.	0.8	7
201	Incidence and risk factors of mental disorders in the elderly: The European MentDis_ICF65+ study. Australian and New Zealand Journal of Psychiatry, 2021, , 000486742110257.	1.3	7
202	Profiles of patients' self-reported health after acute stroke. Neurological Research and Practice, 2021, 3, 43.	1.0	7
203	Treatment of depressive symptoms and attitudes towards treatment options in a representative German general population sample. International Journal of Psychiatry in Clinical Practice, 2008, 12, 5-10.	1.2	6
204	Effectiveness of metacognitive interventions for mental disorders in adults: a systematic review protocol (METACOG). BMJ Open, 2017, 7, e015428.	0.8	6
205	Effectiveness of Telephone-Administered Cognitive-Behavioral Psychotherapy for Depression With Versus Without Additional Letters: A Randomized Controlled Trial. Telemedicine Journal and E-Health, 2020, 26, 347-353.	1.6	6
206	A skills network approach to physicians' competence in shared decision making. Health Expectations, 2020, 23, 1466-1476.	1.1	6
207	Does symptom severity matter in stepped and collaborative care for depression?. Journal of Affective Disorders, 2020, 277, 287-295.	2.0	6
208	Rationale and design of an interventional study of cross-sectoral, coordinated treatment of stroke patients with patient-orientated outcome measurement (StroCare). Neurological Research and Practice, 2021, 3, 7.	1.0	6
209	The role of attachment avoidance: A longitudinal mediation model predicting existential distress in patients with advanced cancer. Psycho-Oncology, 2021, 30, 1059-1067.	1.0	6
210	Establishing a Mental Health Surveillance in Germany: Development of a framework concept and indicator set, 2021, 6, 34-63.		6
211	The validity of the laboratory marker combinations DOVER and QUVER to detect physician?s diagnosis of at-risk drinking. Addiction Biology, 2007, 12, 85-92.	1.4	5
212	Learning How to Ask - Does a one-day training increase trauma inquiry in routine substance use disorder practice? Results of a cluster-randomized controlled trial. Journal of Substance Abuse Treatment, 2019, 107, 8-16.	1.5	5
213	Predictors of Seeking Psychotherapy in Primary Care Patients with High Somatic Symptom Burden. Behavioral Medicine, 2019, 45, 231-239.	1.0	5
214	Depression treatment in Germany – using claims data to compare a collaborative mental health care program to the general practitioner program and usual care in terms of guideline adherence and need-oriented access to psychotherapy. BMC Psychiatry, 2020, 20, 591.	1.1	5
215	Testing the Treatment Integrity of the Managing Cancer and Living Meaningfully Psychotherapeutic Intervention for Patients With Advanced Cancer. Frontiers in Psychology, 2020, 11, 561997.	1.1	5
216	Impact of Baseline Characteristics on the Effectiveness of Disorder-Specific Cognitive Behavioral Analysis System of Psychotherapy (CBASP) and Supportive Psychotherapy in Outpatient Treatment for Persistent Depressive Disorder. Frontiers in Psychiatry, 2020, 11, 607300.	1.3	5

#	Article	lF	CITATIONS
217	Choosing treatments and the role of shared decision-making. , 2020, , 283-316.		5
218	Psychometric properties of a patientâ€reported outcome set in acute stroke patients. Brain and Behavior, 2021, 11, e2249.	1.0	5
219	Rationale and methods of the IDOMENEO health outcomes of the peripheral arterial disease revascularisation study in the GermanVasc registry. Vasa - European Journal of Vascular Medicine, 2018, 47, 499-505.	0.6	5
220	Information and decision-making needs of psychiatric patients: the perspective of relatives. PeerJ, 2017, 5, e3378.	0.9	5
221	Measuring oral health: The Physical Oral Health Index. Journal of Dentistry, 2022, 118, 103946.	1.7	5
222	Development and content validity of the Experienced Patientâ€Centeredness Questionnaire (EPAT)â€"A best practice example for generating patientâ€reported measures from qualitative data. Health Expectations, 2022, 25, 1529-1538.	1.1	5
223	Patients' Language Proficiency and Inpatient Depression Treatment in Baden-Wþrttemberg (South) Tj ETQq1 1	. 0,78431 1,1	4 rgBT /Over
224	Evaluating a collaborative smoking cessation intervention in primary care (ENTER): study protocol for a cluster-randomized controlled trial. Trials, 2015, 16, 447.	0.7	4
225	The Impact of Childhood Maltreatment on Long-Term Outcomes in Disorder-Specific vs. Nonspecific Psychotherapy for Chronic Depression. Journal of Affective Disorders, 2020, 272, 152-157.	2.0	4
226	What Does the Public Know About Varying Depression Severity?–Results of a Population Survey. International Journal of Public Health, 2021, 66, 607794.	1.0	4
227	Leitlinien. , 2006, , 387-404.		4
228	Depression and anxiety in elderly immigrants in Germany. Mental Health and Addiction Research, 2016, 1, 6-12.	0.4	4
229	Effectiveness and acceptance of technology-based psychological interventions for the acute treatment of unipolar depression: a systematic review and meta-analysis (Preprint). Journal of Medical Internet Research, 0, , .	2.1	4
230	Treatment patterns in inpatient depression care. International Journal of Methods in Psychiatric Research, 2016, 25, 55-67.	1.1	3
231	Improvement of perioperative care of the elderly patient (PeriAge): protocol of a controlled interventional feasibility study. BMJ Open, 2019, 9, e031837.	0.8	3
232	How does the integration of collaborative care elements in a gatekeeping system affect the costs for mental health care in Germany?. European Journal of Health Economics, 2020, 21, 751-761.	1.4	3
233	Die COVID-19-Pandemie: Wie gelingt eine transparente Kommunikation von Risiken?. Public Health Forum, 2021, 29, 27-31.	0.1	3
234	How do care providers evaluate collaboration? - qualitative process evaluation of a cluster-randomized controlled trial of collaborative and stepped care for patients with mental disorders. BMC Psychiatry, 2021, 21, 296.	1.1	3

#	Article	IF	Citations
235	It's Time for Shared Decision Making and Person-Centred Care. Patient, 2020, 13, 643-644.	1.1	2
236	Termination rates and histological reclassification of active surveillance patients with low- and early intermediate-risk prostate cancer: results of the PREFERE trial. World Journal of Urology, 2021, 39, 65-72.	1.2	2
237	Translation and psychometric evaluation of the German version of the IcanSDM measure $\hat{a} \in \hat{a}$ a cross-sectional study among healthcare professionals. BMC Health Services Research, 2021, 21, 541.	0.9	2
238	Romanian version of SDM-Q-9 validation in Internal Medicine and Cardiology setting: a multicentric cross-sectional study. Romanian Journal of Internal Medicine = Revue Roumaine De Medecine Interne, 2019, 57, 195-200.	0.3	2
239	Partizipative Entscheidungsfindung in der Diabetestherapie – Von der guten Absicht zur guten Tat. , 2013, , 281-297.		2
240	Implementability of collecting patient-reported outcome data in stroke unit care – a qualitative study. BMC Health Services Research, 2022, 22, 346.	0.9	2
241	A cross-sectional survey of factors associated with the uptake of smoking cessation aids among smokers and ex-smokers. Journal of Substance Use, 2018, 23, 597-602.	0.3	1
242	Study protocol of a randomized controlled trial on two new dissemination strategies for a brief, shared-decision-making (SDM) training for oncologists: web-based interactive SDM online-training versus individualized context-based SDM face-to-face training. Trials, 2019, 20, 18.	0.7	1
243	Effects of alliance ruptures and repairs on outcomes. Psychotherapy Research, 2021, 31, 977-987.	1.1	1
244	Measuring walking impairment in patients with intermittent claudication: psychometric properties of the Walking Estimated-Limitation Calculated by History (WELCH) questionnaire. PeerJ, 2021, 9, e12039.	0.9	1
245	Epidemiologie psychischer Störungen bei Migrantlnnen. , 2018, , 229-237.		1
246	Patientenzentrierte Kommunikation und partizipative Entscheidungsfindung in der Onkologie. Springer Reference Medizin, 2020, , 1-9.	0.0	1
247	Reply to C.E. Paiva et al. Journal of Clinical Oncology, 2015, 33, 1517-1517.	0.8	0
248	Reply to J. Dekker et al. Journal of Clinical Oncology, 2015, 33, 2828-2828.	0.8	0
249	Reply to Andreas Boehle, Frank Kahmann, Thomas Oliver Henkel, Joerg Zimmermann and Stefan Machten's to the Letter to the editor Re: results of a randomized trial of treatment modalities in patients with low or early-intermediate risk prostate cancer (PREFERE trial). Journal of Cancer Research and Clinical Oncology. 2021. 147. 1273-1274.	1.2	0
250	Leitlinien bei psychischen Erkrankungen am Beispiel der Depression. , 2012, , 229-234.		0
251	QualitÃ <b>ts</b> management in der Versorgung psychischer Erkrankungen. , 2015, , 933-945.		0
252	Twelve-month prevalence of mental disorders in cancer patients across major tumor entities Journal of Clinical Oncology, 2015, 33, 9552-9552.	0.8	0

## Martin HÃ**¤**ter

#	Article	IF	CITATIONS
253	Diagnoseaufkläung, Information und Entscheidung über Behandlungen – Patientenbeteiligung und partizipative Entscheidungsfindung. , 2016, , 15-29.		O
254	QualitÃsmanagement in der Versorgung psychischer Erkrankungen. , 2019, , 829-840.e2.		0
255	Interface management concepts in healthcare for rare diseases in Germany: a study protocol for a mixed-methods study to develop best practice recommendations. BMJ Open, 2020, 10, e040470.	0.8	0