

Martin Härtner

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1169934/publications.pdf>

Version: 2024-02-01

255
papers

12,400
citations

26567

56
h-index

34900

98
g-index

302
all docs

302
docs citations

302
times ranked

13184
citing authors

#	ARTICLE	IF	CITATIONS
1	Suicide literacy and suicide stigma " results of a population survey from Germany. Journal of Mental Health, 2022, 31, 517-523.	1.0	18
2	Depressive symptom complexes of community-dwelling older adults: a latent network model. Molecular Psychiatry, 2022, 27, 1075-1082.	4.1	9
3	Prevalence of mental disorders in patients with cancer compared to matched controls " secondary analysis of two nationally representative surveys. Acta Oncologica, 2022, 61, 7-13.	0.8	10
4	Measuring oral health: The Physical Oral Health Index. Journal of Dentistry, 2022, 118, 103946.	1.7	5
5	Implementability of collecting patient-reported outcome data in stroke unit care " a qualitative study. BMC Health Services Research, 2022, 22, 346.	0.9	2
6	Development and content validity of the Experienced Patient-Centeredness Questionnaire (EPAT)"A best practice example for generating patient-reported measures from qualitative data. Health Expectations, 2022, 25, 1529-1538.	1.1	5
7	Moving towards patient-centered care and shared decision-making in Germany. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2022, 171, 49-57.	0.7	11
8	Patient involvement in developing a patient-targeted feedback intervention after depression screening in primary care within the randomized controlled trial GET.FEEDBACK.GP. Health Expectations, 2021, 24, 95-112.	1.1	17
9	Termination rates and histological reclassification of active surveillance patients with low- and early intermediate-risk prostate cancer: results of the PREFERE trial. World Journal of Urology, 2021, 39, 65-72.	1.2	2
10	Results of a randomized trial of treatment modalities in patients with low or early-intermediate risk prostate cancer (PREFERE trial). Journal of Cancer Research and Clinical Oncology, 2021, 147, 235-242.	1.2	9
11	Effects of alliance ruptures and repairs on outcomes. Psychotherapy Research, 2021, 31, 977-987.	1.1	1
12	Evidence on Technology-Based Psychological Interventions in Diagnosed Depression: Systematic Review. JMIR Mental Health, 2021, 8, e21700.	1.7	14
13	Association between physicians' and patients' perspectives of shared decision making in primary care settings in Japan: The impact of environmental factors. PLoS ONE, 2021, 16, e0246518.	1.1	16
14	Reply to Andreas Boehle, Frank Kahmann, Thomas Oliver Henkel, Joerg Zimmermann and Stefan Machten's to the Letter to the editor Re: results of a randomized trial of treatment modalities in patients with low or early-intermediate risk prostate cancer (PREFERE trial). Journal of Cancer Research and Clinical Oncology, 2021, 147, 1273-1274.	1.2	0
15	Rationale and design of an interventional study of cross-sectoral, coordinated treatment of stroke patients with patient-orientated outcome measurement (StroCare). Neurological Research and Practice, 2021, 3, 7.	1.0	6
16	The role of attachment avoidance: A longitudinal mediation model predicting existential distress in patients with advanced cancer. Psycho-Oncology, 2021, 30, 1059-1067.	1.0	6
17	Die COVID-19-Pandemie: Wie gelingt eine transparente Kommunikation von Risiken?. Public Health Forum, 2021, 29, 27-31.	0.1	3
18	Existential distress in patients with advanced cancer and their caregivers: study protocol of a longitudinal cohort study. BMJ Open, 2021, 11, e046351.	0.8	10

#	ARTICLE	IF	CITATIONS
19	Thoughts of death and suicidality among patients with cancer: Examining subtypes and their association with mental disorders. <i>Psycho-Oncology</i> , 2021, 30, 2023-2031.	1.0	11
20	What Does the Public Know About Varying Depression Severity?â€œResults of a Population Survey. <i>International Journal of Public Health</i> , 2021, 66, 607794.	1.0	4
21	Translation and psychometric evaluation of the German version of the IcanSDM measure â€œ a cross-sectional study among healthcare professionals. <i>BMC Health Services Research</i> , 2021, 21, 541.	0.9	2
22	Psychometric properties of a patientâ€™reported outcome set in acute stroke patients. <i>Brain and Behavior</i> , 2021, 11, e2249.	1.0	5
23	How do care providers evaluate collaboration? - qualitative process evaluation of a cluster-randomized controlled trial of collaborative and stepped care for patients with mental disorders. <i>BMC Psychiatry</i> , 2021, 21, 296.	1.1	3
24	Efficacy of a Brief, Peer-Delivered Self-management Intervention for Patients With Rare Chronic Diseases. <i>JAMA Psychiatry</i> , 2021, 78, 607.	6.0	8
25	Incidence and risk factors of mental disorders in the elderly: The European MentDis_ICF65+ study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021, , 000486742110257.	1.3	7
26	What do patients expect? Assessing patient-centredness from the patientsâ€™ perspective: an interview study. <i>BMJ Open</i> , 2021, 11, e047810.	0.8	15
27	Which criteria characterize a health literate health care organization? â€œ a scoping review on organizational health literacy. <i>BMC Health Services Research</i> , 2021, 21, 664.	0.9	26
28	Profiles of patientsâ€™ self-reported health after acute stroke. <i>Neurological Research and Practice</i> , 2021, 3, 43.	1.0	7
29	Measuring walking impairment in patients with intermittent claudication: psychometric properties of the Walking Estimated-Limitation Calculated by History (WELCH) questionnaire. <i>PeerJ</i> , 2021, 9, e12039.	0.9	1
30	Development of an online suicide prevention program involving people with lived experience: ideas and challenges. <i>Research Involvement and Engagement</i> , 2021, 7, 60.	1.1	10
31	Adapting the patient and physician versions of the 9-item shared decision making questionnaire for other healthcare providers in Japan. <i>BMC Medical Informatics and Decision Making</i> , 2021, 21, 314.	1.5	9
32	Evaluation of a program for routine implementation of shared decision-making in cancer care: results of a stepped wedge cluster randomized trial. <i>Implementation Science</i> , 2021, 16, 106.	2.5	13
33	Establishing a Mental Health Surveillance in Germany: Development of a framework concept and indicator set.. , 2021, 6, 34-63.		6
34	Effectiveness of Telephone-Administered Cognitive-Behavioral Psychotherapy for Depression With Versus Without Additional Letters: A Randomized Controlled Trial. <i>Telemedicine Journal and E-Health</i> , 2020, 26, 347-353.	1.6	6
35	Adverse events during a disorderâ€™specific psychotherapy compared to a nonspecific psychotherapy in patients with chronic depression. <i>Journal of Clinical Psychology</i> , 2020, 76, 7-19.	1.0	9
36	The Accuracy of the Patient Health Questionnaire-9 Algorithm for Screening to Detect Major Depression: An Individual Participant Data Meta-Analysis. <i>Psychotherapy and Psychosomatics</i> , 2020, 89, 25-37.	4.0	67

#	ARTICLE	IF	CITATIONS
37	Equivalency of the diagnostic accuracy of the PHQ-8 and PHQ-9: a systematic review and individual participant data meta-analysis. <i>Psychological Medicine</i> , 2020, 50, 1368-1380.	2.7	175
38	Combining baseline characteristics to disentangle response differences to disorder-specific versus supportive psychotherapy in patients with persistent depressive disorder. <i>Behaviour Research and Therapy</i> , 2020, 124, 103512.	1.6	9
39	Concepts of Metacognition in the Treatment of Patients with Mental Disorders. <i>Journal of Rational - Emotive and Cognitive - Behavior Therapy</i> , 2020, 38, 173-183.	1.0	13
40	Effects of telephone-based health coaching on patient-reported outcomes and health behavior change: A randomized controlled trial. <i>PLoS ONE</i> , 2020, 15, e0236861.	1.1	16
41	A skills network approach to physicians'™ competence in shared decision making. <i>Health Expectations</i> , 2020, 23, 1466-1476.	1.1	6
42	Risk and associated factors of depression and anxiety in men with prostate cancer: Results from a German multicenter study. <i>Psycho-Oncology</i> , 2020, 29, 1604-1612.	1.0	7
43	Does symptom severity matter in stepped and collaborative care for depression?. <i>Journal of Affective Disorders</i> , 2020, 277, 287-295.	2.0	6
44	It's Time for Shared Decision Making and Person-Centred Care. <i>Patient</i> , 2020, 13, 643-644.	1.1	2
45	Depression screening using patient-targeted feedback in general practices: study protocol of the German multicentre GET.FEEDBACK.GP randomised controlled trial. <i>BMJ Open</i> , 2020, 10, e035973.	0.8	10
46	Efficacy of the Managing Cancer and Living Meaningfully (<sc>CALM</sc>) individual psychotherapy for patients with advanced cancer: A single-blind randomized controlled trial. <i>Psycho-Oncology</i> , 2020, 29, 1895-1904.	1.0	18
47	Cost-effectiveness of guideline-based stepped and collaborative care versus treatment as usual for patients with depression – a cluster-randomized trial. <i>BMC Psychiatry</i> , 2020, 20, 427.	1.1	7
48	Depression treatment in Germany – using claims data to compare a collaborative mental health care program to the general practitioner program and usual care in terms of guideline adherence and need-oriented access to psychotherapy. <i>BMC Psychiatry</i> , 2020, 20, 591.	1.1	5
49	Testing the Treatment Integrity of the Managing Cancer and Living Meaningfully Psychotherapeutic Intervention for Patients With Advanced Cancer. <i>Frontiers in Psychology</i> , 2020, 11, 561997.	1.1	5
50	Impact of Baseline Characteristics on the Effectiveness of Disorder-Specific Cognitive Behavioral Analysis System of Psychotherapy (CBASP) and Supportive Psychotherapy in Outpatient Treatment for Persistent Depressive Disorder. <i>Frontiers in Psychiatry</i> , 2020, 11, 607300.	1.3	5
51	Choosing treatments and the role of shared decision-making. , 2020, , 283-316.		5
52	The Impact of Childhood Maltreatment on Long-Term Outcomes in Disorder-Specific vs. Nonspecific Psychotherapy for Chronic Depression. <i>Journal of Affective Disorders</i> , 2020, 272, 152-157.	2.0	4
53	Study protocol for a randomised controlled trial evaluating an evidence-based, stepped and coordinated care service model for mental disorders (RECOVER). <i>BMJ Open</i> , 2020, 10, e036021.	0.8	15
54	Telephone health coaching with exercise monitoring using wearable activity trackers (TeGeCoach) for improving walking impairment in peripheral artery disease: study protocol for a randomised controlled trial and economic evaluation. <i>BMJ Open</i> , 2020, 10, e032146.	0.8	7

#	ARTICLE	IF	CITATIONS
55	How does the integration of collaborative care elements in a gatekeeping system affect the costs for mental health care in Germany?. <i>European Journal of Health Economics</i> , 2020, 21, 751-761.	1.4	3
56	Quality of life, level of functioning, and its relationship with mental and physical disorders in the elderly: results from the MentDis_ICF65+ study. <i>Health and Quality of Life Outcomes</i> , 2020, 18, 61.	1.0	28
57	Public Stigma Toward Persons with Suicidal Thoughts—Do Age, Sex, and Medical Condition of Affected Persons Matter?. <i>Suicide and Life-Threatening Behavior</i> , 2020, 50, 631-642.	0.9	14
58	Cancer patients' preferred and perceived level of involvement in treatment decision-making: an epidemiological study. <i>Acta Oncologica</i> , 2020, 59, 967-974.	0.8	39
59	Psychotherapists' perspectives on collaboration and stepped care in outpatient psychotherapy—A qualitative study. <i>PLoS ONE</i> , 2020, 15, e0228748.	1.1	8
60	Changes in Therapeutic Alliance and in Social Inhibition as Mediators of the Effect of the Cognitive Behavioral Analysis System of Psychotherapy: A Secondary Analysis from a Randomized Clinical Trial. <i>Psychotherapy and Psychosomatics</i> , 2020, 89, 261-262.	4.0	10
61	Fatigue in cancer patients: comparison with the general population and prognostic factors. <i>Supportive Care in Cancer</i> , 2020, 28, 4517-4526.	1.0	25
62	Sensitivity to change and minimal clinically important difference of the 7-item Generalized Anxiety Disorder Questionnaire (GAD-7). <i>Journal of Affective Disorders</i> , 2020, 265, 395-401.	2.0	253
63	Therapeutic Alliance in Technology-Based Interventions for the Treatment of Depression: Systematic Review. <i>Journal of Medical Internet Research</i> , 2020, 22, e17195.	2.1	34
64	Psychometric Evaluation of the Japanese 9-Item Shared Decision-Making Questionnaire and Its Association with Decision Conflict and Patient Factors in Japanese Primary Care. <i>JMA Journal</i> , 2020, 3, 208-215.	0.6	25
65	Patientenzentrierte Kommunikation und partizipative Entscheidungsfindung in der Onkologie. <i>Springer Reference Medizin</i> , 2020, , 1-9.	0.0	1
66	Interface management concepts in healthcare for rare diseases in Germany: a study protocol for a mixed-methods study to develop best practice recommendations. <i>BMJ Open</i> , 2020, 10, e040470.	0.8	0
67	Age and gender differences in anxiety and depression in cancer patients compared with the general population. <i>European Journal of Cancer Care</i> , 2019, 28, e13129.	0.7	71
68	Learning How to Ask - Does a one-day training increase trauma inquiry in routine substance use disorder practice? Results of a cluster-randomized controlled trial. <i>Journal of Substance Abuse Treatment</i> , 2019, 107, 8-16.	1.5	5
69	Affective disorders in the elderly in different European countries: Results from the MentDis_ICF65+ study. <i>PLoS ONE</i> , 2019, 14, e0224871.	1.1	8
70	Evaluation of a shared decision-making communication skills training for physicians treating patients with asthma: a mixed methods study using simulated patients. <i>BMC Health Services Research</i> , 2019, 19, 612.	0.9	16
71	Quality Indicators in Peripheral Arterial Occlusive Disease Treatment: A Systematic Review. <i>European Journal of Vascular and Endovascular Surgery</i> , 2019, 58, 738-745.	0.8	8
72	Cost-effectiveness analysis of collaborative treatment of late-life depression in primary care (GermanIMPACT). <i>European Psychiatry</i> , 2019, 57, 10-18.	0.1	10

#	ARTICLE	IF	CITATIONS
73	Development and evaluation of e-mental health interventions to reduce stigmatization of suicidality â€“ a study protocol. BMC Psychiatry, 2019, 19, 152.	1.1	16
74	Two-Year Follow-Up after Treatment with the Cognitive Behavioral Analysis System of Psychotherapy versus Supportive Psychotherapy for Early-Onset Chronic Depression. Psychotherapy and Psychosomatics, 2019, 88, 154-164.	4.0	26
75	Strategies to evaluate healthcare provider trainings in shared decision-making (SDM): a systematic review of evaluation studies. BMJ Open, 2019, 9, e026488.	0.8	42
76	Reducing barriers to trauma inquiry in substance use disorder treatment â€“ a cluster-randomized controlled trial. Substance Abuse Treatment, Prevention, and Policy, 2019, 14, 23.	1.0	7
77	Spiritual well-being mediates the association between attachment insecurity and psychological distress in advanced cancer patients. Supportive Care in Cancer, 2019, 27, 4317-4325.	1.0	8
78	Posttraumatic stress disorder among cancer patientsâ€”Findings from a large and representative interviewâ€“based study in Germany. Psycho-Oncology, 2019, 28, 1278-1285.	1.0	7
79	Assessment of patient information needs: A systematic review of measures. PLoS ONE, 2019, 14, e0209165.	1.1	22
80	Depression and anxiety in patients with different rare chronic diseases: A cross-sectional study. PLoS ONE, 2019, 14, e0211343.	1.1	55
81	Outcome evaluation by patient reported outcome measures in stroke clinical practice (EPOS) protocol for a prospective observation and implementation study. Neurological Research and Practice, 2019, 1, 28.	1.0	16
82	Assessing the relevance and implementation of patient-centredness from the patientsâ€™ perspective in Germany: results of a Delphi study. BMJ Open, 2019, 9, e031741.	0.8	27
83	Study protocol for the COMET study: a cluster-randomised, prospective, parallel-group, superiority trial to compare the effectiveness of a collaborative and stepped care model versus treatment as usual in patients with mental disorders in primary care. BMJ Open, 2019, 9, e032408.	0.8	11
84	Rationale and design of a systematic review: effectiveness and acceptance of technology-based psychological interventions in different clinical phases of depression management. BMJ Open, 2019, 9, e028042.	0.8	7
85	Improvement of perioperative care of the elderly patient (PeriAge): protocol of a controlled interventional feasibility study. BMJ Open, 2019, 9, e031837.	0.8	3
86	Management of comorbid mental and somatic disorders in stepped care approaches in primary care: a systematic review. Family Practice, 2019, 36, 38-52.	0.8	10
87	Predictors of Seeking Psychotherapy in Primary Care Patients with High Somatic Symptom Burden. Behavioral Medicine, 2019, 45, 231-239.	1.0	5
88	Effectiveness of metacognitive interventions for mental disorders in adultsâ€”A systematic review and meta-analysis (METACOG). Clinical Psychology and Psychotherapy, 2019, 26, 227-240.	1.4	66
89	Study protocol of a randomized controlled trial on two new dissemination strategies for a brief, shared-decision-making (SDM) training for oncologists: web-based interactive SDM online-training versus individualized context-based SDM face-to-face training. Trials, 2019, 20, 18.	0.7	1
90	Romanian version of SDM-Q-9 validation in Internal Medicine and Cardiology setting: a multicentric cross-sectional study. Romanian Journal of Internal Medicine = Revue Roumaine De Medecine Interne, 2019, 57, 195-200.	0.3	2

#	ARTICLE	IF	CITATIONS
91	The Effectiveness of an Internet Intervention Aimed at Reducing Alcohol Consumption in Adults. Deutsches Ärztblatt International, 2019, 116, 127-133.	0.6	24
92	Long-term use of benzodiazepines and Z drugs: a qualitative study of patientsâ€™ and healthcare professionalsâ€™ perceptions and possible levers for change. BJGP Open, 2019, 3, bjgpopen18X101626.	0.9	11
93	QualitÃtsmanagement in der Versorgung psychischer Erkrankungen. , 2019, , 829-840.e2.		0
94	The <sc>Generalized Anxiety Disorder Screener (GADâ€7</sc>) and the anxiety module of the <sc>Hospital and Depression Scale (HADSâ€A</sc>) as screening tools for generalized anxiety disorder among cancer patients. Psycho-Oncology, 2018, 27, 1509-1516.	1.0	104
95	Prevalence of mental disorders and psychosocial distress in German adolescent and young adult cancer patients (AYA). Psycho-Oncology, 2018, 27, 1802-1809.	1.0	61
96	Association of comorbid personality disorders with clinical characteristics and outcome in a randomized controlled trial comparing two psychotherapies for early-onset persistent depressive disorder. Journal of Affective Disorders, 2018, 229, 262-268.	2.0	15
97	Does Childhood Maltreatment Moderate the Effect of the Cognitive Behavioral Analysis System of Psychotherapy versus Supportive Psychotherapy in Persistent Depressive Disorder?. Psychotherapy and Psychosomatics, 2018, 87, 46-48.	4.0	26
98	Psychometric properties of the German version of Observer OPTION5. BMC Health Services Research, 2018, 18, 74.	0.9	21
99	Quality of life in cancer patientsâ€™ a comparison of inpatient, outpatient, and rehabilitation settings. Supportive Care in Cancer, 2018, 26, 3533-3541.	1.0	38
100	Insecure attachment predicts depression and death anxiety in advanced cancer patients. Palliative and Supportive Care, 2018, 16, 308-316.	0.6	25
101	How Does a Shared Decision-Making (SDM) Intervention for Oncologists Affect Participation Style and Preference Matching in Patients with Breast and Colon Cancer?. Journal of Cancer Education, 2018, 33, 708-715.	0.6	25
102	Anxiety Disorders in Old Age: Psychiatric Comorbidities, Quality of Life, and Prevalence According to Age, Gender, and Country. American Journal of Geriatric Psychiatry, 2018, 26, 174-185.	0.6	99
103	Measuring the Psychosocial Dimensions of Quality of Life in Patients With Advanced Cancer: Psychometrics of the German Quality of Life at the End of Life-Cancer-Psychosocial Questionnaire. Journal of Pain and Symptom Management, 2018, 55, 985-991.e1.	0.6	9
104	Patient-centered care interventions to reduce the inappropriate prescription and use of benzodiazepines and z-drugs: a systematic review. PeerJ, 2018, 6, e5535.	0.9	9
105	Treatment selection and treatment initialization in guideline-based stepped and collaborative care for depression. PLoS ONE, 2018, 13, e0208882.	1.1	9
106	Assessment of patient centredness through patient-reported experience measures (ASPIRED): protocol of a mixed-methods study. BMJ Open, 2018, 8, e025896.	0.8	27
107	Doctorsâ€™ recommendations for psychosocial care: Frequency and predictors of recommendations and referrals. PLoS ONE, 2018, 13, e0205160.	1.1	20
108	A cross-sectional survey of factors associated with the uptake of smoking cessation aids among smokers and ex-smokers. Journal of Substance Use, 2018, 23, 597-602.	0.3	1

#	ARTICLE	IF	CITATIONS
109	Collaborative mental health care program versus a general practitioner program and usual care for treatment of patients with mental or neurological disorders in Germany: protocol of a multiperspective evaluation study. <i>BMC Psychiatry</i> , 2018, 18, 347.	1.1	9
110	Moderating effect of comorbid anxiety disorders on treatment outcome in a randomized controlled psychotherapy trial in early-onset persistently depressed outpatients. <i>Depression and Anxiety</i> , 2018, 35, 1001-1008.	2.0	14
111	Perceived doctor-patient relationship and its association with demoralization in patients with advanced cancer. <i>Psycho-Oncology</i> , 2018, 27, 2587-2593.	1.0	20
112	Guideline-based stepped and collaborative care for patients with depression in a cluster-randomised trial. <i>Scientific Reports</i> , 2018, 8, 9389.	1.6	48
113	Social support in the general population: standardization of the Oslo social support scale (OSSS-3). <i>BMC Psychology</i> , 2018, 6, 31.	0.9	298
114	Potentially inappropriate use of benzodiazepines and z-drugs in the older population-an analysis of associations between long-term use and patient-related factors. <i>PeerJ</i> , 2018, 6, e4614.	0.9	19
115	Evaluation of a program for routine implementation of shared decision-making in cancer care: study protocol of a stepped wedge cluster randomized trial. <i>Implementation Science</i> , 2018, 13, 51.	2.5	25
116	Choosing the appropriate treatment setting: which information and decision-making needs do adult inpatients with mental disorders have? A qualitative interview study. <i>Patient Preference and Adherence</i> , 2018, Volume 12, 823-833.	0.8	7
117	Alcohol use, abuse and dependence in an older European population: Results from the MentDis_ICF65+ study. <i>PLoS ONE</i> , 2018, 13, e0196574.	1.1	24
118	Indicators of outcome quality in peripheral arterial disease revascularisations - a Delphi expert consensus. <i>Vasa - European Journal of Vascular Medicine</i> , 2018, 47, 491-497.	0.6	29
119	Rationale and methods of the IDOMENEO health outcomes of the peripheral arterial disease revascularisation study in the GermanVasc registry. <i>Vasa - European Journal of Vascular Medicine</i> , 2018, 47, 499-505.	0.6	5
120	Learning how to ask: Effectiveness of a training for trauma inquiry and response in substance use disorder healthcare professionals. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2018, 10, 229-238.	1.4	26
121	Psychosocial Distress of Patients with Psoriasis: Protocol for an Assessment of Care Needs and the Development of a Supportive Intervention. <i>JMIR Research Protocols</i> , 2018, 7, e22.	0.5	11
122	Epidemiologie psychischer Störungen bei MigrantInnen. , 2018, , 229-237.		1
123	Utilization of professional psychological care in a large German sample of cancer patients. <i>Psycho-Oncology</i> , 2017, 26, 537-543.	1.0	84
124	Effect of Disorder-Specific vs Nonspecific Psychotherapy for Chronic Depression. <i>JAMA Psychiatry</i> , 2017, 74, 233.	6.0	87
125	Prevalence and correlates of somatoform disorders in the elderly: Results of a European study. <i>International Journal of Methods in Psychiatric Research</i> , 2017, 26, .	1.1	18
126	Guideline adherence of antidepressant treatment in outpatients with major depressive disorder: a naturalistic study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017, 267, 711-721.	1.8	18

#	ARTICLE	IF	CITATIONS
127	Understanding the role of childhood abuse and neglect as a cause and consequence of substance abuse: the German CANSAS network. <i>HÄrger Utbildning</i> , 2017, 8, 1304114.	1.4	22
128	Effectiveness of a Stepped, Collaborative, and Coordinated Health Care Network for Somatoform Disorders (Sofu-Net): A Controlled Cluster Cohort Study. <i>Psychosomatic Medicine</i> , 2017, 79, 1016-1024.	1.3	25
129	The long way of implementing patient-centered care and shared decision making in Germany. <i>Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen</i> , 2017, 123-124, 46-51.	0.7	49
130	Unmet needs for information and psychosocial support in relation to quality of life and emotional distress: A comparison between gynecological and breast cancer patients. <i>Patient Education and Counseling</i> , 2017, 100, 1934-1942.	1.0	62
131	Shared decision making in 2017: International accomplishments in policy, research and implementation. <i>Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen</i> , 2017, 123-124, 1-5.	0.7	119
132	Placebo and nocebo reactions in randomized trials of pharmacological treatments for persistent depressive disorder. A meta-regression analysis. <i>Journal of Affective Disorders</i> , 2017, 215, 288-298.	2.0	31
133	Prevalence of mental disorders in elderly people: The European MentDis_ICF65+ study. <i>British Journal of Psychiatry</i> , 2017, 210, 125-131.	1.7	261
134	How are decisions made in cancer care? A qualitative study using participant observation of current practice. <i>BMJ Open</i> , 2017, 7, e016360.	0.8	31
135	Effectiveness of metacognitive interventions for mental disorders in adults: a systematic review protocol (METACOG). <i>BMJ Open</i> , 2017, 7, e015428.	0.8	6
136	Attachment Insecurity in Advanced Cancer Patients: Psychometric Properties of the German Version of the Brief Experiences in Close Relationships Scale (ECR-M16-G). <i>Journal of Pain and Symptom Management</i> , 2017, 54, 555-562.	0.6	11
137	Patient involvement in a systematic review: Development and pilot evaluation of a patient workshop. <i>Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen</i> , 2017, 127-128, 56-61.	0.7	13
138	The Hospital Anxiety and Depression Scale (HADS) and the 9-item Patient Health Questionnaire (PHQ-9) as screening instruments for depression in patients with cancer. <i>Cancer</i> , 2017, 123, 4236-4243.	2.0	92
139	Long-term effectiveness of telephone-based health coaching for heart failure patients: A post-only randomised controlled trial. <i>Journal of Telemedicine and Telecare</i> , 2017, 23, 716-724.	1.4	20
140	A three-talk model for shared decision making: multistage consultation process. <i>BMJ: British Medical Journal</i> , 2017, 359, j4891.	2.4	495
141	German translation, cultural adaptation, and validation of the Health Literacy Questionnaire (HLQ). <i>PLoS ONE</i> , 2017, 12, e0172340.	1.1	75
142	Use of the 9-item Shared Decision Making Questionnaire (SDM-Q-9 and SDM-Q-Doc) in intervention studies – A systematic review. <i>PLoS ONE</i> , 2017, 12, e0173904.	1.1	85
143	Process quality of decision-making in multidisciplinary cancer team meetings: a structured observational study. <i>BMC Cancer</i> , 2017, 17, 772.	1.1	69
144	Effectiveness and cost-effectiveness of telephone-based cognitive-behavioural therapy in primary care: study protocol of TIDe – telephone intervention for depression. <i>BMC Psychiatry</i> , 2017, 17, 263.	1.1	16

#	ARTICLE	IF	CITATIONS
145	Study approach and field work procedures of the MentDis_ICF65+ project on the prevalence of mental disorders in the older adult European population. <i>BMC Psychiatry</i> , 2017, 17, 366.	1.1	11
146	Predicting the preferences for involvement in medical decision making among patients with mental disorders. <i>PLoS ONE</i> , 2017, 12, e0182203.	1.1	13
147	Effectiveness of telephone-based aftercare case management for adult patients with unipolar depression compared to usual care: A randomized controlled trial. <i>PLoS ONE</i> , 2017, 12, e0186967.	1.1	8
148	Information and decision-making needs of psychiatric patients: the perspective of relatives. <i>PeerJ</i> , 2017, 5, e3378.	0.9	5
149	Psychnet.de: development and process evaluation of an e-mental health portal. <i>Informatics for Health and Social Care</i> , 2016, 41, 1-19.	1.4	12
150	Assessing Communication Skills of Medical Students in Objective Structured Clinical Examinations (OSCE) - A Systematic Review of Rating Scales. <i>PLoS ONE</i> , 2016, 11, e0152717.	1.1	112
151	Patient Preferences and Shared Decision Making in the Treatment of Substance Use Disorders: A Systematic Review of the Literature. <i>PLoS ONE</i> , 2016, 11, e0145817.	1.1	103
152	Comparative Safety of Pharmacologic Treatments for Persistent Depressive Disorder: A Systematic Review and Network Meta-Analysis. <i>PLoS ONE</i> , 2016, 11, e0153380.	1.1	35
153	Effectiveness of Telephone-Based Health Coaching for Patients with Chronic Conditions: A Randomised Controlled Trial. <i>PLoS ONE</i> , 2016, 11, e0161269.	1.1	48
154	Effects of culture-sensitive adaptation of patient information material on usefulness in migrants: a multicentre, blinded randomised controlled trial. <i>BMJ Open</i> , 2016, 6, e012008.	0.8	24
155	Twelve-Month and Lifetime Prevalence of Mental Disorders in Cancer Patients. <i>Psychotherapy and Psychosomatics</i> , 2016, 85, 289-296.	4.0	111
156	Telefongestützte Verhaltenstherapie als niedrigschwellige Intervention bei Depression: Ein Behandlungsprogramm für den deutschen Sprachraum. <i>Verhaltenstherapie</i> , 2016, 26, 244-253.	0.3	9
157	STRESSORS, SYMPTOM PROFILE, AND PREDICTORS OF ADJUSTMENT DISORDER IN CANCER PATIENTS. RESULTS FROM AN EPIDEMIOLOGICAL STUDY WITH THE COMPOSITE INTERNATIONAL DIAGNOSTIC INTERVIEW, ADAPTATION FOR ONCOLOGY (CIDI-O). <i>Depression and Anxiety</i> , 2016, 33, 153-161.	2.0	40
158	Vorvida: study protocol of a randomized controlled trial testing the effectiveness of Internet-based self-help program for the reduction of alcohol consumption for adults. <i>BMC Psychiatry</i> , 2016, 16, 19.	1.1	11
159	Treatment patterns in inpatient depression care. <i>International Journal of Methods in Psychiatric Research</i> , 2016, 25, 55-67.	1.1	3
160	When do cancer patients regret their treatment decision? A path analysis of the influence of clinicians' communication styles and the match of decision-making styles on decision regret. <i>Patient Education and Counseling</i> , 2016, 99, 739-746.	1.0	62
161	Adverse event methods were heterogeneous and insufficiently reported in randomized trials on persistent depressive disorder. <i>Journal of Clinical Epidemiology</i> , 2016, 71, 97-108.	2.4	35
162	Changes in beliefs and attitudes toward people with depression and schizophrenia – results of a public campaign in Germany. <i>Psychiatry Research</i> , 2016, 237, 271-278.	1.7	28

#	ARTICLE	IF	CITATIONS
163	Perceived need for psychosocial support depending on emotional distress and mental comorbidity in men and women with cancer. <i>Journal of Psychosomatic Research</i> , 2016, 81, 24-30.	1.2	116
164	Information and decision support needs in patients with type 2 diabetes. <i>Health Informatics Journal</i> , 2016, 22, 46-59.	1.1	23
165	Satisfaction with information and unmet information needs in men and women with cancer. <i>Journal of Cancer Survivorship</i> , 2016, 10, 62-70.	1.5	175
166	A Systematic Literature Review of Self-Reported Smoking Cessation Counseling by Primary Care Physicians. <i>PLoS ONE</i> , 2016, 11, e0168482.	1.1	48
167	Depression and anxiety in elderly immigrants in Germany. <i>Mental Health and Addiction Research</i> , 2016, 1, 6-12.	0.4	4
168	Acceptance of the German e-mental health portal www.psychenet.de: an online survey. <i>PeerJ</i> , 2016, 4, e2093.	0.9	16
169	Diagnoseaufklärung, Information und Entscheidung über Behandlungen – Patientenbeteiligung und partizipative Entscheidungsfindung. , 2016, , 15-29.		0
170	Validation of the Spanish version of the 9-item shared decision-making questionnaire. <i>Health Expectations</i> , 2015, 18, 2143-2153.	1.1	46
171	Information and decision-making needs among people with mental disorders: a systematic review of the literature. <i>Health Expectations</i> , 2015, 18, 1856-1872.	1.1	58
172	Evaluating a collaborative smoking cessation intervention in primary care (ENTER): study protocol for a cluster-randomized controlled trial. <i>Trials</i> , 2015, 16, 447.	0.7	4
173	Measuring symptoms and diagnosing mental disorders in the elderly community: the test-retest reliability of the CID165+. <i>International Journal of Methods in Psychiatric Research</i> , 2015, 24, 116-129.	1.1	35
174	Early detection of comorbidity in psoriasis: recommendations of the National Conference on Healthcare in Psoriasis. <i>JDDG - Journal of the German Society of Dermatology</i> , 2015, 13, 674-689.	0.4	50
175	Conceptual decomposition of complex health care interventions for evidence synthesis: a literature review. <i>Journal of Evaluation in Clinical Practice</i> , 2015, 21, 817-823.	0.9	18
176	Performance status and depressive symptoms as predictors of quality of life in cancer patients. A structural equation modeling analysis. <i>Psycho-Oncology</i> , 2015, 24, 1456-1462.	1.0	24
177	Information and decision-making needs among people with affective disorders – results of an online survey. <i>Patient Preference and Adherence</i> , 2015, 9, 627.	0.8	29
178	In Absentia: An Exploratory Study of How Patients Are Considered in Multidisciplinary Cancer Team Meetings. <i>PLoS ONE</i> , 2015, 10, e0139921.	1.1	52
179	Which Dimensions of Patient-Centeredness Matter? - Results of a Web-Based Expert Delphi Survey. <i>PLoS ONE</i> , 2015, 10, e0141978.	1.1	80
180	Reply to C.E. Paiva et al. <i>Journal of Clinical Oncology</i> , 2015, 33, 1517-1517.	0.8	0

#	ARTICLE	IF	CITATIONS
181	Reply to J. Dekker et al. Journal of Clinical Oncology, 2015, 33, 2828-2828.	0.8	0
182	Quality of online information on type 2 diabetes: a cross-sectional study. Health Promotion International, 2015, 30, 821-831.	0.9	23
183	Translation and validation of a multidimensional instrument to assess health literacy. Health Expectations, 2015, 18, 2776-2786.	1.1	20
184	Comparing the nine-item Shared Decision-Making Questionnaire to the OPTION Scale – an attempt to establish convergent validity. Health Expectations, 2015, 18, 137-150.	1.1	59
185	Information and Decision-Making Needs Among People with Anxiety Disorders: Results of an Online Survey. Patient, 2015, 8, 531-539.	1.1	15
186	Usefulness scale for patient information material (USE) - development and psychometric properties. BMC Medical Informatics and Decision Making, 2015, 15, 34.	1.5	23
187	Drinking patterns of alcohol intoxicated adolescents in the emergency department: A latent class analysis. Addictive Behaviors, 2015, 50, 51-59.	1.7	20
188	Efficacy of a brief manualized intervention Managing Cancer and Living Meaningfully (CALM) adapted to German cancer care settings: study protocol for a randomized controlled trial. BMC Cancer, 2015, 15, 592.	1.1	42
189	Cost-Effectiveness of Collaborative Care for the Treatment of Depressive Disorders in Primary Care: A Systematic Review. PLoS ONE, 2015, 10, e0123078.	1.1	51
190	Effectiveness of a Web-Based Tailored Interactive Health Communication Application for Patients With Type 2 Diabetes or Chronic Low Back Pain: Randomized Controlled Trial. Journal of Medical Internet Research, 2015, 17, e53.	2.1	61
191	Shared Decision Making and the Use of Decision Aids. Deutsches Ärzteblatt International, 2015, 112, 672-9.	0.6	64
192	Qualitätsmanagement in der Versorgung psychischer Erkrankungen. , 2015, , 933-945.		0
193	Twelve-month prevalence of mental disorders in cancer patients across major tumor entities.. Journal of Clinical Oncology, 2015, 33, 9552-9552.	0.8	0
194	Collaborative treatment of late-life depression in primary care (GermanIMPACT): study protocol of a cluster-randomized controlled trial. Trials, 2014, 15, 351.	0.7	25
195	Four-Week Prevalence of Mental Disorders in Patients With Cancer Across Major Tumor Entities. Journal of Clinical Oncology, 2014, 32, 3540-3546.	0.8	514
196	How do health services researchers understand the concept of patient-centeredness? Results from an expert survey. Patient Preference and Adherence, 2014, 8, 1153.	0.8	19
197	Generalizability of Findings From Efficacy Trials for Chronic Depression: An Analysis of Eligibility Criteria. Psychiatric Services, 2014, 65, 897-904.	1.1	11
198	The German version of the Four Habits Coding Scheme – Association between physicians' communication and shared decision making skills in the medical encounter. Patient Education and Counseling, 2014, 94, 224-229.	1.0	18

#	ARTICLE	IF	CITATIONS
199	EFFICACY AND ACCEPTABILITY OF ACUTE TREATMENTS FOR PERSISTENT DEPRESSIVE DISORDER: A NETWORK META-ANALYSIS. <i>Depression and Anxiety</i> , 2014, 31, 621-630.	2.0	93
200	Development and testing of culturally sensitive patient information material for Turkish, Polish, Russian and Italian migrants with depression or chronic low back pain (KULTINFO): study protocol for a double-blind randomized controlled trial. <i>Trials</i> , 2014, 15, 265.	0.7	12
201	Effectiveness and cost-effectiveness of a guideline-based stepped care model for patients with depression: study protocol of a cluster-randomized controlled trial in routine care. <i>BMC Psychiatry</i> , 2014, 14, 230.	1.1	30
202	An Integrative Model of Patient-Centeredness – A Systematic Review and Concept Analysis. <i>PLoS ONE</i> , 2014, 9, e107828.	1.1	491
203	Assessment of Trust in Physician: A Systematic Review of Measures. <i>PLoS ONE</i> , 2014, 9, e106844.	1.1	84
204	Measurement of Physician-Patient Communication – A Systematic Review. <i>PLoS ONE</i> , 2014, 9, e112637.	1.1	94
205	The MentDis_ICF65+ study protocol: prevalence, 1-year incidence and symptom severity of mental disorders in the elderly and their relationship to impairment, functioning (ICF) and service utilisation. <i>BMC Psychiatry</i> , 2013, 13, 62.	1.1	31
206	A tailored, dialogue-based health communication application for patients with chronic low back pain: study protocol of a randomised controlled trial. <i>BMC Medical Informatics and Decision Making</i> , 2013, 13, 66.	1.5	11
207	A tailored, interactive health communication application for patients with type 2 diabetes: study protocol of a randomised controlled trial. <i>BMC Medical Informatics and Decision Making</i> , 2013, 13, 24.	1.5	16
208	Patient preference for involvement, experienced involvement, decisional conflict, and satisfaction with physician: a structural equation model test. <i>BMC Health Services Research</i> , 2013, 13, 231.	0.9	54
209	Recommendations for detection of individual risk for comorbidities in patients with psoriasis. <i>Archives of Dermatological Research</i> , 2013, 305, 91-98.	1.1	44
210	The prevalence of mental disorders in older people in Western countries – a meta-analysis. <i>Ageing Research Reviews</i> , 2013, 12, 339-353.	5.0	270
211	Telephone-based health coaching for chronically ill patients: study protocol for a randomized controlled trial. <i>Trials</i> , 2013, 14, 337.	0.7	34
212	Evaluation of telephone health coaching of German health insurants with chronic conditions. <i>Health Education Journal</i> , 2013, 72, 622-634.	0.6	11
213	Core Competencies for Shared Decision Making Training Programs: Insights From an International, Interdisciplinary Working Group. <i>Journal of Continuing Education in the Health Professions</i> , 2013, 33, 267-273.	0.4	89
214	Health information, behavior change, and decision support for patients with type 2 diabetes: development of a tailored, preference-sensitive health communication application. <i>Patient Preference and Adherence</i> , 2013, 7, 1091.	0.8	18
215	Incomplete medication adherence of chronically ill patients in German primary care. <i>Patient Preference and Adherence</i> , 2013, 7, 237.	0.8	15
216	Reliability and Validity of the German Version of the Young Schema Questionnaire – Short Form 3 (YSQ-S3). <i>European Journal of Psychological Assessment</i> , 2013, 29, 205-212.	1.7	64

#	ARTICLE	IF	CITATIONS
217	Partizipative Entscheidungsfindung in der Diabetestherapie â€œ Von der guten Absicht zur guten Tat. , 2013, , 281-297.		2
218	A latent variable framework for modeling dyadic measures in research on shared decision-making. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2012, 106, 253-263.	0.7	16
219	Development and psychometric properties of the Shared Decision Making Questionnaire â€œ physician version (SDM-Q-Doc). Patient Education and Counseling, 2012, 88, 284-290.	1.0	195
220	Rationale and content of psychenet: the Hamburg Network for Mental Health. European Archives of Psychiatry and Clinical Neuroscience, 2012, 262, 57-63.	1.8	64
221	Prevalence of mental disorders, psychosocial distress and need for psychosocial support in cancer patients â€œ study protocol of an epidemiological multi-center study. BMC Psychiatry, 2012, 12, 70.	1.1	72
222	Combination of pharmacotherapy and psychotherapy in the treatment of chronic depression: A systematic review and meta-analysis. BMC Psychiatry, 2012, 12, 61.	1.1	50
223	Effectiveness of a web-based, individually tailored decision aid for depression or acute low back pain: A randomized controlled trial. Patient Education and Counseling, 2012, 87, 360-368.	1.0	39
224	Leitlinien bei psychischen Erkrankungen am Beispiel der Depression. , 2012, , 229-234.		0
225	Measurement of shared decision making â€œ a review of instruments. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2011, 105, 313-324.	0.7	247
226	Patient participation and shared decision making in Germany â€œ history, agents and current transfer to practice. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2011, 105, 263-270.	0.7	58
227	Policy and practice developments in the implementation of shared decision making: an international perspective. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2011, 105, 229-233.	0.7	124
228	Risk factors for chronic depression â€œ A systematic review. Journal of Affective Disorders, 2011, 129, 1-13.	2.0	203
229	How does a German audience appraise an American decision aid on early stage breast cancer?. Patient Education and Counseling, 2011, 83, 58-63.	1.0	9
230	Comparative efficacy of the Cognitive Behavioral Analysis System of Psychotherapy versus Supportive Psychotherapy for early onset chronic depression: design and rationale of a multisite randomized controlled trial. BMC Psychiatry, 2011, 11, 134.	1.1	38
231	How can continuing professional development better promote shared decision-making? Perspectives from an international collaboration. Implementation Science, 2011, 6, 68.	2.5	13
232	Quality of Life in Medically Ill Persons with Comorbid Mental Disorders: A Systematic Review and Meta-Analysis. Psychotherapy and Psychosomatics, 2011, 80, 275-286.	4.0	155
233	The 9-item Shared Decision Making Questionnaire (SDM-Q-9). Development and psychometric properties in a primary care sample. Patient Education and Counseling, 2010, 80, 94-99.	1.0	587
234	Confirmatory factor analysis and recommendations for improvement of the Autonomyâ€Preferenceâ€Index (API). Health Expectations, 2010, 13, 234-243.	1.1	104

#	ARTICLE	IF	CITATIONS
235	Unipolar Depression. Deutsches Ärztblatt International, 2010, 107, 700-8.	0.6	54
236	Training physicians in shared decision-makingâ€”Who can be reached and what is achieved?. Patient Education and Counseling, 2009, 77, 48-54.	1.0	65
237	Patients' Language Proficiency and Inpatient Depression Treatment in Baden-WÃ¼rttemberg (South) Tj ETQq1 1 0,784314 rgBT /Over	1.1	4
238	Assessing the Quality of Decision Support Technologies Using the International Patient Decision Aid Standards instrument (IPDASI). PLoS ONE, 2009, 4, e4705.	1.1	374
239	Shared decision-making in diverse health care systemsâ€”Translating research into practice. Patient Education and Counseling, 2008, 73, 399-401.	1.0	7
240	Efficacy of Interpersonal Psychotherapy plus pharmacotherapy in chronically depressed inpatients. Journal of Affective Disorders, 2008, 109, 65-73.	2.0	70
241	Treatment of depressive symptoms and attitudes towards treatment options in a representative German general population sample. International Journal of Psychiatry in Clinical Practice, 2008, 12, 5-10.	1.2	6
242	Increased 12-Month Prevalence Rates of Mental Disorders in Patients with Chronic Somatic Diseases. Psychotherapy and Psychosomatics, 2007, 76, 354-360.	4.0	220
243	The Alcohol Use Disorders Identification Test for Detecting At-Risk Drinking: A Systematic Review and Meta-Analysis. Journal of Studies on Alcohol and Drugs, 2007, 68, 461-473.	0.6	122
244	Measuring (shared) decision-making â€” a review of psychometric instruments. Zeitschrift FÃ¼r Ãrztliche Fortbildung Und QualitÃtssicherung, 2007, 101, 259-267.	0.2	50
245	The impact of patient participation on adherence and clinical outcome in primary care of depression. Patient Education and Counseling, 2007, 65, 69-78.	1.0	208
246	The effects of a shared decision-making intervention in primary care of depression: A cluster-randomized controlled trial. Patient Education and Counseling, 2007, 67, 324-332.	1.0	327
247	The validity of the laboratory marker combinations DOVER and QUVER to detect physician?s diagnosis of at-risk drinking. Addiction Biology, 2007, 12, 85-92.	1.4	5
248	Participation preferences of patients with acute and chronic conditions. Health Expectations, 2007, 10, 358-363.	1.1	127
249	DOVER and QUVER?New Marker Combinations to Detect and Monitor At-risk Drinking. Alcoholism: Clinical and Experimental Research, 2006, 30, 1372-1380.	1.4	11
250	The assessment of depressive patientsâ€™ involvement in decision making in audio-taped primary care consultations. Patient Education and Counseling, 2006, 63, 314-318.	1.0	77
251	Improving quality of care for depression: the German Action Programme for the implementation of evidence-based guidelines. International Journal for Quality in Health Care, 2006, 18, 113-119.	0.9	30
252	Leitlinien. , 2006, , 387-404.		4

#	ARTICLE	IF	CITATIONS
253	Adherence to guidelines for treatment of depression in in-patients. British Journal of Psychiatry, 2005, 187, 462-469.	1.7	48
254	Insufficient depression treatment in outpatient settings. GMS German Medical Science, 2004, 2, Doc01.	2.7	13
255	Effectiveness and acceptance of technology-based psychological interventions for the acute treatment of unipolar depression: a systematic review and meta-analysis (Preprint). Journal of Medical Internet Research, 0, , .	2.1	4