

Poul H Sorensen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1171511/publications.pdf>

Version: 2024-02-01

89
papers

6,273
citations

87888

38
h-index

76900

74
g-index

97
all docs

97
docs citations

97
times ranked

10406
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinically Tractable Outcome Prediction of Non-WNT/Non-SHH Medulloblastoma Based on TPD52 IHC in a Multicohort Study. <i>Clinical Cancer Research</i> , 2022, 28, 116-128.	7.0	8
2	GPC2-CAR T cells tuned for low antigen density mediate potent activity against neuroblastoma without toxicity. <i>Cancer Cell</i> , 2022, 40, 53-69.e9.	16.8	60
3	Anti-GD2 synergizes with CD47 blockade to mediate tumor eradication. <i>Nature Medicine</i> , 2022, 28, 333-344.	30.7	105
4	Characterization of a small molecule inhibitor of disulfide reductases that induces oxidative stress and lethality in lung cancer cells. <i>Cell Reports</i> , 2022, 38, 110343.	6.4	14
5	Internalization and trafficking of CSPG-bound recombinant VAR2CSA lectins in cancer cells. <i>Scientific Reports</i> , 2022, 12, 3075.	3.3	3
6	Transsulfuration, minor player or crucial for cysteine homeostasis in cancer. <i>Trends in Cell Biology</i> , 2022, 32, 800-814.	7.9	41
7	Regulation of AR mRNA translation in response to acute AR pathway inhibition. <i>Nucleic Acids Research</i> , 2022, 50, 1069-1091.	14.5	18
8	A low-carbohydrate diet containing soy protein and fish oil reduces breast but not prostate cancer in C3(1)/Tag mice. <i>Carcinogenesis</i> , 2022, 43, 115-125.	2.8	4
9	MEDB-18. Elongation control of mRNA translation supports Group 3 medulloblastoma adaptation to nutrient deprivation. <i>Neuro-Oncology</i> , 2022, 24, i108-i109.	1.2	0
10	PATH-03. Clinically Tractable Outcome Prediction of Group 3/4 Medulloblastoma Based on TPD52 Immunohistochemistry: a Multicohort Study. <i>Neuro-Oncology</i> , 2022, 24, i158-i158.	1.2	0
11	IMMU-04. Transcriptional analysis reveals distinct microenvironmental subgroups across pediatric nervous system tumors. <i>Neuro-Oncology</i> , 2022, 24, i81-i81.	1.2	0
12	HACE1 blocks HIF1 α accumulation under hypoxia in a RAC1 dependent manner. <i>Oncogene</i> , 2021, 40, 1988-2001.	5.9	5
13	NSG Mice Facilitate ex vivo Characterization of Ewing Sarcoma Lung Metastasis Using the PuMA Model. <i>Frontiers in Oncology</i> , 2021, 11, 645757.	2.8	4
14	Androgen receptor (AR) antagonism triggers acute succinate α -mediated adaptive responses to reactivate AR signaling. <i>EMBO Molecular Medicine</i> , 2021, 13, e13427.	6.9	11
15	Global analysis of shared T cell specificities in human non-small cell lung cancer enables HLA inference and antigen discovery. <i>Immunity</i> , 2021, 54, 586-602.e8.	14.3	80
16	Proteomic Screens for Suppressors of Anoikis Identify IL1RAP as a Promising Surface Target in Ewing Sarcoma. <i>Cancer Discovery</i> , 2021, 11, 2884-2903.	9.4	51
17	α -Synuclein pathology in Parkinson disease activates homeostatic NRF2 anti-oxidant response. <i>Acta Neuropathologica Communications</i> , 2021, 9, 105.	5.2	17
18	De novo and cell line models of human mammary cell transformation reveal an essential role for Yb-1 in multiple stages of human breast cancer. <i>Cell Death and Differentiation</i> , 2021, , .	11.2	2

#	ARTICLE	IF	CITATIONS
19	Ewing Sarcoma-Derived Extracellular Vesicles Impair Dendritic Cell Maturation and Function. <i>Cells</i> , 2021, 10, 2081.	4.1	16
20	Extracellular Vesicles in Reprogramming of the Ewing Sarcoma Tumor Microenvironment. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 726205.	3.7	7
21	NOT-Gated CD93 CAR T Cells Effectively Target AML with Minimized Endothelial Cross-Reactivity. <i>Blood Cancer Discovery</i> , 2021, 2, 648-665.	5.0	37
22	Methods for Identifying Patients with Tropomyosin Receptor Kinase (TRK) Fusion Cancer. <i>Pathology and Oncology Research</i> , 2020, 26, 1385-1399.	1.9	32
23	Initiation of human mammary cell tumorigenesis by mutant KRAS requires YAP inactivation. <i>Oncogene</i> , 2020, 39, 1957-1968.	5.9	18
24	HACE1 Prevents Lung Carcinogenesis via Inhibition of RAC-Family GTPases. <i>Cancer Research</i> , 2020, 80, 3009-3022.	0.9	19
25	RNA modifications in brain tumorigenesis. <i>Acta Neuropathologica Communications</i> , 2020, 8, 64.	5.2	15
26	G3BP1-linked mRNA partitioning supports selective protein synthesis in response to oxidative stress. <i>Nucleic Acids Research</i> , 2020, 48, 6855-6873.	14.5	41
27	Oncofetal Chondroitin Sulfate: A Putative Therapeutic Target in Adult and Pediatric Solid Tumors. <i>Cells</i> , 2020, 9, 818.	4.1	9
28	Locoregionally administered B7-H3-targeted CAR T cells for treatment of atypical teratoid/rhabdoid tumors. <i>Nature Medicine</i> , 2020, 26, 712-719.	30.7	172
29	Locoregional delivery of CAR T cells to the cerebrospinal fluid for treatment of metastatic medulloblastoma and ependymoma. <i>Nature Medicine</i> , 2020, 26, 720-731.	30.7	141
30	Metabolic Regulation of the Epigenome Drives Lethal Infantile Ependymoma. <i>Cell</i> , 2020, 181, 1329-1345.e24.	28.9	79
31	RAS-driven oncogenesis is supported by downstream antioxidant programs. <i>Molecular and Cellular Oncology</i> , 2020, 7, 1654814.	0.7	1
32	Provocative questions in osteosarcoma basic and translational biology: A report from the Children's Oncology Group. <i>Cancer</i> , 2019, 125, 3514-3525.	4.1	86
33	Stress-induced tunneling nanotubes support treatment adaptation in prostate cancer. <i>Scientific Reports</i> , 2019, 9, 7826.	3.3	50
34	Integrative genomic analysis of matched primary and metastatic pediatric osteosarcoma. <i>Journal of Pathology</i> , 2019, 249, 319-331.	4.5	36
35	Pharmacological systems analysis defines EIF4A3 functions in cell-cycle and RNA stress granule formation. <i>Communications Biology</i> , 2019, 2, 165.	4.4	29
36	Cystine/glutamate antiporter xCT (SLC7A11) facilitates oncogenic RAS transformation by preserving intracellular redox balance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 9433-9442.	7.1	202

#	ARTICLE	IF	CITATIONS
37	A Standardized and Reproducible Proteomics Protocol for Bottom-Up Quantitative Analysis of Protein Samples Using SP3 and Mass Spectrometry. <i>Methods in Molecular Biology</i> , 2019, 1959, 65-87.	0.9	25
38	Translational control in brain pathologies: biological significance and therapeutic opportunities. <i>Acta Neuropathologica</i> , 2019, 137, 535-555.	7.7	23
39	Class I HDAC inhibitors enhance YB1 acetylation and oxidative stress to block sarcoma metastasis. <i>EMBO Reports</i> , 2019, 20, e48375.	4.5	78
40	RawTools: Rapid and Dynamic Interrogation of Orbitrap Data Files for Mass Spectrometer System Management. <i>Journal of Proteome Research</i> , 2019, 18, 700-708.	3.7	20
41	Single-pot, solid-phase-enhanced sample preparation for proteomics experiments. <i>Nature Protocols</i> , 2019, 14, 68-85.	12.0	802
42	HACE1 is a potential tumor suppressor in osteosarcoma. <i>Cell Death and Disease</i> , 2019, 10, 21.	6.3	22
43	Novel identification of STAT1 as a crucial mediator of ETV6-NTRK3-induced tumorigenesis. <i>Oncogene</i> , 2018, 37, 2270-2284.	5.9	10
44	Translational control of aberrant stress responses as a hallmark of cancer. <i>Journal of Pathology</i> , 2018, 244, 650-666.	4.5	65
45	The RNA-binding protein YBX1 regulates epidermal progenitors at a posttranscriptional level. <i>Nature Communications</i> , 2018, 9, 1734.	12.8	55
46	Practical Considerations in Studying Metastatic Lung Colonization in Osteosarcoma Using the Pulmonary Metastasis Assay. <i>Journal of Visualized Experiments</i> , 2018, , .	0.3	9
47	Extending the Compatibility of the SP3 Paramagnetic Bead Processing Approach for Proteomics. <i>Journal of Proteome Research</i> , 2018, 17, 1730-1740.	3.7	186
48	TEM8/ANTXR1-Specific CAR T Cells as a Targeted Therapy for Triple-Negative Breast Cancer. <i>Cancer Research</i> , 2018, 78, 489-500.	0.9	122
49	CBMT-05. ROLE OF THE let7-eEF2K AXIS IN MYC-DRIVEN MEDULLOBLASTOMA ADAPTATION TO NUTRIENT DEPRIVATION. <i>Neuro-Oncology</i> , 2018, 20, vi33-vi33.	1.2	0
50	PDTM-02. STRESS GRANULES ARE INDUCED BY OXIDATIVE STRESS IN PEDIATRIC BRAIN TUMORS AND PREDICT POOR OUTCOME. <i>Neuro-Oncology</i> , 2018, 20, vi203-vi204.	1.2	1
51	A homing system targets therapeutic T cells to brain cancer. <i>Nature</i> , 2018, 561, 331-337.	27.8	36
52	Ewing sarcoma. <i>Nature Reviews Disease Primers</i> , 2018, 4, 5.	30.5	500
53	Activity of translation regulator eukaryotic elongation factor-2 kinase is increased in Parkinson disease brain and its inhibition reduces alpha synuclein toxicity. <i>Acta Neuropathologica</i> , 2018, 6, 54.	5.2	48
54	The VAR2CSA malaria protein efficiently retrieves circulating tumor cells in an EpCAM-independent manner. <i>Nature Communications</i> , 2018, 9, 3279.	12.8	109

#	ARTICLE	IF	CITATIONS
55	Insulin-like growth factor 1 receptor stabilizes the ETV6-NTRK3 chimeric oncoprotein by blocking its KPC1/Rnf123-mediated proteasomal degradation. <i>Journal of Biological Chemistry</i> , 2018, 293, 12502-12515.	3.4	11
56	Adaptation to Metabolic Stress By Mondo β in Common B-Cell Acute Lymphoblastic Leukemia. <i>Blood</i> , 2018, 132, 3888-3888.	1.4	0
57	MYCN amplified neuroblastoma requires the mRNA translation regulator eEF2 kinase to adapt to nutrient deprivation. <i>Cell Death and Differentiation</i> , 2017, 24, 1564-1576.	11.2	24
58	Assessment of programmed death-1 expression and tumor-associated immune cells in pediatric cancer tissues. <i>Cancer</i> , 2017, 123, 3807-3815.	4.1	135
59	The endochondral bone protein CHM1 sustains an undifferentiated, invasive phenotype, promoting lung metastasis in Ewing sarcoma. <i>Molecular Oncology</i> , 2017, 11, 1288-1301.	4.6	22
60	eEF2K protects MYCN-amplified cells from starvation. <i>Cell Cycle</i> , 2017, 16, 1633-1634.	2.6	3
61	eEF2K inhibition blocks A β 242 neurotoxicity by promoting an NRF2 antioxidant response. <i>Acta Neuropathologica</i> , 2017, 133, 101-119.	7.7	48
62	The second European interdisciplinary Ewing sarcoma research summit - A joint effort to deconstructing the multiple layers of a complex disease. <i>Oncotarget</i> , 2016, 7, 8613-8624.	1.8	55
63	An Aqueous Extract of Marine Microalgae Exhibits Antimetastatic Activity through Preferential Killing of Suspended Cancer Cells and Anticolony Forming Activity. <i>Evidence-based Complementary and Alternative Medicine</i> , 2016, 2016, 1-8.	1.2	23
64	Glucose-dependent anaplerosis in cancer cells is required for cellular redox balance in the absence of glutamine. <i>Scientific Reports</i> , 2016, 6, 32606.	3.3	33
65	Current state of pediatric sarcoma biology and opportunities for future discovery: A report from the sarcoma translational research workshop. <i>Cancer Genetics</i> , 2016, 209, 182-194.	0.4	38
66	The Tumor Suppressor Hace1 Is a Critical Regulator of TNFR1-Mediated Cell Fate. <i>Cell Reports</i> , 2016, 15, 1481-1492.	6.4	46
67	Oncofetal Chondroitin Sulfate Glycosaminoglycans Are Key Players in Integrin Signaling and Tumor Cell Motility. <i>Molecular Cancer Research</i> , 2016, 14, 1288-1299.	3.4	57
68	miR-200b induces cell cycle arrest and represses cell growth in esophageal squamous cell carcinoma. <i>Carcinogenesis</i> , 2016, 37, 858-869.	2.8	29
69	Epigenetic reprogramming and re-differentiation of a Ewing sarcoma cell line. <i>Frontiers in Cell and Developmental Biology</i> , 2015, 3, 15.	3.7	20
70	YB-1 regulates stress granule formation and tumor progression by translationally activating G3BP1. <i>Journal of Cell Biology</i> , 2015, 208, 913-929.	5.2	224
71	Translational Activation of HIF1 β by YB-1 Promotes Sarcoma Metastasis. <i>Cancer Cell</i> , 2015, 27, 682-697.	16.8	226
72	Targeting Human Cancer by a Glycosaminoglycan Binding Malaria Protein. <i>Cancer Cell</i> , 2015, 28, 500-514.	16.8	169

#	ARTICLE	IF	CITATIONS
73	Stress-mediated translational control in cancer cells. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2015, 1849, 845-860.	1.9	104
74	Twenty Years on: What Do We Really Know about Ewing Sarcoma and What Is the Path Forward?. <i>Critical Reviews in Oncogenesis</i> , 2015, 20, 155-171.	0.4	88
75	HACE1 reduces oxidative stress and mutant Huntingtin toxicity by promoting the NRF2 response. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 3032-3037.	7.1	85
76	Attitudes of parents toward the return of targeted and incidental genomic research findings in children. <i>Genetics in Medicine</i> , 2014, 16, 633-640.	2.4	82
77	Clusterin facilitates stress-induced lipidation of LC3 and autophagosome biogenesis to enhance cancer cell survival. <i>Nature Communications</i> , 2014, 5, 5775.	12.8	101
78	ChildSeq-RNA. <i>Journal of Molecular Diagnostics</i> , 2014, 16, 361-370.	2.8	26
79	HACE1-dependent protein degradation provides cardiac protection in response to haemodynamic stress. <i>Nature Communications</i> , 2014, 5, 3430.	12.8	31
80	How does oncogene transformation render tumor cells hypersensitive to nutrient deprivation?. <i>BioEssays</i> , 2014, 36, 1082-1090.	2.5	9
81	Mutation of the Salt Bridge-forming Residues in the ETV6-SAM Domain Interface Blocks ETV6-NTRK3-induced Cellular Transformation. <i>Journal of Biological Chemistry</i> , 2013, 288, 27940-27950.	3.4	16
82	Hace1 controls ROS generation of vertebrate Rac1-dependent NADPH oxidase complexes. <i>Nature Communications</i> , 2013, 4, 2180.	12.8	94
83	The eEF2 Kinase Confers Resistance to Nutrient Deprivation by Blocking Translation Elongation. <i>Cell</i> , 2013, 153, 1064-1079.	28.9	348
84	<scp>ERBB</scp>4 confers metastatic capacity in Ewing sarcoma. <i>EMBO Molecular Medicine</i> , 2013, 5, 1087-1102.	6.9	71
85	Expression and stability of hypoxia inducible factor 1 α in osteosarcoma. <i>Pediatric Blood and Cancer</i> , 2012, 59, 1215-1222.	1.5	34
86	The E3 ligase HACE1 is a critical chromosome 6q21 tumor suppressor involved in multiple cancers. <i>Nature Medicine</i> , 2007, 13, 1060-1069.	30.7	130
87	ETV6-NTRK3 Fusion Oncogene Initiates Breast Cancer from Committed Mammary Progenitors via Activation of AP1 Complex. <i>Cancer Cell</i> , 2007, 12, 542-558.	16.8	134
88	Acquisition of secondary structural chromosomal changes in pediatric ewing sarcoma is a probable prognostic factor for tumor response and clinical outcome. <i>Cancer</i> , 2001, 91, 2156-2164.	4.1	55
89	Novel genomic imbalances in embryonal rhabdomyosarcoma revealed by comparative genomic hybridization and fluorescence in situ hybridization: An Intergroup Rhabdomyosarcoma Study. <i>Genes Chromosomes and Cancer</i> , 2000, 27, 337-344.	2.8	141