

Remo Frei

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11726543/publications.pdf>

Version: 2024-02-01

40
papers

4,656
citations

159585

30
h-index

302126

39
g-index

40
all docs

40
docs citations

40
times ranked

6013
citing authors

#	ARTICLE	IF	CITATIONS
1	Inverse associations between food diversity in the second year of life and allergic diseases. <i>Annals of Allergy, Asthma and Immunology</i> , 2022, 128, 39-45.	1.0	13
2	Immune Responsiveness to LPS Determines Risk of Childhood Wheeze and Asthma in 17q21 Risk Allele Carriers. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2022, 205, 641-650.	5.6	13
3	Environmental influences on childhood allergies and asthma – The Farm effect. <i>Pediatric Allergy and Immunology</i> , 2022, 33, .	2.6	20
4	Excessive Unbalanced Meat Consumption in the First Year of Life Increases Asthma Risk in the PASTURE and LUKAS2 Birth Cohorts. <i>Frontiers in Immunology</i> , 2021, 12, 651709.	4.8	7
5	Spermidine and spermine exert protective effects within the lung. <i>Pharmacology Research and Perspectives</i> , 2021, 9, e00837.	2.4	31
6	EAACI position paper on diet diversity in pregnancy, infancy and childhood: Novel concepts and implications for studies in allergy and asthma. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 497-523.	5.7	101
7	Initial butyrate producers during infant gut microbiota development are endospore formers. <i>Environmental Microbiology</i> , 2020, 22, 3909-3921.	3.8	49
8	Maturation of the gut microbiome during the first year of life contributes to the protective farm effect on childhood asthma. <i>Nature Medicine</i> , 2020, 26, 1766-1775.	30.7	202
9	Exposure of Children to Rural Lifestyle Factors Associated With Protection Against Allergies Induces an Anti-Neu5Gc Antibody Response. <i>Frontiers in Immunology</i> , 2019, 10, 1628.	4.8	11
10	Parents know it best: Prediction of asthma and lung function by parental perception of early wheezing episodes. <i>Pediatric Allergy and Immunology</i> , 2019, 30, 795-802.	2.6	7
11	EAACI position paper: Influence of dietary fatty acids on asthma, food allergy, and atopic dermatitis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019, 74, 1429-1444.	5.7	103
12	Association between antibiotic treatment during pregnancy and infancy and the development of allergic diseases. <i>Pediatric Allergy and Immunology</i> , 2019, 30, 423-433.	2.6	68
13	Obesity and disease severity magnify disturbed microbiome-immune interactions in asthma patients. <i>Nature Communications</i> , 2019, 10, 5711.	12.8	141
14	Bacterial secretion of histamine within the gut influences immune responses within the lung. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019, 74, 899-909.	5.7	58
15	High levels of butyrate and propionate in early life are associated with protection against atopy. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019, 74, 799-809.	5.7	327
16	Exposure to nonmicrobial N-glycolylneuraminic acid protects farmers' children against airway inflammation and colitis. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 141, 382-390.e7.	2.9	44
17	Microbiome and asthma. <i>Asthma Research and Practice</i> , 2018, 4, 1.	2.4	117
18	Phenotypes of Atopic Dermatitis Depending on the Timing of Onset and Progression in Childhood. <i>JAMA Pediatrics</i> , 2017, 171, 655.	6.2	197

#	ARTICLE	IF	CITATIONS
19	Latent class analysis reveals clinically relevant atopy phenotypes in 2 birth cohorts. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 139, 1935-1945.e12.	2.9	76
20	Histamine-secreting microbes are increased in the gut of adult asthma patients. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 138, 1491-1494.e7.	2.9	109
21	Interleukins (from IL-1 to IL-38), interferons, transforming growth factor β , and TNF- α : Receptors, functions, and roles in diseases. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 138, 984-1010.	2.9	612
22	The Surface-Associated Exopolysaccharide of <i>Bifidobacterium longum</i> 35624 Plays an Essential Role in Dampening Host Proinflammatory Responses and Repressing Local T _H 17 Responses. <i>Applied and Environmental Microbiology</i> , 2016, 82, 7185-7196.	3.1	126
23	Histamine Receptor 2 is Required to Suppress Innate Immune Responses to Bacterial Ligands in Patients with Inflammatory Bowel Disease. <i>Inflammatory Bowel Diseases</i> , 2016, 22, 1575-1586.	1.9	33
24	The Hygiene Hypothesis. , 2016, , 77-96.		4
25	Influence of microbiome and diet on immune responses in food allergy models. <i>Drug Discovery Today: Disease Models</i> , 2015, 17-18, 71-80.	1.2	16
26	Prebiotics, probiotics, synbiotics, and the immune system. <i>Current Opinion in Gastroenterology</i> , 2015, 31, 153-158.	2.3	204
27	Increased food diversity in the first year of life is inversely associated with allergic diseases. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 133, 1056-1064.e7.	2.9	237
28	Histamine receptor 2 is a key influence in immune responses to intestinal histamine-secreting microbes. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 134, 744-746.e3.	2.9	62
29	Expression of Genes Related to Anti-Inflammatory Pathways Are Modified Among Farmers' Children. <i>PLoS ONE</i> , 2014, 9, e91097.	2.5	40
30	Histamine receptor 2 modifies dendritic cell responses to microbial ligands. <i>Journal of Allergy and Clinical Immunology</i> , 2013, 132, 194-204.e12.	2.9	102
31	Immunomodulation by <i>Bifidobacterium infantis</i> 35624 in the Murine Lamina Propria Requires Retinoic Acid-Dependent and Independent Mechanisms. <i>PLoS ONE</i> , 2013, 8, e62617.	2.5	76
32	<i>Bifidobacterium infantis</i> 35624 administration induces Foxp3 T regulatory cells in human peripheral blood: potential role for myeloid and plasmacytoid dendritic cells. <i>Gut</i> , 2012, 61, 354-366.	12.1	242
33	Development of atopic dermatitis according to age of onset and association with early-life exposures. <i>Journal of Allergy and Clinical Immunology</i> , 2012, 130, 130-136.e5.	2.9	116
34	Prenatal and early-life exposures alter expression of innate immunity genes: The PASTURE cohort study. <i>Journal of Allergy and Clinical Immunology</i> , 2012, 130, 523-530.e9.	2.9	87
35	Prenatal animal contact and gene expression of innate immunity receptors at birth are associated with atopic dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 2011, 127, 179-185.e1.	2.9	152
36	MHC Class II Molecules Enhance Toll-Like Receptor Mediated Innate Immune Responses. <i>PLoS ONE</i> , 2010, 5, e8808.	2.5	65

#	ARTICLE	IF	CITATIONS
37	An IgE-associated polymorphism in STAT6 alters NF- κ B binding, STAT6 promoter activity, and mRNA expression. <i>Journal of Allergy and Clinical Immunology</i> , 2009, 124, 583-589.e6.	2.9	30
38	Not all farming environments protect against the development of asthma and wheeze in children. <i>Journal of Allergy and Clinical Immunology</i> , 2007, 119, 1140-1147.	2.9	252
39	A polymorphism in CD14 modifies the effect of farm milk consumption on allergic diseases and CD14 gene expression. <i>Journal of Allergy and Clinical Immunology</i> , 2007, 120, 1308-1315.	2.9	93
40	Prenatal farm exposure is related to the expression of receptors of the innate immunity and to atopic sensitization in school-age children. <i>Journal of Allergy and Clinical Immunology</i> , 2006, 117, 817-823.	2.9	413