

Yongchang Liu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11729/publications.pdf>

Version: 2024-02-01

151
papers

2,463
citations

257450

24
h-index

302126

39
g-index

151
all docs

151
docs citations

151
times ranked

1814
citing authors

#	ARTICLE	IF	CITATIONS
1	Hot Deformation Behavior and Recrystallization Mechanism in an As-Cast CoNi-Based Superalloy. <i>Metals and Materials International</i> , 2022, 28, 1488-1498.	3.4	10
2	Lattice mismatch in Ni3Al-based alloy for efficient oxygen evolution. <i>Journal of Materials Science and Technology</i> , 2022, 106, 19-27.	10.7	10
3	Modification Mechanism and Uniaxial Fatigue Performances of A356.2 Alloy Treated by Al-Sr-La Composite Refinement-Modification Agent. <i>Acta Metallurgica Sinica (English Letters)</i> , 2022, 35, 901-914.	2.9	2
4	Short-term corrosion behavior of polycrystalline Ni3Al-based superalloy in sulfur-containing atmosphere. <i>Intermetallics</i> , 2022, 142, 107446.	3.9	4
5	Effect of microstructure on temperature dependence of deformation behavior in polycrystalline CoNi-based superalloy. <i>Journal of Materials Science</i> , 2022, 57, 687-699.	3.7	4
6	Effect of Heat Treatment on the Microstructure and Mechanical Properties of Al-9Si-0.4Mg-0.1Cu Alloy. <i>Advanced Engineering Materials</i> , 2022, 24, .	3.5	2
7	Precipitates evolution and tensile behavior of wrought Ni-based ATI 718Plus superalloy during long-term thermal exposure. <i>Science China Technological Sciences</i> , 2022, 65, 1283-1299.	4.0	6
8	Precipitate coarsening and its effects on the hot deformation behavior of the recently developed β' -strengthened superalloys. <i>Journal of Materials Science and Technology</i> , 2021, 67, 95-104.	10.7	104
9	Enhanced mechanical properties in oxide-dispersion-strengthened alloys achieved via interface segregation of cation dopants. <i>Science China Materials</i> , 2021, 64, 987-998.	6.3	16
10	The Correlation Between the Microstructural Parameters and Mechanical Properties of Reduced Activation Ferritic-Martensitic (RAFM) Steel: Influence of Roll Deformation and Medium Temperature Tempering. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2021, 52, 119-128.	2.2	8
11	Residual Ferrite Control of 9Cr ODS Steels by Tailoring Reverse Austenite Transformation. <i>Acta Metallurgica Sinica (English Letters)</i> , 2021, 34, 187-195.	2.9	4
12	Nanoscale segregation mechanism of cation dopant at the matrix/oxide interface in oxide dispersion-strengthened alloys. <i>Journal of Materials Science</i> , 2021, 56, 6251-6268.	3.7	2
13	Microstructure and Tensile Strength of the Bonded Interfaces and Parent Materials in W/ODS Steel Joints Fabricated by Direct SSDB. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2021, 52, 3647-3660.	2.2	5
14	Influence of cooling rates on microstructure and tensile properties of a heat treated Ti2AlNb-based alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021, 817, 141345.	5.6	11
15	Self-Constructed Multiple Plasmonic Hotspots on an Individual Fractal to Amplify Broadband Hot Electron Generation. <i>ACS Nano</i> , 2021, 15, 10553-10564.	14.6	37
16	Achieving high strength and ductility in ODS-W alloy by employing oxide@W core-shell nanopowder as precursor. <i>Nature Communications</i> , 2021, 12, 5052.	12.8	87
17	Accelerated sintering of high-performance oxide dispersion strengthened alloy at low temperature. <i>Acta Materialia</i> , 2021, 220, 117309.	7.9	30
18	Boride-derived oxygen-evolution catalysts. <i>Nature Communications</i> , 2021, 12, 6089.	12.8	51

#	ARTICLE	IF	CITATIONS
19	Effect of interlayer on microstructure and mechanical properties of diffusional-bonded Ni3Al-based superalloy/S31042 steel joint. <i>Journal of Manufacturing Processes</i> , 2021, 72, 252-261.	5.9	7
20	Microstructural evolution and phase transformation of Ni3Al-based superalloys after thermal exposure. <i>Vacuum</i> , 2020, 171, 109038.	3.5	12
21	Microstructure refinement in W ₂ O ₃ alloys via an improved hydrothermal synthesis method and low temperature sintering. <i>Inorganic Chemistry Frontiers</i> , 2020, 7, 659-666.	6.0	19
22	Influence of Yttrium Addition on the Reduction Property of Tungsten Oxide Prepared via Wet Chemical Method. <i>Acta Metallurgica Sinica (English Letters)</i> , 2020, 33, 275-280.	2.9	12
23	Creep behaviors of multiphase Ni3Al-based intermetallic alloy after 1000°C-1000h long-term aging at intermediate temperatures. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020, 790, 139701.	5.6	5
24	Multifunctional Naphthol Sulfonic Salt Incorporated in Lead-Free 2D Tin Halide Perovskite for Red Light-Emitting Diodes. <i>ACS Photonics</i> , 2020, 7, 1915-1922.	6.6	52
25	Characterization of γ' precipitate and γ/γ' interface in polycrystalline Ni3Al-based superalloys. <i>Vacuum</i> , 2020, 176, 109310.	3.5	13
26	High-Valent Nickel Promoted by Atomically Embedded Copper for Efficient Water Oxidation. <i>ACS Catalysis</i> , 2020, 10, 9725-9734.	11.2	100
27	Fabrication of multi-element alloys by twin wire arc additive manufacturing combined with in-situ alloying. <i>Materials Research Letters</i> , 2020, 8, 477-482.	8.7	36
28	Microscopic Investigation of High-Temperature Oxidation of hcp-ZrAl ₂ . <i>Oxidation of Metals</i> , 2020, 94, 431-445.	2.1	1
29	Microstructure Evolution of Primary γ' Phase in Ni3Al-Based Superalloy. <i>Acta Metallurgica Sinica (English Letters)</i> , 2020, 33, 1709-1726.	2.9	12
30	Characterization of Microstructure and Stress Corrosion Cracking Susceptibility in a Multi-pass Austenitic Stainless Steel Weld Joint by Narrow-Gap TIG. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2020, 51, 4549-4562.	2.2	8
31	Mechanical Performances of Al-Si-Mg Alloy with Dilute Sc and Sr Elements. <i>Materials</i> , 2020, 13, 665.	2.9	3
32	The simultaneous improvements of strength and ductility in W ₂ O ₃ alloy obtained via an alkaline hydrothermal method and subsequent low temperature sintering. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020, 784, 139329.	5.6	36
33	Hot compression deformation behavior and processing maps of ATI 718Plus superalloy. <i>Journal of Alloys and Compounds</i> , 2020, 835, 155195.	5.5	50
34	Multi-phase transformation kinetics of HSLA steels during continuous cooling: experiments and cellular automaton (CA) simulation. <i>Philosophical Magazine</i> , 2020, 100, 2001-2017.	1.6	2
35	Metal-organic framework derived copper catalysts for CO ₂ to ethylene conversion. <i>Journal of Materials Chemistry A</i> , 2020, 8, 11117-11123.	10.3	82
36	Influence of Al Addition Upon the Microstructure and Mechanical Property of Dual-Phase 9Cr-ODS Steels. <i>Metals and Materials International</i> , 2019, 25, 168-178.	3.4	7

#	ARTICLE	IF	CITATIONS
37	The synthesis of composite powder precursors via chemical processes for the sintering of oxide dispersion-strengthened alloys. <i>Materials Chemistry Frontiers</i> , 2019, 3, 1952-1972.	5.9	32
38	Formation and widening mechanisms of envelope structure and its effect on creep behavior of a multiphase Ni3Al-based intermetallic alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019, 763, 138158.	5.6	15
39	Precipitation and growth behavior of γ' phase in Ni3Al-based superalloy under thermal exposure. <i>Journal of Materials Science</i> , 2019, 54, 13368-13377.	3.7	15
40	Flow Characteristics of a Medium-High Carbon Mn-Si-Cr Alloyed Steel at High Temperatures. <i>Journal of Materials Engineering and Performance</i> , 2019, 28, 5104-5115.	2.5	9
41	Enhancement of superconductivity in FeNb _x Se _{0.95} by hole carrier doping. <i>Journal of Materials Chemistry C</i> , 2019, 7, 10019-10027.	5.5	14
42	Precipitation of intersected plate-like γ' phase in γ and its effect on creep behavior of multiphase Ni3Al-based intermetallic alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019, 767, 138439.	5.6	10
43	Ultra-fine W-Y2O3 composite powders prepared by an improved chemical co-precipitation method and its interface structure after spark plasma sintering. <i>Tungsten</i> , 2019, 1, 220-228.	4.8	23
44	Cyclic oxidation behavior of Ni3Al-based superalloy. <i>Vacuum</i> , 2019, 169, 108938.	3.5	17
45	Formation of multiply twinned martensite plates in rapidly solidified Ni3Al-based superalloys. <i>Materials Letters</i> , 2019, 250, 147-150.	2.6	9
46	Enhancement of critical current density by borohydride pinning in H-doped MgB2 bulks. <i>Journal of Applied Physics</i> , 2019, 125, 113901.	2.5	3
47	On the Process Variables and Weld Quality of a Linear Friction Welded Dissimilar Joint between S31042 and S34700 Austenitic Steels. <i>Advanced Engineering Materials</i> , 2019, 21, 1801354.	3.5	3
48	Precipitation of Carbides and Dissolution of Widmanstätten Structure for Enhanced Hardness in Ti2AlNb-Based Alloys. <i>Journal of Materials Engineering and Performance</i> , 2019, 28, 1892-1901.	2.5	4
49	Influences of solution cooling rate on microstructural evolution of a multiphase Ni3Al-based intermetallic alloy. <i>Intermetallics</i> , 2019, 109, 48-59.	3.9	24
50	Formation mechanisms of Al-O complex oxides in 9Cr-ODS steels with Al addition. <i>Journal of Materials Science</i> , 2019, 54, 7893-7907.	3.7	15
51	Herringbone Structure and Significantly Enhanced Hardness in W-Modified Ti2AlNb Alloys by Spark Plasma Sintering. <i>Metals and Materials International</i> , 2019, 25, 1000-1007.	3.4	8
52	Characterization of 14Cr ODS Steel Fabricated by Spark Plasma Sintering. <i>Metals</i> , 2019, 9, 200.	2.3	13
53	Enhanced superconductivity induced by several-unit-cells diffusion in an FeTe/FeSe bilayer heterostructure. <i>Physical Review B</i> , 2019, 99, .	3.2	15
54	Coarsening behavior of γ' precipitates in the $\gamma + \gamma'$ area of a Ni3Al-based alloy. <i>Journal of Alloys and Compounds</i> , 2019, 771, 526-533.	5.5	86

#	ARTICLE	IF	CITATIONS
55	Helium bubble evolution and deformation of single crystal α -Fe. <i>Journal of Materials Science</i> , 2019, 54, 1785-1796.	3.7	8
56	Effect of annealing treatment on microstructure evolution and creep behavior of a multiphase Ni ₃ Al-based superalloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019, 743, 623-635.	5.6	68
57	Eliminating bimodal structures of W-Y ₂ O ₃ composite nanopowders synthesized by wet chemical method via controlling reaction conditions. <i>Journal of Alloys and Compounds</i> , 2019, 774, 122-128.	5.5	30
58	Enhancement of critical current density in MgB ₂ bulks buried sintered with commercial MgB ₂ powder. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 10323-10328.	2.2	3
59	Improvement of High-Temperature Mechanical Properties of Low-Carbon RAFM Steel by MX Precipitates. <i>Acta Metallurgica Sinica (English Letters)</i> , 2018, 31, 706-712.	2.9	31
60	Microstructure evolution behavior of Ni ₃ Al (β) phase in eutectic β - β' of Ni ₃ Al-based alloy. <i>Intermetallics</i> , 2018, 98, 28-33.	3.9	24
61	Precipitation and growth behavior of mushroom-like Ni ₃ Al. <i>Materials Letters</i> , 2018, 211, 5-8.	2.6	18
62	Microstructure and Mechanical Properties of Ti ₂ AlNb-Based Alloys Synthesized by Spark Plasma Sintering from Pre-Alloyed and Ball-Milled Powder. <i>Advanced Engineering Materials</i> , 2018, 20, 1700659.	3.5	10
63	Statistical Mechanics Treatment of the Broadened Snoek Relaxation Peak in Ternary Niobium-Vanadium-Oxygen Alloys. <i>Materials</i> , 2018, 11, 1948.	2.9	2
64	Analysis of the Effect of Tungsten Inert Gas Welding Sequences on Residual Stress and Distortion of CFETR Vacuum Vessel Using Finite Element Simulations. <i>Metals</i> , 2018, 8, 912.	2.3	17
65	Deformation Mechanism of L ₁ ₂ - β Phase in Bimodal β - β' Precipitation Hardened Inconel 718 Superalloy. <i>Advanced Engineering Materials</i> , 2018, 20, 1800652.	3.5	7
66	Diffusion Bonding of 9Cr Martensitic/Ferritic Heat-Resistant Steels with an Electrodeposited Ni Interlayer. <i>Metals</i> , 2018, 8, 1012.	2.3	7
67	Effects of morphology of Mg powder precursor on phase formation and superconducting properties of Mg ₁₁ B ₂ low activation superconductor. <i>Journal of Materials Chemistry C</i> , 2018, 6, 8069-8075.	5.5	5
68	Hot Deformation Behavior and Microstructure Evolution of 14Cr ODS Steel. <i>Materials</i> , 2018, 11, 1044.	2.9	16
69	Effects of Static Recrystallization and Precipitation on Mechanical Properties of 00Cr12 Ferritic Stainless Steel. <i>Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science</i> , 2018, 49, 1560-1567.	2.1	11
70	Effects of Zr Addition on Strengthening Mechanisms of Al-Alloyed High-Cr ODS Steels. <i>Materials</i> , 2018, 11, 118.	2.9	35
71	Austenitizing Temperature Effects on the Martensitic Transformation, Microstructural Characteristics, and Mechanical Performance of Modified Ferritic Heat-Resistant Steel. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2018, 49, 3525-3538.	2.2	10
72	Inversion Calculation of the Interatomic Potentials for Ni _{0.75} Al _x Mo _{0.25-x} Alloy Employing Microscopic Phase-Field Model. <i>Science of Advanced Materials</i> , 2018, 10, 904-912.	0.7	2

#	ARTICLE	IF	CITATIONS
73	Deformation behavior and processing maps of Ni 3 Al-based superalloy during isothermal hot compression. <i>Journal of Alloys and Compounds</i> , 2017, 712, 687-695.	5.5	90
74	Study on microstructural evolution and constitutive modeling for hot deformation behavior of a low-carbon RAFM steel. <i>Journal of Materials Research</i> , 2017, 32, 1376-1385.	2.6	18
75	The isotope effect of boron on the carbon doping and critical current density of Mg ₁₁ B ₂ superconductors. <i>Journal of Materials Chemistry C</i> , 2017, 5, 663-668.	5.5	8
76	Hot deformation behavior and microstructural evolution of Nb-V-Ti microalloyed ultra-high strength steel. <i>Journal of Materials Research</i> , 2017, 32, 3777-3787.	2.6	13
77	Synthesis of nanosized composite powders via a wet chemical process for sintering high performance W-Y 2 O 3 alloy. <i>International Journal of Refractory Metals and Hard Materials</i> , 2017, 69, 266-272.	3.8	58
78	Microstructure Refinement in W-Y2O3 Alloy Fabricated by Wet Chemical Method with Surfactant Addition and Subsequent Spark Plasma Sintering. <i>Scientific Reports</i> , 2017, 7, 6051.	3.3	32
79	Formation of Fine B ₂ /Î ² Â+ÂO Structure and Enhancement of Hardness in the Aged Ti2AlNb-Based Alloys Prepared by Spark Plasma Sintering. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2017, 48, 4365-4371.	2.2	18
80	Induction of diffusion and construction of metallurgical interfaces directly between immiscible Mo and Ag by irradiation-induced point defects. <i>RSC Advances</i> , 2017, 7, 53763-53769.	3.6	3
81	Scattering effect of the well-ordered MgB ₄ impurity phase in two-step sintered polycrystalline MgB ₂ with glycine addition. <i>Applied Physics A: Materials Science and Processing</i> , 2017, 123, 1.	2.3	3
82	Enhancement of synthesis efficiency and critical current density in glycine-doped MgB ₂ bulks by two-step sintering. <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 5645-5651.	2.2	2
83	Removal of MgO and enhancement of critical current density in urea-doped MgB ₂ bulks by melting impregnation method. <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 15625-15629.	2.2	3
84	Austenite to polygonal-ferrite transformation and carbide precipitation in high strength low alloy steel. <i>International Journal of Materials Research</i> , 2017, 108, 12-19.	0.3	2
85	Doping-Induced Isotopic Mg ₁₁ B ₂ Bulk Superconductor for Fusion Application. <i>Energies</i> , 2017, 10, 409.	3.1	7
86	The Effect of Precipitate Evolution on Austenite Grain Growth in RAFM Steel. <i>Materials</i> , 2017, 10, 1017.	2.9	25
87	Microstructure Evolution of HSLA Pipeline Steels after Hot Uniaxial Compression. <i>Materials</i> , 2016, 9, 721.	2.9	8
88	Correlation between Zn-Rich Phase and Corrosion/Oxidation Behavior of Sn-8Zn-3Bi Alloy. <i>Metals</i> , 2016, 6, 175.	2.3	2
89	Non-instantaneous growth characteristics of martensitic transformation in high Cr ferritic creep-resistant steel. <i>Applied Physics A: Materials Science and Processing</i> , 2016, 122, 1.	2.3	3
90	Improved Superconducting properties in the Mg ₁₁ B ₂ low activation superconductor prepared by low-temperature sintering. <i>Scientific Reports</i> , 2016, 6, 25498.	3.3	6

#	ARTICLE	IF	CITATIONS
91	Tuning Superconductivity in FeSe Thin Films via Magnesium Doping. ACS Applied Materials & Interfaces, 2016, 8, 7891-7896.	8.0	18
92	Effects of cold rolling on the precipitation and the morphology of γ' -phase in Inconel 718 alloy. Journal of Materials Research, 2016, 31, 443-454.	2.6	14
93	Evaluation of quenching-induced lattice strain and superconducting properties in un-doped and glycine-doped MgB ₂ bulks. Journal of Materials Science: Materials in Electronics, 2016, 27, 9431-9436.	2.2	3
94	High performance MgB ₂ superconducting wires fabricated by improved internal Mg diffusion process at a low temperature. Journal of Materials Chemistry C, 2016, 4, 9469-9475.	5.5	20
95	Hot deformation behavior of Ti-22Al-25Nb alloy by processing maps and kinetic analysis. Journal of Materials Research, 2016, 31, 1764-1772.	2.6	18
96	Thermodynamic and kinetic evidence for MgO formation and pinning behavior in glycine-doped MgB ₂ bulks. Journal of Materials Science, 2016, 51, 2665-2676.	3.7	4
97	Acicular ferrite formation during isothermal holding in HSLA steel. Journal of Materials Science, 2016, 51, 3555-3563.	3.7	20
98	Processing maps and microstructural evolution of the type 347H austenitic heat-resistant stainless steel. Journal of Materials Research, 2015, 30, 2090-2100.	2.6	18
99	Precipitation behavior of type 347H heat-resistant austenitic steel during long-term high-temperature aging. Journal of Materials Research, 2015, 30, 3642-3652.	2.6	22
100	Evaluation of cooling rate on electrochemical behavior of Sn-0.3Ag-0.9Zn solder alloy in 3.5wt% NaCl solution. Journal of Materials Science: Materials in Electronics, 2015, 26, 11-22.	2.2	30
101	Influence of aging on shape memory effect and corrosion resistance of a new Fe-Mn-Si-based alloy. Journal of Materials Research, 2015, 30, 179-185.	2.6	5
102	The formation of nano-layered grains and their enhanced superconducting transition temperature in Mg-doped FeSe _{0.9} bulks. Scientific Reports, 2015, 4, 6481.	3.3	9
103	Effects of aging on shape memory and wear resistance of a Fe-Mn-Si-based alloy. Journal of Materials Research, 2014, 29, 2809-2816.	2.6	11
104	Microstructural evolution of MgAl ₂ O ₄ oxide-dispersion-strengthened alloy by mechanical milling and hot isostatic pressing. Journal of Materials Research, 2014, 29, 1440-1447.	2.6	4
105	Comparison of carbon-doped MgB ₂ bulks fabricated from pre-synthesized Mg/CNT and Mg/amorphous carbon composites. Applied Physics A: Materials Science and Processing, 2014, 114, 919-924.	2.3	8
106	Development of ferrite/bainite bands and study of bainite transformation retardation in HSLA steel during continuous cooling. Metals and Materials International, 2014, 20, 19-25.	3.4	21
107	The Sintering Process and Reaction Kinetics of Fe-Se System after Ball Milling Treatment. Journal of Superconductivity and Novel Magnetism, 2014, 27, 775-780.	1.8	10
108	Adjusting tetrathiafulvalene (TTF) functionality through molecular design for organic field-effect transistors. CrystEngComm, 2014, 16, 5968.	2.6	30

#	ARTICLE	IF	CITATIONS
109	Enhancement of Critical Current Density in MgB ₂ Bulk with CNT-coated Al Addition. Journal of Superconductivity and Novel Magnetism, 2014, 27, 1659-1664.	1.8	3
110	Relationship between austenite stability and martensite formation in modified 9Cr-1Mo steel. International Journal of Materials Research, 2014, 105, 232-239.	0.3	5
111	Microstructure and interface evolution of Sn-2.5Bi-1.4In-1Zn-0.3Ag/Cu joint during isothermal aging. Journal of Materials Science: Materials in Electronics, 2013, 24, 4122-4128.	2.2	3
112	Superconducting properties and growth mechanism of layered structure in MgB ₂ bulks with Cu/Y ₂ O ₃ co-doping. Journal of Materials Science: Materials in Electronics, 2013, 24, 1451-1457.	2.2	5
113	Bainite Formation Kinetics During Isothermal Holding in Modified High Cr Ferritic Steel. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2013, 44, 5447-5455.	2.2	4
114	Kinetics of Martensite Formation in Substitutional Fe-Al Alloys: Dilatometric Analysis. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2013, 44, 1430-1440.	2.2	12
115	The effect of ball-milling treatment of original powders on the sintering process and critical current density of graphite-doped MgB ₂ bulks. Journal of Materials Science, 2013, 48, 2485-2489.	3.7	3
116	Phase formation sequence of high-temperature Zn-4Al-3Mg solder. Journal of Materials Science: Materials in Electronics, 2013, 24, 336-344.	2.2	17
117	Microstructural evolution of oxide-dispersion-strengthened Fe-Cr model steels during mechanical milling and subsequent hot pressing. Journal of Materials Science, 2013, 48, 1826-1836.	3.7	17
118	Isochronal Phase Transformations of Low-Carbon High Strength Low Alloy Steel upon Continuous Cooling. Steel Research International, 2013, 84, 184-191.	1.8	9
119	Martensite-austenite transformation kinetics of high Cr ferritic heat-resistant steel. International Journal of Materials Research, 2013, 104, 935-940.	0.3	6
120	Precipitation kinetics of M ₂₃ C ₆ in T/P92 heat-resistant steel by applying soft-impingement correction. Journal of Materials Research, 2013, 28, 1529-1537.	2.6	12
121	Microstructure evolution and martensitic transformation behaviors of 9Cr-1.8W-0.3Mo ferritic heat-resistant steel during quenching and partitioning treatment. Journal of Materials Research, 2013, 28, 2835-2843.	2.6	11
122	Bainitic transformation behavior of ultra-high strength 30CrNi3MoV steel after experiencing small deformation in the nonrecrystallization austenite region. Journal of Materials Research, 2013, 28, 2844-2851.	2.6	5
123	Research on splitting phenomenon of isochronal martensitic transformation in T91 ferritic steel. Phase Transitions, 2012, 85, 461-470.	1.3	8
124	Influence of Premilling Time on the Sintering Process and Superconductive Properties of FeSe. IEEE Transactions on Applied Superconductivity, 2012, 22, 7300105-7300105.	1.7	4
125	Martensite transformation in the modified high Cr ferritic heat-resistant steel during continuous cooling. Journal of Materials Research, 2012, 27, 2779-2789.	2.6	20
126	Influence of Ni addition on the process of phase formation in MgB ₂ bulk. Applied Physics A: Materials Science and Processing, 2012, 107, 877-883.	2.3	3

#	ARTICLE	IF	CITATIONS
127	Effects of Ball Milling on the Sintering Process and Superconducting Properties of $(\text{MgB}_2)_{0.96}(\text{Ni})_{0.04}$ Bulks. IEEE Transactions on Applied Superconductivity, 2012, 22, 6800405-6800405.	1.7	2
128	Superconducting properties of Y2O3/SiC Co-doped bulk MgB2. Journal of Superconductivity and Novel Magnetism, 2012, 25, 357-361.	1.8	9
129	The Effect of Cu Addition on the Phase Formation and Critical Current Density in the Sugar Doped MgB2 Superconductor. Journal of Superconductivity and Novel Magnetism, 2012, 25, 1683-1688.	1.8	1
130	A Novel Approach for Efficient Ni Nanoparticle Doping of MgB_2 by Liquid-Assisted Sintering. IEEE Nanotechnology Magazine, 2011, 10, 331-337.	2.0	3
131	The isochronal $\gamma \rightarrow \alpha'$ transformation of high Cr ferritic heat-resistant steel during cooling. Journal of Materials Science, 2011, 46, 6910-6915.	3.7	15
132	Observation of Flux Jump in $(\text{MgB}_2)_{0.96}\text{Ni}_{0.04}$ Superconductor Doped with Milled Ni powders. Journal of Superconductivity and Novel Magnetism, 2011, 24, 2013-2017.	1.8	11
133	Kinetics of isochronal austenization in modified high Cr ferritic heat-resistant steel. Applied Physics A: Materials Science and Processing, 2011, 105, 949-957.	2.3	19
134	Effect of M_{23}C_6 on the Precipitation Behavior of M_{23}C_6 Phase during Early Stage of Tempering in T91 Ferritic Steel. Steel Research International, 2011, 82, 1362-1367.	1.8	12
135	Interstitial-interstitial interaction of oxygen atoms in a Nb-based ternary body-centered-cubic system. Journal of Applied Physics, 2011, 109, 113536.	2.5	1
136	Consideration of the growth mode in isochronal austenite-ferrite transformation of ultra-low-carbon Fe-C alloy. Applied Physics A: Materials Science and Processing, 2010, 98, 211-217.	2.3	17
137	Effect of high-temperature annealing on the microstructural formation of $\text{Sn}-3.7\text{Ag}-0.9\text{Zn}-x\text{Al}$ lead-free solder. Journal of Materials Science: Materials in Electronics, 2009, 20, 139-143.	2.2	8
138	Effects of Thermal Aging on Microstructure and Microhardness of Sn-3.7Ag-0.9Zn-1In Solder. Journal of Electronic Materials, 2009, 38, 345-350.	2.2	10
139	Effects of thermal treatment on microstructure and microhardness of rapidly solidified Sn-Ag-Zn eutectic solder. Applied Physics A: Materials Science and Processing, 2009, 95, 409-413.	2.3	6
140	The effect of Cu addition on the sintering process and superconductive properties of $\frac{1}{4}\text{m-SiC}$ -doped MgB_2 bulks. Applied Physics A: Materials Science and Processing, 2009, 96, 975-978.	2.3	2
141	Approaches for isochronal transformation kinetics model and their application to the crystallization of amorphous alloys. Applied Physics A: Materials Science and Processing, 2009, 96, 721-729.	2.3	10
142	Micro-organic single crystalline phototransistors of 7,7,8,8-tetracyanoquinodimethane and tetrathiafulvalene. Applied Physics Letters, 2009, 94, .	3.3	42
143	Formation of MgO whiskers on the surface of bulk MgB_2 superconductors during in situ sintering. Journal of Materials Science, 2008, 43, 1438-1443.	3.7	20
144	Improved analytical model for isochronal transformation kinetics. Journal of Materials Science, 2008, 43, 4876-4885.	3.7	31

#	ARTICLE	IF	CITATIONS
145	The effects of third alloying elements on the bulk Ag ₃ Sn formation in slowly cooled Sn-3.5Ag lead-free solder. <i>Journal of Materials Science: Materials in Electronics</i> , 2008, 19, 275-280.	2.2	14
146	Kinetic consideration for the incubation of the phase transformation and its application to the crystallization of amorphous alloy. <i>Applied Physics A: Materials Science and Processing</i> , 2008, 92, 703-707.	2.3	10
147	Critical temperature for massive transformation in ultra-low-carbon Fe-C alloys. <i>International Journal of Materials Research</i> , 2008, 99, 925-932.	0.3	7
148	Microstructure and mechanical properties of Lead-free Sn-Cu solder composites prepared by rapid directional solidification. <i>Journal of Materials Science: Materials in Electronics</i> , 2007, 18, 1235-1238.	2.2	8
149	Abnormal growth of Ag ₃ Sn intermetallic compounds in Sn-Ag lead-free solder. <i>Science Bulletin</i> , 2006, 51, 1766-1770.	1.7	13
150	Abnormal austenite-ferrite transformation behavior in pure iron. <i>Science Bulletin</i> , 2004, 49, 972-975.	1.7	4
151	Hot Deformation Behavior of ATI 718Plus Alloy with Different Microstructures. <i>Acta Metallurgica Sinica (English Letters)</i> , 0, , 1.	2.9	6