Simone Grimm

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11738834/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Imbalance between Left and Right Dorsolateral Prefrontal Cortex in Major Depression Is Linked to Negative Emotional Judgment: An fMRI Study in Severe Major Depressive Disorder. Biological Psychiatry, 2008, 63, 369-376.	1.3	514
2	GABA concentrations in the human anterior cingulate cortex predict negative BOLD responses in fMRI. Nature Neuroscience, 2007, 10, 1515-1517.	14.8	331
3	Altered Negative BOLD Responses in the Default-Mode Network during Emotion Processing in Depressed Subjects. Neuropsychopharmacology, 2009, 34, 932-943.	5.4	301
4	The Relationship Between Aberrant Neuronal Activation in the Pregenual Anterior Cingulate, Altered Glutamatergic Metabolism, and Anhedonia in Major Depression. Archives of General Psychiatry, 2009, 66, 478.	12.3	278
5	Increased selfâ€focus in major depressive disorder is related to neural abnormalities in subcorticalâ€cortical midline structures. Human Brain Mapping, 2009, 30, 2617-2627.	3.6	228
6	Ketamine Decreases Resting State Functional Network Connectivity in Healthy Subjects: Implications for Antidepressant Drug Action. PLoS ONE, 2012, 7, e44799.	2.5	214
7	Segregated neural representation of distinct emotion dimensions in the prefrontal cortex—an fMRI study. NeuroImage, 2006, 30, 325-340.	4.2	181
8	The association of interoceptive awareness and alexithymia with neurotransmitter concentrations in in insula and anterior cingulate. Social Cognitive and Affective Neuroscience, 2014, 9, 857-863.	3.0	128
9	Early life stress modulates amygdalaâ€prefrontal functional connectivity: Implications for oxytocin effects. Human Brain Mapping, 2014, 35, 5328-5339.	3.6	106
10	Reduced negative BOLD responses in the default-mode network and increased self-focus in depression. World Journal of Biological Psychiatry, 2011, 12, 627-637.	2.6	97
11	Affective judgment and beneficial decision making: Ventromedial prefrontal activity correlates with performance in the Iowa Gambling Task. Human Brain Mapping, 2006, 27, 572-587.	3.6	94
12	Abnormal Cingulate and Prefrontal Cortical Neurochemistry in Major Depression After Electroconvulsive Therapy. Biological Psychiatry, 2011, 69, 772-779.	1.3	92
13	Interoceptive awareness enhances neural activity during empathy. Human Brain Mapping, 2013, 34, 1615-1624.	3.6	80
14	Early life stress modulates oxytocin effects on limbic system during acute psychosocial stress. Social Cognitive and Affective Neuroscience, 2014, 9, 1828-1835.	3.0	80
15	Working memory-related frontal theta activity is decreased under acute stress. Psychoneuroendocrinology, 2014, 43, 105-113.	2.7	76
16	NMDA hypofunction in the posterior cingulate as a model for schizophrenia: an exploratory ketamine administration study in fMRI. Schizophrenia Research, 2005, 72, 235-248.	2.0	69
17	Oxytocin improves mentalizing $\hat{a} \in$ Pronounced effects for individuals with attenuated ability to empathize. Psychoneuroendocrinology, 2015, 53, 223-232.	2.7	67
18	Amygdala–Hippocampal Connectivity Changes During Acute Psychosocial Stress: Joint Effect of Early Life Stress and Oxytocin. Neuropsychopharmacology, 2015, 40, 2736-2744.	5.4	60

SIMONE GRIMM

#	Article	IF	CITATIONS
19	Frontal midline theta oscillations during mental arithmetic: effects of stress. Frontiers in Behavioral Neuroscience, 2015, 9, 96.	2.0	57
20	Effects of ketamine on cognition–emotion interaction in the brain. Neurolmage, 2016, 124, 8-15.	4.2	56
21	Altered resting-state functional connectome in major depressive disorder: a mega-analysis from the PsyMRI consortium. Translational Psychiatry, 2021, 11, 511.	4.8	51
22	Functional connectivity between prefrontal cortex and subgenual cingulate predicts antidepressant effects of ketamine. European Neuropsychopharmacology, 2019, 29, 501-508.	0.7	50
23	Neural mechanisms underlying the integration of emotion and working memory. Neurolmage, 2012, 61, 1188-1194.	4.2	49
24	Region-specific glutamate changes in patients with unipolar depression. Journal of Psychiatric Research, 2012, 46, 1059-1065.	3.1	43
25	Antidepressant and neurocognitive effects of serial ketamine administration versus ECT in depressed patients. Journal of Psychiatric Research, 2020, 123, 1-8.	3.1	41
26	Differential effects of rumination and distraction on ketamine induced modulation of resting state functional connectivity and reactivity of regions within the default-mode network. Social Cognitive and Affective Neuroscience, 2016, 11, 1227-1235.	3.0	40
27	Spontaneous activity in default-mode network predicts ascription of self-relatedness to stimuli. Social Cognitive and Affective Neuroscience, 2016, 11, 693-702.	3.0	40
28	Interaction of Early Life Stress and Corticotropin-Releasing Hormone Receptor Gene: Effects on Working Memory. Biological Psychiatry, 2014, 76, 888-894.	1.3	39
29	Anxiety during ketamine infusions is associated with negative treatment responses in major depressive disorder. European Neuropsychopharmacology, 2019, 29, 529-538.	0.7	35
30	Aberrant working memory processing in major depression: evidence from multivoxel pattern classification. Neuropsychopharmacology, 2018, 43, 1972-1979.	5.4	29
31	Lateralized effects of prefrontal repetitive transcranial magnetic stimulation on emotional working memory. Experimental Brain Research, 2013, 227, 43-52.	1.5	26
32	The interaction of corticotropin-releasing hormone receptor gene and early life stress on emotional empathy. Behavioural Brain Research, 2017, 329, 180-185.	2.2	25
33	Interaction of HPA axis genetics and early life stress shapes emotion recognition in healthy adults. Psychoneuroendocrinology, 2019, 99, 28-37.	2.7	23
34	State-Dependent Effects of Prefrontal Repetitive Transcranial Magnetic Stimulation on Emotional Working Memory. Brain Stimulation, 2013, 6, 905-912.	1.6	20
35	Segregated neural representation of psychological and somatic-vegetative symptoms in severe major depression. Neuroscience Letters, 2009, 456, 49-53.	2.1	18
36	Emotional processing and executive functions in major depressive disorder: dorsal prefrontal activity correlates with performance in the intra–extra dimensional set shift. Acta Neuropsychiatrica, 2010, 22, 269-279.	2.1	18

SIMONE GRIMM

#	Article	IF	CITATIONS
37	Effects of intranasal oxytocin prior to encoding and retrieval on recognition memory. Psychopharmacology, 2013, 227, 321-329.	3.1	18
38	Gray matter volume of rostral anterior cingulate cortex predicts rapid antidepressant response to ketamine. European Neuropsychopharmacology, 2021, 43, 63-70.	0.7	16
39	Variation in the corticotropin-releasing hormone receptor 1 (CRHR1) gene modulates age effects on working memory. Journal of Psychiatric Research, 2015, 61, 57-63.	3.1	14
40	Dorsal and Ventral Posterior Cingulate Cortex Switch Network Assignment via Changes in Relative Functional Connectivity Strength to Noncanonical Networks. Brain Connectivity, 2019, 9, 77-94.	1.7	14
41	Echoes of Affective Stimulation in Brain connectivity Networks. Cerebral Cortex, 2018, 28, 4365-4378.	2.9	13
42	Resting-state functional connectivity after hydrocortisone administration in patients with post-traumatic stress disorder and borderline personality disorder. European Neuropsychopharmacology, 2019, 29, 936-946.	0.7	13
43	Prefrontal cortex glutamate and extraversion. Social Cognitive and Affective Neuroscience, 2012, 7, 811-818.	3.0	12
44	Neural correlates of glucocorticoids effects on autobiographical memory retrieval in healthy women. Behavioural Brain Research, 2019, 359, 895-902.	2.2	12
45	Differential Effects of Electroconvulsive Therapy in the Treatment of Major Depressive Disorder. Neuropsychobiology, 2020, 79, 408-416.	1.9	12
46	Effects of Mindfulness Training on Emotion Regulation in Patients With Depression: Reduced Dorsolateral Prefrontal Cortex Activation Indexes Early Beneficial Changes. Psychosomatic Medicine, 2021, 83, 579-591.	2.0	12
47	Using routine MRI data of depressed patients to predict individual responses to electroconvulsive therapy. Experimental Neurology, 2021, 335, 113505.	4.1	10
48	Comparison of Four fMRI Paradigms Probing Emotion Processing. Brain Sciences, 2021, 11, 525.	2.3	10
49	Assessment of Age-related Changes in Cognitive Functions Using EmoCogMeter, a Novel Tablet-computer Based Approach. Journal of Visualized Experiments, 2014, , e50942.	0.3	8
50	Work-related social support modulates effects of early life stress on limbic reactivity during stress. Brain Imaging and Behavior, 2018, 12, 1405-1418.	2.1	7
51	Early-Life stress modulates neural networks associated with habitual use of reappraisal. Behavioural Brain Research, 2018, 337, 210-217.	2.2	6
52	Acute effects of ketamine on the pregenual anterior cingulate: linking spontaneous activation, functional connectivity, and glutamate metabolism. European Archives of Psychiatry and Clinical Neuroscience, 2022, 272, 703-714.	3.2	6
53	A symptom-based approach in predicting ECT outcome in depressed patients employing MADRS single items. European Archives of Psychiatry and Clinical Neuroscience, 2021, 271, 1275-1284.	3.2	5
54	The influence of early life stress on the integration of emotion and working memory. Behavioural Brain Research, 2018, 339, 179-185.	2.2	3

#	Article	IF	CITATIONS
55	Light-Dependent Effects of Prefrontal rTMS on Emotional Working Memory. Brain Sciences, 2021, 11, 446.	2.3	2
56	Single-Dose Effects of Citalopram on Neural Responses to Affective Stimuli in Borderline Personality Disorder: A Randomized Clinical Trial. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2021, 6, 837-845.	1.5	1
57	Traumatogene Störungen. , 2016, , 333-345.		1