

Yoshiki Tokura

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1174181/publications.pdf>

Version: 2024-02-01

284
papers

7,486
citations

71102

41
h-index

74163

75
g-index

288
all docs

288
docs citations

288
times ranked

7441
citing authors

#	ARTICLE	IF	CITATIONS
1	Subtypes of atopic dermatitis: From phenotype to endotype. <i>Allergology International</i> , 2022, 71, 14-24.	3.3	85
2	The hair follicle- ϵ psoriasis axis: Shared regulatory mechanisms and therapeutic targets. <i>Experimental Dermatology</i> , 2022, 31, 266-279.	2.9	6
3	Multiple fixed drug eruption due to carbocysteine: Presence of circulating interferon- β -producing CD8 ⁺ T cells reactive with its night metabolite thiodiglycolic acid. <i>Allergology International</i> , 2022, 71, 256-258.	3.3	1
4	Epidermal CD8 ⁺ CD103 ⁺ skin resident memory T cells in psoriasis plaques are reduced in number but remain in the basement membrane zone after topical application of corticosteroid and vitamin D3. <i>Journal of Dermatological Science</i> , 2022, 105, 192-194.	1.9	4
5	In-vivo Imaging of CD8 ⁺ T cell-mediated Keratinocyte Apoptosis in Graft-Versus Host Disease-like Dermatitis in Involucrin-mOVA Mice. <i>Journal of Investigative Dermatology</i> , 2022, , .	0.7	0
6	Possible involvement of interleukin- ϵ 22 ⁺ producing CD103 ⁺ CD8 ⁺ T cells in the epidermal hyperplasia of atopic dermatitis. <i>Journal of Dermatology</i> , 2022, 49, 746-748.	1.2	1
7	Direct and indirect action modes of acetylcholine in cholinergic urticaria. <i>Allergology International</i> , 2021, 70, 39-44.	3.3	10
8	CD40L from platelet, endothelial cell, and smooth muscle cell may contribute to the proliferation of tumor cell in intravascular large B cell lymphoma. <i>Journal of Dermatology</i> , 2021, 48, e180-e181.	1.2	1
9	Immunological Properties of Atopic Dermatitis-Associated Alopecia Areata. <i>International Journal of Molecular Sciences</i> , 2021, 22, 2618.	4.1	25
10	Three-dimensional histological explanation of the dermoscopy patterns in acral melanocytic lesions. <i>Journal of Dermatology</i> , 2021, 48, 1193-1200.	1.2	0
11	CD8 ⁺ mycosis fungoides with optic nerve and central nervous system involvement. <i>Journal of Dermatology</i> , 2021, 48, e286-e287.	1.2	0
12	Development of lichen planus following benralizumab treatment. <i>European Journal of Dermatology</i> , 2021, 31, 261-262.	0.6	1
13	Phase II study of E7777 in Japanese patients with relapsed/refractory peripheral and cutaneous T-cell lymphoma. <i>Cancer Science</i> , 2021, 112, 2426-2435.	3.9	26
14	2020 guidelines for the diagnosis and treatment of prurigo. <i>Journal of Dermatology</i> , 2021, 48, e414-e431.	1.2	6
15	2020 guidelines for the diagnosis and treatment of cutaneous pruritus. <i>Journal of Dermatology</i> , 2021, 48, e399-e413.	1.2	5
16	Acquired Idiopathic Generalized Anhidrosis (AIGA) and Its Complications: Implications for AIGA as an Autoimmune Disease. <i>International Journal of Molecular Sciences</i> , 2021, 22, 8389.	4.1	11
17	Epidemiology of adult T-cell leukemia-lymphoma in Japan: An updated analysis, 2012-2013. <i>Cancer Science</i> , 2021, 112, 4346-4354.	3.9	14
18	PD-1 Expression Defines Epidermal CD8 ⁺ CD103 ⁺ T Cells Preferentially Producing IL-17A and Using Skewed TCR Repertoire in Psoriasis. <i>Journal of Investigative Dermatology</i> , 2021, 141, 2426-2435.e5.	0.7	10

#	ARTICLE	IF	CITATIONS
19	Paving the way for application of next generation risk assessment to safety decision-making for cosmetic ingredients. <i>Regulatory Toxicology and Pharmacology</i> , 2021, 125, 105026.	2.7	39
20	In chemico sequential testing strategy for assessing the photoallergic potential. <i>Toxicology in Vitro</i> , 2021, 77, 105245.	2.4	2
21	Training and retaining physician scientists in dermatology: Japan. <i>JID Innovations</i> , 2021, 2, 100078.	2.4	0
22	Questionnaire Survey of Possible Association of Allergic Diseases with Adverse Reactions to SARS-CoV-2 Vaccination. <i>Vaccines</i> , 2021, 9, 1421.	4.4	3
23	Two cases of psoriasiform dermatitis arising during dupilumab therapy and successfully treated with delgocitinib ointment. <i>European Journal of Dermatology</i> , 2021, 31, 658-660.	0.6	4
24	Plasmacytoid dendritic cells as a possible key player to initiate alopecia areata in the C3H/HeJ mouse. <i>Allergology International</i> , 2020, 69, 121-131.	3.3	19
25	Elevation of Thin Pudendal Artery Flap Using Fat Thickness Data in Vulvovaginal Reconstruction. <i>Indian Journal of Surgery</i> , 2020, 82, 169-175.	0.3	0
26	A steric structure of tufted hair folliculitis. <i>Journal of Dermatological Science</i> , 2020, 97, 83-85.	1.9	0
27	Erythrokeratoderma variabilis et progressiva with a rare GJB3 mutation. <i>Journal of Dermatology</i> , 2020, 47, e111-e113.	1.2	1
28	Successful preoperative intervention of dupilumab in high-risk surgery in a patient with severe atopic dermatitis. <i>Journal of Dermatology</i> , 2020, 47, e50-e51.	1.2	0
29	Confusion in determination of two types of cutaneous adverse reactions to drugs, maculopapular eruption and erythema multiforme, among the experts: A proposal of standardized terminology. <i>Journal of Dermatology</i> , 2020, 47, 169-173.	1.2	3
30	Prognosis of patients with adult T-cell leukemia/lymphoma in Japan: A nationwide hospital-based study. <i>Cancer Science</i> , 2020, 111, 4567-4580.	3.9	37
31	Inflammatory granuloma mimicking lacrimal sac abscess. <i>Journal of Cutaneous Immunology and Allergy</i> , 2020, 3, 62-63.	0.3	0
32	Multicentric Castleman's disease presenting with cutaneous plasmacytosis. <i>Journal of Cutaneous Immunology and Allergy</i> , 2020, 3, 86-87.	0.3	0
33	Enhanced PD-1 expression on tumor cells in primary cutaneous large T-cell lymphoma with CD30 expression as classic Hodgkin lymphoma mimics: A report of lymph node lesions of two cases. <i>Pathology International</i> , 2020, 70, 804-811.	1.3	2
34	Suprabasin-null mice retain skin barrier function and show high contact hypersensitivity to nickel upon oral nickel loading. <i>Scientific Reports</i> , 2020, 10, 14559.	3.3	11
35	Secukinumab promotes engagement of cholecystokinin and its receptor in epidermal keratinocytes of psoriasis patients. <i>Journal of Dermatology</i> , 2020, 47, 1454-1456.	1.2	2
36	ESDR and JSID Collegiality Was not Built in a Day. <i>Journal of Investigative Dermatology</i> , 2020, 140, S175-S176.	0.7	0

#	ARTICLE	IF	CITATIONS
37	Protective role of Galectin-7 for skin barrier impairment in atopic dermatitis. <i>Clinical and Experimental Allergy</i> , 2020, 50, 922-931.	2.9	9
38	Indolent multipapular adult T-cell leukemia/lymphoma with phenotype of resident memory T cells. <i>Journal of Dermatology</i> , 2020, 47, e280-e281.	1.2	2
39	Tissue resident memory T cells in lesional and non-lesional psoriatic skin on a scar. <i>Journal of Dermatology</i> , 2020, 47, e210-e211.	1.2	3
40	CCR5 is a novel target for the treatment of experimental alopecia areata. <i>Journal of Cutaneous Immunology and Allergy</i> , 2020, 3, 24-32.	0.3	2
41	Skin Infiltration of Pathogenic Migratory and Resident T Cells Is Decreased by Secukinumab Treatment in Psoriasis. <i>Journal of Investigative Dermatology</i> , 2020, 140, 2073-2076.e6.	0.7	14
42	Pathophysiology of Skin Resident Memory T Cells. <i>Frontiers in Immunology</i> , 2020, 11, 618897.	4.8	57
43	Potential role of transforming growth factor- β 1/Smad signaling in secondary lymphedema after cancer surgery. <i>Cancer Science</i> , 2020, 111, 2620-2634.	3.9	16
44	Merkel cell carcinoma of unknown primary origin phenotypically mimicking rhabdomyosarcoma: A case report. <i>Skin Cancer</i> , 2020, 35, 137-142.	0.0	0
45	My JDS, spicy but sweet task. <i>Journal of Dermatological Science</i> , 2020, 100, 13-14.	1.9	0
46	Indeterminate cell histiocytosis presenting as a single nodule of the nose. <i>Journal of Dermatology</i> , 2019, 46, e67-e69.	1.2	1
47	Rapid growth of scalp melanoma in a pediatric patient. <i>Journal of Dermatology</i> , 2019, 46, e75-e76.	1.2	0
48	Cutaneous lymphomatoid granulomatosis with long-term absence of lung involvement. <i>Journal of Dermatology</i> , 2019, 46, e69-e70.	1.2	2
49	Decreased expression of suprabasin induces aberrant differentiation and apoptosis of epidermal keratinocytes: Possible role for atopic dermatitis. <i>Journal of Dermatological Science</i> , 2019, 95, 107-112.	1.9	17
50	<i>Trichophyton tonsurans</i> -induced kerion celsi with decreased defensin expression and paradoxically increased interleukin-17A production. <i>Journal of Dermatology</i> , 2019, 46, 794-797.	1.2	4
51	Novel gene mutations in Chōchōdiak-Higashi syndrome with hyperpigmentation. <i>Journal of Dermatology</i> , 2019, 46, e416-e418.	1.2	4
52	Scleredema accompanied by IgG κ monoclonal gammopathy. <i>Journal of Cutaneous Immunology and Allergy</i> , 2019, 2, 121-122.	0.3	0
53	Significance of IL-17A-producing CD8 ⁺ CD103 ⁺ skin resident memory T cells in psoriasis lesion and their possible relationship to clinical course. <i>Journal of Dermatological Science</i> , 2019, 95, 21-27.	1.9	54
54	Panhypopituitarism in metastatic melanoma patient treated with ipilimumab and pembrolizumab. <i>Journal of Cutaneous Immunology and Allergy</i> , 2019, 2, 60-61.	0.3	1

#	ARTICLE	IF	CITATIONS
55	Photoinduced histiocytoid Sweet's syndrome. <i>Journal of Dermatology</i> , 2019, 46, e378-e380.	1.2	3
56	Long-term efficacy and safety of bexarotene for Japanese patients with cutaneous T-cell lymphoma: The results of a phase 2 study (Bሁ). <i>Journal of Dermatology</i> , 2019, 46, 557-563.	1.2	12
57	Successful control of severe eosinophilic granulomatosis with polyangiitis in a pregnancy and perinatal period: A use of mepolizumab. <i>Journal of Dermatology</i> , 2019, 46, e309-e311.	1.2	8
58	Sarcoid-like reaction and vitiligo occurring after nivolumab therapy in a patient with metastatic melanoma. <i>Journal of Dermatology</i> , 2019, 46, e359-e360.	1.2	10
59	Cholecystokinin Downregulates Psoriatic Inflammation by Its Possible Self-Regulatory Effect on Epidermal Keratinocytes. <i>Journal of Immunology</i> , 2019, 202, 2609-2615.	0.8	10
60	The contribution made by skin-infiltrating basophils to the development of alpha-gal syndrome. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019, 74, 1805-1807.	5.7	15
61	Palmar hyperlinearity in early childhood atopic dermatitis is associated with filaggrin mutation and sensitization to egg. <i>Pediatric Dermatology</i> , 2019, 36, 213-218.	0.9	12
62	Voriconazole-photoinduced polyomavirus-negative Merkel cell carcinoma. <i>Journal of Dermatology</i> , 2019, 46, e287-e288.	1.2	1
63	Cholinergic urticaria with angioedema successfully treated with omalizumab. <i>Journal of Cutaneous Immunology and Allergy</i> , 2019, 2, 35-36.	0.3	0
64	Unknown primary Merkel cell carcinoma responding well to first-line treatment with avelumab. <i>Journal of Dermatology</i> , 2019, 46, e273-e275.	1.2	1
65	An intuitive explanation of dermoscopic structures by digitally reconstructed pathological horizontal top-down view images. <i>Scientific Reports</i> , 2019, 9, 19875.	3.3	6
66	Intractable disseminated maculopapular eruption in a patient with granulocyte macrophage colony-stimulating factor-producing anaplastic thyroid carcinoma. <i>Journal of Dermatology</i> , 2019, 46, e432-e433.	1.2	2
67	Congenital nail clubbing. <i>Journal of Dermatology</i> , 2019, 46, e101-e102.	1.2	0
68	Dendritic Cells Promote the Spread of Human T-Cell Leukemia Virus Type 1 via Bidirectional Interactions with CD4+ T Cells. <i>Journal of Investigative Dermatology</i> , 2019, 139, 157-166.	0.7	9
69	Phase 2 Study of E7777, a Diphtheria Toxin Fragment-Interleukin-2 Fusion Protein, in Japanese Patients with Relapsed or Refractory Peripheral and Cutaneous T-Cell Lymphoma. <i>Blood</i> , 2019, 134, 4032-4032.	1.4	3
70	Safety of Mogamulizumab in Mycosis Fungoides and S–zary Syndrome: Final Results from the Phase 3 Mavoric Study. <i>Blood</i> , 2019, 134, 5300-5300.	1.4	3
71	Free Posterior Interosseous Artery Flap for Treatment of First Web Space Contracture: Methods of Venous Anastomosis. <i>Archives of Hand and Microsurgery</i> , 2019, 24, 408.	0.1	0
72	Mechanism of Action Efficacy and Safety of the Topical Combination of Active Vitamin D&lt;sub⟢ and Steroid in Psoriasis Pathology. <i>Nishinohon Journal of Dermatology</i> , 2019, 81, 93-102.	0.0	0

#	ARTICLE	IF	CITATIONS
73	Transverse nasal crease with milia and comedones: Dermoscopic observation. <i>Journal of Dermatology</i> , 2018, 45, e126-e127.	1.2	3
74	Case of renal metastasis of melanoma successfully controlled by a combination therapy of nivolumab and radiation. <i>Journal of Dermatology</i> , 2018, 45, e246-e247.	1.2	3
75	Pigmented dermatofibrosarcoma protuberans associated with dermal melanocytosis. <i>Journal of Dermatology</i> , 2018, 45, e285-e287.	1.2	0
76	Successful treatment of chronic intractable pain with risperidone in a patient with acquired idiopathic generalized anhidrosis. <i>Journal of Dermatology</i> , 2018, 45, e189-e190.	1.2	6
77	Mogamulizumab-induced photosensitivity in patients with mycosis fungoides and other T-cell neoplasms. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, 1456-1460.	2.4	19
78	Lymphatic transit rate as a predictive parameter for nodal metastasis in primary limb malignant melanoma. <i>Journal of Dermatological Science</i> , 2018, 90, 27-34.	1.9	2
79	Pityriasis rotunda associated with acute myeloid leukemia. <i>Journal of Dermatology</i> , 2018, 45, 105-106.	1.2	1
80	Extrinsic and Intrinsic Atopic Dermatitis. , 2018, , 181-199.		0
81	Sensitive skin is highly frequent in extrinsic atopic dermatitis and correlates with disease severity markers but not necessarily with skin barrier impairment. <i>Journal of Dermatological Science</i> , 2018, 89, 33-39.	1.9	28
82	Familial acanthosis nigricans with p.K650T <i>FGFR3</i> mutation. <i>Journal of Dermatology</i> , 2018, 45, 207-210.	1.2	17
83	Polyarteritis nodosa with ureteric stenosis. <i>Journal of Cutaneous Immunology and Allergy</i> , 2018, 1, 170-173.	0.3	1
84	Clinical course of the first Japanese family with Marie Unna hereditary hypotrichosis: a follow-up report. <i>European Journal of Dermatology</i> , 2018, 28, 406-407.	0.6	0
85	Atopic dermatitis as Th2 disease revisited. <i>Journal of Cutaneous Immunology and Allergy</i> , 2018, 1, 158-164.	0.3	8
86	Preservative and surgical interventions to treat ingrown nail and pincer nail. <i>Journal of Cutaneous Immunology and Allergy</i> , 2018, 1, 165-169.	0.3	2
87	An adolescent case of xeroderma pigmentosum variant confirmed by the onset of sun exposure-related skin cancer during Crohn's disease treatment. <i>Journal of Cutaneous Immunology and Allergy</i> , 2018, 1, 23-26.	0.3	1
88	Papuloerythroderma occurring in a patient with myelodysplastic syndrome. <i>Journal of Cutaneous Immunology and Allergy</i> , 2018, 1, 33-34.	0.3	0
89	Combined radiotherapy with nivolumab for extracranial metastatic malignant melanoma. <i>Japanese Journal of Radiology</i> , 2018, 36, 712-718.	2.4	3
90	M2 macrophages promote wound-induced hair neogenesis. <i>Journal of Dermatological Science</i> , 2018, 91, 250-255.	1.9	38

#	ARTICLE	IF	CITATIONS
91	Voriconazole-induced photocarcinogenesis is promoted by aryl hydrocarbon receptor-dependent COX-2 upregulation. <i>Scientific Reports</i> , 2018, 8, 5050.	3.3	22
92	Induction of plasmablasts by follicular helper T cell-CXCL13 axis upon occurrence of herpes zoster. <i>Clinical Immunology</i> , 2018, 195, 93-100.	3.2	0
93	Acute generalized exanthematous pustulosis caused by fexofenadine. <i>Journal of Cutaneous Immunology and Allergy</i> , 2018, 1, 117-118.	0.3	2
94	Mogamulizumab versus vorinostat in previously treated cutaneous T-cell lymphoma (MAVORIC): an international, open-label, randomised, controlled phase 3 trial. <i>Lancet Oncology</i> , The, 2018, 19, 1192-1204.	10.7	398
95	Dyshidrosiform palmoplantar pemphigoid with low-titer autoantibodies against BP180 NC16A. <i>Journal of Cutaneous Immunology and Allergy</i> , 2018, 1, 27-30.	0.3	0
96	Papuloerythroderma in a patient with cutaneous T-cell lymphoma infected with HTLV-1 virus. <i>Journal of Cutaneous Immunology and Allergy</i> , 2018, 1, 39-40.	0.3	0
97	Greetings from the Editor-in-Chief, <i>Journal of Cutaneous Immunology and Allergy</i> (<sc>JCIA</sc>). <i>Journal of Cutaneous Immunology and Allergy</i> , 2018, 1, 3-3.	0.3	0
98	Drug photoallergy. <i>Journal of Cutaneous Immunology and Allergy</i> , 2018, 1, 48-57.	0.3	17
99	Idiopathic segmental anhidrosis associated with varicella. <i>Journal of Dermatology</i> , 2017, 44, 211-212.	1.2	3
100	New Year's Greetings. <i>Journal of Dermatological Science</i> , 2017, 85, 1.	1.9	0
101	Infiltration of mast cells in pachydermia of pachydermoperiostosis. <i>Journal of Dermatology</i> , 2017, 44, 1320-1321.	1.2	5
102	Successful treatment of postburn flexion contracture in fingers of early childhood with dynamic splint therapy after operation: long-term follow-up. <i>European Journal of Plastic Surgery</i> , 2017, 40, 555-562.	0.6	2
103	Lichen planus-like keratosis emerging in a pediatric case of xeroderma pigmentosum group A. <i>Journal of Dermatology</i> , 2017, 44, e152-e153.	1.2	0
104	Complete type of pachydermoperiostosis with a novel mutation c.510G>A of the <sc>SLCO</sc>2A1</i> gene. <i>Journal of Dermatology</i> , 2017, 44, 1411-1412.	1.2	1
105	Evaluation of positron emission tomography imaging to detect lymph node metastases in patients with extramammary Paget's disease. <i>Journal of Dermatology</i> , 2017, 44, 939-943.	1.2	12
106	Epidemiological and clinical features of adult T-cell leukemia-lymphoma in Japan, 2010-2011: A nationwide survey. <i>Cancer Science</i> , 2017, 108, 2478-2486.	3.9	63
107	Primary signet-ring cell/histiocytoid carcinoma of the eyelid expressing androgen receptors and treated with bicalutamide. <i>Journal of Dermatology</i> , 2017, 44, e230-e231.	1.2	12
108	Three-needle device as an effective option for intralesional corticosteroid administration for the treatment of alopecia areata. <i>Journal of Dermatology</i> , 2017, 44, e304-e305.	1.2	5

#	ARTICLE	IF	CITATIONS
109	Chemical photoallergy: photobiochemical mechanisms, classification, and risk assessments. <i>Journal of Dermatological Science</i> , 2017, 85, 4-11.	1.9	40
110	Phase I/II study of the oral retinoid X receptor agonist bexarotene in Japanese patients with cutaneous T-cell lymphomas. <i>Journal of Dermatology</i> , 2017, 44, 135-142.	1.2	36
111	Anti-CCR4 Monoclonal Antibody, Mogamulizumab, Demonstrates Significant Improvement in PFS Compared to Vorinostat in Patients with Previously Treated Cutaneous T-Cell Lymphoma (CTCL): Results from the Phase III MAVORIC Study. <i>Blood</i> , 2017, 130, 817-817.	1.4	15
112	Evaluation of positron emission tomography imaging to detect lymph node metastases in patients with high-risk cutaneous squamous cell carcinoma. <i>Journal of Dermatology</i> , 2016, 43, 1314-1320.	1.2	16
113	Development of novel <i>in vitro</i> photosafety assays focused on the Keap1-Nrf2-ARE pathway. <i>Journal of Applied Toxicology</i> , 2016, 36, 956-968.	2.8	11
114	Possible enhancement of β 180 autoantibody production by herpes zoster. <i>Journal of Dermatology</i> , 2016, 43, 197-199.	1.2	13
115	Lymphatic transit rate as a novel predictive parameter for nodal metastasis in primary truncal skin cancers. <i>Journal of Dermatology</i> , 2016, 43, 170-174.	1.2	3
116	Spindle cell hemangioma in an elderly patient: Uncommon benign vascular neoplasm. <i>Journal of Dermatology</i> , 2016, 43, 1108-1109.	1.2	0
117	Management of erythematous skin lesions in bullous pemphigoid associated with atopic dermatitis. <i>Journal of Dermatology</i> , 2016, 43, 1102-1103.	1.2	7
118	Potential preventive effects of proactive therapy on sensitization in moderate to severe childhood atopic dermatitis: A randomized, investigator-blinded, controlled study. <i>Journal of Dermatology</i> , 2016, 43, 1283-1292.	1.2	41
119	Unusual clinical manifestations of rubella in the elderly. <i>International Journal of Dermatology</i> , 2016, 55, e371-2.	1.0	1
120	Development of an <i>in vitro</i> photosensitization test based on changes of cell-surface thiols and amines as biomarkers: the photo-SH/NH ₂ test. <i>Journal of Toxicological Sciences</i> , 2016, 41, 129-142.	1.5	10
121	Calcipotriol and betamethasone dipropionate exert additive inhibitory effects on the cytokine expression of inflammatory dendritic cell-Th17 cell axis in psoriasis. <i>Journal of Dermatological Science</i> , 2016, 81, 153-164.	1.9	57
122	Topical application of a vitamin D3 analogue and corticosteroid to psoriasis plaques decreases skin infiltration of TH17 cells and their expansion. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 138, 517-528.e5.	2.9	41
123	Clinical categories of exaggerated skin reactions to mosquito bites and their pathophysiology. <i>Journal of Dermatological Science</i> , 2016, 82, 145-152.	1.9	34
124	New Etiology of Cholinergic Urticaria. <i>Current Problems in Dermatology</i> , 2016, 51, 94-100.	0.7	15
125	Distinctive downmodulation of plasmacytoid dendritic cell functions by vitamin D3 analogue calcipotriol. <i>Journal of Dermatological Science</i> , 2016, 84, 71-79.	1.9	9
126	Filaggrin deficiency and T-helper 17 development. <i>British Journal of Dermatology</i> , 2016, 175, 669-670.	1.5	0

#	ARTICLE	IF	CITATIONS
127	A case of idiopathic pure sudomotor failure associated with prolonged high levels of serum carcinoembryonic antigen. <i>Clinical Autonomic Research</i> , 2016, 26, 451-453.	2.5	4
128	Atypical pemphigus with immunoglobulin G autoantibodies against desmoglein 3 and desmocollin 3. <i>Journal of Dermatology</i> , 2016, 43, 429-431.	1.2	6
129	Similarities of dermoscopic findings in alopecia areata between human and C3H/HeJ mouse. <i>Journal of Dermatological Science</i> , 2016, 83, 154-157.	1.9	5
130	Reciprocal contribution of Th17 and regulatory T cells in severe drug allergy. <i>Journal of Dermatological Science</i> , 2016, 81, 131-134.	1.9	11
131	Erythema multiforme caused by triple therapy with amoxicillin, clarithromycin and vonoprazan for <i>Helicobacter pylori</i> . <i>Journal of Dermatology</i> , 2016, 43, 340-341.	1.2	11
132	Platelets Regulate the Migration of Keratinocytes via Podoplanin/CLEC-2 Signaling during Cutaneous Wound Healing in Mice. <i>American Journal of Pathology</i> , 2016, 186, 101-108.	3.8	28
133	Identification and Characterization of a Recessive Missense Mutation p.P277L in SERPINB7 in Nagashima-Type Palmoplantar Keratosis. <i>Journal of Investigative Dermatology</i> , 2016, 136, 325-328.	0.7	12
134	Impaired Tight Junctions in Atopic Dermatitis Skin and in a Skin-Equivalent Model Treated with Interleukin-17. <i>PLoS ONE</i> , 2016, 11, e0161759.	2.5	106
135	Atopic Dermatitis: Common Extrinsic and Enigmatic Intrinsic Types. , 2016, , 339-358.		1
136	Treatment and Prognosis in Patients with Adult T-Cell Leukemia-Lymphoma (ATL): A Nationwide Survey in Japan. <i>Blood</i> , 2016, 128, 5936-5936.	1.4	0
137	Human T-lymphotropic virus 1 (HTLV-1)-associated lichenoid dermatitis induced by CD8 ⁺ T cells in HTLV-1 carrier, HTLV-1-associated myelopathy/tropical spastic paraparesis and adult T-cell leukemia/lymphoma. <i>Journal of Dermatology</i> , 2015, 42, 967-974.	1.2	4
138	Simultaneous reactivation of cytomegalovirus in an adult patient with varicella. <i>Journal of Dermatology</i> , 2015, 42, 658-659.	1.2	3
139	Identification of a novel mutation, c.686delAins18 (p.Asp229Glyfs*22), in the LIPH gene as a compound heterozygote with c.736T>A (p.Cys246Ser) in autosomal recessive woolly hair/hypotrichosis. <i>Journal of Dermatology</i> , 2015, 42, 752-753.	1.2	5
140	Detection of autoantibodies against the calcium-dependent epitopes of desmoglein 3 by ethylenediaminetetraacetic acid-treated enzyme-linked immunosorbent assay with mammalian cell expression system. <i>Journal of Dermatology</i> , 2015, 42, 825-827.	1.2	5
141	Application of a three-microneedle device for the delivery of local anesthetics. <i>Patient Preference and Adherence</i> , 2015, 9, 585.	1.8	4
142	Structural and Immunological Effects of Skin Cryoablation in a Mouse Model. <i>PLoS ONE</i> , 2015, 10, e0123906.	2.5	25
143	Gross Cystic Disease Fluid Protein 15 in Stratum Corneum Is a Potential Marker of Decreased Eccrine Sweating for Atopic Dermatitis. <i>PLoS ONE</i> , 2015, 10, e0125082.	2.5	3
144	Antihistaminic drug olopatadine downmodulates T cell chemotaxis toward CCL17 in patients with atopic dermatitis. <i>Allergy International</i> , 2015, 64, 200-202.	3.3	1

#	ARTICLE	IF	CITATIONS
145	Melanocyte-specific cytotoxic T lymphocytes in patients with rhododendrol-induced leukoderma. <i>Journal of Dermatological Science</i> , 2015, 77, 190-192.	1.9	20
146	Clues to diagnosis for unusual mucosal pemphigus demonstrating undetectable anti-desmoglein 3 serum antibodies by routine tests. <i>Journal of Dermatology</i> , 2015, 42, 572-579.	1.2	5
147	Intrinsic atopic dermatitis shows high serum nickel concentration. <i>Allergology International</i> , 2015, 64, 282-284.	3.3	12
148	Recurrent Facial Erythema with Cytotoxic T Cell Infiltration as a Possible Reactive Eruption in a Human T-Cell Lymphotropic Virus Type 1 Carrier. <i>Case Reports in Dermatology</i> , 2015, 7, 95-99.	0.8	3
149	Leukoderma in patients with atopic dermatitis. <i>Journal of Dermatology</i> , 2015, 42, 215-218.	1.2	7
150	Colonic involvement in Stevens-Johnson syndrome-like mucositis without skin lesions. <i>Allergology International</i> , 2015, 64, 106-108.	3.3	8
151	Biochemical, cytological, and immunological mechanisms of rhododendrol-induced leukoderma. <i>Journal of Dermatological Science</i> , 2015, 77, 146-149.	1.9	44
152	Involvement of prostaglandin E2 in the first Japanese case of pachydermoperiostosis with HPGD mutation and recalcitrant leg ulcer. <i>Journal of Dermatological Science</i> , 2015, 78, 153-155.	1.9	10
153	Possible correlation of IgE autoantibody to BP180 with disease activity in bullous pemphigoid. <i>Journal of Dermatological Science</i> , 2015, 78, 77-79.	1.9	20
154	TSLP Directly Interacts with Skin-Homing Th2 Cells Highly Expressing its Receptor to Enhance IL-4 Production in Atopic Dermatitis. <i>Journal of Investigative Dermatology</i> , 2015, 135, 3017-3024.	0.7	73
155	Drug eruption to clavulanic acid with sparing of cellulitis-affecting site. <i>Allergology International</i> , 2015, 64, 280-281.	3.3	5
156	Current Clinico-Epidemiological Characteristics of Adult T-Cell Leukemia-Lymphoma (ATL) Based on the 11th Nationwide Survey in Japan. <i>Blood</i> , 2015, 126, 5034-5034.	1.4	0
157	Exacerbation of alopecia areata during pegylated interferon alpha-2b and ribavirin therapy, possibly due to the collapse of hair follicle immune privilege. <i>European Journal of Dermatology</i> , 2014, 24, 631-633.	0.6	10
158	Decreased Expression of Acetylcholine Esterase in Cholinergic Urticaria with Hypohidrosis or Anhidrosis. <i>Journal of Investigative Dermatology</i> , 2014, 134, 276-279.	0.7	38
159	The role of cytokines and chemokines in the T cell-mediated autoimmune process in alopecia areata. <i>Experimental Dermatology</i> , 2014, 23, 787-791.	2.9	63
160	Attempts to accelerate wound healing. <i>Journal of Dermatological Science</i> , 2014, 76, 169-172.	1.9	177
161	Epstein-Barr virus-associated T-cell lymphoproliferative disorder affecting skin and lung in an elderly patient. <i>Journal of Dermatology</i> , 2014, 41, 837-840.	1.2	4
162	IgG4-related skin disease. <i>British Journal of Dermatology</i> , 2014, 171, 959-967.	1.5	97

#	ARTICLE	IF	CITATIONS
163	Induction of cytotoxic T cells as a novel independent survival factor in malignant melanoma with percutaneous peptide immunization. <i>Journal of Dermatological Science</i> , 2014, 75, 43-48.	1.9	14
164	A Japanese case of Mal de Meleda with SLURP1 mutation. <i>Journal of Dermatology</i> , 2014, 41, 764-765.	1.2	4
165	Atopic dermatitis presenting as generalized poikiloderma with filaggrin gene mutation. <i>Journal of Dermatology</i> , 2014, 41, 230-231.	1.2	3
166	Psychological aspects of patients with intrinsic atopic dermatitis. <i>European Journal of Dermatology</i> , 2014, 24, 253-254.	0.6	2
167	Proteome analysis of stratum corneum from atopic dermatitis patients by hybrid quadrupole-orbitrap mass spectrometer. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 134, 957-960.e8.	2.9	40
168	IL-23 from Langerhans Cells Is Required for the Development of Imiquimod-Induced Psoriasis-Like Dermatitis by Induction of IL-17A-Producing $\gamma\delta$ T Cells. <i>Journal of Investigative Dermatology</i> , 2014, 134, 1912-1921.	0.7	142
169	Skin manifestations of adult T-cell leukemia/lymphoma: Clinical, cytological and immunological features. <i>Journal of Dermatology</i> , 2014, 41, 19-25.	1.2	50
170	VEGF-A promotes IL-17A-producing $\gamma\delta$ T cell accumulation in mouse skin and serves as a chemotactic factor for plasmacytoid dendritic cells. <i>Journal of Dermatological Science</i> , 2014, 74, 116-124.	1.9	30
171	Increased frequencies of Th17 cells in drug eruptions. <i>Journal of Dermatological Science</i> , 2014, 73, 85-88.	1.9	16
172	Potential application of in vivo imaging of impaired lymphatic duct to evaluate the severity of pressure ulcer in mouse model. <i>Scientific Reports</i> , 2014, 4, 4173.	3.3	43
173	Antihistaminic drug olopatadine downmodulates T cell chemotaxis toward CXCL10 by reducing CXCR3 expression, F-actin polymerization and calcium influx in patients with alopecia areata. <i>Journal of Dermatological Science</i> , 2013, 72, 68-71.	1.9	17
174	High frequencies of positive nickel/cobalt patch tests and high sweat nickel concentration in patients with intrinsic atopic dermatitis. <i>Journal of Dermatological Science</i> , 2013, 72, 240-245.	1.9	36
175	CXCL10 produced from hair follicles induces Th1 and Tc1 cell infiltration in the acute phase of alopecia areata followed by sustained Tc1 accumulation in the chronic phase. <i>Journal of Dermatological Science</i> , 2013, 69, 140-147.	1.9	70
176	Birth, life, and death of the MAGE3 hypothesis of alopecia areata pathobiology. <i>Journal of Dermatological Science</i> , 2013, 72, 327-330.	1.9	13
177	Serum interleukin-22 and vascular endothelial growth factor serve as sensitive biomarkers but not as predictors of therapeutic response to biologics in patients with psoriasis. <i>Journal of Dermatology</i> , 2013, 40, 805-812.	1.2	36
178	Defective epidermal induction of S100A7/psoriasin associated with low frequencies of skin-infiltrating Th17 cells in dermatophytosis-prone adult T cell leukemia/lymphoma. <i>Clinical Immunology</i> , 2013, 148, 1-3.	3.2	11
179	D1-like dopamine receptors antagonist inhibits cutaneous immune reactions mediated by Th2 and mast cells. <i>Journal of Dermatological Science</i> , 2013, 71, 37-44.	1.9	41
180	Combination of skin-directed therapy and oral etoposide for smoldering adult T-cell leukemia/lymphoma with skin involvement. <i>Leukemia and Lymphoma</i> , 2013, 54, 520-527.	1.3	15

#	ARTICLE	IF	CITATIONS
181	Acicular, but not globular, titanium dioxide nanoparticles stimulate keratinocytes to produce pro-inflammatory cytokines. <i>Journal of Dermatology</i> , 2013, 40, 357-362.	1.2	10
182	Second report of <i>FLG</i> 501X mutation in Japanese patients with atopic dermatitis. <i>Journal of Dermatology</i> , 2013, 40, 498-499.	1.2	3
183	Alopecia areata possibly induced by autoimmune reaction in a patient with human T-cell lymphotropic virus-1-associated myelopathy. <i>Journal of Dermatology</i> , 2013, 40, 399-401.	1.2	6
184	Kallikrein-related Peptidase 5 Functions in Proteolytic Processing of Profilaggrin in Cultured Human Keratinocytes. <i>Journal of Biological Chemistry</i> , 2013, 288, 17179-17189.	3.4	66
185	Prostaglandin E2 is critical for the development of niacin-deficiency-induced photosensitivity via ROS production. <i>Scientific Reports</i> , 2013, 3, 2973.	3.3	19
186	Defective Epidermal Innate Immunity and Resultant Superficial Dermatophytosis in Adult T-cell Leukemia/Lymphoma. <i>Clinical Cancer Research</i> , 2012, 18, 3772-3779.	7.0	29
187	Pathogenesis of Cholinergic Urticaria in Relation to Sweating. <i>Allergology International</i> , 2012, 61, 539-544.	3.3	40
188	Decreased expression of homeostatic chemokine receptors in intravascular large B-cell lymphoma. <i>European Journal of Dermatology</i> , 2012, 22, 272-273.	0.6	8
189	Contact urticaria caused by a fish-derived elastin-containing cosmetic cream. <i>Contact Dermatitis</i> , 2012, 67, 171-172.	1.4	8
190	Addition of UVA-absorber butyl methoxy dibenzoylmethane to topical ketoprofen formulation reduces ketoprofen-photoallergic reaction. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2012, 113, 56-62.	3.8	13
191	<sc>HTLV</sc>-1-associated infective dermatitis: updates on the pathogenesis. <i>Experimental Dermatology</i> , 2012, 21, 815-821.	2.9	39
192	Photosensitive drug eruption induced by bicalutamide within the UVB action spectrum. <i>European Journal of Dermatology</i> , 2012, 22, 402-404.	0.6	8
193	A group of atopic dermatitis without IgE elevation or barrier impairment shows a high Th1 frequency: Possible immunological state of the intrinsic type. <i>Journal of Dermatological Science</i> , 2012, 67, 37-43.	1.9	88
194	Increased expression of mRNAs for IL-4, IL-17, IL-22 and IL-31 in skin lesions of subacute and chronic forms of prurigo. <i>European Journal of Dermatology</i> , 2011, 21, 135-136.	0.6	36
195	Type of skin eruption is an independent prognostic indicator for adult T-cell leukemia/lymphoma. <i>Blood</i> , 2011, 117, 3961-3967.	1.4	111
196	Downmodulatory effects of cetirizine and levocetirizine on cytokine/chemokine production and CD54 expression in keratinocytes. <i>Journal of Dermatology</i> , 2011, 38, 717-719.	1.2	0
197	Cutaneous pseudolymphoma due to benidipine hydrochloride with massive infiltration of eosinophils. <i>Journal of Dermatology</i> , 2011, 38, no-no.	1.2	2
198	Increased circulating Th17 frequencies and serum IL-22 levels in patients with acute generalized exanthematous pustulosis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2011, 25, 485-488.	2.4	73

#	ARTICLE	IF	CITATIONS
199	Acute hepatic failure secondary to extensive hepatic replacement by metastatic amelanotic melanoma: an autopsy case report. <i>Clinical Journal of Gastroenterology</i> , 2010, 3, 327-331.	0.8	3
200	Psoriasis and Other Th17-Mediated Skin Diseases. <i>Journal of UOEH</i> , 2010, 32, 317-328.	0.6	54
201	Cholinergic Urticaria: Studies on the Muscarinic Cholinergic Receptor M3 in Anhidrotic and Hypohidrotic Skin. <i>Journal of Investigative Dermatology</i> , 2010, 130, 2683-2686.	0.7	43
202	Fluctuation of blood and skin plasmacytoid dendritic cells in drug-induced hypersensitivity syndrome. <i>Journal of Allergy and Clinical Immunology</i> , 2010, 126, 408-410.	2.9	29
203	Extrinsic and intrinsic types of atopic dermatitis. <i>Journal of Dermatological Science</i> , 2010, 58, 1-7.	1.9	279
204	High responses of peripheral lymphocytes to mosquito salivary gland extracts in patients with Wells syndrome. <i>Journal of the American Academy of Dermatology</i> , 2010, 63, 160-161.	1.2	10
205	Flaky Tail Mouse Denotes Human Atopic Dermatitis in the Steady State and by Topical Application with <i>Dermatophagoides pteronyssinus</i> Extract. <i>American Journal of Pathology</i> , 2010, 176, 2385-2393.	3.8	122
206	Chondrodermatitis of the auricle in patients with atopic dermatitis. <i>European Journal of Dermatology</i> , 2010, 20, 813-4.	0.6	1
207	Photoallergy. <i>Expert Review of Dermatology</i> , 2009, 4, 263-270.	0.3	13
208	Effects of oral antibiotic roxithromycin on quality of life in acne patients. <i>Journal of Dermatology</i> , 2009, 36, 383-391.	1.2	10
209	Antihistaminic drug olopatadine downmodulates CCL17/TARC production by keratinocytes and Langerhans cells. <i>Journal of Dermatology</i> , 2009, 36, 654-657.	1.2	5
210	IL-10-Producing Langerhans Cells and Regulatory T Cells Are Responsible for Depressed Contact Hypersensitivity in Grafted Skin. <i>Journal of Investigative Dermatology</i> , 2009, 129, 705-713.	0.7	51
211	Induction of eosinophil- and Th2-attracting epidermal chemokines and cutaneous late-phase reaction in tape-stripped skin. <i>Experimental Dermatology</i> , 2009, 18, 1036-1043.	2.9	69
212	Loss of tumor cell CCR4 expression upon leukemic change in adult T-cell leukemia/lymphoma. <i>Journal of the American Academy of Dermatology</i> , 2009, 61, 163-164.	1.2	6
213	Induction of eosinophil-infiltrating drug photoallergy in mice. <i>Journal of Dermatological Science</i> , 2009, 55, 34-39.	1.9	1
214	Epidermal chemokines and modulation by antihistamines, antibiotics and antifungals. <i>Experimental Dermatology</i> , 2008, 17, 81-90.	2.9	32
215	Possible Pathogenic Role of Th17 Cells for Atopic Dermatitis. <i>Journal of Investigative Dermatology</i> , 2008, 128, 2625-2630.	0.7	540
216	Cutaneous Hypersensitivities to Hapten Are Controlled by IFN- γ -Upregulated Keratinocyte Th1 Chemokines and IFN- γ -Downregulated Langerhans Cell Th2 Chemokines. <i>Journal of Investigative Dermatology</i> , 2008, 128, 1719-1727.	0.7	67

#	ARTICLE	IF	CITATIONS
217	Scabies superimposed on skin lesions of adult Tâ€cell leukemia/lymphoma: case report and literature review. <i>International Journal of Dermatology</i> , 2008, 47, 1168-1171.	1.0	6
218	Evaluation of photoallergic potential of chemicals using THP-1 cells. <i>Journal of Dermatological Science</i> , 2008, 52, 140-143.	1.9	16
219	Photocontact dermatitis to ketoprofen presenting with erythema multiforme. <i>European Journal of Dermatology</i> , 2008, 18, 710-3.	0.6	21
220	Primary cutaneous anaplastic large cell lymphoma with fatal leukemic outcome in association with CLA and CCR4-negative conversion. <i>Journal of the American Academy of Dermatology</i> , 2007, 57, S92-S96.	1.2	16
221	Alopecia universalis associated with impaired interleukin-4 production and low serum IgE level. <i>Journal of the American Academy of Dermatology</i> , 2007, 57, S22-S25.	1.2	10
222	CXCL12-CXCR4 Engagement Is Required for Migration of Cutaneous Dendritic Cells. <i>American Journal of Pathology</i> , 2007, 171, 1249-1257.	3.8	227
223	Inhibitory effects of epinastine on chemokine production and MHC class II/CD54 expression in keratinocytes. <i>Journal of Dermatological Science</i> , 2007, 45, 144-146.	1.9	5
224	Induction of keratinocyte apoptosis by photosensitizing chemicals plus UVA. <i>Journal of Dermatological Science</i> , 2007, 45, 105-112.	1.9	29
225	Stimulation of Langerhans cells with ketoprofen plus UVA in murine photocontact dermatitis to ketoprofen. <i>Journal of Dermatological Science</i> , 2007, 47, 151-159.	1.9	24
226	T cell populations propagating in the peripheral blood of patients with drug eruptions. <i>Journal of Dermatological Science</i> , 2007, 48, 25-33.	1.9	44
227	Augmented expression of programmed deathâ€1 in both neoplastic and nonâ€neoplastic CD4⁺ Tâ€cells in adult Tâ€cell leukemia/lymphoma. <i>International Journal of Cancer</i> , 2007, 121, 2585-2590.	5.1	82
228	Adult T-cell leukemia/lymphoma cells from blood and skin tumors express cytotoxic T lymphocyte-associated antigen-4 and Foxp3 but lack suppressor activity toward autologous CD8+T cells. <i>Cancer Science</i> , 2007, 99, 071027184531001-???	3.9	43
229	UV Dose Measurements of Photosensitive Dermatitis Patients by Polycrystalline GaN-based Portable Self-data-acquisition UV Monitor. <i>Photochemistry and Photobiology</i> , 2007, 76, 669-671.	2.5	0
230	Establishment of murine model of allergic photocontact dermatitis to ketoprofen and characterization of pathogenic T cells. <i>Journal of Dermatological Science</i> , 2006, 41, 127-136.	1.9	32
231	Nadifloxacin downmodulates antigen-presenting functions of epidermal Langerhans cells and keratinocytes. <i>Journal of Dermatological Science</i> , 2006, 42, 91-99.	1.9	14
232	The Various Effects of Four H1-Antagonists on Serum Substance P Levels in Patients with Atopic Dermatitis. <i>Journal of Dermatology</i> , 2005, 32, 776-781.	1.2	15
233	Enhanced T-cell response to mosquito extracts by NK cells in hypersensitivity to mosquito bites associated with EBV infection and NK cell lymphocytosis. <i>Cancer Science</i> , 2005, 96, 519-526.	3.9	20
234	Production of Thymus and Activation-Regulated Chemokine and Macrophage-Derived Chemokine by CCR4+ Adult T-Cell Leukemia Cells. <i>Clinical Cancer Research</i> , 2005, 11, 2427-2435.	7.0	38

#	ARTICLE	IF	CITATIONS
235	Chronic actinic dermatitis associated with adult T-cell leukemia. <i>Journal of the American Academy of Dermatology</i> , 2005, 52, S38-S40.	1.2	24
236	Preferential downmodulation of certain chemokines by fexofenadine in human keratinocytes. <i>Journal of Dermatological Science</i> , 2005, 38, 67-69.	1.9	10
237	Treatment with IFN- γ increases serum levels of Th1 chemokines and decreases those of Th2 chemokines in patients with mycosis fungoides. <i>Journal of Dermatological Science</i> , 2005, 38, 189-195.	1.9	23
238	Pachydermoperiostosis. <i>Nishinohon Journal of Dermatology</i> , 2005, 67, 317-318.	0.0	0
239	Roxithromycin downmodulates Th2 chemokine production by keratinocytes and chemokine receptor expression on Th2 cells: its dual inhibitory effects on the ligands and the receptors. <i>Cellular Immunology</i> , 2004, 228, 27-33.	3.0	38
240	Collapse and Restoration of MHC Class-I-Dependent Immune Privilege. <i>American Journal of Pathology</i> , 2004, 164, 623-634.	3.8	243
241	Anti-allergic drug olopatadine suppresses murine contact hypersensitivity and downmodulates antigen-presenting ability of epidermal Langerhans cells. <i>Cellular Immunology</i> , 2003, 224, 47-54.	3.0	17
242	Necrobiosis lipoidica of the glans penis. <i>Journal of the American Academy of Dermatology</i> , 2003, 49, 921-924.	1.2	29
243	CD4+ T-Lymphocyte-Induced Epstein-Barr Virus Reactivation in a Patient With Severe Hypersensitivity to Mosquito Bites and Epstein-Barr Virus-Infected NK Cell Lymphocytosis. <i>Archives of Dermatology</i> , 2003, 139, 1601-7.	1.4	34
244	Immunological and Molecular Mechanisms of Photoallergic Contact Dermatitis. <i>Journal of UOEH</i> , 2003, 25, 387-395.	0.6	8
245	Characterization of Drug-Specific T Cells in Phenobarbital- Induced Eruption. <i>Journal of Immunology</i> , 2002, 168, 5359-5368.	0.8	62
246	Dominant expression of CXCR3 is associated with induced expression of IP-10 at hapten-challenged sites of murine contact hypersensitivity: a possible role for interferon- γ -producing CD8+ T cells in IP-10 expression. <i>Journal of Dermatological Science</i> , 2002, 28, 234-241.	1.9	34
247	Hypersensitivity to mosquito bites as the primary clinical manifestation of a juvenile type of Epstein-Barr virus-associated natural killer cell leukemia/lymphoma. <i>Journal of the American Academy of Dermatology</i> , 2001, 45, 569-578.	1.2	151
248	Generalized Wegener's Granulomatosis Responding to Sulfamethoxazole-trimethoprim Monotherapy.. <i>Internal Medicine</i> , 2001, 40, 666-670.	0.7	19
249	Lupus Erythematosus Profundus with Unusual Skin Manifestation: Subcutaneous Nodules Coexisting with Eyelid Plaques. <i>Journal of Dermatology</i> , 2001, 28, 437-441.	1.2	20
250	Interleukin-10 expressed at early tumour sites induces subsequent generation of CD4 ⁺ regulatory cells and systemic collapse of antitumour immunity. <i>Immunology</i> , 2001, 103, 449-457.	4.4	183
251	Quinolone-Photoconjugated Major Histocompatibility Complex Class II-Binding Peptides with Lysine are Antigenic for T Cells Mediating Murine Quinolone Photoallergy. <i>Journal of Investigative Dermatology</i> , 2001, 117, 1206-1211.	0.7	19
252	Percutaneous Peptide Immunization via Corneum Barrier-Disrupted Murine Skin for Experimental Tumor Immunoprophylaxis. <i>Annals of the New York Academy of Sciences</i> , 2001, 941, 139-146.	3.8	18

#	ARTICLE	IF	CITATIONS
253	Photoactivational Cytokine-Modulatory Action of 8-Methoxypsoralen plus Ultraviolet A in Lymphocytes, Monocytes, and Cutaneous T Cell Lymphoma Cells. <i>Annals of the New York Academy of Sciences</i> , 2001, 941, 185-193.	3.8	15
254	Acute Infectious Urticaria: Clinical and Laboratory Analysis in Nineteen Patients. <i>Journal of Dermatology</i> , 2000, 27, 87-93.	1.2	24
255	Formation of Antigenic Quinolone Photoadducts on Langerhans Cells Initiates Photoallergy to Systemically Administered Quinolone in Mice. <i>Journal of Investigative Dermatology</i> , 2000, 114, 569-575.	0.7	26
256	Immune responses to photohaptens: implications for the mechanisms of photosensitivity to exogenous agents. <i>Journal of Dermatological Science</i> , 2000, 23, S6-S9.	1.9	30
257	Expression of T-cell cytokines in challenged skin of murine allergic contact photosensitivity: low responsiveness is associated with induction of Th2 cytokines. <i>Journal of Dermatological Science</i> , 2000, 23, 138-144.	1.9	9
258	Lymphocyte stimulation test with drug-photomodified cells in patients with quinolone photosensitivity. <i>Journal of Dermatological Science</i> , 1999, 21, 34-41.	1.9	12
259	Roxithromycin down-modulates antigen-presenting and interleukin-1 β -producing abilities of murine Langerhans cells. <i>Journal of Dermatological Science</i> , 1998, 17, 214-222.	1.9	13
260	Quinolone photoallergy: Photosensitivity dermatitis induced by systemic administration of photohaptenic drugs. <i>Journal of Dermatological Science</i> , 1998, 18, 1-10.	1.9	70
261	A Nevocellular Nevus Consisting mostly of Nevic Corpuscles. <i>Journal of Dermatology</i> , 1998, 25, 134-135.	1.2	3
262	Membranous and Soluble Forms of Fas Antigen in Cutaneous Lupus Erythematosus. <i>Journal of Dermatology</i> , 1998, 25, 302-308.	1.2	7
263	Evaluation of Soluble Cell Adhesion Molecules in Atopic Dermatitis. <i>Journal of Dermatology</i> , 1997, 24, 88-93.	1.2	14
264	Hypersensitivity to Mosquito Bites Conceals Clonal Lymphoproliferation of Epstein-Barr Viral DNA-positive Natural Killer Cells. <i>Japanese Journal of Cancer Research</i> , 1997, 88, 82-87.	1.7	88
265	Altered Permeability and Disordered Cutaneous Immunoregulatory Function in Mice with Acute Barrier Disruption. <i>Journal of Investigative Dermatology</i> , 1997, 109, 175-182.	0.7	109
266	Decreased responsiveness of T cells to toxic shock syndrome toxin-1 in patients with severe psoriasis at active stage. <i>Archives of Dermatological Research</i> , 1997, 289, 547-550.	1.9	17
267	Hair cycle-dependent expression of heat shock proteins in hair follicle epithelium. <i>International Journal of Dermatology</i> , 1997, 36, 587-592.	1.0	19
268	CD7-positive S α zary syndrome with a Th1 cytokine profile. <i>Journal of the American Academy of Dermatology</i> , 1996, 34, 368-374.	1.2	30
269	Selective Expansions of T cells Expressing V β 238 and V β 213 in Skin Lesions of Patients with Chronic Cutaneous Lupus Erythematosus. <i>Journal of Dermatology</i> , 1996, 23, 670-676.	1.2	28
270	Acne Fulminans Coexisting with Pyoderma Gangrenosum-Like Eruptions and Posterior Scleritis. <i>Journal of Dermatology</i> , 1996, 23, 37-41.	1.2	14

#	ARTICLE	IF	CITATIONS
271	The Macrolide Antibiotic, Roxithromycin Suppresses IFN- γ -Mediated Immunological Functions of Cultured Normal Human Keratinocytes.. Biological and Pharmaceutical Bulletin, 1996, 19, 224-227.	1.4	28
272	Photohaptenic Properties of Fluoroquinolones. Photochemistry and Photobiology, 1996, 64, 838-844.	2.5	43
273	Th2 Cytokine mRNA Expression in Primary Cutaneous CD30-Positive Lymphoproliferative Disorders: Successful Treatment With Recombinant Interferon- β . Journal of Investigative Dermatology, 1996, 107, 827-832.	0.7	59
274	Photodynamic DNA-breaking activity of serum from patients with various photosensitivity dermatoses. Archives of Dermatological Research, 1995, 287, 586-590.	1.9	9
275	MALIGNANT HEMANGIOENDOTHELIOMA. International Journal of Dermatology, 1995, 34, 811-816.	1.0	38
276	Superantigenic Staphylococcal Exotoxins Induce T-Cell Proliferation in the Presence of Langerhans Cells or Class II ⁺ Bearing Keratinocytes and Stimulate Keratinocytes to Produce T-Cell ⁺ Activating Cytokines. Journal of Investigative Dermatology, 1994, 102, 31-38.	0.7	89
277	E-selectin and vascular cell adhesion molecule-1 as critical adhesion molecules for infiltration of T lymphocytes and eosinophils in atopic dermatitis. Journal of Cutaneous Pathology, 1994, 21, 33-39.	1.3	83
278	AFLOQUALONE PHOTSENSITIVITY. IMMUNOGENICITY OF AFLOQUALONE-PHOTOMODIFIED EPIDERMAL CELLS. Photochemistry and Photobiology, 1994, 60, 262-267.	2.5	23
279	Facial Erythema and Pigmentation as an Initial Manifestation of Chronic Graft ^v versus ^v Host Disease. Journal of Dermatology, 1994, 21, 185-188.	1.2	3
280	Mechanisms of Local, Low ^v dose UVB ^v induced Immunosuppression in Contact Hypersensitivity. Journal of Dermatology, 1992, 19, 923-931.	1.2	10
281	Solitary Sclerotic Fibroma of the Skin. International Journal of Dermatology, 1991, 30, 505-506.	1.0	8
282	Genetic Control of Contact Photosensitivity to Tetrachlorosalicylanilide. I. Preferential Activation of Suppressor T Cells in Low Responder H-2k Mice. Journal of Investigative Dermatology, 1990, 94, 471-476.	0.7	21
283	Immunohistochemically Detectable Duct ^v like Structures in Benign and Malignant Eccrine Poromas: CEA and Involucrin Immunostaining. Journal of Dermatology, 1989, 16, 133-141.	1.2	13
284	Epidermolytic Hyperkeratosis Associated with a Dilated Pore. Journal of Dermatology, 1987, 14, 286-288.	1.2	7