

Michele Tansella

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11743646/publications.pdf>

Version: 2024-02-01

151
papers

6,915
citations

53794

45
h-index

69250

77
g-index

154
all docs

154
docs citations

154
times ranked

6423
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Definition and prevalence of severe and persistent mental illness. <i>British Journal of Psychiatry</i> , 2000, 177, 149-155. | 2.8 | 414 |
| 2 | Components of a modern mental health service: a pragmatic balance of community and hospital care. <i>British Journal of Psychiatry</i> , 2004, 185, 283-290. | 2.8 | 352 |
| 3 | Two-phase epidemiological surveys in psychiatric research. <i>British Journal of Psychiatry</i> , 1999, 174, 95-100. | 2.8 | 258 |
| 4 | Validity and test-retest reliability of the Italian version of the 12-item General Health Questionnaire in general practice: A comparison between three scoring methods. <i>Comprehensive Psychiatry</i> , 1993, 34, 198-205. | 3.1 | 238 |
| 5 | The personal impact of schizophrenia in Europe. <i>Schizophrenia Research</i> , 2004, 69, 125-132. | 2.0 | 174 |
| 6 | Growing recognition of the importance of service user involvement in mental health service planning and evaluation. <i>Epidemiologia E Psichiatria Sociale</i> , 2005, 14, 1-3. | 0.9 | 163 |
| 7 | Clinical interventions for treatment non-adherence in psychosis: Meta-analysis. <i>British Journal of Psychiatry</i> , 2003, 183, 197-206. | 2.8 | 155 |
| 8 | Adherence therapy for people with schizophrenia. <i>British Journal of Psychiatry</i> , 2006, 189, 508-514. | 2.8 | 155 |
| 9 | Influence of perceived organisational factors on job burnout: survey of community mental health staff. <i>British Journal of Psychiatry</i> , 2009, 195, 537-544. | 2.8 | 154 |
| 10 | Burnout, compassion fatigue, and compassion satisfaction among staff in community-based mental health services. <i>Psychiatry Research</i> , 2012, 200, 933-938. | 3.3 | 134 |
| 11 | Implementation science: understanding the translation of evidence into practice. <i>British Journal of Psychiatry</i> , 2009, 195, 283-285. | 2.8 | 130 |
| 12 | Does Meeting Needs Improve Quality of Life?. <i>Psychotherapy and Psychosomatics</i> , 2004, 73, 183-189. | 8.8 | 120 |
| 13 | The Italian experience and its implications. <i>Psychological Medicine</i> , 1987, 17, 283-289. | 4.5 | 114 |
| 14 | Comparing patterns and costs of schizophrenia care in five European countries: the EPSILON study. <i>Acta Psychiatrica Scandinavica</i> , 2002, 105, 42-54. | 4.5 | 105 |
| 15 | A conceptual framework for mental health services: the matrix model. <i>Psychological Medicine</i> , 1998, 28, 503-508. | 4.5 | 103 |
| 16 | Changes and predictors of change in objective and subjective quality of life. <i>British Journal of Psychiatry</i> , 2005, 187, 121-130. | 2.8 | 101 |
| 17 | Urban-rural differences in the associations between social deprivation and psychiatric service utilization in schizophrenia and all diagnoses: a case-register study in Northern Italy. <i>Psychological Medicine</i> , 1993, 23, 487-496. | 4.5 | 100 |
| 18 | Listening to patients' needs to improve their subjective quality of life. <i>Psychological Medicine</i> , 2005, 35, 1655-1665. | 4.5 | 100 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Development, internal consistency and reliability of the Verona Service Satisfaction Scale – European Version. <i>British Journal of Psychiatry</i> , 2000, 177, s41-s48. | 2.8 | 96 |
| 20 | Dropping out of care: inappropriate terminations of contact with community-based psychiatric services. <i>British Journal of Psychiatry</i> , 2002, 181, 331-338. | 2.8 | 89 |
| 21 | Satisfaction With Mental Health Services Among People With Schizophrenia in Five European Sites: Results From the EPSILON Study. <i>Schizophrenia Bulletin</i> , 2003, 29, 229-245. | 4.3 | 89 |
| 22 | Prevalence and 12-month outcome of threshold and subthreshold mental disorders in primary care. <i>Journal of Affective Disorders</i> , 1999, 56, 37-48. | 4.1 | 81 |
| 23 | People With Schizophrenia in Five Countries: Conceptual Similarities and Intercultural Differences in Family Caregiving. <i>Schizophrenia Bulletin</i> , 2003, 29, 573-586. | 4.3 | 78 |
| 24 | Seasonal variation in suicide: is there a sex difference?. <i>Psychological Medicine</i> , 1989, 19, 199-203. | 4.5 | 76 |
| 25 | Mortality Among Patients with Psychiatric Illness a Ten-Year Case Register Study in an Area with a Community-based System of Care. <i>British Journal of Psychiatry</i> , 1995, 166, 783-788. | 2.8 | 76 |
| 26 | Describing, explaining or predicting mental health care costs: a guide to regression models. <i>British Journal of Psychiatry</i> , 2003, 183, 398-404. | 2.8 | 76 |
| 27 | Factor solution of the BPRS-expanded version in schizophrenic outpatients living in five European countries. <i>Schizophrenia Research</i> , 2005, 75, 107-117. | 2.0 | 76 |
| 28 | A comparison of needs of patients with schizophrenia in five European countries: the EPSILON Study. <i>Acta Psychiatrica Scandinavica</i> , 2001, 103, 370-379. | 4.5 | 75 |
| 29 | The balanced care model: the case for both hospital- and community-based mental healthcare. <i>British Journal of Psychiatry</i> , 2013, 202, 246-248. | 2.8 | 75 |
| 30 | The Reliability of the Mini-International Neuropsychiatric Interview-Italian Version. <i>Journal of Clinical Psychopharmacology</i> , 2004, 24, 561-563. | 1.4 | 74 |
| 31 | Is the Defined Daily Dose system a reliable tool for standardizing antipsychotic dosages?. <i>International Clinical Psychopharmacology</i> , 2008, 23, 287-290. | 1.7 | 74 |
| 32 | Persistence with polypharmacy and excessive dosing in patients with schizophrenia treated in four European countries. <i>International Clinical Psychopharmacology</i> , 2006, 21, 355-362. | 1.7 | 73 |
| 33 | Balancing community-based and hospital-based mental health care. <i>World Psychiatry</i> , 2002, 1, 84-90. | 10.4 | 71 |
| 34 | The EPSILON study of schizophrenia in five European countries. <i>British Journal of Psychiatry</i> , 1999, 175, 514-521. | 2.8 | 70 |
| 35 | Investigation of corpus callosum in schizophrenia with diffusion imaging. <i>Schizophrenia Research</i> , 2005, 79, 201-210. | 2.0 | 68 |
| 36 | Episodes of Care for First-Ever Psychiatric Patients a Long-Term Case-Register Evaluation in a Mainly Urban Area. <i>British Journal of Psychiatry</i> , 1995, 167, 220-227. | 2.8 | 67 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Decreased entorhinal cortex volumes in schizophrenia. <i>Schizophrenia Research</i> , 2008, 102, 171-180. | 2.0 | 67 |
| 38 | DTI studies of corpus callosum in bipolar disorder. <i>Biochemical Society Transactions</i> , 2009, 37, 1096-1098. | 3.4 | 67 |
| 39 | The impact of cannabis use on age of onset and clinical characteristics in first-episode psychotic patients. Data from the Psychosis Incident Cohort Outcome Study (PICOS). <i>Journal of Psychiatric Research</i> , 2013, 47, 438-444. | 3.1 | 65 |
| 40 | Sex Differences in the Subjective Tolerability of Antipsychotic Drugs. <i>Journal of Clinical Psychopharmacology</i> , 2005, 25, 521-526. | 1.4 | 61 |
| 41 | Brain structural changes associated with chronicity and antipsychotic treatment in schizophrenia. <i>European Neuropsychopharmacology</i> , 2009, 19, 835-840. | 0.7 | 58 |
| 42 | Integrating evaluative research and community-based mental health care in Verona, Italy. <i>British Journal of Psychiatry</i> , 2003, 183, 167-169. | 2.8 | 56 |
| 43 | Does Community Care Decrease Length of Stay and Risk of Rehospitalization in New Patients With Schizophrenia Disorders? A Comparative Case Register Study in Groningen, the Netherlands; Victoria, Australia; and South Verona, Italy. <i>Schizophrenia Bulletin</i> , 2002, 28, 273-281. | 4.3 | 51 |
| 44 | Schizophrenia severity, social functioning and hippocampal neuroanatomy: three-dimensional mapping study. <i>British Journal of Psychiatry</i> , 2013, 202, 50-55. | 2.8 | 49 |
| 45 | First-contact incidence of psychosis in north-eastern Italy: influence of age, gender, immigration and socioeconomic deprivation. <i>British Journal of Psychiatry</i> , 2014, 205, 127-134. | 2.8 | 49 |
| 46 | Assessment of Medication Adherence in Patients With Schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2008, 196, 274-281. | 1.0 | 46 |
| 47 | Demographic, clinical, social and service variables associated with higher needs for care in community psychiatric service patients. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 60-68. | 3.1 | 45 |
| 48 | Association study of dysbindin gene with clinical and outcome measures in a representative cohort of Italian schizophrenic patients. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 647-659. | 1.7 | 45 |
| 49 | Steps, challenges and lessons in developing community mental health care. <i>World Psychiatry</i> , 2008, 7, 87-92. | 10.4 | 45 |
| 50 | Caring for people with depression or with schizophrenia: Are the consequences different?. <i>Psychiatry Research</i> , 2009, 169, 62-69. | 3.3 | 45 |
| 51 | Thalamic-insular dysconnectivity in schizophrenia: Evidence from structural equation modeling. <i>Human Brain Mapping</i> , 2012, 33, 740-752. | 3.6 | 44 |
| 52 | Identification of depression by medical and surgical general hospital physicians. <i>General Hospital Psychiatry</i> , 2002, 24, 4-11. | 2.4 | 43 |
| 53 | A census-based socio-economic status (SES) index as a tool to examine the relationship between mental health services use and deprivation. <i>Social Science and Medicine</i> , 2005, 61, 2096-2105. | 3.8 | 43 |
| 54 | Gender differences in living with schizophrenia. A cross-sectional European multi-site study. <i>Schizophrenia Research</i> , 2002, 57, 191-200. | 2.0 | 41 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Heterogeneity of outcomes in schizophrenia. <i>British Journal of Psychiatry</i> , 2004, 184, 48-57. | 2.8 | 40 |
| 56 | Translating ethical principles into outcome measures for mental health service research. <i>Psychological Medicine</i> , 1999, 29, 761-767. | 4.5 | 38 |
| 57 | Enlarged hypothalamic volumes in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2012, 204, 75-81. | 1.8 | 38 |
| 58 | Long-Stay and Long-Term Psychiatric Patients in an Area With a Community-Based System of Care. a Register Follow-Up Study. <i>International Journal of Social Psychiatry</i> , 1987, 33, 251-262. | 3.1 | 37 |
| 59 | Seven criteria for improving effectiveness trials in psychiatry. <i>Psychological Medicine</i> , 2006, 36, 711. | 4.5 | 36 |
| 60 | Identification of psychiatric distress by primary care physicians. <i>General Hospital Psychiatry</i> , 1997, 19, 411-418. | 2.4 | 35 |
| 61 | Excess mortality by natural causes of italian schizophrenic patients. <i>European Archives of Psychiatry and Neurological Sciences</i> , 1990, 239, 361-365. | 0.9 | 34 |
| 62 | A Comparison of Community-Based Care for Schizophrenia in South Verona and South Manchester. <i>British Journal of Psychiatry</i> , 1995, 166, 344-352. | 2.8 | 34 |
| 63 | Aims, outcome measures, study sites and patient sample. <i>British Journal of Psychiatry</i> , 2000, 177, s1-s7. | 2.8 | 34 |
| 64 | Effect of Second-Generation Antipsychotics on Employment and Productivity in Individuals with Schizophrenia. <i>Pharmacoeconomics</i> , 2004, 22, 701-718. | 3.3 | 34 |
| 65 | The spectrum of psychiatric morbidity in a defined geographical area. <i>Psychological Medicine</i> , 1989, 19, 765-770. | 4.5 | 33 |
| 66 | Aripiprazole Versus Haloperidol in Combination With Clozapine for Treatment-Resistant Schizophrenia in Routine Clinical Care. <i>Journal of Clinical Psychopharmacology</i> , 2011, 31, 266-273. | 1.4 | 33 |
| 67 | Does Additional Care Provided by a Consumer Self-Help Group Improve Psychiatric Outcome? A Study in an Italian Community-based Psychiatric Service. <i>Community Mental Health Journal</i> , 2005, 41, 705-720. | 2.0 | 32 |
| 68 | Cerebral atrophy and white matter disruption in chronic schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007, 257, 3-11. | 3.2 | 32 |
| 69 | Effect of COMT genotype on aggressive behaviour in a community cohort of schizophrenic patients. <i>Neuroscience Letters</i> , 2011, 495, 17-21. | 2.1 | 31 |
| 70 | Psychosocial factors and physical illness in primary care: Promoting the biopsychosocial model in medical practice. <i>Journal of Psychosomatic Research</i> , 1996, 40, 351-358. | 2.6 | 28 |
| 71 | Comparison of Patient and Clinician Perspectives in the Assessment of Antipsychotic Medication Adherence. <i>Psychopathology</i> , 2009, 42, 311-317. | 1.5 | 28 |
| 72 | State of psychiatry in Italy 35 years after psychiatric reform. A critical appraisal of national and local data. <i>International Review of Psychiatry</i> , 2012, 24, 314-320. | 2.8 | 28 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Suicide and the Italian psychiatric reform: An appraisal of two data collection systems. <i>European Archives of Psychiatry and Neurological Sciences</i> , 1987, 236, 237-240. | 0.9 | 26 |
| 74 | The role of white matter for the pathophysiology of schizophrenia. <i>International Review of Psychiatry</i> , 2007, 19, 459-468. | 2.8 | 26 |
| 75 | Is Neuregulin 1 Involved in Determining Cerebral Volumes in Schizophrenia Preliminary Results Showing a Decrease in Superior Temporal Gyrus Volume. <i>Neuropsychobiology</i> , 2012, 65, 119-125. | 1.9 | 26 |
| 76 | Prediction of community mental health service utilization by individual and ecological level socio-economic factors. <i>Psychiatry Research</i> , 2013, 209, 691-698. | 3.3 | 25 |
| 77 | Mobility of schizophrenic patients, non-psychotic patients and the general population in a case register area. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1989, 24, 271-274. | 3.1 | 24 |
| 78 | Course of adherence to medication and quality of life in people with schizophrenia. <i>Psychiatry Research</i> , 2009, 165, 224-233. | 3.3 | 24 |
| 79 | Psychotropic drug use in Italy: national trends and regional differences. <i>Psychological Medicine</i> , 1986, 16, 841-850. | 4.5 | 22 |
| 80 | Varying and "atypical" indications for atypical antipsychotics. <i>Psychopharmacology</i> , 2003, 169, 205-206. | 3.1 | 22 |
| 81 | Needs for care of patients with schizophrenia and the consequences for their informal caregivers. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 251-258. | 3.1 | 22 |
| 82 | Patterns of care for chronic patients after the Italian psychiatric reform. A longitudinal case register study. <i>Social Science and Medicine</i> , 1990, 31, 815-822. | 3.8 | 21 |
| 83 | Information systems for mental health. <i>Epidemiologia E Psichiatria Sociale</i> , 2009, 18, 1-4. | 0.9 | 21 |
| 84 | Rationale and design of an independent randomised controlled trial evaluating the effectiveness of aripiprazole or haloperidol in combination with clozapine for treatment-resistant schizophrenia. <i>Trials</i> , 2009, 10, 31. | 1.6 | 21 |
| 85 | Dissimilarity-based detection of schizophrenia. <i>International Journal of Imaging Systems and Technology</i> , 2011, 21, 179-192. | 4.1 | 21 |
| 86 | Comprehensive Community Care without Long Stay Beds in Mental Hospitals: Trends from an Italian Good Practice Area. <i>Canadian Journal of Psychiatry</i> , 1993, 38, 187-194. | 1.9 | 20 |
| 87 | Identification and management of depression in primary care settings. A meta-review of evidence. <i>Epidemiology and Psychiatric Sciences</i> , 2006, 15, 276-283. | 3.9 | 19 |
| 88 | What happens to patients seen only once by psychiatric services? Findings from a follow-up study. <i>Psychiatry Research</i> , 2008, 157, 53-65. | 3.3 | 19 |
| 89 | Laterality effects in schizophrenia and bipolar disorder. <i>Experimental Brain Research</i> , 2010, 201, 339-344. | 1.5 | 19 |
| 90 | Community Mental Health Care in the Future. <i>Journal of Nervous and Mental Disease</i> , 2014, 202, 507-512. | 1.0 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Determinants of once-only contact in a community-based psychiatric service. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 50-56. | 3.1 | 18 |
| 92 | Positive symptoms in first-episode psychosis patients experiencing low maternal care and stressful life events: a pilot study to explore the role of the COMT gene. <i>Stress</i> , 2014, 17, 410-415. | 1.8 | 17 |
| 93 | The impact of schizophrenia on frontal perfusion parameters: a DSC-MRI study. <i>Journal of Neural Transmission</i> , 2011, 118, 563-570. | 2.8 | 16 |
| 94 | The demand for extramural psychiatric intervention in a community-based Service. <i>European Archives of Psychiatry and Neurological Sciences</i> , 1989, 238, 220-224. | 0.9 | 15 |
| 95 | To what extent do mental health services meet patients's needs and provide satisfactory care?. <i>Current Opinion in Psychiatry</i> , 2002, 15, 193-199. | 6.3 | 15 |
| 96 | Adverse effects of antipsychotic drugs: survey of doctors's versus patients's perspective. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 157-164. | 3.1 | 15 |
| 97 | White matter microstructure alterations in bipolar disorder. <i>Functional Neurology</i> , 2012, 27, 29-34. | 1.3 | 14 |
| 98 | Heterogeneity of the Departments of Mental Health in the Veneto Region ten years after the National Plan 1994-96 for Mental Health. Which implication for clinical practice? Findings from the PICOS Project. <i>Epidemiologia E Psichiatria Sociale</i> , 2007, 16, 59-70. | 0.9 | 13 |
| 99 | Lessons from Community Mental Health to Drive Implementation in Health Care Systems for People with Long-Term Conditions. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 4714-4728. | 2.6 | 13 |
| 100 | Case management or assertive community treatment: are they really alternative approaches?. <i>Epidemiologia E Psichiatria Sociale</i> , 2008, 17, 93-98. | 0.9 | 12 |
| 101 | Measuring the treatment environment of a psychiatric ward and a community mental health center after the Italian reform. <i>Community Mental Health Journal</i> , 1990, 26, 193-204. | 2.0 | 11 |
| 102 | Using health production functions to evaluate treatment effectiveness: an application to a community mental health service. <i>Health Economics (United Kingdom)</i> , 2000, 9, 373-383. | 1.7 | 11 |
| 103 | Do we still need psychiatric case registers?. <i>Acta Psychiatrica Scandinavica</i> , 2000, 101, 253-255. | 4.5 | 10 |
| 104 | Drug treatment modalities in psychiatric inpatient practice. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2005, 255, 136-142. | 3.2 | 10 |
| 105 | Implications of long-term conditions for both mental and physical health: comparison of rheumatoid arthritis and schizophrenia. <i>Quality of Life Research</i> , 2009, 18, 699-707. | 3.1 | 10 |
| 106 | Long-term monitoring and evaluation of a new system of community-based psychiatric care. Integrating research, teaching and practice at the University of Verona. <i>Annali Dell'Istituto Superiore Di Sanita</i> , 2009, 45, 43-53. | 0.4 | 10 |
| 107 | Confronti e prospettive nella utilizzazione dei Registri Psichiatrici dei Casi. <i>Epidemiologia E Psichiatria Sociale</i> , 1992, 1, 133-148. | 0.9 | 9 |
| 108 | Evaluating costs of mental illness in Italy. The development of a methodology and possible applications. <i>Epidemiologia E Psichiatria Sociale</i> , 1995, 4, 145-162. | 0.9 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 109 | Proposal for a new funding system for mental health departments. Results from an evaluative multicentre Italian study (I-psycost). <i>Epidemiology and Psychiatric Sciences</i> , 2006, 15, 295-306. | 3.9 | 9 |
| 110 | Lo studio internazionale multicentrico dell'Organizzazione Mondiale della Sanit  sui disturbi psichici nella medicina generale: risultati relativi all'area di Verona. <i>Epidemiologia E Psichiatria Sociale</i> , 1995, 4, 27-50. | 0.9 | 8 |
| 111 | Psychiatric Out-Patients Seen Once Only in South Verona and Western Australia: A Comparative Case-Register Study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005, 39, 414-422. | 2.3 | 8 |
| 112 | Antidepressant and antipsychotic drug prescribing in Lombardy. <i>Epidemiologia E Psichiatria Sociale</i> , 2006, 15, 59-70. | 0.9 | 8 |
| 113 | Acute in-patient care in modern, community-based mental health services. Where and how?. <i>Epidemiology and Psychiatric Sciences</i> , 2010, 19, 275-281. | 3.9 | 8 |
| 114 | Multidimensional assessment of outcome in psychiatry: the use of graphical displays. The South-Verona Project 2. <i>International Journal of Methods in Psychiatric Research</i> , 1998, 7, 186-198. | 2.1 | 7 |
| 115 | Development of a registry for monitoring psychotropic drug prescriptions: aims, methods and implications for ordinary practice and research. <i>International Journal of Methods in Psychiatric Research</i> , 2005, 14, 151-157. | 2.1 | 7 |
| 116 | Alternatives to standard acute in-patient care for people with mental disorders: from systematic description to evaluative research. <i>British Journal of Psychiatry</i> , 2010, 197, s1-s3. | 2.8 | 7 |
| 117 | Cost-effectiveness of adherence therapy versus health education for people with schizophrenia: randomised controlled trial in four European countries. <i>Cost Effectiveness and Resource Allocation</i> , 2013, 11, 12. | 1.5 | 7 |
| 118 | The EPSILON Study - a study of care for people with schizophrenia in five European centres. <i>World Psychiatry</i> , 2002, 1, 45-7. | 10.4 | 7 |
| 119 | The iceberg tip and the rest. Mental health care for people with schizophrenia in five European centres. <i>Epidemiologia E Psichiatria Sociale</i> , 2002, 11, 6-11. | 0.9 | 6 |
| 120 | Understanding antipsychotic non-classical prescriptions: a quantitative and qualitative approach. <i>Epidemiologia E Psichiatria Sociale</i> , 2008, 17, 236-241. | 0.9 | 6 |
| 121 | ICAP. An interview for collecting data for the evaluation of psychiatric care costs. <i>Epidemiologia E Psichiatria Sociale</i> , 1996, 5, 201-205. | 0.9 | 5 |
| 122 | Detection and management of mental distress and psychiatric disorders in primary care settings. <i>Epidemiologia E Psichiatria Sociale</i> , 1999, 8, 92-104. | 0.9 | 5 |
| 123 | Mortality among people with mental disorders. <i>Epidemiologia E Psichiatria Sociale</i> , 2010, 19, 1-3. | 0.9 | 5 |
| 124 | Biomarker Evaluation by Multiple Kernel Learning for Schizophrenia Detection. , 2012, , . | | 5 |
| 125 | Psychiatric case registers for monitoring service utilisation and evaluating its costs. <i>Epidemiologia E Psichiatria Sociale Monograph Supplement</i> , 1997, 6, 177-198. | 0.0 | 4 |
| 126 | The conduct of successful multi-site EU collaborative research: the Epsilon Study. <i>Epidemiologia E Psichiatria Sociale</i> , 2002, 11, 2-5. | 0.9 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Psychiatric Units in general hospitals. Problems and perspectives in Europe. <i>Epidemiologia E Psichiatria Sociale</i> , 2006, 15, 85-90. | 0.9 | 4 |
| 128 | People centred mental health care. The interplay between the individual perspective and the broader health care context. <i>Epidemiology and Psychiatric Sciences</i> , 2012, 21, 125-129. | 3.9 | 4 |
| 129 | Factors associated with clinicians's dispositions in an out-patient psychiatric department. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 832-840. | 3.1 | 3 |
| 130 | An empirical method to identify patterns in the course of psychotic episodes of people with schizophrenia. <i>International Journal of Methods in Psychiatric Research</i> , 2009, 18, 265-278. | 2.1 | 3 |
| 131 | Association between the COMT gene and neurological abnormalities and poorer executive function in psychosis. <i>Psychiatry Research</i> , 2015, 230, 742-743. | 3.3 | 2 |
| 132 | Psychiatric out-patients seen once only in South Verona and Western Australia: a comparative case-register study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005, 39, 414-422. | 2.3 | 2 |
| 133 | Italian Psychiatric Care. <i>Journal of the Royal Society of Medicine</i> , 1990, 83, 476-477. | 2.0 | 1 |
| 134 | The history and development of community psychiatry. <i>European Psychiatry</i> , 1998, 13, 179s-179s. | 0.2 | 1 |
| 135 | Psychiatric Reform in Italy: Implications for the Treatment of Long-Term Schizophrenic Patients. <i>International Perspectives Series: Psychiatry, Psychology, and Neurosciences</i> , 1990, , 315-329. | 0.2 | 1 |
| 136 | A Localized MKL Method for Brain Classification with Known Intra-class Variability. <i>Lecture Notes in Computer Science</i> , 2012, , 152-159. | 1.3 | 1 |
| 137 | Heat Diffusion Based Dissimilarity Analysis for Schizophrenia Classification. <i>Lecture Notes in Computer Science</i> , 2011, , 306-317. | 1.3 | 1 |
| 138 | Stagionalità, condizioni lavorative e suicidio in Italia. Una rassegna delle ricerche epidemiologiche più recenti. <i>Epidemiologia E Psichiatria Sociale</i> , 1992, 1, 191-197. | 0.9 | 0 |
| 139 | The psychiatrist as archaeologist and architect. <i>Advances in Psychiatric Treatment</i> , 2001, 7, 81-82. | 0.5 | 0 |
| 140 | The implications of epidemiology for service planning in schizophrenia. , 2002, , 411-426. | | 0 |
| 141 | Die EPSILON-Studie: Versorgung von Patienten mit Schizophrenie in fünf europäischen Zentren. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2002, 10, 72-94. | 1.6 | 0 |
| 142 | Beginning the journey. , 2008, , 1-4. | | 0 |
| 143 | Mental health of the population and care in the community. , 2008, , 5-18. | | 0 |
| 144 | The historical context. , 2008, , 19-30. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | The ethical base for mental health care. , 2008, , 31-48. | | 0 |
| 146 | The evidence base for mental health care. , 2008, , 49-70. | | 0 |
| 147 | The geographical dimension:., 2008, , 111-120. | | 0 |
| 148 | The time dimension: the process phase. , 0, , 129-140. | | 0 |
| 149 | The time dimension:., 2008, , 141-152. | | 0 |
| 150 | Community psychiatry and service delivery models. , 2008, , 498-514. | | 0 |
| 151 | Neurological soft signs and prepulse inhibition of the startle reflex in psychosis: A pilot study. International Journal of Psychiatry in Clinical Practice, 2015, 19, 276-284. | 2.4 | 0 |