

Michele Tansella

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11743646/publications.pdf>

Version: 2024-02-01

151
papers

6,915
citations

53794

45
h-index

69250

77
g-index

154
all docs

154
docs citations

154
times ranked

6423
citing authors

#	ARTICLE	IF	CITATIONS
1	Neurological soft signs and prepulse inhibition of the startle reflex in psychosis: A pilot study. <i>International Journal of Psychiatry in Clinical Practice</i> , 2015, 19, 276-284.	2.4	0
2	Association between the COMT gene and neurological abnormalities and poorer executive function in psychosis. <i>Psychiatry Research</i> , 2015, 230, 742-743.	3.3	2
3	Positive symptoms in first-episode psychosis patients experiencing low maternal care and stressful life events: a pilot study to explore the role of the COMT gene. <i>Stress</i> , 2014, 17, 410-415.	1.8	17
4	Community Mental Health Care in the Future. <i>Journal of Nervous and Mental Disease</i> , 2014, 202, 507-512.	1.0	19
5	First-contact incidence of psychosis in north-eastern Italy: influence of age, gender, immigration and socioeconomic deprivation. <i>British Journal of Psychiatry</i> , 2014, 205, 127-134.	2.8	49
6	Lessons from Community Mental Health to Drive Implementation in Health Care Systems for People with Long-Term Conditions. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 4714-4728.	2.6	13
7	Cost-effectiveness of adherence therapy versus health education for people with schizophrenia: randomised controlled trial in four European countries. <i>Cost Effectiveness and Resource Allocation</i> , 2013, 11, 12.	1.5	7
8	The impact of cannabis use on age of onset and clinical characteristics in first-episode psychotic patients. Data from the Psychosis Incident Cohort Outcome Study (PICOS). <i>Journal of Psychiatric Research</i> , 2013, 47, 438-444.	3.1	65
9	Schizophrenia severity, social functioning and hippocampal neuroanatomy: three-dimensional mapping study. <i>British Journal of Psychiatry</i> , 2013, 202, 50-55.	2.8	49
10	Prediction of community mental health service utilization by individual and ecological level socio-economic factors. <i>Psychiatry Research</i> , 2013, 209, 691-698.	3.3	25
11	The balanced care model: the case for both hospital- and community-based mental healthcare. <i>British Journal of Psychiatry</i> , 2013, 202, 246-248.	2.8	75
12	People centred mental health care. The interplay between the individual perspective and the broader health care context. <i>Epidemiology and Psychiatric Sciences</i> , 2012, 21, 125-129.	3.9	4
13	Is Neuregulin 1 Involved in Determining Cerebral Volumes in Schizophrenia Preliminary Results Showing a Decrease in Superior Temporal Gyrus Volume. <i>Neuropsychobiology</i> , 2012, 65, 119-125.	1.9	26
14	Enlarged hypothalamic volumes in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2012, 204, 75-81.	1.8	38
15	Burnout, compassion fatigue, and compassion satisfaction among staff in community-based mental health services. <i>Psychiatry Research</i> , 2012, 200, 933-938.	3.3	134
16	Biomarker Evaluation by Multiple Kernel Learning for Schizophrenia Detection. , 2012, , .		5
17	State of psychiatry in Italy 35 years after psychiatric reform. A critical appraisal of national and local data. <i>International Review of Psychiatry</i> , 2012, 24, 314-320.	2.8	28
18	Thalamic-insular dysconnectivity in schizophrenia: Evidence from structural equation modeling. <i>Human Brain Mapping</i> , 2012, 33, 740-752.	3.6	44

#	ARTICLE	IF	CITATIONS
19	Adverse effects of antipsychotic drugs: survey of doctorsâ€™ versus patientsâ€™ perspective. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 157-164.	3.1	15
20	A Localized MKL Method for Brain Classification with Known Intra-class Variability. <i>Lecture Notes in Computer Science</i> , 2012, , 152-159.	1.3	1
21	White matter microstructure alterations in bipolar disorder. <i>Functional Neurology</i> , 2012, 27, 29-34.	1.3	14
22	Effect of COMT genotype on aggressive behaviour in a community cohort of schizophrenic patients. <i>Neuroscience Letters</i> , 2011, 495, 17-21.	2.1	31
23	Aripiprazole Versus Haloperidol in Combination With Clozapine for Treatment-Resistant Schizophrenia in Routine Clinical Care. <i>Journal of Clinical Psychopharmacology</i> , 2011, 31, 266-273.	1.4	33
24	The impact of schizophrenia on frontal perfusion parameters: a DSC-MRI study. <i>Journal of Neural Transmission</i> , 2011, 118, 563-570.	2.8	16
25	Dissimilarityâ€based detection of schizophrenia. <i>International Journal of Imaging Systems and Technology</i> , 2011, 21, 179-192.	4.1	21
26	Heat Diffusion Based Dissimilarity Analysis for Schizophrenia Classification. <i>Lecture Notes in Computer Science</i> , 2011, , 306-317.	1.3	1
27	Laterality effects in schizophrenia and bipolar disorder. <i>Experimental Brain Research</i> , 2010, 201, 339-344.	1.5	19
28	Alternatives to standard acute in-patient care for people with mental disorders: from systematic description to evaluative research. <i>British Journal of Psychiatry</i> , 2010, 197, s1-s3.	2.8	7
29	Mortality among people with mental disorders. <i>Epidemiologia E Psichiatria Sociale</i> , 2010, 19, 1-3.	0.9	5
30	Acute in-patient care in modern, community-based mental health services. Where and how?. <i>Epidemiology and Psychiatric Sciences</i> , 2010, 19, 275-281.	3.9	8
31	Comparison of Patient and Clinician Perspectives in the Assessment of Antipsychotic Medication Adherence. <i>Psychopathology</i> , 2009, 42, 311-317.	1.5	28
32	Influence of perceived organisational factors on job burnout: survey of community mental health staff. <i>British Journal of Psychiatry</i> , 2009, 195, 537-544.	2.8	154
33	Information systems for mental health. <i>Epidemiologia E Psichiatria Sociale</i> , 2009, 18, 1-4.	0.9	21
34	An empirical method to identify patterns in the course of psychotic episodes of people with schizophrenia. <i>International Journal of Methods in Psychiatric Research</i> , 2009, 18, 265-278.	2.1	3
35	Implications of long-term conditions for both mental and physical health: comparison of rheumatoid arthritis and schizophrenia. <i>Quality of Life Research</i> , 2009, 18, 699-707.	3.1	10
36	Rationale and design of an independent randomised controlled trial evaluating the effectiveness of aripiprazole or haloperidol in combination with clozapine for treatment-resistant schizophrenia. <i>Trials</i> , 2009, 10, 31.	1.6	21

#	ARTICLE	IF	CITATIONS
37	Brain structural changes associated with chronicity and antipsychotic treatment in schizophrenia. <i>European Neuropsychopharmacology</i> , 2009, 19, 835-840.	0.7	58
38	Course of adherence to medication and quality of life in people with schizophrenia. <i>Psychiatry Research</i> , 2009, 165, 224-233.	3.3	24
39	Caring for people with depression or with schizophrenia: Are the consequences different?. <i>Psychiatry Research</i> , 2009, 169, 62-69.	3.3	45
40	DTI studies of corpus callosum in bipolar disorder. <i>Biochemical Society Transactions</i> , 2009, 37, 1096-1098.	3.4	67
41	Implementation science: understanding the translation of evidence into practice. <i>British Journal of Psychiatry</i> , 2009, 195, 283-285.	2.8	130
42	Long-term monitoring and evaluation of a new system of community-based psychiatric care. Integrating research, teaching and practice at the University of Verona. <i>Annali Dell'Istituto Superiore Di Sanita</i> , 2009, 45, 43-53.	0.4	10
43	Decreased entorhinal cortex volumes in schizophrenia. <i>Schizophrenia Research</i> , 2008, 102, 171-180.	2.0	67
44	What happens to patients seen only once by psychiatric services? Findings from a follow-up study. <i>Psychiatry Research</i> , 2008, 157, 53-65.	3.3	19
45	Understanding antipsychotic non-classical prescriptions: a quantitative and qualitative approach. <i>Epidemiologia E Psichiatria Sociale</i> , 2008, 17, 236-241.	0.9	6
46	Case management or assertive community treatment: are they really alternative approaches?. <i>Epidemiologia E Psichiatria Sociale</i> , 2008, 17, 93-98.	0.9	12
47	Steps, challenges and lessons in developing community mental health care. <i>World Psychiatry</i> , 2008, 7, 87-92.	10.4	45
48	Is the Defined Daily Dose system a reliable tool for standardizing antipsychotic dosages?. <i>International Clinical Psychopharmacology</i> , 2008, 23, 287-290.	1.7	74
49	Assessment of Medication Adherence in Patients With Schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2008, 196, 274-281.	1.0	46
50	Beginning the journey.. , 2008, , 1-4.		0
51	Mental health of the population and care in the community. , 2008, , 5-18.		0
52	The historical context. , 2008, , 19-30.		0
53	The ethical base for mental health care. , 2008, , 31-48.		0
54	The evidence base for mental health care. , 2008, , 49-70.		0

#	ARTICLE	IF	CITATIONS
55	The geographical dimension.: , 2008, , 111-120.		0
56	The time dimension.: , 2008, , 141-152.		0
57	Community psychiatry and service delivery models. , 2008, , 498-514.		0
58	Heterogeneity of the Departments of Mental Health in the Veneto Region ten years after the National Plan 1994-96 for Mental Health. Which implication for clinical practice? Findings from the PICOS Project. <i>Epidemiologia E Psichiatria Sociale</i> , 2007, 16, 59-70.	0.9	13
59	The role of white matter for the pathophysiology of schizophrenia. <i>International Review of Psychiatry</i> , 2007, 19, 459-468.	2.8	26
60	Association study of dysbindin gene with clinical and outcome measures in a representative cohort of Italian schizophrenic patients. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 647-659.	1.7	45
61	Cerebral atrophy and white matter disruption in chronic schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007, 257, 3-11.	3.2	32
62	Seven criteria for improving effectiveness trials in psychiatry. <i>Psychological Medicine</i> , 2006, 36, 711.	4.5	36
63	Persistence with polypharmacy and excessive dosing in patients with schizophrenia treated in four European countries. <i>International Clinical Psychopharmacology</i> , 2006, 21, 355-362.	1.7	73
64	Adherence therapy for people with schizophrenia. <i>British Journal of Psychiatry</i> , 2006, 189, 508-514.	2.8	155
65	Factors associated with clinicians's dispositions in an out-patient psychiatric department. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 832-840.	3.1	3
66	Proposal for a new funding system for mental health departments. Results from an evaluative multicentre Italian study (I-psycost). <i>Epidemiology and Psychiatric Sciences</i> , 2006, 15, 295-306.	3.9	9
67	Identification and management of depression in primary care settings. A meta-review of evidence. <i>Epidemiology and Psychiatric Sciences</i> , 2006, 15, 276-283.	3.9	19
68	Psychiatric Units in general hospitals. Problems and perspectives in Europe. <i>Epidemiologia E Psichiatria Sociale</i> , 2006, 15, 85-90.	0.9	4
69	Antidepressant and antipsychotic drug prescribing in Lombardy. <i>Epidemiologia E Psichiatria Sociale</i> , 2006, 15, 59-70.	0.9	8
70	Sex Differences in the Subjective Tolerability of Antipsychotic Drugs. <i>Journal of Clinical Psychopharmacology</i> , 2005, 25, 521-526.	1.4	61
71	Changes and predictors of change in objective and subjective quality of life. <i>British Journal of Psychiatry</i> , 2005, 187, 121-130.	2.8	101
72	A census-based socio-economic status (SES) index as a tool to examine the relationship between mental health services use and deprivation. <i>Social Science and Medicine</i> , 2005, 61, 2096-2105.	3.8	43

#	ARTICLE	IF	CITATIONS
73	Development of a registry for monitoring psychotropic drug prescriptions: aims, methods and implications for ordinary practice and research. <i>International Journal of Methods in Psychiatric Research</i> , 2005, 14, 151-157.	2.1	7
74	Determinants of once-only contact in a community-based psychiatric service. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 50-56.	3.1	18
75	Drug treatment modalities in psychiatric inpatient practice. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2005, 255, 136-142.	3.2	10
76	Does Additional Care Provided by a Consumer Self-Help Group Improve Psychiatric Outcome? A Study in an Italian Community-based Psychiatric Service. <i>Community Mental Health Journal</i> , 2005, 41, 705-720.	2.0	32
77	Listening to patients' needs to improve their subjective quality of life. <i>Psychological Medicine</i> , 2005, 35, 1655-1665.	4.5	100
78	Growing recognition of the importance of service user involvement in mental health service planning and evaluation. <i>Epidemiologia E Psichiatria Sociale</i> , 2005, 14, 1-3.	0.9	163
79	Psychiatric Out-Patients Seen Once Only in South Verona and Western Australia: A Comparative Case-Register Study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005, 39, 414-422.	2.3	8
80	Factor solution of the BPRS-expanded version in schizophrenic outpatients living in five European countries. <i>Schizophrenia Research</i> , 2005, 75, 107-117.	2.0	76
81	Investigation of corpus callosum in schizophrenia with diffusion imaging. <i>Schizophrenia Research</i> , 2005, 79, 201-210.	2.0	68
82	Psychiatric out-patients seen once only in South Verona and Western Australia: a comparative case-register study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005, 39, 414-422.	2.3	2
83	Heterogeneity of outcomes in schizophrenia. <i>British Journal of Psychiatry</i> , 2004, 184, 48-57.	2.8	40
84	Does Meeting Needs Improve Quality of Life?. <i>Psychotherapy and Psychosomatics</i> , 2004, 73, 183-189.	8.8	120
85	Demographic, clinical, social and service variables associated with higher needs for care in community psychiatric service patients. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 60-68.	3.1	45
86	Needs for care of patients with schizophrenia and the consequences for their informal caregivers. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 251-258.	3.1	22
87	Effect of Second-Generation Antipsychotics on Employment and Productivity in Individuals with Schizophrenia. <i>Pharmacoeconomics</i> , 2004, 22, 701-718.	3.3	34
88	The personal impact of schizophrenia in Europe. <i>Schizophrenia Research</i> , 2004, 69, 125-132.	2.0	174
89	The Reliability of the Mini-International Neuropsychiatric Interview-Italian Version. <i>Journal of Clinical Psychopharmacology</i> , 2004, 24, 561-563.	1.4	74
90	Components of a modern mental health service: a pragmatic balance of community and hospital care. <i>British Journal of Psychiatry</i> , 2004, 185, 283-290.	2.8	352

#	ARTICLE	IF	CITATIONS
91	Varying and "atypical" indications for atypical antipsychotics. <i>Psychopharmacology</i> , 2003, 169, 205-206.	3.1	22
92	Satisfaction With Mental Health Services Among People With Schizophrenia in Five European Sites: Results From the EPSILON Study. <i>Schizophrenia Bulletin</i> , 2003, 29, 229-245.	4.3	89
93	People With Schizophrenia in Five Countries: Conceptual Similarities and Intercultural Differences in Family Caregiving. <i>Schizophrenia Bulletin</i> , 2003, 29, 573-586.	4.3	78
94	Clinical interventions for treatment non-adherence in psychosis: Meta-analysis. <i>British Journal of Psychiatry</i> , 2003, 183, 197-206.	2.8	155
95	Describing, explaining or predicting mental health care costs: a guide to regression models. <i>British Journal of Psychiatry</i> , 2003, 183, 398-404.	2.8	76
96	Integrating evaluative research and community-based mental health care in Verona, Italy. <i>British Journal of Psychiatry</i> , 2003, 183, 167-169.	2.8	56
97	The conduct of successful multi-site EU collaborative research: the Epsilon Study. <i>Epidemiologia E Psichiatria Sociale</i> , 2002, 11, 2-5.	0.9	4
98	The iceberg tip and the rest. Mental health care for people with schizophrenia in five European centres. <i>Epidemiologia E Psichiatria Sociale</i> , 2002, 11, 6-11.	0.9	6
99	Dropping out of care: inappropriate terminations of contact with community-based psychiatric services. <i>British Journal of Psychiatry</i> , 2002, 181, 331-338.	2.8	89
100	Does Community Care Decrease Length of Stay and Risk of Rehospitalization in New Patients With Schizophrenia Disorders? A Comparative Case Register Study in Groningen, the Netherlands; Victoria, Australia; and South Verona, Italy. <i>Schizophrenia Bulletin</i> , 2002, 28, 273-281.	4.3	51
101	To what extent do mental health services meet patients' needs and provide satisfactory care?. <i>Current Opinion in Psychiatry</i> , 2002, 15, 193-199.	6.3	15
102	Gender differences in living with schizophrenia. A cross-sectional European multi-site study. <i>Schizophrenia Research</i> , 2002, 57, 191-200.	2.0	41
103	The implications of epidemiology for service planning in schizophrenia. , 2002, , 411-426.		0
104	Identification of depression by medical and surgical general hospital physicians. <i>General Hospital Psychiatry</i> , 2002, 24, 4-11.	2.4	43
105	Die EPSILON-Studie: Versorgung von Patienten mit Schizophrenie in fünf europäischen Zentren. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2002, 10, 72-94.	1.6	0
106	Comparing patterns and costs of schizophrenia care in five European countries: the EPSILON study. <i>Acta Psychiatrica Scandinavica</i> , 2002, 105, 42-54.	4.5	105
107	The EPSILON Study - a study of care for people with schizophrenia in five European centres. <i>World Psychiatry</i> , 2002, 1, 45-7.	10.4	7
108	Balancing community-based and hospital-based mental health care. <i>World Psychiatry</i> , 2002, 1, 84-90.	10.4	71

#	ARTICLE	IF	CITATIONS
109	The psychiatrist as archaeologist and architect. <i>Advances in Psychiatric Treatment</i> , 2001, 7, 81-82.	0.5	0
110	A comparison of needs of patients with schizophrenia in five European countries: the EPSILON Study. <i>Acta Psychiatrica Scandinavica</i> , 2001, 103, 370-379.	4.5	75
111	Aims, outcome measures, study sites and patient sample. <i>British Journal of Psychiatry</i> , 2000, 177, s1-s7.	2.8	34
112	Development, internal consistency and reliability of the Verona Service Satisfaction Scale " European Version. <i>British Journal of Psychiatry</i> , 2000, 177, s41-s48.	2.8	96
113	Using health production functions to evaluate treatment effectiveness: an application to a community mental health service. <i>Health Economics (United Kingdom)</i> , 2000, 9, 373-383.	1.7	11
114	Do we still need psychiatric case registers?. <i>Acta Psychiatrica Scandinavica</i> , 2000, 101, 253-255.	4.5	10
115	Definition and prevalence of severe and persistent mental illness. <i>British Journal of Psychiatry</i> , 2000, 177, 149-155.	2.8	414
116	Detection and management of mental distress and psychiatric disorders in primary care settings. <i>Epidemiologia E Psichiatria Sociale</i> , 1999, 8, 92-104.	0.9	5
117	Prevalence and 12-month outcome of threshold and subthreshold mental disorders in primary care. <i>Journal of Affective Disorders</i> , 1999, 56, 37-48.	4.1	81
118	Two-phase epidemiological surveys in psychiatric research. <i>British Journal of Psychiatry</i> , 1999, 174, 95-100.	2.8	258
119	Translating ethical principles into outcome measures for mental health service research. <i>Psychological Medicine</i> , 1999, 29, 761-767.	4.5	38
120	The EPSILON study of schizophrenia in five European countries. <i>British Journal of Psychiatry</i> , 1999, 175, 514-521.	2.8	70
121	Multidimensional assessment of outcome in psychiatry: the use of graphical displays. The South-Verona Project 2. <i>International Journal of Methods in Psychiatric Research</i> , 1998, 7, 186-198.	2.1	7
122	The history and development of community psychiatry. <i>European Psychiatry</i> , 1998, 13, 179s-179s.	0.2	1
123	A conceptual framework for mental health services: the matrix model. <i>Psychological Medicine</i> , 1998, 28, 503-508.	4.5	103
124	Psychiatric case registers for monitoring service utilisation and evaluating its costs. <i>Epidemiologia E Psichiatria Sociale Monograph Supplement</i> , 1997, 6, 177-198.	0.0	4
125	Identification of psychiatric distress by primary care physicians. <i>General Hospital Psychiatry</i> , 1997, 19, 411-418.	2.4	35
126	Psychosocial factors and physical illness in primary care: Promoting the biopsychosocial model in medical practice. <i>Journal of Psychosomatic Research</i> , 1996, 40, 351-358.	2.6	28

#	ARTICLE	IF	CITATIONS
127	ICAP. An interview for collecting data for the evaluation of psychiatric care costs. <i>Epidemiologia E Psichiatria Sociale</i> , 1996, 5, 201-205.	0.9	5
128	Evaluating costs of mental illness in Italy. The development of a methodology and possible applications. <i>Epidemiologia E Psichiatria Sociale</i> , 1995, 4, 145-162.	0.9	9
129	Episodes of Care for First-Ever Psychiatric Patients a Long-Term Case-Register Evaluation in a Mainly Urban Area. <i>British Journal of Psychiatry</i> , 1995, 167, 220-227.	2.8	67
130	Mortality Among Patients with Psychiatric Illness a Ten-Year Case Register Study in an Area with a Community-based System of Care. <i>British Journal of Psychiatry</i> , 1995, 166, 783-788.	2.8	76
131	A Comparison of Community-Based Care for Schizophrenia in South Verona and South Manchester. <i>British Journal of Psychiatry</i> , 1995, 166, 344-352.	2.8	34
132	Lo studio internazionale multicentrico dell'Organizzazione Mondiale della Sanit� sui disturbi psichici nella medicina generale: risultati relativi all'area di Verona. <i>Epidemiologia E Psichiatria Sociale</i> , 1995, 4, 27-50.	0.9	8
133	Validity and test-retest reliability of the italian version of the 12-item General Health Questionnaire in general practice: A comparison between three scoring methods. <i>Comprehensive Psychiatry</i> , 1993, 34, 198-205.	3.1	238
134	Comprehensive Community Care without Long Stay Beds in Mental Hospitals: Trends from an Italian Good Practice Area. <i>Canadian Journal of Psychiatry</i> , 1993, 38, 187-194.	1.9	20
135	Urban�rural differences in the associations between social deprivation and psychiatric service utilization in schizophrenia and all diagnoses: a case-register study in Northern Italy. <i>Psychological Medicine</i> , 1993, 23, 487-496.	4.5	100
136	Confronti e prospettive nella utilizzazione dei Registri Psichiatrici dei Casi. <i>Epidemiologia E Psichiatria Sociale</i> , 1992, 1, 133-148.	0.9	9
137	Stagionalit�, condizioni lavorative e suicidio in Italia. Una rassegna delle ricerche epidemiologiche pi� recenti. <i>Epidemiologia E Psichiatria Sociale</i> , 1992, 1, 191-197.	0.9	0
138	Patterns of care for chronic patients after the Italian psychiatric reform. A longitudinal case register study. <i>Social Science and Medicine</i> , 1990, 31, 815-822.	3.8	21
139	Excess mortality by natural causes of italian schizophrenic patients. <i>European Archives of Psychiatry and Neurological Sciences</i> , 1990, 239, 361-365.	0.9	34
140	Measuring the treatment environment of a psychiatric ward and a community mental health center after the Italian reform. <i>Community Mental Health Journal</i> , 1990, 26, 193-204.	2.0	11
141	Italian Psychiatric Care. <i>Journal of the Royal Society of Medicine</i> , 1990, 83, 476-477.	2.0	1
142	Psychiatric Reform in Italy: Implications for the Treatment of Long-Term Schizophrenic Patients. <i>International Perspectives Series: Psychiatry, Psychology, and Neurosciences</i> , 1990, , 315-329.	0.2	1
143	Mobility of schizophrenic patients, non-psychotic patients and the general population in a case register area. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1989, 24, 271-274.	3.1	24
144	The demand for extramural psychiatric intervention in a community-based Service. <i>European Archives of Psychiatry and Neurological Sciences</i> , 1989, 238, 220-224.	0.9	15

#	ARTICLE	IF	CITATIONS
145	The spectrum of psychiatric morbidity in a defined geographical area. Psychological Medicine, 1989, 19, 765-770.	4.5	33
146	Seasonal variation in suicide: is there a sex difference?. Psychological Medicine, 1989, 19, 199-203.	4.5	76
147	Long-Stay and Long-Term Psychiatric Patients in an Area With a Community-Based System of Care. a Register Follow-Up Study. International Journal of Social Psychiatry, 1987, 33, 251-262.	3.1	37
148	The Italian experience and its implications. Psychological Medicine, 1987, 17, 283-289.	4.5	114
149	Suicide and the Italian psychiatric reform: An appraisal of two data collection systems. European Archives of Psychiatry and Neurological Sciences, 1987, 236, 237-240.	0.9	26
150	Psychotropic drug use in Italy: national trends and regional differences. Psychological Medicine, 1986, 16, 841-850.	4.5	22
151	The time dimension: the process phase. , 0, , 129-140.		0