

Hannah Woolhouse

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11745435/publications.pdf>

Version: 2024-02-01

25
papers

985
citations

516710

16
h-index

580821

25
g-index

25
all docs

25
docs citations

25
times ranked

1247
citing authors

#	ARTICLE	IF	CITATIONS
1	Physical health after childbirth and maternal depression in the first 12 months post partum: Results of an Australian nulliparous pregnancy cohort study. <i>Midwifery</i> , 2014, 30, 378-384.	2.3	168
2	Seeking help for anxiety and depression after childbirth: results of the Maternal Health Study. <i>Archives of Women's Mental Health</i> , 2009, 12, 75-83.	2.6	123
3	The emotional"behavioural functioning of children exposed to maternal depressive symptoms across pregnancy and early childhood: a prospective Australian pregnancy cohort study. <i>European Child and Adolescent Psychiatry</i> , 2015, 24, 1233-1244.	4.7	104
4	Women’s experiences of sex and intimacy after childbirth: making the adjustment to motherhood. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2012, 33, 185-190.	2.1	65
5	Maternal depression from pregnancy to 4&Ayears postpartum and emotional/behavioural difficulties in children: results from a prospective pregnancy cohort study. <i>Archives of Women's Mental Health</i> , 2016, 19, 141-151.	2.6	51
6	Adding Mindfulness to CBT Programs for Binge Eating: A Mixed-Methods Evaluation. <i>Eating Disorders</i> , 2012, 20, 321-339.	3.0	46
7	Consultation about Sexual Health Issues in the Year after Childbirth: A Cohort Study. <i>Birth</i> , 2015, 42, 354-361.	2.2	46
8	Physical Health and Recovery in the First 18&AMonths Postpartum: Does Cesarean Section Reduce Long–Term Morbidity?. <i>Birth</i> , 2012, 39, 221-229.	2.2	44
9	The Case for Early Intervention to Reduce the Impact of Intimate Partner Abuse on Child Outcomes: Results of an Australian Cohort of First–Time Mothers. <i>Birth</i> , 2014, 41, 374-383.	2.2	36
10	Maternal depressive symptoms at three months postpartum and breastfeeding rates at six months postpartum: Implications for primary care in a prospective cohort study of primiparous women in Australia. <i>Women and Birth</i> , 2016, 29, 381-387.	2.0	35
11	"I didn’t know it was possible to feel that tired": exploring the complex bidirectional associations between maternal depressive symptoms and fatigue in a prospective pregnancy cohort study. <i>Archives of Women's Mental Health</i> , 2016, 19, 25-34.	2.6	30
12	Sexual pleasure and emotional satisfaction in the first 18 months after childbirth. <i>Midwifery</i> , 2017, 55, 60-66.	2.3	28
13	Physical, sexual and social health factors associated with the trajectories of maternal depressive symptoms from pregnancy to 4&Ayears postpartum. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 815-828.	3.1	28
14	Changes to sexual and intimate relationships in the postnatal period: women’s experiences with health professionals. <i>Australian Journal of Primary Health</i> , 2014, 20, 298.	0.9	26
15	Maternal depression and physical health problems in early pregnancy: Findings of an Australian nulliparous pregnancy cohort study. <i>Midwifery</i> , 2013, 29, 233-239.	2.3	23
16	Mothers’ Experiences of Parenting Within the Context of Intimate Partner Violence: Unique Challenges and Resilience. <i>Journal of Interpersonal Violence</i> , 2021, 36, 10564-10587.	2.0	20
17	Intimate partner violence and maternal mental health ten years after a first birth: An Australian prospective cohort study of first-time mothers. <i>Journal of Affective Disorders</i> , 2020, 262, 247-257.	4.1	19
18	Differentiating maternal fatigue and depressive symptoms at six months and four years post partum: Considerations for assessment, diagnosis and intervention. <i>Midwifery</i> , 2015, 31, 316-322.	2.3	18

#	ARTICLE	IF	CITATIONS
19	Promoting resilience and wellbeing in children exposed to intimate partner violence: A qualitative study with mothers. <i>Child Abuse and Neglect</i> , 2019, 95, 104039.	2.6	16
20	Physical and mental health of women exposed to intimate partner violence in the 10 years after having their first child: an Australian prospective cohort study of first-time mothers. <i>BMJ Open</i> , 2020, 10, e040891.	1.9	16
21	Emotional and behavioral resilience among children of first-time mothers with and without depression across the early childhood period. <i>International Journal of Behavioral Development</i> , 2018, 42, 214-224.	2.4	14
22	The maternal health study: Study design update for a prospective cohort of first-time mothers and their firstborn children from birth to age ten. <i>Paediatric and Perinatal Epidemiology</i> , 2021, 35, 612-625.	1.7	11
23	Frequency of Time for Self-Isolation is a Significant Predictor of Postnatal Depressive Symptoms: Results from a Prospective Pregnancy Cohort Study. <i>Birth</i> , 2016, 43, 58-67.	2.2	9
24	Resumption of sex after a second birth: An Australian prospective cohort. <i>Birth</i> , 2019, 46, 173-181.	2.2	5
25	Psychotropic medication use and intimate partner violence at 4 years postpartum: Results from an Australian pregnancy cohort study. <i>Journal of Affective Disorders</i> , 2019, 251, 71-77.	4.1	4