
Afsie Sabokbar

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11755547/publications.pdf Version: 2024-02-01



AFSIE SABOKBAD

#	Article	lF	CITATIONS
1	Translocator Protein as an Imaging Marker of Macrophage and Stromal Activation in Rheumatoid Arthritis Pannus. Journal of Nuclear Medicine, 2018, 59, 1125-1132.	5.0	46
2	O41 Predisposition of RA monocytes/macrophages to a pro-inflammatory phenotype through down-regulation of mitochondrial translocator protein. Rheumatology, 2018, 57, .	1.9	0
3	Periostin expression in neoplastic and non-neoplastic diseases of bone and joint. Clinical Sarcoma Research, 2018, 8, 18.	2.3	13
4	ls vascular endothelial growth factor a useful biomarker in giant cell arteritis?. RMD Open, 2017, 3, e000353.	3.8	12
5	Co-expression of DKK-1 and Sclerostin in Subchondral Bone of the Proximal Femoral Heads from Osteoarthritic Hips. Calcified Tissue International, 2017, 100, 609-618.	3.1	5
6	The macrophage marker translocator protein (TSPO) is down-regulated on pro-inflammatory â€~M1' human macrophages. PLoS ONE, 2017, 12, e0185767.	2.5	59
7	Role of LIGHT in the pathogenesis of joint destruction in rheumatoid arthritis. World Journal of Experimental Medicine, 2017, 7, 49.	1.7	7
8	In vitrotwo-dimensional and three-dimensional tenocyte culture for tendon tissue engineering. Journal of Tissue Engineering and Regenerative Medicine, 2016, 10, E216-E226.	2.7	20
9	25-Hydroxy- and 1α,25-Dihydroxycholecalciferol Have Greater Potencies than 25-Hydroxy- and 1α,25-Dihydroxyergocalciferol in Modulating Cultured Human and Mouse Osteoblast Activities. PLoS ONE, 2016, 11, e0165462.	2.5	13
10	Development of a refined tenocyte expansion culture technique for tendon tissue engineering. Journal of Tissue Engineering and Regenerative Medicine, 2014, 8, 955-962.	2.7	22
11	Cellular and molecular mechanisms of bone damage and repair in inflammatory arthritis. Drug Discovery Today, 2014, 19, 1178-1185.	6.4	6
12	Development of a Refined Tenocyte Differentiation Culture Technique for Tendon Tissue Engineering. Cells Tissues Organs, 2013, 197, 27-36.	2.3	22
13	Proliferation and differentiation of human tenocytes in response to platelet rich plasma: An in vitro and in vivo study. Journal of Orthopaedic Research, 2012, 30, 982-990.	2.3	63
14	TSGâ€6 inhibits osteoclast activity via an autocrine mechanism and is functionally synergistic with osteoprotegerin. Arthritis and Rheumatism, 2011, 63, 1034-1043.	6.7	46
15	Improved human tenocyte proliferation and differentiation <i>in vitro</i> by optimized silk degumming. Biomedical Materials (Bristol), 2011, 6, 035010.	3.3	19
16	Role of the A20-TRAF6 Axis in Lipopolysaccharide-mediated Osteoclastogenesis. Journal of Biological Chemistry, 2011, 286, 3242-3249.	3.4	51
17	Interleukin-32 Promotes Osteoclast Differentiation but Not Osteoclast Activation. PLoS ONE, 2009, 4, e4173.	2.5	81
18	Stimulation of osteoclast formation by inflammatory synovial fluid. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2006, 449, 69-77.	2.8	19

AFSIE SABOKBAR

#	Article	IF	CITATIONS
19	Expression and function of TNF-family proteins and receptors in human osteoblastsâ~†. Bone, 2003, 33, 760-770.	2.9	85
20	Proinflammatory cytokine (TNFα/ILâ€1α) induction of human osteoclast formation. Journal of Pathology, 2002, 198, 220-227.	4.5	221
21	Macrophage-osteoclast differentiation and bone resorption in osteoarthrotic subchondral acetabular cysts. Acta Orthopaedica, 2000, 71, 255-261.	1.4	40
22	1,25-Dihydroxyvitamin D3 and Prostaglandin E2 Act Directly on Circulating Human Osteoclast Precursors. Biochemical and Biophysical Research Communications, 1999, 264, 590-595.	2.1	50