

Abdalla Rifai

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11758250/publications.pdf>

Version: 2024-02-01

31
papers

1,110
citations

430874

18
h-index

477307

29
g-index

31
all docs

31
docs citations

31
times ranked

1073
citing authors

#	ARTICLE	IF	CITATIONS
1	The N-Glycans Determine the Differential Blood Clearance and Hepatic Uptake of Human Immunoglobulin (Ig)α1 and Igα2 Isotypes. <i>Journal of Experimental Medicine</i> , 2000, 191, 2171-2182.	8.5	144
2	Hepatocyte Growth Factor Ameliorates Renal Interstitial Inflammation in Rat Remnant Kidney by Modulating Tubular Expression of Macrophage Chemoattractant Protein-1 and RANTES. <i>Journal of the American Society of Nephrology: JASN</i> , 2004, 15, 2868-2881.	6.1	99
3	Hepatocyte Growth Factor Suppresses Proinflammatory NFκB Activation through GSK3β Inactivation in Renal Tubular Epithelial Cells. <i>Journal of Biological Chemistry</i> , 2008, 283, 7401-7410.	3.4	89
4	Hepatocyte Growth Factor Modulates Matrix Metalloproteinases and Plasminogen Activator/Plasmin Proteolytic Pathways in Progressive Renal Interstitial Fibrosis. <i>Journal of the American Society of Nephrology: JASN</i> , 2003, 14, 3047-3060.	6.1	88
5	Anti-Inflammatory Effect of Hepatocyte Growth Factor in Chronic Kidney Disease: Targeting the Inflamed Vascular Endothelium. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 2464-2473.	6.1	83
6	Candesartan suppresses chronic renal inflammation by a novel antioxidant action independent of AT1R blockade. <i>Kidney International</i> , 2008, 74, 1128-1138.	5.2	74
7	Hepatocyte growth factor ameliorates progression of interstitial fibrosis in rats with established renal injury. <i>Kidney International</i> , 2004, 65, 409-419.	5.2	66
8	Extrarenal cytokines modulate the glomerular response to IgA immune complexes. <i>Kidney International</i> , 1992, 42, 341-353.	5.2	65
9	Phenotypic characterization of cytokine expression in patients with IgA nephropathy. <i>Journal of Clinical Immunology</i> , 1997, 17, 396-402.	3.8	59
10	Experimental models for IgA-associated nephritis. <i>Kidney International</i> , 1987, 31, 1-7.	5.2	44
11	Complement activation in experimental IgA nephropathy: An antigen-mediated process. <i>Kidney International</i> , 1987, 32, 838-844.	5.2	41
12	Characterization and Evaluation of Detoxification Functions of a Nontumorigenic Immortalized Porcine Hepatocyte Cell Line (HepLiu). <i>Cell Transplantation</i> , 1999, 8, 219-232.	2.5	37
13	Profiling the adult human liver transcriptome: analysis by cDNA array hybridization. <i>Journal of Hepatology</i> , 2001, 35, 178-186.	3.7	35
14	Activation of PI3K/ Akt/ GSK3β pathway mediates hepatocyte growth factor inhibition of RANTES expression in renal tubular epithelial cells. <i>Biochemical and Biophysical Research Communications</i> , 2005, 330, 27-33.	2.1	35
15	Comprehensive gene expression profile of the adult human renal cortex: Analysis by cDNA array hybridization. <i>Kidney International</i> , 2000, 57, 1452-1459.	5.2	32
16	Composition of IgA immune complexes precipitated with polyethylene glycol. <i>Journal of Immunological Methods</i> , 1987, 103, 239-245.	1.4	21
17	Stable, soluble, model immune complexes made with a versatile multivalent affinity-labeling antigen. <i>Biochemistry</i> , 1982, 21, 301-308.	2.5	19
18	Increase of HLA-DR-positive natural killer cells in peripheral blood from patients with IgA nephropathy. <i>Human Immunology</i> , 1996, 49, 64-70.	2.4	19

#	ARTICLE	IF	CITATIONS
19	Preparation of phosphorylcholine-conjugated antigens. Journal of Immunological Methods, 1986, 94, 25-30.	1.4	18
20	Experimental IgA Nephropathy1. Contributions To Nephrology, 1984, 40, 37-44.	1.1	11
21	Characteristics of Nephritogenic IgA Immune Complexes. American Journal of Kidney Diseases, 1988, 12, 402-405.	1.9	11
22	Genomic repertoire of human mesangial cells: comprehensive analysis of gene expression by cDNA array hybridization. Nephrology, 2000, 5, 215-223.	1.6	8
23	THE CLEARANCE KINETICS AND HEPATIC LOCALIZATION OF IgA-IMMUNE COMPLEXES IN MICE. Annals of the New York Academy of Sciences, 1983, 409, 861-863.	3.8	2
24	Profiling the IgA nephropathy renal transcriptome: analysis by complementary DNA array hybridization. Nephrology, 2002, 7, S140-S144.	1.6	2
25	IgA nephropathy and mesangial cell proliferation: shared global gene expression profiles. Nephrology, 2002, 7, S106-S113.	1.6	2
26	Profiling the IgA nephropathy renal transcriptome: analysis by complementary DNA array hybridization. Nephrology, 2002, 7, S140.	1.6	2
27	IgA Immune Complexes and Disease: An Experimental Perspective. Pathology and Immunopathology Research, 1986, 5, 278-285.	0.8	1
28	Immunopathogenesis of experimental IgA nephropathy. Seminars in Immunopathology, 1994, 16, 81-95.	4.0	1
29	IgA nephropathy and mesangial cell proliferation: shared global gene expression profiles. Nephrology, 2002, 7, S106.	1.6	1
30	Pathogenesis of IgA Immune Complex-Mediated Glomerulonephritis. , 1991, , 996-1003.		1
31	Platelet derived growth factor-D may be a possible therapeutic target for advanced IgA nephropathy. Nephrology, 2005, 10, A439-A439.	1.6	0