

Katja Wingenfeld

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1176281/publications.pdf>

Version: 2024-02-01

165
papers

7,142
citations

81900

39
h-index

74163

75
g-index

175
all docs

175
docs citations

175
times ranked

8842
citing authors

#	ARTICLE	IF	CITATIONS
1	Noradrenergic activation induced by yohimbine decreases interoceptive accuracy in healthy individuals with childhood adversity. <i>Development and Psychopathology</i> , 2022, 34, 1013-1024.	2.3	7
2	False Memory in Posttraumatic Stress Disorder and Borderline Personality Disorder. <i>Psychiatry Research</i> , 2022, , 114547.	3.3	0
3	Brain mineralocorticoid receptor in health and disease: From molecular signalling to cognitive and emotional function. <i>British Journal of Pharmacology</i> , 2022, 179, 3205-3219.	5.4	20
4	Intranasal oxytocin administration impacts the acquisition and consolidation of trauma-associated memories: a double-blind randomized placebo-controlled experimental study in healthy women. <i>Neuropsychopharmacology</i> , 2022, 47, 1046-1054.	5.4	7
5	Patients' Perspectives on Artificial Intelligence in Dentistry: A Controlled Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 2143.	2.4	8
6	No influence of mineralocorticoid and glutamatergic NMDA receptor stimulation on spatial learning and memory in individuals with major depression. <i>Journal of Psychiatric Research</i> , 2022, 152, 97-103.	3.1	0
7	Migration-related emotional distress among Vietnamese psychiatric patients in Germany: An interdisciplinary, mixed methods study. <i>Transcultural Psychiatry</i> , 2021, 58, 772-788.	1.6	4
8	Facial emotion recognition in borderline patients is unaffected by acute psychosocial stress. <i>Journal of Psychiatric Research</i> , 2021, 132, 131-135.	3.1	8
9	Association between childhood trauma and brain anatomy in women with post-traumatic stress disorder, women with borderline personality disorder, and healthy women. <i>HÅgre Utbildning</i> , 2021, 12, 1959706.	3.0	2
10	Psychosocial stress increases testosterone in patients with borderline personality disorder, post-traumatic stress disorder and healthy participants. <i>Borderline Personality Disorder and Emotion Dysregulation</i> , 2021, 8, 3.	2.6	12
11	Mindfulness-based group therapy for in-patients with schizophrenia spectrum disorders – Feasibility, acceptability, and preliminary outcomes of a rater-blinded randomized controlled trial. <i>Schizophrenia Research</i> , 2021, 228, 134-144.	2.0	22
12	Effects of hydrocortisone and yohimbine on selective attention to emotional cues. <i>Journal of Psychopharmacology</i> , 2021, 35, 755-759.	4.0	3
13	Selective attention to emotional stimuli and emotion recognition in patients with major depression: The role of mineralocorticoid and glutamatergic NMDA receptors. <i>Journal of Psychopharmacology</i> , 2021, 35, 1017-1023.	4.0	5
14	Effects of glucocorticoid and noradrenergic activity on implicit and explicit facial emotion recognition in healthy young men. <i>Stress</i> , 2021, , 1-7.	1.8	1
15	Approach-avoidance tendencies in depression and childhood trauma: No effect of noradrenergic stimulation. <i>Comprehensive Psychoneuroendocrinology</i> , 2021, 8, 100077.	1.7	1
16	Reduced mitochondrial respiration in T cells of patients with major depressive disorder. <i>IScience</i> , 2021, 24, 103312.	4.1	14
17	Early-onset late-life depression: Association with body mass index, obesity, and treatment response. <i>Comprehensive Psychoneuroendocrinology</i> , 2021, 8, 100096.	1.7	1
18	Attentional bias in individuals with depression and adverse childhood experiences: influence of the noradrenergic system?. <i>Psychopharmacology</i> , 2021, 238, 3519-3531.	3.1	2

#	ARTICLE	IF	CITATIONS
19	Mindfulness-based group therapy for inpatients with schizophrenia spectrum disorders – feasibility, acceptability, and preliminary outcomes of a rater-blinded randomized controlled trial. <i>European Psychiatry</i> , 2021, 64, S805-S806.	0.2	0
20	Yohimbine-Induced Reactivity of Heart Rate Variability in Unmedicated Depressed Patients With and Without Adverse Childhood Experience. <i>Frontiers in Psychiatry</i> , 2021, 12, 734904.	2.6	1
21	Enhanced noradrenergic activity by yohimbine and differential fear conditioning in patients with major depression with and without adverse childhood experiences. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020, 96, 109751.	4.8	11
22	Stress effects on cognitive function in patients with major depressive disorder: Does childhood trauma play a role?. <i>Development and Psychopathology</i> , 2020, 32, 1007-1016.	2.3	7
23	Healthy women with severe early life trauma show altered neural facilitation of emotion inhibition under acute stress. <i>Psychological Medicine</i> , 2020, 50, 2075-2084.	4.5	10
24	Effects of hydrocortisone and yohimbine on decision-making under risk. <i>Psychoneuroendocrinology</i> , 2020, 114, 104589.	2.7	14
25	No association between major depression with and without childhood adversity and the stress hormone copeptin. <i>HÄggr Utbildning</i> , 2020, 11, 1837511.	3.0	0
26	Cognitive and emotional empathy after stimulation of brain mineralocorticoid and NMDA receptors in patients with major depression and healthy controls. <i>Neuropsychopharmacology</i> , 2020, 45, 2155-2161.	5.4	9
27	Blunted salivary cortisol response to psychosocial stress in women with posttraumatic stress disorder. <i>Journal of Psychiatric Research</i> , 2020, 130, 112-119.	3.1	28
28	Validation of the German Version of the Southampton Mindfulness Questionnaire (SMQ). <i>Mindfulness</i> , 2020, 11, 2219-2234.	2.8	11
29	Increased Basolateral Amygdala Functional Connectivity With Subgenual Anterior Cingulate Cortex and Fear-Related Memory Encoding in High Anxious Participants: A Premorbid Feature?. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020, 5, 256-257.	1.5	0
30	Distinct Functional Connectivity Signatures of Impaired Social Cognition in Multiple Sclerosis. <i>Frontiers in Neurology</i> , 2020, 11, 507.	2.4	21
31	Antidepressant and neurocognitive effects of serial ketamine administration versus ECT in depressed patients. <i>Journal of Psychiatric Research</i> , 2020, 123, 1-8.	3.1	41
32	Sensitivity to change and minimal clinically important difference of the 7-item Generalized Anxiety Disorder Questionnaire (GAD-7). <i>Journal of Affective Disorders</i> , 2020, 265, 395-401.	4.1	253
33	Noradrenergic system and cognitive flexibility: Disentangling the effects of depression and childhood trauma. <i>Journal of Psychiatric Research</i> , 2020, 125, 136-143.	3.1	8
34	Steroid hormone secretion after stimulation of mineralocorticoid and NMDA receptors and cardiovascular risk in patients with depression. <i>Translational Psychiatry</i> , 2020, 10, 109.	4.8	21
35	Mental Health Determinants Among a Psychiatric Outpatient Sample of Vietnamese Migrants in Germany. <i>Frontiers in Psychiatry</i> , 2020, 11, 580103.	2.6	3
36	Neural correlates of glucocorticoids effects on autobiographical memory retrieval in healthy women. <i>Behavioural Brain Research</i> , 2019, 359, 895-902.	2.2	12

#	ARTICLE	IF	CITATIONS
37	Effects of glucocorticoid and noradrenergic activity on spatial learning and spatial memory in healthy young adults. <i>Behavioural Brain Research</i> , 2019, 373, 112072.	2.2	8
38	Effects of hydrocortisone on autobiographical memory retrieval in patients with posttraumatic stress disorder and borderline personality disorder: the role of childhood trauma. <i>Neuropsychopharmacology</i> , 2019, 44, 2038-2044.	5.4	13
39	Resting-state functional connectivity after hydrocortisone administration in patients with post-traumatic stress disorder and borderline personality disorder. <i>European Neuropsychopharmacology</i> , 2019, 29, 936-946.	0.7	13
40	Influence of glucocorticoid and mineralocorticoid receptor stimulation on task switching. <i>Hormones and Behavior</i> , 2019, 109, 18-24.	2.1	5
41	Predictors of response and remission in a naturalistic inpatient sample undergoing multimodal treatment for depression. <i>Journal of Affective Disorders</i> , 2019, 252, 99-106.	4.1	10
42	Delayed effects of psychosocial stress on risk taking. <i>Stress</i> , 2019, 22, 446-454.	1.8	6
43	Psychophysiological stress response and memory in borderline personality disorder. <i>HÅrge Utbildning</i> , 2019, 10, 1568134.	3.0	25
44	Functional connectivity between prefrontal cortex and subgenual cingulate predicts antidepressant effects of ketamine. <i>European Neuropsychopharmacology</i> , 2019, 29, 501-508.	0.7	50
45	Anxiety during ketamine infusions is associated with negative treatment responses in major depressive disorder. <i>European Neuropsychopharmacology</i> , 2019, 29, 529-538.	0.7	35
46	P.035 Effects of mineralocorticoid receptor and NMDA receptor stimulation on stress hormone secretion in depressed patients and healthy individuals. <i>European Neuropsychopharmacology</i> , 2019, 29, S45-S46.	0.7	0
47	Mineralocorticoid receptor function and cognition in health and disease. <i>Psychoneuroendocrinology</i> , 2019, 105, 25-35.	2.7	31
48	Major depression and atrial natriuretic peptide: The role of adverse childhood experiences. <i>Psychoneuroendocrinology</i> , 2019, 101, 7-11.	2.7	4
49	Altered cellular immune reactivity in traumatized women with and without major depressive disorder. <i>Psychoneuroendocrinology</i> , 2019, 101, 1-6.	2.7	4
50	Lower heart rate variability at baseline is associated with more consecutive intrusive memories in an experimental distressing film paradigm. <i>World Journal of Biological Psychiatry</i> , 2019, 20, 662-667.	2.6	14
51	Heightened biological stress response during exposure to a trauma film predicts an increase in intrusive memories.. <i>Journal of Abnormal Psychology</i> , 2019, 128, 645-657.	1.9	33
52	Decision making in response to physiological and combined physiological and psychosocial stress.. <i>Behavioral Neuroscience</i> , 2019, 133, 59-67.	1.2	14
53	Emotional intelligence in patients with posttraumatic stress disorder, borderline personality disorder and healthy controls. <i>Psychiatry Research</i> , 2018, 264, 290-296.	3.3	11
54	Psychosocial stress differentially affects emotional empathy in women with borderline personality disorder and healthy controls. <i>Acta Psychiatrica Scandinavica</i> , 2018, 137, 206-215.	4.5	33

#	ARTICLE	IF	CITATIONS
55	Reduced levels of the endocannabinoid arachidonylethanolamide (AEA) in hair in patients with borderline personality disorder – a pilot study. <i>Stress</i> , 2018, 21, 366-369.	1.8	25
56	Sex effects on spatial learning but not on spatial memory retrieval in healthy young adults. <i>Behavioural Brain Research</i> , 2018, 336, 44-50.	2.2	37
57	The dexamethasone corticotropin releasing hormone test in healthy and depressed women with and without childhood adversity. <i>Psychoneuroendocrinology</i> , 2018, 87, 147-151.	2.7	7
58	Inflammatory Measures in Depressed Patients With and Without a History of Adverse Childhood Experiences. <i>Frontiers in Psychiatry</i> , 2018, 9, 610.	2.6	37
59	Pro-inflammatory Monocyte Phenotype and Cell-Specific Steroid Signaling Alterations in Unmedicated Patients With Major Depressive Disorder. <i>Frontiers in Immunology</i> , 2018, 9, 2693.	4.8	40
60	Childhood trauma and diagnosis of major depression: Association with memory and executive function. <i>Psychiatry Research</i> , 2018, 270, 880-886.	3.3	28
61	Impact of stress response systems on forced choice recognition in an experimental trauma film paradigm. <i>Neurobiology of Learning and Memory</i> , 2018, 156, 45-52.	1.9	0
62	The role of physiological arousal for self-reported emotional empathy. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2018, 214, 9-14.	2.8	20
63	Stress reactivity and its effects on subsequent food intake in depressed and healthy women with and without adverse childhood experiences. <i>Psychoneuroendocrinology</i> , 2017, 80, 122-130.	2.7	27
64	Effects of cortisol on the memory bias for emotional words? A study in patients with depression and healthy participants using the Directed Forgetting task. <i>Journal of Psychiatric Research</i> , 2017, 92, 191-198.	3.1	7
65	The effect of cortisol on autobiographical memory retrieval depends on remoteness and valence of memories. <i>Biological Psychology</i> , 2017, 123, 136-140.	2.2	6
66	Acculturation and severity of depression among first-generation Vietnamese outpatients in Germany. <i>International Journal of Social Psychiatry</i> , 2017, 63, 708-716.	3.1	15
67	Are adverse childhood experiences and depression associated with impaired glucose tolerance in females? An experimental study. <i>Journal of Psychiatric Research</i> , 2017, 95, 60-67.	3.1	7
68	Effects of mineralocorticoid-receptor stimulation on risk taking behavior in young healthy men and women. <i>Psychoneuroendocrinology</i> , 2017, 75, 132-140.	2.7	16
69	Mineralocorticoid receptor and cognitive function in major depression. <i>European Neuropsychopharmacology</i> , 2017, 27, S546-S547.	0.7	0
70	Migration-Related Stressors and Their Effect on the Severity Level and Symptom Pattern of Depression among Vietnamese in Germany. <i>Depression Research and Treatment</i> , 2017, 2017, 1-9.	1.3	10
71	Effects of mineralocorticoid receptor blockade on empathy in patients with major depressive disorder. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2016, 16, 902-910.	2.0	17
72	Stress and Memory: A Selective Review on Recent Developments in the Understanding of Stress Hormone Effects on Memory and Their Clinical Relevance. <i>Journal of Neuroendocrinology</i> , 2016, 28, .	2.6	76

#	ARTICLE	IF	CITATIONS
73	Influence of the noradrenergic system on the formation of intrusive memories in women: an experimental approach with a trauma film paradigm. <i>Psychological Medicine</i> , 2016, 46, 2523-2534.	4.5	24
74	Profiles of Childhood Trauma in Patients with Alcohol Dependence and Their Associations with Addiction-Related Problems. <i>Alcoholism: Clinical and Experimental Research</i> , 2016, 40, 543-552.	2.4	40
75	Increased hair testosterone but unaltered hair cortisol in female patients with borderline personality disorder. <i>Psychoneuroendocrinology</i> , 2016, 71, 176-179.	2.7	27
76	Mineralocorticoid receptor function in depressed patients and healthy individuals. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 71, 183-188.	4.8	8
77	Mineralocorticoid receptor stimulation effects on spatial memory in healthy young adults: A study using the virtual Morris Water Maze task. <i>Neurobiology of Learning and Memory</i> , 2016, 136, 139-146.	1.9	14
78	Impact of exogenous cortisol on the formation of intrusive memories in healthy women. <i>Journal of Psychiatric Research</i> , 2016, 83, 71-78.	3.1	17
79	Selective attention to emotional cues and emotion recognition in healthy subjects: the role of mineralocorticoid receptor stimulation. <i>Psychopharmacology</i> , 2016, 233, 3405-3415.	3.1	26
80	Association between major depression and cardiovascular risk: the role of antidepressant medication. <i>Psychopharmacology</i> , 2016, 233, 3289-3295.	3.1	12
81	Does cortisol modulate emotion recognition and empathy?. <i>Psychoneuroendocrinology</i> , 2016, 66, 221-227.	2.7	48
82	The Role of Fludrocortisone in Cognition and Mood in Patients with Primary Adrenal Insufficiency (Addison's Disease). <i>Neuroendocrinology</i> , 2016, 103, 315-320.	2.5	18
83	Effects of hydrocortisone on false memory recognition in healthy men and women.. <i>Behavioral Neuroscience</i> , 2016, 130, 635-642.	1.2	3
84	Minimization of Childhood Maltreatment Is Common and Consequential: Results from a Large, Multinational Sample Using the Childhood Trauma Questionnaire. <i>PLoS ONE</i> , 2016, 11, e0146058.	2.5	129
85	No effects of hydrocortisone and dexamethasone on pain sensitivity in healthy individuals. <i>European Journal of Pain</i> , 2015, 19, 834-841.	2.8	10
86	Effects of mineralocorticoid receptor stimulation via fludrocortisone on memory in women with borderline personality disorder. <i>Neurobiology of Learning and Memory</i> , 2015, 120, 94-100.	1.9	12
87	Cognitive function in patients with primary adrenal insufficiency (Addison's disease). <i>Psychoneuroendocrinology</i> , 2015, 55, 1-7.	2.7	28
88	Steroid Regulation of T Cell Function Appears Unaltered in Borderline Personality Disorder. <i>Journal of Personality Disorders</i> , 2015, 29, 241-247.	1.4	5
89	Stimulation of the mineralocorticoid receptor improves memory in young and elderly healthy individuals. <i>Neurobiology of Aging</i> , 2015, 36, 919-924.	3.1	31
90	Cognitive function in older adults with major depression: Effects of mineralocorticoid receptor stimulation. <i>Journal of Psychiatric Research</i> , 2015, 69, 120-125.	3.1	27

#	ARTICLE	IF	CITATIONS
91	Factorial Validity of the Short Form of the Childhood Trauma Questionnaire (CTQ-SF) in German Psychiatric Patients, Inmates, and University Students. <i>Psychological Reports</i> , 2015, 116, 685-703.	1.7	17
92	Volume of hippocampal substructures in borderline personality disorder. <i>Psychiatry Research - Neuroimaging</i> , 2015, 231, 218-226.	1.8	16
93	Does fludrocortisone influence autobiographical memory retrieval? A study in patients with major depression, patients with borderline personality disorder and healthy controls. <i>Stress</i> , 2015, 18, 718-722.	1.8	8
94	Higher HPA axis activity in healthy participants compared to depressed patients after MR blockade: Evidence for attenuated MR function in depression. <i>Psychoneuroendocrinology</i> , 2015, 61, 54.	2.7	1
95	Effect of current and lifetime posttraumatic stress disorder on 24-h urinary catecholamines and cortisol: Results from the Mind Your Heart Study. <i>Psychoneuroendocrinology</i> , 2015, 52, 83-91.	2.7	72
96	Hair cortisol and cortisol awakening response are associated with criteria of the metabolic syndrome in opposite directions. <i>Psychoneuroendocrinology</i> , 2015, 51, 365-370.	2.7	71
97	Effects of cortisol on cognition in major depressive disorder, posttraumatic stress disorder and borderline personality disorder - 2014 Curt Richter Award Winner. <i>Psychoneuroendocrinology</i> , 2015, 51, 282-295.	2.7	72
98	Mineralocorticoid Receptor Stimulation Improves Cognitive Function and Decreases Cortisol Secretion in Depressed Patients and Healthy Individuals. <i>Neuropsychopharmacology</i> , 2015, 40, 386-393.	5.4	76
99	C-reactive protein, pre- and postdexamethasone cortisol levels in post-traumatic stress disorder. <i>Nordic Journal of Psychiatry</i> , 2014, 68, 296-299.	1.3	8
100	Enhanced Emotional Empathy after Mineralocorticoid Receptor Stimulation in Women with Borderline Personality Disorder and Healthy Women. <i>Neuropsychopharmacology</i> , 2014, 39, 1799-1804.	5.4	59
101	Psychometric functioning, socio-demographic variability of childhood maltreatment in the general population and its effects of depression. <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 387-400.	2.1	19
102	Early life stress modulates oxytocin effects on limbic system during acute psychosocial stress. <i>Social Cognitive and Affective Neuroscience</i> , 2014, 9, 1828-1835.	3.0	80
103	Subjective memory complaints and memory performance in patients with borderline personality disorder. <i>BMC Psychiatry</i> , 2014, 14, 255.	2.6	13
104	The Impact of Self-Reported Childhood Trauma on Emotion Regulation in Borderline Personality Disorder and Major Depression. <i>Journal of Trauma and Dissociation</i> , 2014, 15, 384-401.	1.9	108
105	Investigating biases of attention and memory for alcohol-related and negative words in alcohol-dependents with and without major depression after day-clinic treatment. <i>Psychiatry Research</i> , 2014, 218, 311-318.	3.3	16
106	Noradrenergic blockade and memory in patients with major depression and healthy participants. <i>Psychoneuroendocrinology</i> , 2014, 40, 86-90.	2.7	20
107	Stress, Memory, and the Hippocampus. <i>Frontiers of Neurology and Neuroscience</i> , 2014, 34, 109-120.	2.8	103
108	Work-related behaviour and experience patterns of nurses in different professional stages and settings compared to physicians in Germany. <i>International Journal of Mental Health Nursing</i> , 2013, 22, 180-189.	3.8	20

#	ARTICLE	IF	CITATIONS
109	Association Between Childhood Trauma and Low Hair Cortisol in Depressed Patients and Healthy Control Subjects. <i>Biological Psychiatry</i> , 2013, 74, e15-e17.	1.3	83
110	Gender-specific association between childhood trauma and rheumatoid arthritis: A caseâ€“control study. <i>Journal of Psychosomatic Research</i> , 2013, 74, 296-300.	2.6	40
111	Acute glucocorticoid effects on response inhibition in borderline personality disorder. <i>Psychoneuroendocrinology</i> , 2013, 38, 2780-2788.	2.7	19
112	False memories and memory confidence in borderline patients. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2013, 44, 376-380.	1.2	8
113	Effects of noradrenergic stimulation on memory in patients with major depressive disorder. <i>Stress</i> , 2013, 16, 191-201.	1.8	23
114	Effects of acute cortisol administration on response inhibition in patients with major depression and healthy controls. <i>Psychiatry Research</i> , 2013, 209, 439-446.	3.3	25
115	Hair testosterone and visuospatial memory in middle-aged men and women with and without depressive symptoms. <i>Psychoneuroendocrinology</i> , 2013, 38, 2373-2377.	2.7	17
116	Effects of cortisol on memory in women with borderline personality disorder: role of co-morbid post-traumatic stress disorder and major depression. <i>Psychological Medicine</i> , 2013, 43, 495-505.	4.5	33
117	Memory Bias for Emotional and Illness-Related Words in Patients with Depression, Anxiety and Somatization Disorders: An Investigation with the Directed Forgetting Task. <i>Psychopathology</i> , 2013, 46, 22-27.	1.5	20
118	Association between cortisol awakening response and memory function in major depression. <i>Psychological Medicine</i> , 2013, 43, 2255-2263.	4.5	27
119	Cortisol effects on autobiographic memory retrieval in PTSD: an analysis of word valence and time until retrieval. <i>Stress</i> , 2013, 16, 581-586.	1.8	14
120	The individualized alcohol Stroop task: No attentional bias toward personalized stimuli in alcohol-dependents.. <i>Psychology of Addictive Behaviors</i> , 2013, 27, 62-70.	2.1	19
121	Childhood Trauma in Multiple Sclerosis. <i>Psychosomatic Medicine</i> , 2012, 74, 312-318.	2.0	49
122	Associations of childhood trauma with hypothalamic-pituitary-adrenal function in borderline personality disorder and major depression. <i>Psychoneuroendocrinology</i> , 2012, 37, 1659-1668.	2.7	82
123	Increased peripheral NF- κ B pathway activity in women with childhood abuse-related posttraumatic stress disorder. <i>Brain, Behavior, and Immunity</i> , 2012, 26, 13-17.	4.1	159
124	Cortisol has enhancing, rather than impairing effects on memory retrieval in PTSD. <i>Psychoneuroendocrinology</i> , 2012, 37, 1048-1056.	2.7	44
125	Normal mindâ€“reading capacity but higher response confidence in borderline personality disorder patients. <i>Psychiatry and Clinical Neurosciences</i> , 2012, 66, 322-327.	1.8	76
126	Psychotic-like cognitive biases in borderline personality disorder. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2011, 42, 349-354.	1.2	49

#	ARTICLE	IF	CITATIONS
127	Impact of childhood trauma, alexithymia, dissociation, and emotion suppression on emotional Stroop task. <i>Journal of Psychosomatic Research</i> , 2011, 70, 53-58.	2.6	28
128	HPA Axis Alterations in Mental Disorders: Impact on Memory and its Relevance for Therapeutic Interventions. <i>CNS Neuroscience and Therapeutics</i> , 2011, 17, 714-722.	3.9	85
129	Selective Attention in Depression. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 696-702.	1.0	10
130	Work-related behaviour and experience pattern in nurses: impact on physical and mental health. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2011, 18, 411-417.	2.1	52
131	Associations of childhood trauma, trauma in adulthood and previous-year stress with psychopathology in patients with major depression and borderline personality disorder. <i>Child Abuse and Neglect</i> , 2011, 35, 647-654.	2.6	38
132	Hydrocortisone impairs working memory in healthy humans, but not in patients with major depressive disorder. <i>Psychopharmacology</i> , 2011, 215, 71-79.	3.1	44
133	Working memory performance and cognitive flexibility after dexamethasone or hydrocortisone administration in healthy volunteers. <i>Psychopharmacology</i> , 2011, 217, 323-329.	3.1	23
134	Cognitive correlates of hypothalamic-pituitary-adrenal axis in major depression. <i>Expert Review of Endocrinology and Metabolism</i> , 2011, 6, 109-126.	2.4	27
135	Trauma Exposure and Posttraumatic Stress Disorder in Primary Care Patients. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 304-312.	2.2	30
136	Effects of Acute Hydrocortisone Administration on Declarative Memory in Patients With Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 1644-1650.	2.2	26
137	Patients With Borderline Personality Disorder and Major Depressive Disorder Are Not Distinguishable by Their Neuropsychological Performance. <i>primary care companion for CNS disorders, The</i> , 2011, 13, .	0.6	6
138	Effects of acute cortisol administration on autobiographical memory in patients with major depression and healthy controls. <i>Psychoneuroendocrinology</i> , 2010, 35, 316-320.	2.7	52
139	Borderline personality disorder: Hypothalamus pituitary adrenal axis and findings from neuroimaging studies. <i>Psychoneuroendocrinology</i> , 2010, 35, 154-170.	2.7	102
140	A 4-item measure of depression and anxiety: Validation and standardization of the Patient Health Questionnaire-4 (PHQ-4) in the general population. <i>Journal of Affective Disorders</i> , 2010, 122, 86-95.	4.1	1,581
141	The diurnal course of salivary alpha-amylase in nurses: An investigation of potential confounders and associations with stress. <i>Biological Psychology</i> , 2010, 85, 179-181.	2.2	54
142	The impact of neutral and emotionally negative distraction on memory performance and its relation to memory complaints in major depression. <i>Psychiatry Research</i> , 2010, 178, 106-111.	3.3	26
143	Salivary Cortisol Release and Hypothalamic Pituitary Adrenal Axis Feedback Sensitivity in Fibromyalgia Is Associated With Depression But Not With Pain. <i>Journal of Pain</i> , 2010, 11, 1195-1202.	1.4	45
144	One-year functional magnetic resonance imaging follow-up study of neural activation during the recall of unresolved negative life events in borderline personality disorder. <i>Psychological Medicine</i> , 2009, 39, 507-516.	4.5	17

#	ARTICLE	IF	CITATIONS
145	Complex Post-Traumatic Stress Disorder in Patients with Somatization Disorder. Australian and New Zealand Journal of Psychiatry, 2009, 43, 80-86.	2.3	19
146	Attentional Bias to Personally Relevant Words in Borderline Personality Disorder is Strongly Related to Comorbid Posttraumatic Stress Disorder. Journal of Personality Disorders, 2009, 23, 141-155.	1.4	48
147	Neural correlates of episodic and semantic memory retrieval in borderline personality disorder: An fMRI study. Psychiatry Research - Neuroimaging, 2009, 171, 94-105.	1.8	23
148	Neural correlates of the individual emotional Stroop in borderline personality disorder. Psychoneuroendocrinology, 2009, 34, 571-586.	2.7	95
149	Elevated diurnal salivary cortisol in nurses is associated with burnout but not with vital exhaustion. Psychoneuroendocrinology, 2009, 34, 1144-1151.	2.7	38
150	Autobiographical memory and language use: linguistic analyses of critical life event narratives in a non-clinical population. Applied Cognitive Psychology, 2009, 23, 278-287.	1.6	6
151	Effort-reward imbalance and burnout among German nurses in medical compared with psychiatric hospital settings. Journal of Psychiatric and Mental Health Nursing, 2009, 16, 225-233.	2.1	81
152	Relationship between coping with negative life events and psychopathology: Major depression and borderline personality disorder. Psychology and Psychotherapy: Theory, Research and Practice, 2009, 82, 421-425.	2.5	19
153	Emotion-induced memory dysfunction in borderline personality disorder. Cognitive Neuropsychiatry, 2009, 14, 524-541.	1.3	22
154	HPA axis reactivity in chronic pelvic pain: association with depression. Journal of Psychosomatic Obstetrics and Gynaecology, 2009, 30, 282-286.	2.1	15
155	HPA Axis Reactivity and Lymphocyte Glucocorticoid Sensitivity in Fibromyalgia Syndrome and Chronic Pelvic Pain. Psychosomatic Medicine, 2008, 70, 65-72.	2.0	92
156	The low-dose dexamethasone suppression test in fibromyalgia. Journal of Psychosomatic Research, 2007, 62, 85-91.	2.6	61
157	Overnight urinary cortisol release in women with borderline personality disorder depends on comorbid PTSD and depressive psychopathology. European Psychiatry, 2007, 22, 309-312.	0.2	37
158	Stability of the dexamethasone suppression test in borderline personality disorder with and without comorbid PTSD: A one-year follow-up study. Journal of Clinical Psychology, 2007, 63, 843-850.	1.9	16
159	Dexamethasone suppression test in borderline personality disorder: Impact of PTSD symptoms. Psychiatry and Clinical Neurosciences, 2007, 61, 681-683.	1.8	23
160	Habituierten oder sensitivieren Patienten mit Alkoholabhängigkeit an suchtassoziierte Stimuli?. Zeitschrift für Neuropsychologie = Journal of Neuropsychology, 2007, 18, 101-110.	0.6	1
161	Attention Bias towards Personally Relevant Stimuli: The Individual Emotional Stroop Task. Psychological Reports, 2006, 99, 781-793.	1.7	24
162	Functional MRI correlates of the recall of unresolved life events in borderline personality disorder. Psychological Medicine, 2006, 36, 845-856.	4.5	91

#	ARTICLE	IF	CITATIONS
163	Assessing Learning With and Without Interference. Zeitschrift für Neuropsychologie = Journal of Neuropsychology, 2006, 17, 219-223.	0.6	2
164	ATTENTION BIAS TOWARDS PERSONALLY RELEVANT STIMULI: THE INDIVIDUAL EMOTIONAL STROOP TASK. Psychological Reports, 2006, 99, 781.	1.7	12
165	Dexamethasone suppression test in borderline personality disorder – effects of posttraumatic stress disorder. Psychoneuroendocrinology, 2005, 30, 919-923.	2.7	49