

Reindert Graaff

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11762995/publications.pdf>

Version: 2024-02-01

30
papers

2,007
citations

394421

19
h-index

477307

29
g-index

30
all docs

30
docs citations

30
times ranked

1638
citing authors

#	ARTICLE	IF	CITATIONS
1	Skin autofluorescence predicts new cardiovascular disease and mortality in people with type 2 diabetes. <i>BMC Endocrine Disorders</i> , 2021, 21, 14.	2.2	19
2	Skin autofluorescence predicts incident type 2 diabetes, cardiovascular disease and mortality in the general population. <i>Diabetologia</i> , 2019, 62, 269-280.	6.3	73
3	Skin Autofluorescence, a Measure of Cumulative Metabolic Stress and Advanced Glycation End Products, Decreases During the Summer in Dialysis Patients. <i>Artificial Organs</i> , 2019, 43, 173-180.	1.9	5
4	Skin advanced glycation end products in HIV infection are increased and predictive of development of cardiovascular events. <i>Aids</i> , 2017, 31, 241-246.	2.2	8
5	Skin autofluorescence, a non-invasive biomarker for advanced glycation end products, is associated with the metabolic syndrome and its individual components. <i>Diabetology and Metabolic Syndrome</i> , 2017, 9, 42.	2.7	37
6	Skin- and Plasma autofluorescence in hemodialysis with glucose-free or glucose-containing dialysate. <i>BMC Nephrology</i> , 2017, 18, 5.	1.8	7
7	The association between various smoking behaviors, cotinine biomarkers and skin autofluorescence, a marker for advanced glycation end product accumulation. <i>PLoS ONE</i> , 2017, 12, e0179330.	2.5	30
8	Lifestyle and clinical determinants of skin autofluorescence in a population-based cohort study. <i>European Journal of Clinical Investigation</i> , 2016, 46, 481-490.	3.4	53
9	Comparing Changes in Plasma and Skin Autofluorescence in Low-Flux versus High-Flux Hemodialysis. <i>International Journal of Artificial Organs</i> , 2015, 38, 488-493.	1.4	8
10	Skin Autofluorescence and Complications of Diabetes: Does Ethnic Background or Skin Color Matter?. <i>Diabetes Technology and Therapeutics</i> , 2015, 17, 88-95.	4.4	12
11	Skin and Plasma Autofluorescence During Hemodialysis: A Pilot Study. <i>Artificial Organs</i> , 2014, 38, 515-518.	1.9	18
12	Advanced glycation end-products and skin autofluorescence in end-stage renal disease: a review. <i>Clinical Chemistry and Laboratory Medicine</i> , 2014, 52, 11-20.	2.3	85
13	GWAS identifies an NAT2 acetylator status tag single nucleotide polymorphism to be a major locus for skin fluorescence. <i>Diabetologia</i> , 2014, 57, 1623-1634.	6.3	32
14	Increase in Skin Autofluorescence and Release of Heart-Type Fatty Acid Binding Protein in Plasma Predicts Mortality of Hemodialysis Patients. <i>Artificial Organs</i> , 2013, 37, E114-E122.	1.9	29
15	Skin autofluorescence is inversely related to HDL anti-oxidative capacity in type 2 diabetes mellitus. <i>Atherosclerosis</i> , 2011, 218, 102-106.	0.8	21
16	Dermal Factors Influencing Measurement of Skin Autofluorescence. <i>Diabetes Technology and Therapeutics</i> , 2011, 13, 165-170.	4.4	43
17	Skin Autofluorescence as Marker of Tissue Advanced Glycation End-Products Accumulation in Formerly Preeclamptic Women. <i>Hypertension in Pregnancy</i> , 2011, 30, 231-242.	1.1	9
18	Carotid artery intima media thickness associates with skin autofluorescence in non-diabetic subjects without clinically manifest cardiovascular disease. <i>European Journal of Clinical Investigation</i> , 2010, 40, 812-817.	3.4	37

#	ARTICLE	IF	CITATIONS
19	Does hepatitis C increase the accumulation of advanced glycation end products in haemodialysis patients?. Nephrology Dialysis Transplantation, 2010, 25, 885-891.	0.7	14
20	Skin color independent assessment of aging using skin autofluorescence. Optics Express, 2010, 18, 14416.	3.4	70
21	Skin autofluorescence is elevated in patients with stable coronary artery disease and is associated with serum levels of neopterin and the soluble receptor for advanced glycation end products. Atherosclerosis, 2008, 197, 217-223.	0.8	50
22	Skin Autofluorescence. Diabetes Care, 2008, 31, 517-521.	8.6	199
23	Normalization of vasomotion in laser Doppler perfusion monitoring. Annual International Conference of the IEEE Engineering in Medicine and Biology Society, 2007, 2007, 4076-9.	0.5	2
24	Skin Autofluorescence Is a Strong Predictor of Cardiac Mortality in Diabetes. Diabetes Care, 2007, 30, 107-112.	8.6	248
25	Skin Autofluorescence as a Noninvasive Marker of Vascular Damage in Patients With Type 2 Diabetes. Diabetes Care, 2006, 29, 2654-2659.	8.6	223
26	Skin Autofluorescence, a Novel Marker for Glycemic and Oxidative Stress-Derived Advanced Glycation Endproducts: An Overview of Current Clinical Studies, Evidence, and Limitations. Diabetes Technology and Therapeutics, 2006, 8, 523-535.	4.4	163
27	Skin autofluorescence, a marker of advanced glycation end products and oxidative stress, is increased in recently preeclamptic women. American Journal of Obstetrics and Gynecology, 2006, 195, 717-722.	1.3	19
28	Simple Noninvasive Measurement of Skin Autofluorescence. Annals of the New York Academy of Sciences, 2005, 1043, 290-298.	3.8	154
29	Skin Autofluorescence, a Measure of Cumulative Metabolic Stress and Advanced Glycation End Products, Predicts Mortality in Hemodialysis Patients. Journal of the American Society of Nephrology: JASN, 2005, 16, 3687-3693.	6.1	331
30	Instrumentation for the measurement of autofluorescence in human skin. , 2005, , .		8