

Tobias Pflugshaupt

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11763353/publications.pdf>

Version: 2024-02-01

29
papers

1,029
citations

430874

18
h-index

454955

30
g-index

30
all docs

30
docs citations

30
times ranked

1378
citing authors

#	ARTICLE	IF	CITATIONS
1	Hypervigilanceâ€“avoidance pattern in spider phobia. <i>Journal of Anxiety Disorders</i> , 2005, 19, 105-116.	3.2	142
2	Repetitive TMS over the human oculomotor cortex: Comparison of 1-Hz and theta burst stimulation. <i>Neuroscience Letters</i> , 2006, 409, 57-60.	2.1	136
3	Extending lifetime of plastic changes in the human brain. <i>European Journal of Neuroscience</i> , 2006, 24, 2961-2966.	2.6	120
4	About the role of visual field defects in pure alexia. <i>Brain</i> , 2009, 132, 1907-1917.	7.6	82
5	Theta burst stimulation in neglect after stroke: functional outcome and response variability origins. <i>Brain</i> , 2019, 142, 992-1008.	7.6	69
6	Residual oculomotor and exploratory deficits in patients with recovered hemineglect. <i>Neuropsychologia</i> , 2004, 42, 1203-1211.	1.6	48
7	When left becomes right and vice versa: Mirrored vision after cerebral hypoxia. <i>Neuropsychologia</i> , 2007, 45, 2078-2091.	1.6	38
8	Eyetracking during free visual exploration detects neglect more reliably than paper-pencil tests. <i>Cortex</i> , 2020, 129, 223-235.	2.4	34
9	One-Hertz transcranial magnetic stimulation over the frontal eye field induces lasting inhibition of saccade triggering. <i>NeuroReport</i> , 2006, 17, 273-275.	1.2	32
10	Size Matters: Saccades during Scene Perception. <i>Perception</i> , 2007, 36, 355-365.	1.2	32
11	Cortical thinning in the anterior cingulate cortex predicts multiple sclerosis patients' fluency performance in a lateralised manner. <i>NeuroImage: Clinical</i> , 2016, 10, 89-95.	2.7	31
12	Single-pulse transcranial magnetic stimulation over the frontal eye field can facilitate and inhibit saccade triggering. <i>European Journal of Neuroscience</i> , 2004, 20, 2240-2244.	2.6	25
13	To look or not to look at threat?. <i>Journal of Anxiety Disorders</i> , 2007, 21, 353-366.	3.2	25
14	The Responsiveness of the Lucerne ICF-Based Multidisciplinary Observation Scale: A Comparison with the Functional Independence Measure and the Barthel Index. <i>Frontiers in Neurology</i> , 2016, 7, 152.	2.4	25
15	Linking physiology with behaviour: Functional specialisation of the visual field is reflected in gaze patterns during visual search. <i>Vision Research</i> , 2009, 49, 237-248.	1.4	22
16	Validation of the New Lucerne ICF Based Multidisciplinary Observation Scale (LIMOS) for Stroke Patients. <i>PLoS ONE</i> , 2015, 10, e0130925.	2.5	21
17	Spatial Neglect Predicts Upper Limb Use in the Activities of Daily Living. <i>Cerebrovascular Diseases</i> , 2017, 44, 122-127.	1.7	21
18	Bottom-up Visual Integration in the Medial Parietal Lobe. <i>Cerebral Cortex</i> , 2016, 26, 943-949.	2.9	19

#	ARTICLE	IF	CITATIONS
19	Cognitive Impairment in Multiple Sclerosis: Clinical Manifestation, Neuroimaging Correlates, and Treatment. <i>Seminars in Neurology</i> , 2016, 36, 203-211.	1.4	18
20	The relevance of cortical lesions in patients with multiple sclerosis. <i>BMC Neurology</i> , 2016, 16, 204.	1.8	18
21	Oculomotor behaviour in simultanagnosia: A longitudinal case study. <i>Neuropsychologia</i> , 2005, 43, 1591-1597.	1.6	16
22	Random number generation deficits in patients with multiple sclerosis: Characteristics and neural correlates. <i>Cortex</i> , 2016, 82, 237-243.	2.4	12
23	Cortical reorganization after brain damage: the oculomotor model. <i>European Journal of Neuroscience</i> , 2006, 23, 1397-1402.	2.6	11
24	Do patients with pure alexia suffer from a specific word form processing deficit? Evidence from "words with transposed letters". <i>Neuropsychologia</i> , 2011, 49, 1294-1301.	1.6	8
25	The influence of colour on oculomotor behaviour during image perception. <i>NeuroReport</i> , 2005, 16, 1557-1560.	1.2	6
26	Pure optic ataxia and visual hemianagnosia "extending the dual visual hypothesis. <i>Journal of Neuropsychology</i> , 2018, 12, 271-290.	1.4	6
27	Can I Discharge My Stroke Patient Home After Inpatient Neurorehabilitation? LIMOS Cut-Off Scores for Stroke Patients "Living Alone" and "Living With Family". <i>Frontiers in Neurology</i> , 2020, 11, 601725.	2.4	6
28	Patient-tailored multimodal neurorehabilitation: The Lucerne model. <i>Clinical and Translational Neuroscience</i> , 2019, 3, 2514183X1987507.	0.9	2
29	Loss of exploratory vertical saccades after unilateral frontal eye field damage. <i>BMJ Case Reports</i> , 2009, 2009, bcr0820080687-bcr0820080687.	0.5	1