

Jeanette Westman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11793606/publications.pdf>

Version: 2024-02-01

25
papers

1,854
citations

567281

15
h-index

580821

25
g-index

25
all docs

25
docs citations

25
times ranked

3164
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Excess Mortality, Causes of Death and Life Expectancy in 270,770 Patients with Recent Onset of Mental Disorders in Denmark, Finland and Sweden. PLoS ONE, 2013, 8, e55176. | 2.5 | 486 |
| 2 | Outcomes of Nordic mental health systems: life expectancy of patients with mental disorders. British Journal of Psychiatry, 2011, 199, 453-458. | 2.8 | 448 |
| 3 | Life Expectancy and Death by Diseases of the Circulatory System in Patients with Bipolar Disorder or Schizophrenia in the Nordic Countries. PLoS ONE, 2013, 8, e67133. | 2.5 | 250 |
| 4 | Cardiovascular mortality in bipolar disorder: a population-based cohort study in Sweden. BMJ Open, 2013, 3, e002373. | 1.9 | 154 |
| 5 | Mortality trends in cardiovascular causes in schizophrenia, bipolar and unipolar mood disorder in Sweden 1987-2010. European Journal of Public Health, 2016, 26, 867-871. | 0.3 | 77 |
| 6 | District nurses' preventive home visits to 75-year-olds: An opportunity to identify factors related to unsafe medication management. Scandinavian Journal of Public Health, 2014, 42, 786-794. | 2.3 | 56 |
| 7 | Lithium treatment and cancer incidence in bipolar disorder. Bipolar Disorders, 2016, 18, 33-40. | 1.9 | 48 |
| 8 | Clinical effectiveness of care managers in collaborative care for patients with depression in Swedish primary health care: a pragmatic cluster randomized controlled trial. BMC Family Practice, 2018, 19, 28. | 2.9 | 46 |
| 9 | The Influences of Place of Birth and Socioeconomic Factors on Attempted Suicide in a Defined Population of 4.5 Million People. Archives of General Psychiatry, 2003, 60, 409. | 12.3 | 37 |
| 10 | Country of Birth and Suicide: A Follow-up Study of a National Cohort in Sweden. Archives of Suicide Research, 2006, 10, 239-248. | 2.3 | 37 |
| 11 | Improving insomnia in primary care patients: A randomized controlled trial of nurse-led group treatment. International Journal of Nursing Studies, 2017, 72, 30-41. | 5.6 | 34 |
| 12 | Successful deinstitutionalization of mental health care: increased life expectancy among people with mental disorders in Finland. European Journal of Public Health, 2012, 22, 604-606. | 0.3 | 21 |
| 13 | Factors associated with self-reported need for treatment of sleeping difficulties: a survey of the general Swedish population. Sleep Medicine, 2016, 22, 65-74. | 1.6 | 21 |
| 14 | Mortality trends in external causes of death in people with mental health disorders in Sweden, 1987-2010. Scandinavian Journal of Public Health, 2019, 47, 121-126. | 2.3 | 20 |
| 15 | Impact of group treatment for insomnia on daytime symptomatology: Analyses from a randomized controlled trial in primary care. International Journal of Nursing Studies, 2018, 85, 126-135. | 5.6 | 19 |
| 16 | Comparison Between the Montgomery-Asberg Depression Rating Scale "Self and the Beck Depression Inventory II in Primary Care. primary care companion for CNS disorders, The, 2015, 17, . | 0.6 | 17 |
| 17 | Cost-effectiveness of a care manager collaborative care programme for patients with depression in primary care: economic evaluation of a pragmatic randomised controlled study. BMJ Open, 2018, 8, e024741. | 1.9 | 14 |
| 18 | Creating a safety net for patients with depression in primary care; a qualitative study of care managers' experiences. Scandinavian Journal of Primary Health Care, 2018, 36, 355-362. | 1.5 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Association between history of psychosis and cardiovascular disease in bipolar disorder. <i>Bipolar Disorders</i> , 2015, 17, 518-527. | 1.9 | 12 |
| 20 | Patients' perspectives on the use of the Montgomery-Asberg depression rating scale self-assessment version in primary care. <i>Scandinavian Journal of Primary Health Care</i> , 2016, 34, 434-442. | 1.5 | 10 |
| 21 | Patients' experiences of motivation, change, and challenges in group treatment for insomnia in primary care: a focus group study. <i>BMC Family Practice</i> , 2018, 19, 111. | 2.9 | 9 |
| 22 | Care managers can be useful for patients with depression but their role must be clear: a qualitative study of GPs' experiences. <i>Scandinavian Journal of Primary Health Care</i> , 2019, 37, 273-282. | 1.5 | 9 |
| 23 | Diabetes and glucose disturbances in patients with psychosis in Sweden. <i>BMJ Open Diabetes Research and Care</i> , 2015, 3, e000120. | 2.8 | 6 |
| 24 | Outcome of a psychosocial health promotion intervention aimed at improving physical health and reducing alcohol use in patients with schizophrenia and psychotic disorders (MINT). <i>Schizophrenia Research</i> , 2019, 208, 138-144. | 2.0 | 6 |
| 25 | Cost-effectiveness of a care manager collaborative care programme for patients with depression in primary care: 12-month economic evaluation of a pragmatic randomised controlled trial. <i>Cost Effectiveness and Resource Allocation</i> , 2021, 19, 52. | 1.5 | 4 |