

Sanjay K Nigam

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11797119/publications.pdf>

Version: 2024-02-01

165
papers

12,070
citations

18482

62
h-index

28297

105
g-index

169
all docs

169
docs citations

169
times ranked

10047
citing authors

#	ARTICLE	IF	CITATIONS
1	What If Not All Metabolites from the Uremic Toxin Generating Pathways Are Toxic? A Hypothesis. <i>Toxins</i> , 2022, 14, 221.	3.4	20
2	Blockade of Organic Anion Transport in Humans After Treatment With the Drug Probenecid Leads to Major Metabolic Alterations in Plasma and Urine. <i>Clinical Pharmacology and Therapeutics</i> , 2022, 112, 653-664.	4.7	19
3	A Biological Basis for Pharmacokinetics: The Remote Sensing and Signaling Theory. <i>Clinical Pharmacology and Therapeutics</i> , 2022, 112, 456-460.	4.7	7
4	Coordinate regulation of systemic and kidney tryptophan metabolism by the drug transporters OAT1 and OAT3. <i>Journal of Biological Chemistry</i> , 2021, 296, 100575.	3.4	25
5	A key role for the transporter OAT1 in systemic lipid metabolism. <i>Journal of Biological Chemistry</i> , 2021, 296, 100603.	3.4	19
6	Renal and non-renal response of ABC and SLC transporters in chronic kidney disease. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2021, 17, 515-542.	3.3	16
7	Uremic Toxins in Organ Crosstalk. <i>Frontiers in Medicine</i> , 2021, 8, 592602.	2.6	27
8	Molecular Properties of Drugs Handled by Kidney OATs and Liver OATPs Revealed by Chemoinformatics and Machine Learning: Implications for Kidney and Liver Disease. <i>Pharmaceutics</i> , 2021, 13, 1720.	4.5	12
9	SLC22 Transporters in the Fly Renal System Regulate Response to Oxidative Stress In Vivo. <i>International Journal of Molecular Sciences</i> , 2021, 22, 13407.	4.1	8
10	Unique metabolite preferences of the drug transporters OAT1 and OAT3 analyzed by machine learning. <i>Journal of Biological Chemistry</i> , 2020, 295, 1829-1842.	3.4	39
11	Drosophila SLC22 Orthologs Related to OATs, OCTs, and OCTNs Regulate Development and Responsiveness to Oxidative Stress. <i>International Journal of Molecular Sciences</i> , 2020, 21, 2002.	4.1	17
12	Systems Biology Analysis Reveals Eight SLC22 Transporter Subgroups, Including OATs, OCTs, and OCTNs. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1791.	4.1	44
13	The Systems Biology of Drug Metabolizing Enzymes and Transporters: Relevance to Quantitative Systems Pharmacology. <i>Clinical Pharmacology and Therapeutics</i> , 2020, 108, 40-53.	4.7	29
14	Gut-derived uremic toxin handling in vivo requires OAT-mediated tubular secretion in chronic kidney disease. <i>JCI Insight</i> , 2020, 5, .	5.0	46
15	A Network of SLC and ABC Transporter and DME Genes Involved in Remote Sensing and Signaling in the Gut-Liver-Kidney Axis. <i>Scientific Reports</i> , 2019, 9, 11879.	3.3	47
16	Dynamics of Organic Anion Transporter-Mediated Tubular Secretion during Postnatal Human Kidney Development and Maturation. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019, 14, 540-548.	4.5	13
17	Uraemic syndrome of chronic kidney disease: altered remote sensing and signalling. <i>Nature Reviews Nephrology</i> , 2019, 15, 301-316.	9.6	94
18	Gene-targeted deletion in mice of the <i>Ets1</i> transcription factor, a candidate gene in the Jacobsen syndrome kidney critical region, causes abnormal kidney development. <i>American Journal of Medical Genetics, Part A</i> , 2019, 179, 71-77.	1.2	3

#	ARTICLE	IF	CITATIONS
19	The SLC22 Transporter Family: A Paradigm for the Impact of Drug Transporters on Metabolic Pathways, Signaling, and Disease. <i>Annual Review of Pharmacology and Toxicology</i> , 2018, 58, 663-687.	9.4	170
20	Organic anion transporter OAT3 enhances the glucosuric effect of the SGLT2 inhibitor empagliflozin. <i>American Journal of Physiology - Renal Physiology</i> , 2018, 315, F386-F394.	2.7	26
21	Developmental regulation of kidney and liver solute carrier and ATP-binding cassette drug transporters and drug metabolizing enzymes: the role of remote organ communication. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2018, 14, 561-570.	3.3	22
22	The systems biology of uric acid transporters. <i>Current Opinion in Nephrology and Hypertension</i> , 2018, 27, 305-313.	2.0	71
23	The drug transporter OAT3 (SLC22A8) and endogenous metabolite communication via the gut-liver-kidney axis. <i>Journal of Biological Chemistry</i> , 2017, 292, 15789-15803.	3.4	79
24	Key Role for the Organic Anion Transporters, OAT1 and OAT3, in the in vivo Handling of Uremic Toxins and Solutes. <i>Scientific Reports</i> , 2017, 7, 4939.	3.3	157
25	Organic Anion Transport in the Developing Kidney. , 2017, , 1040-1045.e2.		0
26	Regulation of Ureteric Bud Outgrowth and the Consequences of Disrupted Development. , 2016, , 209-227.		2
27	Molecular Properties of Drugs Interacting with SLC22 Transporters OAT1, OAT3, OCT1, and OCT2: A Machine-Learning Approach. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2016, 359, 215-229.	2.5	60
28	An Organic Anion Transporter 1 (OAT1)-centered Metabolic Network. <i>Journal of Biological Chemistry</i> , 2016, 291, 19474-19486.	3.4	39
29	Kidney versus Liver Specification of SLC and ABC Drug Transporters, Tight Junction Molecules, and Biomarkers. <i>Drug Metabolism and Disposition</i> , 2016, 44, 1050-1060.	3.3	23
30	Analysis of ABCG2 and other urate transporters in uric acid homeostasis in chronic kidney disease: potential role of remote sensing and signaling. <i>CKJ: Clinical Kidney Journal</i> , 2016, 9, 444-453.	2.9	84
31	Multispecific Organic Cation Transporter 1 (OCT1) from <i>Bos taurus</i> Has High Affinity and Slow Binding Kinetics towards Prostaglandin E2. <i>PLoS ONE</i> , 2016, 11, e0152969.	2.5	2
32	Evolutionary Analysis and Classification of OATs, OCTs, OCTNs, and Other SLC22 Transporters: Structure-Function Implications and Analysis of Sequence Motifs. <i>PLoS ONE</i> , 2015, 10, e0140569.	2.5	63
33	The Organic Anion Transporter (OAT) Family: A Systems Biology Perspective. <i>Physiological Reviews</i> , 2015, 95, 83-123.	28.8	346
34	Transcriptome-based reconstructions from the murine knockout suggest involvement of the urate transporter, URAT1 (slc22a12), in novel metabolic pathways. <i>Biochemistry and Biophysics Reports</i> , 2015, 3, 51-61.	1.3	12
35	Handling of Drugs, Metabolites, and Uremic Toxins by Kidney Proximal Tubule Drug Transporters. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 2039-2049.	4.5	214
36	Shared Ligands Between Organic Anion Transporters (OAT1 and OAT6) and Odorant Receptors. <i>Drug Metabolism and Disposition</i> , 2015, 43, 1855-1863.	3.3	18

#	ARTICLE	IF	CITATIONS
37	What do drug transporters really do?. <i>Nature Reviews Drug Discovery</i> , 2015, 14, 29-44.	46.4	411
38	Generation of an expandable intermediate mesoderm restricted progenitor cell line from human pluripotent stem cells. <i>ELife</i> , 2015, 4, .	6.0	25
39	Relevance of ureteric bud development and branching to tissue engineering, regeneration and repair in acute and chronic kidney disease. <i>Current Opinion in Organ Transplantation</i> , 2014, 19, 153-161.	1.6	5
40	Renal Regeneration. , 2014, , 253-261.		0
41	Cellular and Developmental Strategies Aimed at Kidney Tissue Engineering. <i>Nephron Experimental Nephrology</i> , 2014, 126, 101-106.	2.2	5
42	Growth factorâ€”heparan sulfate â€”switchesâ€”regulating stages of branching morphogenesis. <i>Pediatric Nephrology</i> , 2014, 29, 727-735.	1.7	20
43	Organic anion transport pathways in antiviral handling in choroid plexus in Oat1 (Slc22a6) and Oat3 (Slc22a8) deficient tissue. <i>Neuroscience Letters</i> , 2013, 534, 133-138.	2.1	42
44	Molecular and Cellular Mechanisms of Kidney Development. , 2013, , 859-890.		2
45	Metabolomics Reveals Signature of Mitochondrial Dysfunction in Diabetic Kidney Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 1901-1912.	6.1	454
46	GDNF-independent ureteric budding: role of PI3K-independent activation of AKT and FOSB/JUN/AP-1 signaling. <i>Biology Open</i> , 2013, 2, 952-959.	1.2	8
47	Concise Review: Can the Intrinsic Power of Branching Morphogenesis Be Used for Engineering Epithelial Tissues and Organs?. <i>Stem Cells Translational Medicine</i> , 2013, 2, 993-1000.	3.3	17
48	Hepatocyte Nuclear Factors 4<i>Î±</i> and 1<i>Î±</i> Regulate Kidney Developmental Expression of Drug-Metabolizing Enzymes and Drug Transporters. <i>Molecular Pharmacology</i> , 2013, 84, 808-823.	2.3	101
49	Multispecific Drug Transporter <i>Slc22a8</i> (<i>Oat3</i>) Regulates Multiple Metabolic and Signaling Pathways. <i>Drug Metabolism and Disposition</i> , 2013, 41, 1825-1834.	3.3	62
50	A role for the organic anion transporter OAT3 in renal creatinine secretion in mice. <i>American Journal of Physiology - Renal Physiology</i> , 2012, 302, F1293-F1299.	2.7	101
51	N-Sulfation of Heparan Sulfate Regulates Early Branching Events in the Developing Mammary Gland. <i>Journal of Biological Chemistry</i> , 2012, 287, 42064-42070.	3.4	15
52	In Vitro Culture of Embryonic Kidney Rudiments and Isolated Ureteric Buds. <i>Methods in Molecular Biology</i> , 2012, 886, 13-21.	0.9	15
53	The Storytelling Brain. <i>Science and Engineering Ethics</i> , 2012, 18, 567-571.	2.9	10
54	Organic Anion and Cation SLC22 â€”Drugâ€”Transporter (Oat1, Oat3, and Oct1) Regulation during Development and Maturation of the Kidney Proximal Tubule. <i>PLoS ONE</i> , 2012, 7, e40796.	2.5	34

#	ARTICLE	IF	CITATIONS
55	A protein kinase A and Wnt-dependent network regulating an intermediate stage in epithelial tubulogenesis during kidney development. <i>Developmental Biology</i> , 2012, 364, 11-21.	2.0	31
56	Untargeted Metabolomics Identifies Enterobiome Metabolites and Putative Uremic Toxins as Substrates of Organic Anion Transporter 1 (Oat1). <i>Journal of Proteome Research</i> , 2011, 10, 2842-2851.	3.7	158
57	Branching morphogenesis: From individual molecules to a systems biology approach Commentary on "Sema4C-Plexin B2 signalling modulates ureteric branching in developing kidney" by Per�� et al.. <i>Differentiation</i> , 2011, 81, 79-80.	1.9	1
58	Stage-dependent regulation of mammary ductal branching by heparan sulfate and HGF-cMet signaling. <i>Developmental Biology</i> , 2011, 355, 394-403.	2.0	46
59	Growth factor-dependent branching of the ureteric bud is modulated by selective 6-O sulfation of heparan sulfate. <i>Developmental Biology</i> , 2011, 356, 19-27.	2.0	37
60	Conformational Changes of the Multispecific Transporter Organic Anion Transporter 1 (OAT1/SLC22A6) Suggests a Molecular Mechanism for Initial Stages of Drug and Metabolite Transport. <i>Cell Biochemistry and Biophysics</i> , 2011, 61, 251-259.	1.8	18
61	Elucidation of common pharmacophores from analysis of targeted metabolites transported by the multispecific drug transporter "Organic anion transporter1 (Oat1). <i>Bioorganic and Medicinal Chemistry</i> , 2011, 19, 3320-3340.	3.0	14
62	Remote Communication through Solute Carriers and ATP Binding Cassette Drug Transporter Pathways: An Update on the Remote Sensing and Signaling Hypothesis. <i>Molecular Pharmacology</i> , 2011, 79, 795-805.	2.3	100
63	Functional Maturation of Drug Transporters in the Developing, Neonatal, and Postnatal Kidney. <i>Molecular Pharmacology</i> , 2011, 80, 147-154.	2.3	59
64	Deletion of Multispecific Organic Anion Transporter Oat1/Slc22a6 Protects against Mercury-induced Kidney Injury. <i>Journal of Biological Chemistry</i> , 2011, 286, 26391-26395.	3.4	78
65	Linkage of Organic Anion Transporter-1 to Metabolic Pathways through Integrated "Omic" driven Network and Functional Analysis. <i>Journal of Biological Chemistry</i> , 2011, 286, 31522-31531.	3.4	57
66	Analysis of Three-dimensional Systems for Developing and Mature Kidneys Clarifies the Role of OAT1 and OAT3 in Antiviral Handling. <i>Journal of Biological Chemistry</i> , 2011, 286, 243-251.	3.4	54
67	Loss of the Heparan Sulfate Sulfotransferase, Ndst1, in Mammary Epithelial Cells Selectively Blocks Lobuloalveolar Development in Mice. <i>PLoS ONE</i> , 2010, 5, e10691.	2.5	36
68	Constructing Kidney-like Tissues from Cells Based on Programs for Organ Development: Toward a Method of In Vitro Tissue Engineering of the Kidney. <i>Tissue Engineering - Part A</i> , 2010, 16, 2441-2455.	3.1	62
69	Hs2st mediated kidney mesenchyme induction regulates early ureteric bud branching. <i>Developmental Biology</i> , 2010, 339, 354-365.	2.0	29
70	Protein kinase A regulates GDNF/RET-dependent but not GDNF/Ret-independent ureteric bud outgrowth from the Wolffian duct. <i>Developmental Biology</i> , 2010, 347, 337-347.	2.0	14
71	How Does the Ureteric Bud Branch?. <i>Journal of the American Society of Nephrology: JASN</i> , 2009, 20, 1465-1469.	6.1	49
72	Analysis of a large cluster of SLC22 transporter genes, including novel USTs, reveals species-specific amplification of subsets of family members. <i>Physiological Genomics</i> , 2009, 38, 116-124.	2.3	26

#	ARTICLE	IF	CITATIONS
73	The instructive role of metanephric mesenchyme in ureteric bud patterning, sculpting, and maturation and its potential ability to buffer ureteric bud branching defects. <i>American Journal of Physiology - Renal Physiology</i> , 2009, 297, F1330-F1341.	2.7	26
74	Î²1-Integrin is required for kidney collecting duct morphogenesis and maintenance of renal function. <i>American Journal of Physiology - Renal Physiology</i> , 2009, 297, F210-F217.	2.7	67
75	Toward a Systems Level Understanding of Organic Anion and Other Multispecific Drug Transporters: A Remote Sensing and Signaling Hypothesis. <i>Molecular Pharmacology</i> , 2009, 76, 481-490.	2.3	120
76	Neuropeptide Y functions as a facilitator of GDNF-induced budding of the Wolffian duct. <i>Development (Cambridge)</i> , 2009, 136, 4213-4224.	2.5	13
77	Interaction of Organic Cations with Organic Anion Transporters. <i>Journal of Biological Chemistry</i> , 2009, 284, 31422-31430.	3.4	58
78	Impaired Wntâ€œÎ²-catenin signaling disrupts adult renal homeostasis and leads to cystic kidney ciliopathy. <i>Nature Medicine</i> , 2009, 15, 1046-1054.	30.7	156
79	MAPAS: a tool for predicting membrane-contacting protein surfaces. <i>Nature Methods</i> , 2008, 5, 119-119.	19.0	19
80	Multiple organic anion transporters contribute to net renal excretion of uric acid. <i>Physiological Genomics</i> , 2008, 33, 180-192.	2.3	203
81	MODELING OF GLYCEROL-3-PHOSPHATE TRANSPORTER SUGGESTS A POTENTIAL 'TILT' MECHANISM INVOLVED IN ITS FUNCTION. <i>Journal of Bioinformatics and Computational Biology</i> , 2008, 06, 885-904.	0.8	12
82	Multi-level Analysis of Organic Anion Transporters 1, 3, and 6 Reveals Major Differences in Structural Determinants of Antiviral Discrimination. <i>Journal of Biological Chemistry</i> , 2008, 283, 8654-8663.	3.4	89
83	Organogenesis forum lecture. <i>Organogenesis</i> , 2008, 4, 137-143.	1.2	22
84	Overlapping in vitro and in vivo specificities of the organic anion transporters OAT1 and OAT3 for loop and thiazide diuretics. <i>American Journal of Physiology - Renal Physiology</i> , 2008, 294, F867-F873.	2.7	115
85	Organic Anion Transporter 3 Contributes to the Regulation of Blood Pressure. <i>Journal of the American Society of Nephrology: JASN</i> , 2008, 19, 1732-1740.	6.1	72
86	Analysis of Metagene Portraits Reveals Distinct Transitions During Kidney Organogenesis. <i>Science Signaling</i> , 2008, 1, ra16.	3.6	28
87	Molecular and Cellular Mechanisms of Kidney Development. , 2008, , 671-689.		0
88	Structural Variation Governs Substrate Specificity for Organic Anion Transporter (OAT) Homologs. <i>Journal of Biological Chemistry</i> , 2007, 282, 23841-23853.	3.4	79
89	Drug and toxicant handling by the OAT organic anion transporters in the kidney and other tissues. <i>Nature Clinical Practice Nephrology</i> , 2007, 3, 443-448.	2.0	73
90	Glial Cellâ€œDerived Neurotrophic Factorâ€œIndependent Ureteric Bud Outgrowth from the Wolffian Duct. <i>Journal of the American Society of Nephrology: JASN</i> , 2007, 18, 3147-3155.	6.1	54

#	ARTICLE	IF	CITATIONS
91	The developmental nephrome: systems biology in the developing kidney. <i>Current Opinion in Nephrology and Hypertension</i> , 2007, 16, 3-9.	2.0	26
92	The effect of hyaluronic acid size and concentration on branching morphogenesis and tubule differentiation in developing kidney culture systems: Potential applications to engineering of renal tissues. <i>Biomaterials</i> , 2007, 28, 4806-4817.	11.4	60
93	Olfactory mucosa-expressed organic anion transporter, Oat6, manifests high affinity interactions with odorant organic anions. <i>Biochemical and Biophysical Research Communications</i> , 2006, 351, 872-876.	2.1	59
94	Activin A is an endogenous inhibitor of ureteric bud outgrowth from the Wolffian duct. <i>Developmental Biology</i> , 2006, 295, 473-485.	2.0	47
95	Development and differentiation of the ureteric bud into the ureter in the absence of a kidney collecting system. <i>Developmental Biology</i> , 2006, 298, 571-584.	2.0	32
96	Rho kinase acts at separate steps in ureteric bud and metanephric mesenchyme morphogenesis during kidney development. <i>Differentiation</i> , 2006, 74, 638-647.	1.9	47
97	Analyses of 5â€² regulatory region polymorphisms in human SLC22A6 (OAT1) and SLC22A8 (OAT3). <i>Journal of Human Genetics</i> , 2006, 51, 575-580.	2.3	41
98	Decreased Renal Organic Anion Secretion and Plasma Accumulation of Endogenous Organic Anions in OAT1 Knock-out Mice. <i>Journal of Biological Chemistry</i> , 2006, 281, 5072-5083.	3.4	204
99	Adult Kidney Tubular Cell Population Showing Phenotypic Plasticity, Tubulogenic Capacity, and Integration Capability into Developing Kidney. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 188-198.	6.1	134
100	Analyses of coding region polymorphisms in apical and basolateral human organic anion transporter (OAT) genes [OAT1 (NKT), OAT2, OAT3, OAT4, URAT (RST)] <i>Rapid Communication. Kidney International</i> , 2005, 68, 1491-1499.	5.2	85
101	Heregulin Induces Glial Cell Line-derived Neurotrophic Growth Factor-independent, Non-branching Growth and Differentiation of Ureteric Bud Epithelia. <i>Journal of Biological Chemistry</i> , 2005, 280, 42181-42187.	3.4	22
102	Implications of Gene Networks for Understanding Resilience and Vulnerability in the Kidney Branching Program. <i>Physiology</i> , 2004, 19, 339-347.	3.1	29
103	Novel slc22 transporter homologs in fly, worm, and human clarify the phylogeny of organic anion and cation transporters. <i>Physiological Genomics</i> , 2004, 18, 12-24.	2.3	77
104	The Molecular Pharmacology of Organic Anion Transporters: from DNA to FDA?. <i>Molecular Pharmacology</i> , 2004, 65, 479-487.	2.3	78
105	Branching morphogenesis and kidney disease. <i>Development (Cambridge)</i> , 2004, 131, 1449-1462.	2.5	144
106	Developmental approaches to kidney tissue engineering. <i>American Journal of Physiology - Renal Physiology</i> , 2004, 286, F1-F7.	2.7	55
107	Organic anion transport in choroid plexus from wild-type and organic anion transporter 3 (Slc22a8)-null mice. <i>American Journal of Physiology - Renal Physiology</i> , 2004, 286, F972-F978.	2.7	59
108	Complex Dynamics of Chaperone-Protein Interactions Under Cellular Stress. <i>Cell Biochemistry and Biophysics</i> , 2004, 40, 263-276.	1.8	12

#	ARTICLE	IF	CITATIONS
109	Tunicamycin preserves intercellular junctions, cytoarchitecture, and cell-substratum interactions in ATP-depleted epithelial cells. <i>Biochemical and Biophysical Research Communications</i> , 2004, 322, 223-231.	2.1	12
110	Identification of a novel murine organic anion transporter family member, OAT6, expressed in olfactory mucosa. <i>Biochemical and Biophysical Research Communications</i> , 2004, 323, 429-436.	2.1	98
111	TGF- β 2 superfamily members modulate growth, branching, shaping, and patterning of the ureteric bud. <i>Developmental Biology</i> , 2004, 266, 285-298.	2.0	121
112	Regulation of ureteric bud branching morphogenesis by sulfated proteoglycans in the developing kidney. <i>Developmental Biology</i> , 2004, 272, 310-327.	2.0	68
113	Spatiotemporal regulation of morphogenetic molecules during in vitro branching of the isolated ureteric bud: toward a model of branching through budding in the developing kidney. <i>Developmental Biology</i> , 2004, 275, 44-67.	2.0	105
114	Changes in gene expression patterns in the ureteric bud and metanephric mesenchyme in models of kidney development. <i>Kidney International</i> , 2003, 64, 1997-2008.	5.2	81
115	From the ureteric bud to the penome. <i>Kidney International</i> , 2003, 64, 2320-2322.	5.2	11
116	Eya protein phosphatase activity regulates Six1-Dach-Eya transcriptional effects in mammalian organogenesis. <i>Nature</i> , 2003, 426, 247-254.	27.8	571
117	Organic anion and cation transporters occur in pairs of similar and similarly expressed genes. <i>Biochemical and Biophysical Research Communications</i> , 2003, 300, 333-342.	2.1	101
118	Debt91, a putative zinc finger protein differentially expressed during epithelial morphogenesis. <i>Biochemical and Biophysical Research Communications</i> , 2003, 306, 623-628.	2.1	8
119	Biochemical processing of E-cadherin under cellular stress. <i>Biochemical and Biophysical Research Communications</i> , 2003, 307, 215-223.	2.1	27
120	Novel aspects of renal organic anion transporters. <i>Current Opinion in Nephrology and Hypertension</i> , 2003, 12, 551-558.	2.0	37
121	Impaired Organic Anion Transport in Kidney and Choroid Plexus of Organic Anion Transporter 3 (Oat3) Tj ETQq1 1 0.784314 ggBT /Ov 3.4 261	3.4	261
122	Novel human cDNAs homologous to Drosophila Orct and mammalian carnitine transporters. <i>Biochemical and Biophysical Research Communications</i> , 2002, 297, 1159-1166.	2.1	60
123	Toward an etiological classification of developmental disorders of the kidney and upper urinary tract. <i>Kidney International</i> , 2002, 61, 10-19.	5.2	81
124	A strategy for in vitro propagation of rat nephrons. <i>Kidney International</i> , 2002, 62, 1958-1965.	5.2	54
125	Expanding Role of G Proteins in Tight Junction Regulation: G α s Stimulates TJ Assembly. <i>Biochemical and Biophysical Research Communications</i> , 2001, 285, 250-256.	2.1	25
126	Involvement of Laminin Binding Integrins and Laminin-5 in Branching Morphogenesis of the Ureteric Bud during Kidney Development. <i>Developmental Biology</i> , 2001, 238, 289-302.	2.0	79

#	ARTICLE	IF	CITATIONS
127	Multiple fibroblast growth factors support growth of the ureteric bud but have different effects on branching morphogenesis. <i>Mechanisms of Development</i> , 2001, 109, 123-135.	1.7	132
128	The organic anion transporter family: from physiology to ontogeny and the clinic. <i>American Journal of Physiology - Renal Physiology</i> , 2001, 281, F197-F205.	2.7	122
129	EEG1, a putative transporter expressed during epithelial organogenesis: comparison with embryonic transporter expression during nephrogenesis. <i>American Journal of Physiology - Renal Physiology</i> , 2001, 281, F1148-F1156.	2.7	14
130	Folding and bioassembly of secretory proteins in health and disease. <i>Kidney International</i> , 2001, 60, 397.	5.2	0
131	Reassembly of the Tight Junction after Oxidative Stress Depends on Tyrosine Kinase Activity. <i>Journal of Biological Chemistry</i> , 2001, 276, 22048-22055.	3.4	111
132	Identification of pleiotrophin as a mesenchymal factor involved in ureteric bud branching morphogenesis. <i>Development (Cambridge)</i> , 2001, 128, 3283-3293.	2.5	91
133	Developmentally regulated expression of organic ion transporters NKT (OAT1), OCT1, NLT (OAT2), and Roct. <i>American Journal of Physiology - Renal Physiology</i> , 2000, 278, F635-F643.	2.7	100
134	Selective degradation of E-cadherin and dissolution of E-cadherin-catenin complexes in epithelial ischemia. <i>American Journal of Physiology - Renal Physiology</i> , 2000, 278, F847-F852.	2.7	82
135	Matrix metalloproteinases and their inhibitors regulate in vitro ureteric bud branching morphogenesis. <i>American Journal of Physiology - Renal Physiology</i> , 2000, 279, F891-F900.	2.7	49
136	Role of Hyaluronan and CD44 in in Vitro Branching Morphogenesis of Ureteric Bud Cells. <i>Developmental Biology</i> , 2000, 224, 312-325.	2.0	54
137	Genesis and reversal of the ischemic phenotype in epithelial cells. <i>Journal of Clinical Investigation</i> , 2000, 106, 621-626.	8.2	140
138	Pretreatment with inducers of ER molecular chaperones protects epithelial cells subjected to ATP depletion. <i>American Journal of Physiology - Renal Physiology</i> , 1999, 277, F211-F218.	2.7	24
139	Role of tyrosine phosphorylation in the reassembly of occludin and other tight junction proteins. <i>American Journal of Physiology - Renal Physiology</i> , 1999, 276, F737-F750.	2.7	111
140	A role for intracellular calcium in tight junction reassembly after ATP depletion-repletion. <i>American Journal of Physiology - Renal Physiology</i> , 1999, 277, F524-F532.	2.7	41
141	Evolution of gene expression patterns in a model of branching morphogenesis. <i>American Journal of Physiology - Renal Physiology</i> , 1999, 277, F650-F663.	2.7	24
142	Cell-Cell Dissociation upon Epithelial Cell Scattering Requires a Step Mediated by the Proteasome. <i>Journal of Biological Chemistry</i> , 1999, 274, 24579-24584.	3.4	56
143	Less degradation, more shock, please. <i>Gastroenterology</i> , 1999, 116, 994-996.	1.3	3
144	In vitro branching tubulogenesis: Implications for developmental and cystic disorders, nephron number, renal repair, and nephron engineering. <i>Kidney International</i> , 1998, 54, 14-26.	5.2	61

#	ARTICLE	IF	CITATIONS
145	Involvement of Cl ⁻ in the Maintenance and Biogenesis of Epithelial Cell Tight Junctions. Journal of Biological Chemistry, 1998, 273, 21629-21633.	3.4	75
146	Folding of Secretory and Membrane Proteins. New England Journal of Medicine, 1998, 339, 1688-1695.	27.0	130
147	Molecular structure and assembly of the tight junction. American Journal of Physiology - Renal Physiology, 1998, 274, F1-F9.	2.7	206
148	Proteasome Inhibition Leads to a Heat-shock Response, Induction of Endoplasmic Reticulum Chaperones, and Thermotolerance. Journal of Biological Chemistry, 1997, 272, 9086-9092.	3.4	412
149	Molecular Cloning and Characterization of NKT, a Gene Product Related to the Organic Cation Transporter Family That Is Almost Exclusively Expressed in the Kidney. Journal of Biological Chemistry, 1997, 272, 6471-6478.	3.4	228
150	Tight Junction Proteins Form Large Complexes and Associate with the Cytoskeleton in an ATP Depletion Model for Reversible Junction Assembly. Journal of Biological Chemistry, 1997, 272, 16133-16139.	3.4	175
151	Multiple Molecular Chaperones Complex with Misfolded Large Oligomeric Glycoproteins in the Endoplasmic Reticulum. Journal of Biological Chemistry, 1997, 272, 3057-3063.	3.4	137
152	Dependence of Epithelial Intercellular Junction Biogenesis on Thapsigargin-sensitive Intracellular Calcium Stores. Journal of Biological Chemistry, 1996, 271, 13636-13641.	3.4	99
153	Selective amplification of protein-coding regions of large sets of genes using statistically designed primer sets. Nature Biotechnology, 1996, 14, 857-861.	17.5	36
154	Abundance and competition in PCR. Nature Biotechnology, 1996, 14, 1202-1202.	17.5	0
155	Involvement of a Heterotrimeric G Protein β Subunit in Tight Junction Biogenesis. Journal of Biological Chemistry, 1996, 271, 25750-25753.	3.4	129
156	Determinants of branching tubulogenesis. Current Opinion in Nephrology and Hypertension, 1995, 4, 209-214.	2.0	19
157	Molecular Characteristics of Na ⁺ -coupled Glucose Transporters in Adult and Embryonic Rat Kidney. Journal of Biological Chemistry, 1995, 270, 29365-29371.	3.4	176
158	Critical role for intracellular calcium in tight junction biogenesis. Journal of Cellular Physiology, 1994, 159, 423-433.	4.1	114
159	Involvement of Hepatocyte Growth Factor in Kidney Development. Developmental Biology, 1994, 163, 525-529.	2.0	198
160	Modulation of HGF-Induced Tubulogenesis and Branching by Multiple Phosphorylation Mechanisms. Developmental Biology, 1993, 159, 535-548.	2.0	89
161	HGF-Induced Tubulogenesis and Branching of Epithelial Cells Is Modulated by Extracellular Matrix and TGF- β . Developmental Biology, 1993, 160, 293-302.	2.0	201
162	Toward an understanding of epithelial morphogenesis in health and disease. Current Opinion in Nephrology and Hypertension, 1992, 1, 187-192.	2.0	7

#	ARTICLE	IF	CITATIONS
163	Intracellular calcium: molecules and pools. <i>Current Opinion in Cell Biology</i> , 1992, 4, 220-226.	5.4	52
164	The role of phosphorylation in development of tight junctions in cultured renal epithelial (MDCK) cells. <i>Biochemical and Biophysical Research Communications</i> , 1991, 181, 548-553.	2.1	82
165	Organic Anion Transporters. , 0, , 51-73.		0